

FUSELAGE-CENTRE PORTION

Ref. No.	Part No.	Description	No. Off					Material Specification	M.R. Class of Score	Plate No.
			1	2	3	4	5			
	D.215906	CENTRE FUSELAGE STRUCTURE, ASSEMBLY					-	-		
	D.179303	ATTACHMENT OF STRINGERS FROM NOSE SPAR TO FRAME 20, ASSEMBLY					-	-		
960	F.184105	Bolt, special, at stringers "C" and "H"	2	S.95.B	C.	JB.3	
	Std.1551/3/125	Bolt, special, at stringers "C" and "H"	8	S.99.B			
3825	Std.1551/3/105	Bolt, special, at stringers "C" and "H"	4	S.99.B	MR/C	5	
	A.178936	Fitting, attachment at stringers "C" and "H"	4	S.99.B			
963	F.170740	Nut, special, at stringers "C" and "H"	4	S.99.B	C.	JB.3	
7262	Std.1718/3	Nut, special	12	S.95.B	MR/C	5	
962	A.178929	Spigot, at stringers "C" and "H"	4	S.96.B	C.	JB.3	
961	F.184104	Tab, locking, at stringers "C" and "H"	4	S.3	C.	JB.3	
	F.178931	Tube, distance, at stringers "C" and "H"	2	DTD.364			
7263	Std.1208/62/24/20	Washer, shim	QR	-	MR/C	4	
	D.179304	ATTACHMENT OF STRINGERS AT FRAME 21 TO MAIN SPAR, ASSEMBLY					-	-		
2418	F.178919	Angle, fitting, at stringer "K"	4	Stamping	MR/C	JB.4	
2419	F.178920	Angle, fitting, at stringer "K"	4	Stamping	MR/C	JB.4	
3832	Std.1553/E/65	Bolt, special, at stringer "K"	8	S.99.B	MR/C	JB.4	
3833	Std.1553/E/55	Bolt, special, at stringer "K"	4	S.99.B	MR/C	JB.4	
2420	B.182214	Fitting, for aircraft slinging bolt	2	Stamping	MR/C	JB.2	
	D.200910	ATTACHMENT OF STRINGERS AT MAIN SPAR TO FRAME 26, ASSEMBLY					-	-		
2421	A.179650	Angle, fitting, at stringer "K," main spar	4	Stamping	MR/C	JB.4	
2422	A.178809	Angle, fitting, at stringer "K," main spar	4	Stamping	MR/C	JB.4	
4447	Std.1553/J/390	Bolt, at stringer "K," main spar	4	S.99.B	MR/C	JB.4	
2423	F.179742	Tube, distance, at stringer "K," main spar	4	DTD.364	MR/C	JB.4	
4691	Std.1547/26/12	Washer, profile, at stringer "J," main spar	4	DTD.610	MR/C	4	
	D.200912	ATTACHMENT OF STRINGERS AT REAR SPAR TO FRAME 31, ASSEMBLY					-	-		
3834	Std.1553/L/320	Bolt, at stringer "K," rear spar	4	S.99.B	MR/C	JB.4	
3824	Std.1551/2/85	Bolt, at stringer "K," rear spar	8	S.99.B	MR/C	JB.4	
3825	Std.1551/3/105	Bolt, at stringer "K," rear spar	8	S.99.B	MR/C	JB.4	
3835	Std.1553/J/300	Bolt, at stringer "J," rear spar	4	S.99.B	MR/C	JB.4	
2424	A.178816	Fitting, attachment at stringer "K," rear spar	4	Stamping	MR/C	JB.4	
2425	A.168436	Fitting, attachment, at stringer "J," rear spar	4	Stamping	MR/C	JB.4	
7261	Std.1718/2	Nut, special, at stringer "K," rear spar	8	S.95.B	MR/C	JB.4	
7262	Std.1718/3	Nut, special, at stringer "K," rear spar	8	S.95.B	MR/C	JB.4	
2427	F.178881	Tube, distance at stringer "K," rear spar	4	DTD.364	MR/C	JB.4	
2426	F.178865	Tube, distance at stringer, "J," rear spar	4	DTD.364	MR/C	JB.4	
7264	Std.1208/51/24/20	Washer, shim at stringer "K," rear spar	QR	-	MR/C	JB.4	
7265	Std.1208/62/28/20	Washer, shim, at stringer "K," rear spar	QR	-	MR/C	JB.4	
	D.200727	ATTACHMENT OF STRINGERS AT FRAMES 22, 24, 33 AND 35 TO 36, ASSEMBLY					-	-		
7266	F.200577	Bracket, support at stringer "K," port, frame 35	1	DTD.610	MR/C		
7267	F.200578	Bracket, support at stringer "K," starboard, frame 35	1	DTD.610	MR/C		
4619	Std.1335/E/18	Washer	4	L.4	C.	4	

FUSELAGE-CENTRE PORTION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Score	Plate No.
	D.200628	BRACKET, FOR FLYING CONTROLS, FRAMES 27 TO 29, ASSEMBLY	-	-		
	B.200630	Bracket, port, group	1	L.72		
	B.200631	Bracket, starboard, group	1	L.72		
	F.200632	Packing, port	1	L.72		
	F.200633	Packing, starboard	1	L.72		
	F.200636	Packing, port	1	L.72		
	F.200637	Packing, starboard	1	L.72		
7268	F.200634	Plate, nut, port	1	S.3	MR/C	
7269	F.200635	Plate, nut, starboard	1	S.3	MR/C	
	A.227757	Plate, reinforcing	2	-		
	D.184002	BRACKET, FOR FLYING CONTROLS, FRAMES 23 TO 24, ASSEMBLY	-	-		
	B.184003	Bracket, port	1	DTD.610		
	B.184004	Bracket, starboard	1	DTD.610		
2430	F.184005	Plate, nut	2	DTD.610	MR/C	
	C.203456-7	BRACKET, FOR FORWARD ENGINE MOUNTING, ASSEMBLY	-	-		
	B.203458	Diaphragm, outboard, port	1	L.72		
	B.203459	Diaphragm, outboard, starboard	1	L.72		
	B.203460	Diaphragm, inboard, port	1	L.72		
	B.203461	Diaphragm, inboard, starboard	1	L.72		
	B.201604	BRACKET, MOUNTING, FOR AIR SUPPLY VALVE, ASSEMBLY	-	-		
7270	B.201603	Bracket	1	L.72	MR/C	JB.3
	A.203695	BRACKET, MOUNTING, FOR ROTOL FLOW PROPORTIONER, ASSEMBLY	-	-		
7271	A.203394	Bracket	1	L.72	MR/C	JB.6
7272	A.203395	Bracket	1	L.72	MR/C	JB.6
	C.210539	BRACKET, MOUNTING, FOR THROTTLE CONTROL LINKAGE, ASSEMBLY	-	-		
7273	F.210881	Angle, at upper mounting bracket	1	L.72	MR/C	
7274	F.210800	Bracket, mounting, lower, group	1	-	MR/C	JB.6
7275	F.209977	Spigot	1	S.95.B	MR/C	JB.6
7276	B.210540	Bracket, mounting, upper, for lever, group	1	L.72	MR/B	JB.6
	A.209978	Spigot	1	DTD.364 & S.95.B	MR/B	
	Std.1509/2/086	Tube, distance, $\frac{1}{2}$ " o/d x 22 S.W.G. x 0.86" long	2	T.4		
	B.210541	Plate, stiffening, for upper mounting bracket	1	L.72		
	D.232480	DOORS AND ACCESS PANELS, ASSEMBLY	-	-		
4633	F.197909	Bolt, for access panels... ..	54	S.95	C.	
7835	Std.1700/4E	Bolt, attaching fuel system access panel	12	-	C.	5
8341	D.217495	Door, access to gear box, group	1	-	B.	JB.1
	D.217495/3	Hinge	1	DTD.166		
965	KAC.C.3099	Toggle, housing	2	-	C.	JB.5

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
10H/113616	D.232365					Door, access to engine starter with slot aerial, group	1	—	—	JB.5
	—					Adaptor, bulkhead	1	—	C.	
4844	F.203030					Angle, for spring clip	1	LA	MR/C	JB.5
	F.201721					Channel	1	L.72		
5720	Std.842/11					Clip, cable	4	S.3	MR/C	4
10HB/1205	—					Connector, aerial	1	—	B.	
981	A.188500					Hinge	1	DTD.166	C.	JB.5
9361	B.222421					Lid, aerial box	1	—	B.	JB.5
4599	A.201719					Stay, support	1	L.72	C.	JB.5
965	King C.3099					Toggle, housing	2	—	C.	JB.5
28FP/594	Oddie No. 219					Washer	2	—	C.	
6670	D.201293					Door, access to gearbox turret, group	1	DTD.610A	A.	JB.1
7582	B.201297					Duct, cooling	3	DTD.213	MR/C	JB.5
966	A.188142					Hinge	1	DTD.166	C.	JB.5
	F.201299					Plate, support	2	DTD.610		
965	King C.3099					Toggle, housing	2	—	C.	JB.5
6671	B.200546					Panel, access to cold air unit	2	—	B.	JB.1
6672	B.201114					Panel, access to gear box drive	1	L.72	B.	JB.1
6673	B.201332					Panel, access to air supply	2	L.72	B.	JB.1
6317	C.213475					Panel, access to fuel pump	1	DTD.610	A.	JB.1
9084	C.221459					Panel, access to fuel system, group	1	L.72	A.	JB.1
4448	F.199061					Cover, for pitôt drain valve	2	—	MR/C	JB.1
6674	A.205589					Panel, access to R.P.M. adjustment and fuel pump governor bleed	1	L.72	B.	JB.5
6675	A.201229					Panel, access to slow running adjustment	1	DTD.610	B.	JB.1
8185	A.216185					Panel, access to fuel filter cover	1	L.72	B.	JB.5
6677	B.200823					Panel, access to front engine mounting	2	L.72	B.	JB.1
969	B.179779					Panel, access to fuel vent connections	2	DTD.610	C.	JB.1
970	B.179777					Panel, access to fuel level switches	2	DTD.610	C.	JB.1
6678	B.200462					Panel, access to gearbox filler	1	L.72	B.	JB.1
6679	B.201069					Panel, access to hydraulic reservoir, group	1	—	B.	JB.5
28FP/617	Dzus EF5/45B					Fastener	3	—	C.	
6680	A.200259					Panel, access, to igniter plug	2	DTD.610	B.	JB.1
6681	A.201707					Panel, access, to liquid starter filler, group	1	L.72	B.	JB.1
28FP/617	Dzus EF5/45B					Fastener	1	—	C.	
6682	A.203667					Panel, access to oil level sighting, group	1	L.72	B.	JB.5
28FP/617	Dzus EF5/45B					Fastener	1	—	C.	
6683	A.201362					Panel, access to starter equipment	2	L.72	B.	JB.1
	E.232366					Panel, access to engine, group	1	—	A.	JB.5
10H/113616	—					Adapter, bulkhead	1	—	C.	
	F.219432					Clamp, cable, group	1	—		
	F.219447					Block, clamp	2	LFS.21		
	F.219433					Stud, anchor	1	—		
28E/10031	Terry 80X/2					Clip, for hand stowage	2	—	C.	
5720	Std.842/11					Clip, cable (Make from 30A/549)	3	S.3	MR/C	4
10HA/1096	—					Connector, aerial	1	—	B.	
984	B.188540					Hook, securing panel to fuselage	2	Stamping	C.	JB.5
9362	B.222506					Lid, for aerial box	1	DTD.610	C.	JB.5
4737	F.197737					Plate, retaining "Terry" Clips	2	DTD.610	C.	JB.5
965	King C.3099					Toggle, housing	2	—	C.	JB.5
4026	Std.1507/23/080					Tube, distance, $\frac{1}{8}$" o/d x 17 S.W.G. x 0-8" long (Make from 30A/975)	4	T.26	MR/C	4
4027	Std.1507/23/060					Tube, distance, $\frac{1}{8}$" o/d x 17 S.W.G. x 0-6" long (Make from 30A/975)	2	T.26	MR/C	4
5269	Fairey FS.553					Ring, retaining, screws	48	—	C.	

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
7279	C.200827	Diaphragm , sealing, port, between frames 29 and 30, at lower portion of fuselage					1	DTD.610	MR/C	JB.6
7280	C.200828	Diaphragm , sealing, starboard, between frames 29 and 30, at lower portion of fuselage					1	DTD.610	MR/C	JB.6
	C.188170	DUCTS, FOR ENGINE CONTROLS, ASSEMBLY					—	—		
3741	Std.840/20	Clip , securing, $\frac{7}{16}$ " wide strip \times 22 S.W.G. \times 2" long					21	DTD.610	C	4
2440	C.188170/1	Duct , forward, $\frac{1}{2}$ " o/d \times 22 S.W.G. \times 31-8" long					3	T.4	MR/C	JB.3
2441	C.188170/2	Duct , centre, $\frac{3}{8}$ " o/d \times 22 S.W.G. \times 6" long					3	T.4	MR/C	
2442	C.188170/3	Duct , aft, $\frac{1}{2}$ " o/d \times 22 S.W.G. \times 12" long					3	T.4	MR/C	
	D.202624	DUCTS, SERVICE, BETWEEN FRAMES 38-40A, ASSEMBLY					—	—		
7281	A.204845	Duct , for electrical cables, port					1	T.26	MR/C	JB.3
7282	A.204846	Duct , for electrical cables, starboard					1	T.26	MR/C	JB.3
7283	A.202625	Duct , for electrical cables					4	T.26	MR/C	JB.4
7284	B.203191	Duct , for fuel pipes					2	T.26	MR/C	JB.4
7285	B.202626	Socket , attachment, port for fuel pipe duct					1	S.3 & T.26	MR/C	JB.4
7286	B.202627	Socket , attachment, starboard, for fuel pipe duct					1	S.3 & T.26	MR/C	JB.4
	B.195155-6	DUCT, FOR FUEL LEVEL SWITCH CABLE, ASSEMBLY					—	—		
	F.195157	Duct					2	T.9		
	B.203819	DUCTS, SEALING, FOR FUEL PIPES, BETWEEN FRAME 29 AND FRAME 30, ASSEMBLY					—	—		
7287	A.203081	Duct					1	T.4	MR/C	JB.6
7288	A.203082	Duct					3	T.4	MR/C	JB.6
	D.221399	FAIRINGS, AFT OF HOOD, ASSEMBLY					—	—		
	D.221399/1	Angle , attachment, port					1	L.72		
	D.221399/2	Angle , attachment, starboard					1	L.72		
	D.221399/3	Angle , attachment, port					1	L.72		
	D.221399/4	Angle , attachment, starboard					1	L.72		
	D.221399/5	Angle , attachment, port					1	L.72		
	D.221399/6	Angle , attachment, starboard					1	L.72		
	E.217482	Fairing , aft of hood, frame 18 to 24, group					1	—	MR	JB.1
	C.219530	Bracket , mounting, for aerial, port					1	L.72		
	C.219531	Bracket , mounting, for aerial, starboard					1	L.72		
8898	E.217482/43	Panel , access, port					1	L.72	C.	JB.1
8899	E.217482/44	Panel , access, starboard					1	L.72	C.	JB.1
2438	B.184977	Landing , rear, port, group					1	DTD.610	MR/C	JB.2
2439	B.184978	Landing , rear, starboard, group					1	DTD.610	MR/C	JB.2
28FP/341	Dzus S5.325	Spring					3	—	C.	
1754	B.193293	Panel , access, for flying controls					1	DTD.610	C.	JB.1
8615	D.217722	Spine , forward portion, frame 24 to 26					1	L.72	B.	JB.1
	C.227969	Spine , 1st intermediate, frame 26 to 33					1	L.72	—	JB.1
8617	C.217755	Spine , 2nd intermediate, frame 33 to 38					1	L.72	B.	JB.1
7845	C.213452	Spine , 3rd intermediate, frame 38 to 40, group (0-10" trimming allowance)					1	L.72	B.	JB.1
28FP/617	Dzus EF5.45B	Fasteners					12	—	C.	

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	D.176274						1	DTD.364		
2443	D.176275						1	DTD.364	MR/B	JB.3
2444	D.176276						1	DTD.364	MR/B	JB.3
	E.179358						1	—		
2446	A.181165						1	DTD.610	MR/C	JB.7
2445	A.181166						1	DTD.610	MR/C	JB.7
7269	A.202682						1	L.72	MR/C	JB.7
	A.181153						1	DTD.610		
	A.181154						1	DTD.610		
4694	A.195545						1	DTD.610	MR/C	JB.7
	B.181157						1	DTD.610		
	B.181158						1	DTD.610		
2447	C.181163						1	DTD.610	MR/C	JB.7
2448	C.181164						1	DTD.610	MR/C	JB.7
2449	F.182169						3	DTD.610	MR/C	JB.7
2450	F.182170						3	DTD.610	MR/C	JB.7
4695	F.197436						1	DTD.610	MR/C	JB.7
2451	F.182166						10	S.2	MR/C	JB.3
2452	F.187392						1	DTD.610	MR/C	JB.3
2453	F.187393						1	DTD.610	MR/C	JB.3
	B.211968						1	S.3	MR/C	JB.3
	A.221112						1	L.72		
2455	F.187397						1	DTD.610	MR/C	
2456	F.187395						1	DTD.610	MR/C	
2457	A.181119						1	DTD.610	MR/C	JB.7
2459	A.181145						1	DTD.610	MR/C	JB.7
2460	A.181146						1	DTD.610	MR/C	JB.7
2461	B.181112						1	DTD.610	MR/C	JB.7
2462	A.181120						1	DTD.610	MR/C	JB.7
2463	B.181115						1	DTD.610	MR/C	JB.7
2464	B.181116						1	DTD.610	MR/C	JB.7
2458	A.181121						2	DTD.610	MR/C	JB.7
8230	D.216907						1	DTD.610	MR/C	JB.7
2467	D.181102						1	DTD.610	MR/C	JB.7
	B.181141						1	DTD.364		
	B.181142						1	DTD.364		
2468	B.181167						1	DTD.610	MR/C	JB.7
	B.181133						2	DTD.264		
	C.181123						1	DTD.166		
	C.181124						1	DTD.166		
	C.181125						1	DTD.166		
	C.181126						1	DTD.166		
2469	B.181106						1	DTD.610	MR/C	JB.7
	C.181198						1	Stamping		
	C.181199						1	Stamping		
2473	B.181160						2	DTD.610	MR/C	JB.7
2471	A.182167						1	DTD.364	MR/C	JB.7
2472	A.182168						1	DTD.364	MR/C	JB.7
2470	F.178982						4	S.1 & S.3	MR/C	JB.7
—	Std.1509/24/098						2	T.4	—	
										(Make from 30B/557)

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
	Std.1509/24/104					Tube , distance, $\frac{3}{8}$ " x 17 S.W.G. x 1-04" long (Make up from 30B/557)	1	T.4	—	
	Std.1549/28/10					Washer , packing	2	DTD.610		
	D.178147					Frame 20 , group	1	—		
	A.177464					Angle , port	2	DTD.364		
	A.177465					Angle , starboard	2	DTD.364		
2474	F.177466					Block , distance	2	L.F.S.	MR/C	JB.7
2475	D.178147/4					Bottom , portion	1	DTD.610	MR/C	JB.7
2476	D.178147/5					Bottom , portion	1	DTD.610	MR/C	JB.7
2477	D.178147/6					Channel	2	DTD.610	MR/C	JB.7
2478	D.178147/7					Plate , doubling	2	DTD.610	MR/C	JB.7
7290	C.204274					Frame 21 , group	1	—	MR/B	JB.7
2479	D.177457/4					Angle , port	1	DTD.610	MR/C	JB.7
2480	D.177457/5					Angle , starboard	1	DTD.610	MR/C	JB.7
2481	D.177457/7					Angle , bottom (Supplied D.177457/6 for Spares)...	1	DTD.610	MR/C	JB.7
2482	D.177457/8					Angle	2	DTD.610	MR/C	JB.7
	F.179022					Angle , forward, starboard	1	DTD.610		
	F.179023					Angle , forward, port	1	DTD.610		
	F.179024					Angle , aft	2	DTD.610		
	F.194337					Angle , support	1	DTD.610		
	F.181825					Angle , support, at bottom centre of frame	1	DTD.610		
7291	F.203391					Bracket , mounting, for flow proportioner	1	L.72	MR/C	
2484	D.177457/2					Diaphragm , bottom, port	1	DTD.610	MR/C	JB.7
2485	D.177457/3					Diaphragm , bottom, starboard	1	DTD.610	MR/C	JB.7
4696	C.186837					Plate , reinforcing	1	DTD.166	MR/C	JB.7
2486	B.178914					Stiffener , front	1	DTD.610	MR/C	JB.7
2487	B.178915					Stiffener , rear	1	DTD.610	MR/C	JB.7
	E.199350					Frame 22 , group	1	—		
4699	F.195550					Angle , for attaching hydraulic pipes	1	DTD.610	MR/C	JB.7
7292	F.203390					Bracket , mounting, for fuel flow proportioner	1	DTD.610	MR/C	JB.7
4901	B.177902					Channel	2	DTD.610	MR/C	JB.7
7293	E.199350/1					Diaphragm , bottom portion	1	DTD.610	MR/C	JB.7
	B.213359					Fitting , for bridge piece	1	S.96		
	B.212948					Piece , bridge, front	1	DTD.166		
	B.212949					Piece , bridge, rear	1	DTD.166		
2489	A.178505					Piece , distance	2	LFS	MR/C	JB.7
	F.199348					Piece , reinforcing, outboard	1	DTD.166		
	F.199349					Piece , reinforcing, inboard	1	DTD.166		
7294	C.199351					Plate , reinforcing	1	DTD.610	MR/C	JB.7
	C.204275					Frame 23 , group	1	—		
4700	F.195241					Angle , for attaching hydraulic pipes	1	DTD.610	MR/C	JB.7
7295	F.203388					Bracket , at lower portion of frame	1	L.65.C	MR/C	
7296	F.214242					Bracket , at lower portion of frame	1	L.72	MR/C	JB.7
2491	B.177903					Channel	2	DTD.610	MR/C	JB.7
2492	E.177459/4					Diaphragm , bottom portion	1	DTD.610	MR/C	JB.7
2493	A.178546					Piece , distance	2	LFS	MR/C	JB.7
7297	B.211291					Plate , reinforcing	1	L.72	MR/C	JB.7
	E.177460					Frame 24 , group	1	—		
2495	E.177460/4					Diaphragm , bottom portion, port	1	DTD.610	MR/C	JB.7
2496	E.177460/5					Diaphragm , bottom portion, starboard	1	DTD.610	MR/C	JB.7

FUSELAGE-CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	D.201499	Frame 25 , main spar, group					1	—		
2497	D.177970	Angle , for tank support skin, port					1	DTD.610	MR/C	JB.8
2498	D.177971	Angle , for tank support skin, starboard					1	DTD.610	MR/C	JB.8
	D.177968	Angle , for tank support skin, port					1	DTD.610		
	D.177969	Angle , for tank support skin, starboard					1	DTD.610		
2499	D.177961	Angle , for tank support skin					1	DTD.610	MR/C	J.8
2500	D.177959	Angle , centre, for tank support skin, port					1	DTD.610	MR/C	JB.8
7298	B.203168	Angle , at bottom portion of frame					1	DTD.610	MR/C	JB.8
2501	D.177960	Angle , centre, for tank support skin, starboard					1	DTD.610	MR/C	JB.8
4703	F.195554	Angle , at bottom portion of frame					1	DTD.610	MR/C	
7299	F.202234	Angle , mounting for starter tank					1	DTD.364	MR/C	JB.8
2502	D.177182	Boom , bottom, front					1	DTD.364	MR/C	JB.8
2503	D.177188	Boom , bottom, rear					1	DTD.364	MR/C	JB.8
7300	Std.1551/8/310	Bolt , fork fitting					8	S.99.B	MR/C	5
3826	Std.1551/8/315	Bolt , fork fitting					4	S.99.B	MR/C	5
3842	Std.1639/7/N	Bolt , for fork fitting					8	S.2 or S.11	MR/C	5
6684	A.206824	Bracket , mounting for solenoid switch, starboard only					1	L.72	C	JB.8
7301	F.203167	Bracket , attachment, on lower portion of frame					1	L.72	MR/C	
5723	F.177893	Bracket , for attaching stringers					4	DTD.610	MR/C	JB.8
5724	F.177894	Bracket , for attaching stringers					4	DTD.610	MR/C	JB.8
2504	A.177433	Channel , centre, at lower portion of frame					2	DTD.610	MR/C	JB.8
4704	F.193326	Channel , mounting for JB.1					1	DTD.610	MR/C	JB.8
2505	A.177432	Channel , outer, at lower portion of frame					2	DTD.610	MR/C	JB.8
4705	F.193327	Channel , mounting, for JB.1					1	DTD.610	MR/C	JB.8
2506	A.177434	Channel , inner, at lower portion of frame					1	DTD.610	MR/C	JB.8
2507	B.177191	Channel , at bottom centre of frame					2	DTD.610	MR/C	JB.8
28E/10027	Terry 80/000	Clip , for cable					1	—	C.	
28E/10031	Terry 80X/4	Clip , for cable					3	—	C.	
28E/10036	Terry 80/4	Clip , for cable					2	—	C.	
28E/10037	Terry 80/5	Clip , for cable					1	—	C.	
	C.202974	Crate , mounting, for fire extinguisher					1	L.72 & 1/16" Felt		
	D.177178	Fork , fitting, top port, bottom, starboard... ..					2	Stamping		
	D.177179	Fork , fitting, top starboard, bottom, port... ..					2	Stamping		
	E.177177	Member , cross, for hinge fitting attachment					2	Stamping		
7302	Std.1718/8	Nut , for fork fitting					12	S.1	MR/C	5
4706	F.193436	Packing , at mounting channel for JB.1					1	DTD.610	MR/C	
	A.177710	Piece , packing, at lower portion of frame					2	DTD.610		
4437	B.198018	Plate , reinforcing, at bottom rear of frame					2	DTD.610	MR/C	JB.8
4033	B.177184	Plate , reinforcing, at bottom forward of frame					1	DTD.546	MR/C	JB.8
2509	B.177185	Plate , reinforcing, at bottom forward for frame, port					1	DTD.546	MR/C	JB.8
	F.197529	Plate , retaining, for cable clip					1	L.72		
	F.197530	Plate , retaining, for cable clip					3	L.72		
	F.200190	Plate , retaining, for cable clip					6	L.72		
4211	Std.1687/2	Saddle					1	—	C.	5
2510	D.177180	Web , forward					1	DTD.610	MR/C	JB.8
7303	D.203045	Web , rear					1	DTD.610	MR/C	JB.8
	D.200376	Frame 26 , group					1	—		
7304	F.209994	Angle , support, at port side of bottom diaphragm					1	L.72	MR/C	
2512	B.178772	Angle , at bottom diaphragm					1	DTD.610	MR/C	JB.8
	C.200383	Angle , for air intake, port					1	DTD.610		
	C.200384	Angle , for air intake, starboard					1	DTD.610		
7305	F.207221	Bracket , support, for cable, port side of bottom diaphragm					1	L.72	MR/C	JB.8
7306	D.200376/2	Diaphragm , bottom					1	DTD.610	MR/C	JB.8

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
7307	F.210693	Plate, reinforcing, at bottom diaphragm, port ...	1	L.72	MR/C	
	F.214323	Spool	6	S.1		
7308	B.200377	Stiffener, at bottom diaphragm, port ...	1	DTD.610	MR/C	JB.8
7309	B.200378	Stiffener, at bottom diaphragm, starboard ...	1	DTD.610	MR/C	JB.8
	E.200196	Frame 27, group	1	—		
	E.200196/10	Angle, stiffening, at frame centre piece ...	1	DTD.610		
	E.200196/11	Angle, stiffening, at frame centre piece ...	1	DTD.610		
7310	E.200196/12	Angle, stiffening, at bottom portion of frame ...	1	DTD.166	MR/C	JB.8
	F.193853	Angle, for hydraulic pipes	1	DTD.610		
	F.201346	Angle, for hydraulic pipes	1	L.72		
7499	F.201606	Block, mounting, for nut plate at top of frame ...	2	L.65.C	MR/C	
7011	F.209301	Catch, at bottom portion of frame	1	L.72	MR/C	
7312	E.200196/4	Diaphragm, bottom	1	L.72	MR/C	JB.8
7500	E.200196/5	Diaphragm, centre	1	L.72	MR/C	JB.8
7313	F.202660	Packing, for anchor nuts at bottom portion of frame	2	L.72	MR/C	
7498	F.209344	Plate, nut, at top of frame	1	S.3	MR/C	
7501	E.200196/6	Ring, air intake, port	1	L.72	MR/C	JB.8
7502	E.200196/7	Ring, air intake, starboard	1	L.72	MR/C	JB.8
7503	A.202588	Ring, retaining, for sealing at centre piece ...	1	L.72	MR/C	
6685	A.202586	Sealing, at centre piece for engine starter ...	1	Linatex	C.	JB.8
	D.200085	Frame 29, front portion, group	1	—		
	D.200086	Frame 29, rear portion, group	1	—		
7314	D.200086/7	Angle, port, at bottom portion of frame ...	1	DTD.610	MR/C	
7315	D.200086/8	Angle, starboard, at bottom portion of frame ...	1	DTD.610	MR/C	
7316	D.200086/11	Angle, at bottom of frame	1	DTD.610	MR/C	JB.8
7317	D.200085/2	Diaphragm, bottom portion, port	1	DTD.610	MR/C	JB.8
7318	D.200085/3	Diaphragm, bottom portion, starboard	1	DTD.610	MR/C	
7319	D.200086/6	Diaphragm, bottom portion	1	DTD.610	MR/C	JB.8
	E.200087	Frame 30, group	1	—		
7320	A.200714	Angle, support, at bottom portion of frame ...	1	DTD.610	MR/C	
7321	A.200715	Angle, support, at bottom portion of frame ...	1	DTD.610	MR/C	
7322	A.200558	Bracket, channel, at bottom portion of frame ...	1	DTD.610	MR/C	JB.8
7323	A.200559	Bracket, channel, at bottom portion of frame ...	1	DTD.166	MR/C	
7324	A.200560	Bracket, channel, at bottom portion of frame ...	1	DTD.610	MR/C	JB.8
7325	A.202034	Bracket, top, for low pressure cock at bottom portion of frame	1	DTD.610	MR/C	
7326	A.202035	Bracket, bottom for low pressure cock at bottom portion of frame	1	DTD.610	MR/C	
7327	A.202454	Bracket, mounting, for hydraulic filter	1	DTD.610	MR/C	
	E.200087/7	Diaphragm, bottom	1	DTD.610	MR/C	JB.8
6049	F.197018	Mounting, for terminal block	1	DTD.610	MR/C	
7329	F.200553	Packing, at bottom portion of frame	3	DTD.364	MR/C	
7330	F.200554	Packing, at bottom portion of frame	1	DTD.364	MR/C	
7331	F.200556	Packing, at bottom portion of frame	1	DTD.364	MR/C	
7332	F.200557	Packing, at bottom portion of frame	1	DTD.364	MR/C	
7333	A.203086	Ring, reinforcing, at bottom portion of frame ...	1	L.72	MR/C	
4211	Std.1687/2	Saddle, at bottom portion of frame	1	DTD.610	C.	5
7334	B.200551	Stiffener, port side, at bottom portion of frame	1	DTD.610	MR/C	
7335	B.200552	Stiffener, starboard side, at bottom portion of frame	1	DTD.610	MR/C	
3802	Std.1509/23/085	Tube, distance, at stiffener for hydraulic filter mounting bracket	1	T.4	MR/C	4

FUSELAGE-CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
	D.200847					Frame 31, group	1	—		
4710	F.177681					Angle	2	DTD.610	C.	JB.8
7336	D.200847/2					Diaphragm, bottom, port	1	L.72	MR/C	JB.8
7337	D.200847/3					Diaphragm, bottom, starboard	1	L.72	MR/C	JB.8
7338	D.200847/4					Stiffener, bottom, port	1	DTD.610	MR/C	
7339	D.200847/5					Stiffener, bottom, starboard	1	DTD.610	MR/C	
	E.200089					Frame 32, rear spar, group	1	—		
	F.226691					Angle, outboard	1	S.3	MR	
	F.226692					Angle, inboard	1	S.3	MR	
	F.193853					Angle, at lower portion of frame	1	DTD.610		
3827	Std.1551/7/265					Bolt, at top fork fitting	2	S.99.B	MR/C	5
3830	Std.1551/7/260					Bolt, at top and bottom fork fittings	4	S.99.B	MR/C	5
3831	Std.1551/7/205					Bolt, at top and bottom fork fittings	8	S.99.B	MR/C	5
2547	F.180826					Bolt, special at bottom fork fittings	2	S.99.B	MR/C	JB.8
2548	B.178955					Boom, forward, bottom outer	1	DTD.364	MR/C	JB.8
2549	B.178956					Boom, rear bottom, outer	1	DTD.364	MR/C	JB.8
2550	D.178943					Boom, rear outer, port	1	DTD.364	MR/C	JB.8
2551	D.178944					Boom, rear outer, starboard...	1	DTD.364	MR/C	JB.8
2552	D.178945					Boom, forward, outer, port	1	DTD.364	MR/C	JB.8
2553	D.178946					Boom, forward, outer, starboard	1	DTD.364	MR/C	JB.8
	C.200139					Boom, forward, inner, port	1	DTD.364		
	C.200140					Boom, rear inner, port	1	DTD.364		
	C.200141					Boom, forward, inner, starboard	1	DTD.364		
	C.200142					Boom, rear inner, starboard	1	DTD.364		
	B.201363					BRACKET, FOR HYDRAULIC HAND PUMP, ASSEMBLY	—	—		
7340	C.201354					Bracket	1	L.72	MR/C	
	A.212233					Bracket	1	L.72		
7342	C.201356					Plate, stiffener, bottom	1	L.72	MR/C	JB.8
7343	C.201355					Plate, stiffener, top	1	L.72	MR/C	JB.8
	Std.1509/23/182					Tube, distance, $\frac{3}{16}$" o/d x 17 S.W.G. x 1-82" long (Make from 30B/556)	4	T.4		
26AQ/1441	Std.1547/40/12					Washer, profile	2	DTD.610	MR/C	
7345	Std.1547/40/8					Washer, profile	1	DTD.610	MR/C	
	Std.1547/34/16					Washer, profile	1	DTD.610		
7346	A.200350					Channel, at lower portion of frame	1	L.72	MR/C	JB.8
7347	A.204955					Channel, at lower portion of frame, port	1	L.72	MR/C	JB.8
7348	A.200344					Channel, at lower portion of frame, starboard	1	L.72	MR/C	JB.8
7349	A.200345					Channel, at lower portion of frame	1	L.72	MR/C	JB.8
7350	A.200352					Channel, at lower portion of frame	1	L.72	MR/C	JB.8
2559	A.179990					Channel, at lower portion of frame	1	DTD.610	MR/C	JB.8
7351	A.200348					Channel, at lower portion of frame	1	L.72	MR/C	JB.8
2561	A.179991					Channel, at lower portion of frame	1	DTD.610	MR/C	JB.8
7352	B.208152					Channel, bottom, inner	1	DTD.364	MR/C	JB.8
7353	A.200347					Channel, below bottom fork fitting	2	L.72	MR/C	JB.8
7354	A.200354					Channel, for gear box mounting	1	L.72	MR/C	JB.8
7355	A.200351					Channel, for gear box mounting	1	S.3	MR/C	JB.8
7356	A.200353					Channel, for gear box mounting	1	L.72	MR/C	JB.8
	C.180497					Fork, fitting lower, port	1	Stamping		

FUSELAGE-CENTRE PORTION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	C.180498	Fork, fitting, lower, starboard	1	Stamping		
	C.180495	Fork, fitting, top, port	1	Stamping		
	C.180496	Fork, fitting, top, starboard	1	Stamping		
7357	Std.1718/7	Nut, at fork fitting	16	S.95.B	MR/C	5
2566	F.180092	Packing, at bottom joint plates, port only ...	2	—	MR/C	JB.8
	Std.1549/28/12	Packing, radius at outboard angle	1	—		
	F.226701	Packing, at outboard angle	1	L.65.B	MR	
	F.196907	Piece, distance, between front and rear face at lower portion of frame	4	S.3 & T.26		
2567	A.178971	Plate, joint, at lower portion of frame, port ...	2	DTD.166	MR/C	JB.8
2568	A.178972	Plate, joint, at lower portion of frame, starboard	2	DTD.166	MR/C	JB.8
2569	A.178973	Plate, joint, at lower portion of frame	4	DTD.166	MR/C	
7358	C.203331	Plate, reinforcing, bottom, forward... ..	1	DTD.166	MR/C	JB.8
7359	C.203332	Plate, reinforcing, bottom, aft	1	DTD.166	MR/C	JB.8
7360	A.200096	Plate, reinforcing, at lower portion of frame ...	2	L.72	MR/C	JB.8
	C.227266	PLATE, REINFORCING FOR GEARBOX DRIVE, LOWER ATTACHMENT, ASSEMBLY	—	—	—	
	F.226909	Piece, distance	4	—	MR	
	B.226906	Plate, reinforcing forward	1	S.520	MR	
	B.226907	Plate, reinforcing, aft	1	S.520	MR	
7361	B.200386	Plate, reinforcing lower	1	L.73	MR/C	JB.8
	A.200874	Washer, for aileron control	2	Stamping		
	Std.1208/100/44/20	Washer, shim at fork fitting... ..	QR	Shim Steel		
	Std.1208/112/44/20	Washer, shim, at fork fitting	QR	Shim Steel		
7362	Std.1208/60/16/5	Washer, shim, for bear box steady bracket ...	QR	Steel	MR/C	4
7363	D.201002	Web, forward, port	1	L.73	MR/C	JB.8
7364	D.201003	Web, forward, starboard	1	L.73	MR/C	JB.8
7365	D.201007	Web, rear, port	1	L.73	MR/C	JB.8
7366	D.201008	Web, rear, starboard	1	L.73	MR/C	JB.8
	D.200055	Frame 33, group	1	—		
4874	F.195549	Angle, supporting hydraulic pipe clipping ...	2	DTD.610	MR/C	JB.9
7369	D.200055/2	Diaphragm, port	1	L.72	MR/C	JB.9
7370	D.200055/3	Diaphragm, starboard	1	L.72	MR/C	JB.9
7371	B.201060	Plate, reinforcing	1	L.72	MR/C	
7367	F.205740	Plate, reinforcing	2	L.72	MR/C	JB.9
	D.200098	Frame 34, group	1	—		
7372	F.203956	Angle, mounting at bottom portion of frame ...	1	L.72	MR/C	JB.9
4874	F.195549	Angle, supporting hydraulic pipe clipping ...	2	DTD.610	MR/C	JB.9
7373	A.205742	Bracket, mounting, for flame switch	1	L.72	MR/C	
7374	A.209855	Bracket, mounting, for pressure switch	1	L.72	MR/C	JB.9
7375	F.204071	Bracket, support, for fire extinguisher spray tube	9	L.72	MR/C	JB.9
7376	F.200765	Bracket, attachment, port side only	1	DTD.610	MR/C	
7377	A.202907	Bracket, mounting, for flame switch at top of frame	1	L.72	MR/C	JB.9
2582	A.177104	Butt-strap, outer	2	DTD.546	MR/C	JB.9
2581	A.177105	Butt-strap	2	DTD.546	MR/C	
	A.203462-3	CHANNEL, BEARING AND ANGLES, FOR FORWARD ENGINE MOUNTING, SUB-ASSEMBLY	—	—		
7504	A.203468	Angle, bearing, inboard, port	1	DTD.166	MR/C	JB.6
7505	A.203469	Angle, bearing, inboard, starboard	1	DTD.166	MR/C	JB.6
7506	A.203466	Angle, bearing, outboard, port	1	DTD.166	MR/C	JB.6

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
7507	A.203467					Angle, bearing, outboard, starboard	1	DTD.166	MR/C	JB.6
7508	B.203464					Channel, bearing, port	1	DTD.166	MR/C	JB.6
7509	B.203465					Channel, bearing, starboard	1	DTD.166	MR/C	JB.6
7378	D.200098/7					Channel, bottom	1	DTD.364	MR/C	JB.9
7379	D.200098/1					Diaphragm, forward, port	1	L.72	MR/C	JB.9
7380	D.200098/2					Diaphragm, forward, starboard	1	L.72	MR/C	JB.9
7381	D.200098/3					Diaphragm, aft, port	1	L.72	MR/C	JB.9
7382	D.200098/4					Diaphragm, aft, starboard	1	L.72	MR/C	JB.9
7383	A.201738					Guide, for adjusting bolt	1	S.3	MR/C	
7384	F.202092					Indicator, levelling for engine jury rail	1	DTD.364	MR/C	JB.9
2596	A.177100					Plate, joint, at bottom frame joint	2	DTD.610	MR/C	JB.9
4211	Std.1687/2					Saddle, securing electrical cables	12	DTD.610	C.	5
7385	A.200221					Support, for engine rail	1	S.1	MR/C	JB.9
	Std.1509/23/084					Tube, distance, $\frac{5}{16}$ " o/d x 17 S.W.G. x 0.84" long (Make from 30B/556)	4	T.4	—	4
4035	Std.1509/23/112					Tube, distance, $\frac{5}{16}$ " o/d x 17 S.W.G. x 1.12" long (Make from 30B/556)	1	T.4	MR/C	4
7386	Std.915/A/16					Washer, at support plate	3	DTD.610	MR/C	4
	D.221336					Frame 35, group	1	—		
7510	A.203258					Angle, reinforcing, port	1	L.72	MR/C	
7511	A.203259					Angle, reinforcing, starboard	1	L.72	MR/C	
7512	F.207778					Angle, attachment, port only	1	L.72	MR/C	
	F.207779					Angle, attachment, port only	1	L.72		
7513	A.205304					Bracket, support, for pipe at top of frame	1	S.3	MR/C	JB.9
	D.221336/2					Diaphragm, side, port	1	DTD.610	MR/C	JB.9
	D.221336/3					Diaphragm, side, starboard	1	DTD.610	MR/C	JB.9
	D.221336/4					Diaphragm, bottom, forward	1	DTD.610	MR/C	JB.9
	D.221336/5					Diaphragm, bottom, aft	1	DTD.610	MR/C	JB.9
	C.221337					Plate, reinforcing	1	L.72	MR	
	D.202599					Frame 36, group	1	—		
7389	D.202599/4					Bottom, portion of frame, port	1	DTD.610	MR/C	JB.9
7390	D.202599/5					Bottom, portion of frame, starboard	1	DTD.610	MR/C	JB.9
7391	F.204793					Bracket, support, for pipe	1	S.3	MR/C	JB.9
	F.196984					Bracket, for clip attachment	1	—		
4211	Std.1687/2					Saddle, securing electrical cables	3	DTD.610	C.	5
	D.200102					Frame 37, group	1	—		
	F.171766					Angle, support, bottom, starboard	1	DTD.610		
	F.171767					Angle, support, bottom, port	1	DTD.610		
	F.196985					Angle, support, for pipe clip	2	—		
7392	A.204794					Bracket, support, for fuel pipe	1	S.3	MR/C	JB.9
7393	D.200102/3					Diaphragm, bottom	1	DTD.610	MR/C	JB.9
7394	C.200337					Plate, reinforcing, at bottom of frame	1	DTD.166	MR/C	JB.9
4211	Std.1687/2					Saddle, securing cables	1	DTD.610	C.	5
	F.197056					Saddle, special for cable clip	1	DTD.610		
	D.203011					Frame 38, group	1	—		
7395	D.203011/5					Angle, lower portion of frame	1	L.72	MR/C	
7516	D.203011/6					Angle, port	1	DTD.364	MR/C	JB.9
7517	D.203011/7					Angle, starboard	1	DTD.364	MR/C	JB.9
7377	A.202907					Bracket, mounting, for flame switch	1	L.72	MR/C	
7396	F.204070					Bracket, support, for fire extinguisher spray tube	8	L.72	MR/C	

FUSELAGE-CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
7397	D.203011/3						1	DTD.166	MR/C	JB.9
7398	B.203109						1	DTD.166	MR/C	
7399	B.203110						1	DTD.166	MR/C	
8333	A.210243						2	S.62.B	C.	JB.9
	E.200364						1	DTD.610		
	E.200365						1	—		
7400	E.200365/2						1	DTD.610	MR/C	JB.9
7401	E.200365/3						1	DTD.610	MR/C	JB.9
7402	B.200313						1	DTD.610	MR/C	JB.9
7403	B.200314						1	DTD.610	MR/C	JB.9
7404	A.200226						2	L.72	MR/C	JB.9
7405	E.200365/1						1	DTD.610	MR/C	JB.9
2810	B.176254						1	DTD.610	MR/C	JB.9
7519	B.202236						1	L.72	MR/C	
7520	B.202237						1	L.72	MR/C	
4211	Std.1687/2						5	DTD.610	C.	5
	E.200679						1	—		
	A.200908						2	DTD.610		
	A.200909						2	DTD.610		
1264‡	F.163972						8	DTD.364	C.	JB.9
1765	F.191864						22	DTD.364	C.	JB.3
7521	A.200266						1	Stamping	MR/C	
7522	A.200267						1	Stamping	MR/C	
7523	A.200268						1	Stamping	MR/C	
7524	A.200269						1	Stamping	MR/C	
7406	A.200800						2	DTD.610	MR/C	
7407	E.200679/3						1	DTD.610	MR/C	JB.9
7408	E.200679/4						1	DTD.610	MR/C	
7409	E.200679/5						1	DTD.610	MR/C	JB.9
7410	E.200679/6						1	DTD.610	MR/C	
1003	B.177308						4	Stamping	C.	JB.9
1004‡	B.177306						7	Stamping	C.	JB.3
1005‡	B.177307						4	Stamping	C.	JB.9
7413	F.201768						8	Brass Sheet	MR/C	
7411	E.200679/9						1	DTD.610	MR/C	JB.9
7412	F.200804						2	DTD.610	MR/C	
7414	E.200679/8						1	DTD.610	MR/C	JB.9
	Std.1509/24/150						56	T.4	—	
										(Make from 30B/557)
	C.201447-8						—	—		
										MOUNTING, FOR CABIN COOLER, ASSEMBLY
7417	B.201449						1	S.3	MR/C	JB.3
7418	B.201450						1	S.3	MR/C	JB.3
7419	Std.1509/23/104						2	T.4	MR/C	4

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
		MOUNTING, FOR GEARBOX, ASSEMBLY ...					-	-		
7572	F.194514	Bracket, attachment, at frame 30, port only ...					1	DTD.364	MR/C	JB.6
7573	A.200764	Bracket, attachment, at frame 30, port only ...					1	Stamping	MR/C	JB.6
7574	A.200527	Bracket, for lug					2	DTD.364	MR/C	JB.6
7575	A.200528	Bracket, for lug					2	DTD.364	MR/C	JB.6
7576	C.200523	Diaphragm, between frames 29 and 30, port ...					1	DTD.610	MR/C	JB.6
7577	C.200524	Diaphragm, between frames 29 and 30, port ...					1	DTD.610	MR/C	JB.6
7578	C.200525	Diaphragm, between frames 29 and 30, starboard					1	DTD.610	MR/C	JB.6
7579	C.200526	Diaphragm, between frames 29 and 30, starboard					1	DTD.610	MR/C	JB.6
7580	F.194512	Lug, attachment, at frame 29					2	DTD.364	MR/C	JB.6
	F.194513	Tube, distance, at lug attachment					2	L.65.C		
1392	Std.1547/28/12	Washer, special... ..					4	-	C.	4
310	Std.1547/30/12	Washer, special... ..					4	-	C.	4
7581	Std.1549/28/16	Washer, special... ..					1	-	MR/C	
	B.213427	Panel, access, for main fuel tank, port, group ...					1	-	-	JB.1
7836	C.210032	Panel, access, for main fuel tank, starboard, group					1	-	A.	JB.1
	F.200150	Bracket, support, for strap					4	L.72		
	F.207759	Guard, cable, port only					1	-		
	A.200153	Strap					2	DTD.5506		
	C.202380	PLATE, SEALING, FOR STRINGERS AT FRAMES 29 AND 30, ASSEMBLY					-	-		
7420	F.202381	Sealing, at stringer "A," frame 29					1	Plastic	MR/C	JB.8
7421	F.202382	Sealing, at stringer "B," frame 29					2	Plastic	MR/C	JB.8
7422	F.202383	Sealing, at stringer "C," frame 29					2	Plastic	MR/C	JB.8
7423	F.202384	Sealing, at stringer "C," frame 29					2	Plastic	MR/C	JB.8
7424	F.202385	Sealing, at stringer "D," frame 29					2	Plastic	MR/C	JB.8
7425	F.202386	Sealing, at stringers "E" and "H," frame 29					8	Plastic	MR/C	JB.8
7426	F.202388	Sealing, at stringers "E" and "H," frame 29					4	Plastic	MR/C	JB.8
4456	F.189604	Sealing, at stringer "J," frame 29					2	Plastic	MR/C	JB.9
7427	F.202389	Sealing, at stringer "K," frame 30					1	Plastic	MR/C	JB.8
7428	F.202390	Sealing, at stringer "K," frame 30					1	Plastic	MR/C	JB.8
7429	F.202391	Sealing, at stringer "K," frame 30					1	Plastic	MR/C	JB.8
	C.200502	PLATE, SEALING, FOR STRINGERS AT FRAME 38, ASSEMBLY					-	-		
7430	F.200505	Sealing, at stringers "A," "B," "C" and "J"					7	Plastic	MR/C	JB.9
4456	F.189604	Sealing, at stringers "D" and "H"					4	Plastic	MR/C	JB.9
4465	F.189602	Sealing, at stringers "E" and "G"					4	Plastic	MR/C	JB.9
4463	F.189600	Sealing, at stringer "F"					2	Plastic	MR/C	JB.9
4464	F.189601	Sealing, at stringer "F"					2	Plastic	MR/C	JB.9
7431	F.200503	Sealing, at stringer "K"					2	Plastic	MR/C	JB.9
7432	F.200504	Sealing, at stringer "L"					2	Plastic	MR/C	JB.9
	B.202112	RAIL FOR ENGINE, ASSEMBLY					-	-		
7525	F.175940	Angle, support					2	DTD.610	MR/C	JB.6
7526	F.202121	Angle, port					1	L.72	MR/C	JB.6
7527	F.202122	Angle, starboard					1	L.72	MR/C	JB.6
7568	A.202119	Angle, port					1	DTD.364	MR/C	JB.6
7569	A.202120	Angle, starboard					1	DTD.364	MR/C	JB.6
7570	A.200228	Bracket, mounting, port					1	L.72	MR/C	JB.6
7571	A.200229	Bracket, mounting, starboard					1	L.72	MR/C	JB.6
7443	B.202113	Diaphragm, forward, port, frame 37 to frame 38					1	L.72	MR/C	JB.6
7434	B.202114	Diaphragm, forward, starboard, frame 37 to frame 38					1	L.72	MR/C	JB.6

FUSELAGE-CENTRE PORTION

Ref. No.	Part No.	Description					No. Of	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
7435	B.202115						1	L.72	MR/C	JB.6
7436	B.202116						1	L.72	MR/C	JB.6
7437	B.202117						1	L.72	MR/C	JB.6
7438	B.202118						1	L.72	MR/C	JB.6
2815	B.177323						1	Stamping	MR/C	JB.6
7439	B.200283						1	Stamping	MR/C	JB.6
7440	B.200225						1	—	MR/C	JB.6
	Std.1507/2/134						8	T.26		
	F.233668						—	—		
		SKIN, COVERING, FRAME 25 TO FRAME 32, ASSEMBLY								
	A.206000						1	DTD.464		
	A.206001						1	DTD.364		
7441	Std.1551/5/270						4	S.99.B	MR/C	5
		BRACKET, CRADLE FOR FUEL FILTER DE-ICING ALCOHOL TANK, ASSEMBLY								
	A.205145						1	L.72	MR	
	A.215836						1	L.72	MR	
	A.215837						1	L.72	MR	
	A.215838						1	L.72	MR	
	C.205772/1						2	DTD.590		
6047	A.201094						2	L.72	MR/C	JB.2
7528	A.206929						1	L.72	MR/C	JB.2
7529	A.206930						1	L.72	MR/C	JB.2
	F.217660						8	L.72		
	B.202153						—	—		
		BRACKET, FOR STARTER FUEL TANK, PORT ONLY, ASSEMBLY								
7442	A.202152						1	L.72	MR/C	JB.3
	B.201705						—	—		
		LANDING, FOR ACCESS DOOR TO STARTER TANK, PORT ONLY, ASSEMBLY								
7553	B.201706						1	L.73	MR/C	JB.2
28FP/341	Dzus S.5.325						1	—	C.	
	B.200515						—	—		
	F.184598						2	Stamping		
		LEVELLING, POINTS, SUB-ASSEMBLY								
	A.200516						1	S.3		
	A.200517						1	S.3		
	Std.1718/5						2	S.95,B		
6148	F.206361						2	S.3	C.	
7534	F.203845						1	L.72	MR/C	
		Nut, special								
		Plate, attachment, for weather covers								
		Plate, reinforcing, at fuel starter drain outlet, port only								
7530	D.201050/1						1	DTD.546	MR/B	JB.2
7531	D.201050/2						1	DTD.546	MR/B	JB.2
7532	D.201050/3						1	DTD.546	MR/B	JB.2
7533	D.201050/4						1	DTD.546	MR/B	JB.2

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	C.205993-9	STOP, FOR UNDERCARRIAGE FAIRING DOOR AND SEQUENCE VALVE MOUNTING, SUB-ASSEMBLY					-	-		
5177	B.201691	Bracket, forward, port (8 morse No. 21 holes omitted)					1	L.72	C.	JB.2
5178	B.201692	Bracket, forward, starboard (8 morse No. 21 holes omitted)					1	L.72	C.	JB.2
5179	B.201693	Bracket, aft, port (8 morse No. 21 holes omitted)					1	L.72	C.	JB.2
5180	B.201694	Bracket, aft, starboard (8 morse No. 21 holes omitted)					1	L.72	C.	JB.2
5815	A.189625	Bracket, mounting, for sequence valve port ...					1	DTD.610	C.	JB.2
5816	A.189626	Bracket, mounting, for sequence valve, starboard					1	DTD.610	C.	JB.2
5732	A.201677	Bracket, reinforcing, port					1	S.3	MR/C	JB.2
5733	A.201678	Bracket, reinforcing, starboard					1	S.3	MR/C	JB.2
7443	C.205994	Bracket, lower, forward, port					1	L.72	MR/C	JB.2
7444	C.205995	Bracket, lower, forward, starboard					1	L.72	MR/C	JB.2
7445	C.205996	Bracket, lower, aft, port					1	L.72	MR/C	JB.2
7446	C.205997	Bracket, lower, aft, starboard					1	L.72	MR/C	JB.2
5738	A.202891	Bracket, guide, port					1	DTD.364	MR/C	JB.2
5739	A.202892	Bracket, guide, starboard					1	DTD.364 & St. St.	MR/C	JB.2
8402	F.209988	Bush, for operating lever					2	BSS.369	C.	
7855	A.209986	Lever, operating, sequence valve, port					1	Casting	B.	JB.2
7856	A.209987	Lever, operating, sequence valve, starboard					1	Casting	B.	JB.2
1014	F.189628	Rod, operating					2	S.96.B	C.	JB.2
1013	F.189627	Screw, special					2	S.95.B	C.	JB.2
4650	F.198997	Screw, special, for stop adjustment					2	S.96.B	C.	JB.2
1015	F.189629	Stop, at top of operating tod					2	S.95.B	C.	JB.2
4651	F.196854	Stud, special					2	S.3 & S.21	C.	JB.2
1016	F.187086	Trunnion,					2	S.94.B	C.	JB.2
	C.205785/1	Tube, distance (May be made from Std.1567/23/060)					2	T.26	-	
310	Std.1547/30/12	Washer, special... ..					6	DTD.610	C.	4
26AQ/1479	Std.1547/30/14	Washer, special... ..					4	DTD.610	MR/C	4
2181	C.182631	Strap, reinforcing, at main spar, bottom portion, port					1	DTD.546	MR/C	JB.4
2182	C.182632	Strap, reinforcing, at main spar, bottom position, starboard					1	DTD.546	MR/C	JB.4
6688	F.203844	Stub, outlet, at fuel starter drain, port only ...					1	-	B.	
7537	Std.1208/82/36/20	Washer, shim, at attachment of diaphragm "M" to lower drag member					QR	-	MR/C	4
	E.201049	SKIN, COVERING, FRAME 32 TO FRAME 40A, ASSEMBLY					-	-		
	D.203353	BRACKET, MOUNTING, FOR EXTRACTOR DUCTS, ASSEMBLY					-	-		
7538	B.203354	Bracket, mounting, top					2	L.72	MR/C	
7539	B.203356	Bracket, mounting, port					1	L.72	MR/C	
7540	B.203357	Bracket, mounting, starboard					1	L.72	MR/C	

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	D.222689	BRACKETS, MOUNTING, HYDRAULIC RESERVOIR, ASSEMBLY					-	-	-	
	A.221296	Bracket, mounting, aft, bottom					1	L.72		JB.6
	A.221310	Bracket, mounting, aft, top					1	S.510		JB.6
	B.221291	Mounting, forward					1	DTD.364		JB.6
	C.203730-1	BRACKET, MOUNTING, FOR HIGH ENERGY IGNITER UNIT, ASSEMBLY					-	-		
7447	C.203732	Bracket, mounting, port					1	L.72	MR/C	JB.3
7448	C.203733	Bracket, mounting, starboard					1	L.72	MR/C	JB.3
7449	A.204499	Bracket, mounting, for hynamic valve, starboard only					1	S.3	MR/C	JB.3
	F.220188	Connection and fuel drain, between frames 35 and 36					1	-		
	D.203565	DUCT, FOR BLEED VALVE, STARBOARD ONLY, ASSEMBLY					-	-		
① 9598	D.221614	Duct (Pre Mod. 817)					1	-	MR/C	JB.5
7451	C.203373	Flange, sealing					1	-	MR/C	JB.5
6689	A.203713	Spindle					1	S.80	C.	JB.5
6690	F.203714	Spring					1	DTD.215	C.	JB.5
6691	F.203715	Spring					1	DTD.215	C.	JB.5
7463	F.204220	Guide, for pipe					2	BSS.265 & DTD.253	MR/C	
	F.197441	Guide, for pipes between frames 35 and 36 ...					2	S.3 & T.26		
	C.201328	INTAKE, AIR, UPPER, PORT AND STARBOARD, FOR ZONE 2 COOLING, ASSEMBLY					-	-		
	F.209716	Bracket					2	L.72		
7452	F.209715	Door					2	L.72	MR/C	JB.6
7567	C.201327	Intake, air					2	S.3 & L.72	MR/B MR/C	JB.6
7545	Std.1221/Y/B182	Pin, special					2	Steel	MR/C	4
	F.211457	Plate, support					2	DTD.610		
7453	F.209713	Spring					2	Sp. St. Wire	MR/C	JB.6
7546	Std.1509/23/162	Tube, distance, 3/8" o/d x 17 S.W.G. x 1-62" long					2	T.4	MR/C	4
	C.203475	INTAKE, AIR, LOWER, PORT AND STARBOARD, FOR ZONE 2 COOLING, ASSEMBLY					-	-		
	F.209716	Bracket					2	L.72		
7452	F.209715	Door					2	L.72	MR/C	JB.6
	C.203476	Intake, air					2	S.3		
7545	Std.1221/Y/B182	Pin, special					2	Steel	MR/C	4
	F.201299	Plate, support					2	DTD.610		
7454	F.209714	Spring					2	Sp. St. Wire	MR/C	
7546	Std.1509/23/162	Tube, distance, 3/8" o/d x 17 S.W.G. x 1-62" long					2	T.4	MR/C	4
① 9821	D.233587	Duct (Mod.817)					1	S.510	MR/C	

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
	C.200544	LANDING, FOR ACCESS PANEL TO GEAR BOX DRIVE, PORT, ASSEMBLY					-	—		
7547	A.209804	Bracket, for fire detector					1	S.3	MR/C	
7548	C.200544/1 Std.1231/7B	Landing					1	DTD.610	MR/C	JB.4
		Lug, locking					1	S.3		
	B.205543	LANDING, FOR ACCESS PANEL TO SLOW RUNNING ADJUSTMENT, PORT ONLY, ASSEMBLY					-	—		
7549	B.205543/1	Landing					1	L.72	MR/C	JB.4
4751	Std.1231/8	Lug, locking					1	S.3	MR/C	4
7550	B.200821	Landing, for front engine mountings access panel, port					1	L.72	MR/C	JB.2
7551	B.200822	Landing, for front engine mountings access panel, starboard					1	L.72	MR/C	JB.2
	C.200258	LANDING, FOR IGNITER PLUG ACCESS PANEL, PORT AND STARBOARD, ASSEMBLY					-	—		
7552	C.200258/1 Std.1231/7B	Landing					2	DTD.610	MR/C	JB.4
		Lug, locking					2	S.3		
	C.202248	LANDING, FOR OIL LEVEL INSPECTION PANEL, ASSEMBLY					-	—		
7553	B.201706	Landing, group					1	L.73	MR/C	JB.5
	B.201706/1	Landing					1	L.73		
28FP/341	S.5.325	Spring					1	—	C.	
4751	Std.1231/8	Lug, locking					1	S.3	MR/C	4
	C.205588	LANDING, FOR R.P.M. ADJUSTMENT AND FUEL PUMP GOVERNOR BLEED ACCESS PANEL, STARBOARD ONLY, ASSEMBLY					-	—		
7554	C.205588/1	Landing					1	L.72	MR/C	JB.5
4751	Std.1231/8	Lug, locking					1	S.3	MR/C	4
	C.205809	MOUNTING, FUEL FILTER DE-ICING PUMP, ASSEMBLY					-	—		
	F.218518	Angle					1	L.72		
	C.205147	Mounting panel					1	—		
	A.202068	Mounting, for pressure relief valves, starboard only					1	S.3		
6692	A.202068/3	Clip, half					1	S.3	C.	
6049	F.197018	Mounting, for terminal blocks, starboard only ...					1	DTD.610	MR/C	
2751	C.184586	Plate, reinforcing, port					1	DTD.546 & DTD.610	MR/C	JB.2
2752	C.184587	Plate, reinforcing, starboard					1	DTD.546 & DTD.610	MR/C	JB.2
	F.216515	Platform, mounting for T.B.					1	—	MR	

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	C.202099	PLATE, REINFORCING, AT EXTRACTOR OUTLET, FRAME 36 TO FRAME 37, PORT, ASSEMBLY	—	—		
7566	D.202755	Duct, extractor	1	—	MR/C	JB.2
	C.202099/1	Plate, reinforcing	1	L.72		
	C.202100	PLATE, REINFORCING, AT EXTRACTOR OUTLET, FRAME 36 TO FRAME 37, STARBOARD, ASSEMBLY	—	—		
	D.202756	Duct, extractor	1	—		
	C.202100/1	Plate, reinforcing	1	L.72		
7541	E.201049/1	Skin, top, rear spar to frame 40A, port (supplied as Ref. No. 26FX/2177, Part No. E.183420/13 for Spares)	1	L.72	MR/B	JB.2
7542	E.201049/2	Skin, top, rear spar to frame 40A, starboard (supplied as Ref. No. 26FX/2178, Part No. E.183420/14 for Spares)	1	L.72	MR/C	JB.2
7543	E.201049/3	Skin, side, rear spar to frame 40A, port (Supplied as Ref. No. 26FX/1831, Part No. E.183420/15 for Spares)	1	L.72	MR/B	JB.2
7544	E.201049/4	Skin, side, rear spar to frame 40A, starboard (Supplied as Ref. No. 26FX/1832, Part No. E.183420/16 for Spares)	1	L.72	MR/B	JB.2
	A.203670	Sleeve, locating, for centrifugal breather vent pipe	1	T. 26 or T.45 & S.3		
4498	F.184234	Socket, for engine oil filter drain pipe	1	S.3 & T.26	C.	
	C.200501	Strap, rear spar, bottom, group	1	—		
28FP/620	Dzus	Spring	6	—	C.	
	S.F.L.A.5/200					
7458	C.200501/1	Strap	1	L.72	MR/C	JB.4
7459	E.201049/6	Strap, reinforcing, bottom, at frame 34	1	L.72	MR/C	JB.4
	C.200409	TRAY, DRIP, FOR HYDRAULIC RESERVOIR, AND REINFORCING PLATE, ASSEMBLY	—	—		
1009	F.184599	Ring, reinforcing	1	DTD.610	C.	JB.5
1008	A.186847	Sealing	1	Rubber	C.	JB.5
	B.197868	Tray, drip	2	L.69 & L.54		
	D.201054	SKIN, COVERING, BOTTOM, MAIN SPAR TO REAR SPAR, ASSEMBLY	—	—		
7460	A.201246	Angle, support, for external supply sockets mounting	1	DTD.610	MR/C	JB.4
7461	A.201247	Angle, support, for external supply sockets mounting	1	DTD.610	MR/C	JB.4
7462	F.203174	Bracket, for attachment of pipe clip	1	L.72	MR/C	
6693	F.205158	Clip, for pipe, on rear spar	1	S.84 or S.3	C.	
8370	F.216465	Flange, pipe for liquid starter drain (Pre Mod. 823)	1	—	B.	
3843	King C.3903/1	Fitting, attachment	3	—	C.	JB.5
3844	King C.3903/2	Fitting, attachment	1	—	C.	JB.5
7463	F.204220	Guide, for pipe at frame 30	1	BSS.265 & DTD.253	MR/C	
	F.226643	Guide, for pipe between frame 27-29	1	DTD.283 & DTD.253		

FUSELAGE-CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
7464	D.201054/3						1	DTD.610	MR/C	JB.4
7465	C.200461						1	—	MR/C	JB.5
28FP/620	Dzus						8	—	C.	
	S.F.L.A.5/200									
1024	King C.3100/H						4	—	C.	JB.5
	C.201752						—	—		
7466	A.201754						1	DTD.610	MR/C	JB.4
7467	A.201755						1	DTD.610	MR/C	
7468	B.201753						1	DTD.610	MR/C	JB.4
7469	B.205148						1	L.72	MR/C	JB.4
	D.201054/11						1	DTD.610		
7470	D.201054/7						1	DTD.171	MR/C	
7471	D.201054/4						1	DTD.610	MR/C	
7472	D.201054/1						1	DTD.610	MR/C	JB.1
7473	D.201054/2						1	DTD.610	MR/C	JB.1
2162	E.183421/3 or						1	DTD.610	MR/B	JB.1
	D.201054/9									
7474	B.201244						1	L.72	MR/C	
7475	A.201245						1	DTD.610	MR/C	
4150	Std.915/C/22						9	DTD.610	C.	4
	E.201053						—	—		
5855	E.205075						2	—	C.	JB.5
8513	F.216608						4	L.65	C.	
3843	King C.3903/1						3	—	C.	JB.5
3845	King C.3903/3						1	—	C.	
	A.183429						1	DTD.610		
	A.183430						1	DTD.610		
2759	A.183418						1	L.72	MR/C	JB.5
2760	A.183419						1	L.72	MR/C	JB.5
4275	B.183416						1	DTD.610	MR/C	JB.5
2762	B.183417						1	DTD.610	MR/C	JB.5
2761	A.183428						1	L.72	MR/C	JB.5
1024	King C.3100/H						4	—	C.	JB.5
2157	C.182692						1	DTD.546	MR/C	JB.5
2158	C.182693						1	DTD.546	MR/C	JB.5
1834	E.183421/2						1	DTD.610	MR/B	JB.1
7478	E.201053/2						1	DTD.610	MR/B	JB.1
2147	Std.915/C/20						3	DTD.610	C.	4
	D.203701						—	—		
2755	C.181728						2	DTD.610	MR/C	JB.2
1023	F.173505						10	S.3 & S.21	C.	JB.2
	F.205515						2	Rubber		

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	D.233667	SKIN, PLATING, TOP, BETWEEN MAIN SPAR AND REAR SPAR, ASSEMBLY	-	—		
	B.201602	BRACKET, MOUNTING, FOR COLD AIR UNIT, ASSEMBLY	-	—		
	B.201601	Bracket, mounting	1	L.72		
	C.233602	Exit, for cooler duct, port and starboard, assembly	2	—		
	C.233542	Exit, for cooler duct, forward	2	S.510	MR/C	JB.2
	C.233551	Fairing, for duct exit	2	L.59		
	E.201051	SKIN, PLATING, TOP, REAR SPAR TO FRAME 40A, ASSEMBLY	-	—		
	A.220936	Bracket, mounting for cable joint at frame 40 ...	1	L.72		
2756	A.192906	Bracket, mounting, for tank pressurising connection	1	DTD.610	MR/C	JB.2
7956	B.211432	Bracket, mounting, for cable joint	1	—	B.	JB.2
7556	B.202106	Landing, for air supply access panel, port ...	1	DTD.610	MR/C	JB.2
7557	B.202107	Landing, for air supply access panel, starboard ...	1	DTD.610	MR/C	JB.2
	D.203702	SKIN, PLATING, SIDE, FRAME 18B TO MAIN SPAR, ASSEMBLY	-	—		
1480	Std.218/8	Nut, special	8	S.2 or S.62	C.	4
7558	D.203702/1	Skin, top, nose spar to main spar, port (supplied as Ref. No. 26FX/2173, Part No. E.183420/1 for Spares)	1	DTD.546	MR/B	JB.2
7559	D.203702/2	Skin, top, nose spar to main spar, starboard (supplied as Ref. No. 26FX/2174, Part No. E.183420/2 for Spares)	1	DTD.546	MR/B	JB.2
7560	D.203702/3	Skin, side, nose spar to frame 21, port (supplied as Ref. No. 26FX/1825, Part No. E.183420/3 for Spares)	1	DTD.546	MR/B	JB.2
7561	D.203702/4	Skin, side, nose spar to frame 21, starboard (supplied as Ref. No. 26FX/1826, Part No. E.183420/4 for Spares)	1	DTD.546	MR/B	JB.2
7562	D.203702/5	Skin, side, frame 21 to main spar, port (supplied as Ref. No. 26FX/1827, Part No. E.183420/5 for Spares)	1	DTD.546	MR/B	JB.2
7563	D.203702/6	Skin, side, frame 21 to main spar, starboard ...	1	DTD.546	MR/B	JB.2
2180	D.182826	Strap, reinforcing, at frame 21, bottom portion ...	1	DTD.546	MR/C	JB.4
	D.203703	SKIN, PLATING, BOTTOM, FRAME 18B TO MAIN SPAR, ASSEMBLY	-	—		
3370	F.184563	Landing, for fuel pump access panel, port ...	1	DTD.610	MR/C	JB.5
3371	F.184564	Landing, for fuel pump access panel, starboard ...	1	DTD.610	MR/C	JB.5
2765	F.194029	Plate, nut, at main spar	2	S.3	MR/C	
	C.199377	Plate, reinforcing, frame 22 to frame 24, port ...	1	DTD.610		
2156	C.182824	Plate, reinforcing, frame 22 to frame 24, starboard	1	DTD.610	MR/C	JB.5
	D.204310-1	SKIN, SUPPORTING FORWARD FUEL TANK, ASSEMBLY	-	—		
	D.203402	Skin, supporting centre wall, for front tank fuel, port, group	1	—		
	D.203403	Skin, supporting centre wall, for front fuel tank, starboard, group	1	—		
4721	F.195551	Angle, attaching hydraulic pipes	1	DTD.610	MR/C	
7479	D.203402/1	Angle, for diaphragm, port	1	L.72	MR/C	JB.6
7480	D.203403/1	Angle, for diaphragm, starboard	1	L.72	MR/C	JB.6

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
2618	D.180855						1	Rolled Section	MR/C	
7481	B.203666						1	L.72	MR/C	JB.6
7482	B.199798						1	L.72	MR/C	JB.6
7483	B.199799						1	L.72	MR/C	JB.6
2622	F.182567						2	DTD.610	MR/C	JB.6
2623	A.193269						1	DTD.610	MR/C	JB.6
2624	F.192312						1	DTD.610	MR/C	JB.6
2625	F.192313						1	DTD.610	MR/C	JB.6
	D.200935	SKIN, AIR INTAKE, FRAMES 25 TO 30, ASSEMBLY					-	-	-	
	B.215643	PANEL, FOR ACCESS TO STARTER EXHAUST, ASSEMBLY					-	-	-	
	A.215827	Landing	1	-	-	
8355	A.215826	Panel, access	1	-	B.	JB.3
	C.215508	PANEL, FOR ACCESS TO SAFETY DISC, ASSEMBLY					-	-	-	
	B.215510	Landing	1	-	-	
8354	B.215509	Panel, access	1	-	B.	JB.3
	F.224372	Pipe, drain, top	1	-	-	
8179	A.202754	Seal, air intake to engine	1	Rubber	C.	JB.3
2626	B.178521	Stringer "J", nose spar to frame 21, port	1	DTD.364	MR/C	JB.4
2627	B.178522	Stringer "J", nose spar to frame 21, starboard	1	DTD.364	MR/C	JB.4
2628	C.178523	Stringer "J", frame 21 to main spar, port	1	DTD.364	MR/C	JB.4
2629	C.178524	Stringer "J", frame 21 to main spar, starboard	1	DTD.364	MR/C	JB.4
7484	C.200919	Stringer "J", main spar to rear spar, port	1	DTD.364	MR/C	JB.4
7484	C.200920	Stringer "J", main spar to rear spar, starboard	1	DTD.263	MR/C	JB.4
	D.200866	Stringer "J", rear spar to frame 40A, port	1	DTD.364	MR	JB.4
7487	C.205585	Stringer "J", rear spar to frame 40A, starboard	1	DTD.364	MR/C	JB.4
7488	D.200586	Stringer "K", between rear spar and frame 40A, port	1	DTD.364	MR/C	JB.4
7489	D.200587	Stringer "K", between rear spar and frame 40A, starboard	1	DTD.364	MR/C	JB.4
2636	B.178525	Stringer "K", between nose spar and frame 21, port	1	DTD.364	MR/C	JB.4
2637	B.178526	Stringer "K", between nose spar and frame 21, starboard	1	DTD.364	MR/C	JB.4
2638	C.178527-8	Stringer "K", between frame 21 and main spar	2 prs.	DTD.364	MR/C	JB.4
7490	C.200785	Stringer "K", main spar to rear spar, port group	1	DTD.364	MR/C	JB.4
5721	F.197126	Stud, earthing	1	S.94.B	MR/C	
7491	C.200786	Stringer "K", main spar to rear spar, starboard group	1	DTD.364	MR/C	JB.4
5721	F.197126	Stud, earthing	1	S.94.B	MR/C	
7492	D.200588	Stringer "L", between frames 37 and 40A, port	1	DTD.364	MR/C	
7493	D.200589	Stringer "L", between frames 37 and 40A, starboard	1	DTD.364	MR/C	JB.4
	D.180831	STRUCTURE, SUPPORTING, FUEL TANKS, ASSEMBLY					-	-	-	
4675	F.180854	Bracket	2	DTD.364	MR/C	
4676	C.180832	Channel	1	DTD.610	MR/C	
4677	C.180833	Channel	1	DTD.610	MR/C	
4678	C.180834	Channel	1	DTD.610	MR/C	
4679	C.180835	Channel	1	DTD.610	MR/C	
4680	B.180846	Member, inter-costal, port	1	-	MR/C	
4681	B.180847	Member, inter-costal, starboard	1	-	MR/C	
4682	A.180848	Member, inter-costal, frames 21-22, port	1	DTD.610	MR/C	
4683	A.180849	Member, inter-costal, frames 21-22, starboard	1	DTD.610	MR/C	
4684	A.180850	Member, inter-costal, frames 22-23, port	1	DTD.610	MR/C	
4685	A.180851	Member, inter-costal, frames 22-23, starboard	1	DTD.610	MR/C	
4686	A.180852	Member, inter-costal, frames 23-25, port	1	DTD.610	MR/C	
4687	A.180853	Member, inter-costal, frames 23-25, starboard	1	DTD.610	MR/C	
4688	C.180840	Plate, fuel pump mounting	2	DTD.610	MR/C	

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description	No. Off					Material Specification	M.R. Class of Store	Plate No.
			1	2	3	4	5			
4689	C.180841	Plate, recuperator mounting, port						DTD.610	MR/C	
4690	C.180842	Plate, recuperator mounting, starboard						DTD.610	MR/C	
	Chekaleke No. 5 or No. 6	Plug						—		
	A.220709	Strut, for wireless bay cross member						L.72		
9061	F.219800	Stud, at fuel tank access panels						S.1	C.	
4652	Std.1299/3	Stud, securing guard and clips, for attaching electrical cables and fuel tank access panels						S.95.B	C.	4
	E.230562-3	STUB-WING, ASSEMBLY						—		
	D.182684-5	BOUNDARY LAYER DUCT, SUB-ASSEMBLY						—		
2643	B.183782	Leading edge section, forward of nose spar, port						DTD.364	MR/C	JB.4
2644	B.183783	Leading edge section, forward of nose spar, starboard						DTD.364	MR/C	JB.4
5712	A.183784	Spacer, at forward end of duct						DTD.364	MR/C	JB.4
	D.230215	Diaphragm "A", port						—	MR	
	D.230216	Diaphragm "A", starboard						—	MR	
	D.230217	Diaphragm "B", port						—	MR	
	D.230218	Diaphragm "B", starboard						—	MR	
	D.230219	Diaphragm "C", port						—	MR	
	D.230220	Diaphragm "C", starboard						—	MR	
	C.222754-5	DUCT, ASSEMBLY						—		
	F.216328	Angle, port						L.72	MR	
	F.216329	Angle, starboard						L.72	MR	
	A.216330	Bracket, port						L.72	MR	
	A.216331	Bracket, starboard						L.72	MR	
	Std.841/39	Clip, securing duct						DTD.610	MR	4
	Std.1188/1	Clip, securing duct						DTD.610	MR	4
	F.216332	Duct						L.67	MR	
	C.209976	Duct, cooling, at leading edge member, port, only						L.59 & L.57	MR	
	B.209980	Entry, for cooling duct at leading edge member, port wing						S.3	MR	
	D.200841	Fillet, for wing aft of rear spar, port group						—		
	D.200842	Fillet, for wing aft of rear spar, starboard group						—		
7494	B.200840	Angle, for seal retaining, top port						L.72	MR/C	JB.2
7495	B.200839	Angle, for seal retaining, top starboard						L.72	MR/C	JB.2
2647	B.181499	Angle, for seal retaining, bottom port						DTD.610	MR/C	JB.2
2648	B.181500	Angle, for seal retaining, bottom starboard						DTD.610	MR/C	JB.2
2649	A.188212	Angle, for seal retaining, top forward, port						DTD.610	MR/C	JB.2
2650	A.188213	Angle, for seal retaining, top forward, starboard						DTD.610	MR/C	JB.2
2651	A.188214	Angle, for seal retaining, bottom forward, port						DTD.610	MR/C	JB.2
2652	A.188215	Angle, for seal retaining, bottom forward, starboard						DTD.610	MR/C	JB.2
1027	D.179488/A	Fillet, top, removable, port						L.72	B.	JB.1
1029	D.179488/C	Fillet, bottom, aft, removable, port						L.72	B.	JB.1
6694	D.200841/A	Fillet, bottom, forward, removable, port						L.72	B.	JB.1
6695	D.200841/B	Fillet, bottom, centre, removable, port						L.72	B.	JB.1
1030	D.179489/A	Fillet, top, removable, starboard						L.72	B.	JB.1
1032	D.179489/C	Fillet, bottom, aft, removable, starboard						L.72	B.	JB.1
6696	D.200842/A	Fillet, bottom, forward, removable, starboard						L.72	B.	JB.1
6697	D.200842/B	Fillet, bottom, centre, removable, starboard						L.72	B.	JB.1
	C.200408	LANDING, FOR ACCESS PANEL TO HYDRAULIC RESERVOIR, FILLER, STARBOARD ONLY, SUB-ASSEMBLY						—		
7564	B.201068	Landing, group						L.72	MR/C	
28FP/341	Dzus S.5.325	Spring						—	C.	
3762	Std.915/A/18	Washer						DTD.610	MR/C	4
2653	F.181992	Plate, nut, at rear spar						S.3	MR/C	

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.	
		1	2	3	4	5					
7565 2654	C.222371					Plate, for rubber seal retaining, port ...	1	L.72	MR/C	JB.1	
	C.222372					Plate, for rubber seal retaining, starboard ...	1	L.72			
	F.201120					Socket, for drain tube, starboard only ...	1	S.3 & T.6			
	A.182036					Trailing edge ...	2	L.33, L.51 or L.1			
	A.209237					Plate, mounting, for time switch refuelling indicators	1	L.72	—	JB.2	
	C.221175					Member, top, at leading edge, port ...	1	—			
	F.211939					Lug, attachment ...	1	Casting			
	C.221176					Member, top, at leading edge, starboard ...	1	—	—	JB.2	
	F.211940					Lug, attachment ...	1	Casting			
	C.221096					Member, bottom, at leading edge, port ...	1	—	—	JB.2	
	F.211937					Lug, attachment ...	1	Casting			
2659 2660	C.221097					Member, bottom, at leading edge, starboard ...	1	—	—	JB.2	
	F.211938					Lug, attachment ...	1	Casting			
	C.178820					Mounting, for undercarriage wheel door hinge, port	1	—	MR/C	JB.2	
	C.178821					Mounting, for undercarriage wheel door hinge, starboard	1	—			
	C.221177					Rib, No. 1, at leading edge, top, port ...	1	—	—	JB.2	
	F.211941					Plate, nut ...	1	S.3			
	C.221178					Rib, No. 1, leading edge, top, starboard ...	1	—	—	JB.2	
	F.211941					Plate, nut ...	1	S.3			
2665 2666 2667 2668 2669 2670 2671 2672 2674	B.222750					Rib, No. 2 at leading edge, top, port ...	1	DTD.610	MR/B	JB.2	
	B.222751					Rib, No. 2, at leading edge, top, starboard ...	1	DTD.610	MR/B	JB.2	
	B.180012					Rib, No. 3, at leading edge, top, port ...	1	DTD.610	MR/B	JB.2	
	B.180013					Rib, No. 3, at leading edge, top, starboard ...	1	DTD.610	MR/B	JB.2	
	B.180014					Rib, No. 1, at leading edge, bottom, port ...	1	DTD.610	MR/B	JB.2	
	B.180015					Rib, No. 1, at leading edge, bottom, starboard ...	1	DTD.610	MR/B	JB.2	
	B.180016					Rib, No. 2, at leading edge, bottom, port ...	1	DTD.610	MR/B	JB.2	
	B.180017					Rib, No. 2, at leading edge, bottom, starboard ...	1	DTD.610	MR/B	JB.2	
	B.180018					Rib, No. 3, at leading edge, bottom, port ...	1	DTD.610	MR/B		
	B.180019					Rib, No. 3, at leading edge, bottom, starboard ...	1	DTD.610	MR/B		
	B.180020					Rib, outboard, at leading edge ...	1	DTD.610	MR/B	JB.2	
	B.180021					Rib, outboard, at leading edge ...	2	DTD.610	MR/B	JB.2	
	D.204877-8					SEALING, BETWEEN STUB WING AND WING, SUB-ASSEMBLY	—	—			
	3847 3848	A.196439 A.196438					Pad, sealing, at trailing edge ...	2	Volcrepe	C.	JB.2
						Strip, sealing, at leading edge ...	2	Volcrepe T.L.S.	C.	JB.2	
32C/660	—					Strip, sealing, 1" wide x 3/16" thick (D.196440/1, 4 and 5. D.196441/1 and D.204878/1 and 2)	30ft.	Volcrepe	C.		
4023	Std.1509/12/018					Tube, distance, 1/4" i/d. x 20 S.W.G. x 0-18" long (Make from 30B/619)	6	T.4	MR/C	4	

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	D.230588-9	SKIN, COVERING, ASSEMBLY	—	—		
7875	C.216760	Fairing , outboard, port (undrilled)	1	DTD.610	B.	JB.1
7876	C.216761	Fairing , outboard, starboard (undrilled)	1	DTD.610	B.	JB.1
7496	A.205205	Landing , for fuel pipe access panel	2	L.72	MR/C	
2676	B.192636	Landing , forward, for stub-wing access panel, port	1	DTD.610	MR/C	JB.4
2677	B.192637	Landing , forward, for stub-wing, access panel, starboard	1	DTD.610	MR/C	JB.4
2678	B.192640	Landing , aft, for stub-wing access panel, port...	1	DTD.610	MR/C	JB.4
2679	B.192641	Landing , aft, for stub-wing access panel, starboard	1	DTD.610	MR/C	JB.4
2680	B.192638	Landing , inboard, for stub-wing access panel, port	1	DTD.610	MR/C	JB.4
2681	B.192639	Landing , inboard, for stub-wing access panel, starboard	1	DTD.610	MR/C	JB.4
7497	A.209626	Landing , for hydraulic connection access door	2	L.72	MR/C	
	C.221330/1	Nosing , top, port	1	—	B.	JB.1
	C.221331/1	Nosing , top, starboard	1	—	B.	JB.1
1823	C.182598	Nosing , bottom, port	1	—	B.	JB.1
1824	C.182599	Nosing , bottom, starboard	1	—	B.	JB.1
	C.222752	PANEL, ACCESS TO STUB-WING, PORT, ASSEMBLY	—	—		
	C.222753	PANEL, ACCESS TO STUB-WING, STARBOARD, ASSEMBLY	—	—		
9418	B.216139	Panel , access, port	1	—	C.	JB.1
9419	B.216140	Panel , access, starboard	1	—	C.	JB.1
6698	A.205206	Panel , access to fuel pipe	2	L.72	C.	JB.1
1038	D.188722	Panel , access to pin-joint at main spar, top, port	1	DTD.610	B.	JB.1
1039	D.188723	Panel , access to pin joint at main spar, top, starboard	1	DTD.610	B.	JB.1
5818	C.200861	Panel , access to pressure relief valve, port ...	1	L.72	C.	JB.1
5819	C.200862	Panel , access, to pressure relief valve, starboard	1	L.72	C.	JB.1
4723	F.199630	Panel , access to undercarriage hydraulic connection	2	—	M/RC	JB.1
1040	D.188724	Panel , access to pin joint at main spar, bottom, port	1	DTD.610	B.	JB.1
1041	D.188725	Panel , access to pin joint at main spar, bottom, starboard	1	DTD.610	B.	JB.1
7839	D.211964	Panel , access, on underside of stub-wing, port group	1	DTD.610	B.	JB.1
7988	B.211962	Door , access to armament safety plug group	1	—	B.	JB.1
	Fairey FS.430/E	Fastener , type 3	1	—		
	F.211961	Packing	2	L.72		
1781	D.192980	Panel , access, on underside of stub-wing, starboard	1	DTD.610	B.	JB.5
6699	A.209625	Panel , access to hydraulic connections	2	L.72	C.	JB.1
4724	A.199629	Plate , reinforcing, for undercarriage hydraulic connections	2	DTD.610	MR/C	JB.2
4725	F.196550	Retainer , for sealing, port	2	DTD.610	MR/C	
4726	F.196551	Retainer , for sealing, starboard	2	DTD.610	MR/C	
1807	D.182688/1	Skin , top, nose spar to main spar, inboard, port	1	DTD.610	B.	JB.1

FUSELAGE-CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	D.201497/1					Skin , top, nose spar to main spar, outboard, port (Supplied as D.182688/22 for spares)	1	DTD.610	B.	JB.1
1809	D.182688/3					Skin , forward of nose spar, top, port ...	1	DTD.610	B.	JB.1
	D.221308/1					Skin , forward, of nose spar, top, port ...	1	DTD.610	B.	JB.1
	D.201497/3					Skin , top, aft of main spar, port ... (Supplied as D.182688/6 for spares)	1	L.72	B.	JB.1
2682	D.182688/9					Skin , forward of nose spar, bottom, port ...	1	DTD.610	MR/B	JB.1
2683	D.182688/10					Skin , forward of nose spar, bottom, port ...	1	DTD.610	MR/B	JB.1
2684	D.182688/11					Skin , forward of nose spar, bottom, port ...	1	DTD.610	MR/B	JB.1
1813	D.182688/15					Skin , bottom, inboard of wheel door, port ...	1	DTD.610	B.	JB.1
1807	D.182689/1					Skin , top, nose spar to main spar, inboard, starboard (Supplied as D.182688/1 for spares)	1	DTD.610	B.	JB.1
	D.200965/2					Skin , forward of nose spar, top port ...	1	DTD.610	B.	JB.1
	D.201498/1					Skin , top nose, spar to main spar, outboard, starboard (Supplied as D.182689/22 for spares)	1	DTD.610	B.	JB.1
1816	D.182689/3					Skin , forward of nose spar, top, starboard ...	1	DTD.610	B.	JB.1
	D.200966/2					Skin , forward of nose spar, top, starboard ...	1	DTD.610	B.	JB.1
	D.221309/1					Skin , forward of nose spar, top, starboard ...	1	DTD.610	B.	JB.1
	D.201498/3					Skin , top, aft of main spar, starboard ... (Supplied as D.182689/6 for spares)	1	L.72	B.	JB.1
2685	D.182689/9					Skin , forward of nose spar, bottom, starboard	1	DTD.610	MR/B	JB.1
2686	D.182689/10					Skin , forward of nose spar, bottom, starboard	1	DTD.610	MR/B	JB.1
2687	D.182689/11					Skin , forward of nose spar, bottom, starboard	1	DTD.610	MR/B	JB.1
1820	D.182689/15					Skin , bottom, inboard of wheel door, starboard	1	DTD.610	B.	JB.1
	D.202637-8					SLOTS, FOR AIR INTAKE, TOP, ASSEMBLY	-	-		
	F.231548					Bracket , reinforcing ...	4	S.510	MR	
9770	C.229884					Door , port, group ...	1	L.72	B.	JB.1
	-					Pin , for hinge (AS.1880) ...	1	-		
1035	A.187071					Spring ...	3	Sp. St.	C.	JB.4
9771	C.229885					Door , starboard, group ...	1	L.72	B.	JB.1
	-					Pin , for hinge (AS.1880) ...	1	-		
1035	A.187071					Spring ...	3	Sp. St.	C.	JB.4
	D.201942-3					SLOTS, FOR AIR INTAKE, BOTTOM, ASSEMBLY	-	-		
	F.231548					Bracket , reinforcing ...	4	S.510	MR	
9772	C.229886					Door , port, group ...	1	L.72	B.	JB.1
	-					Pin , for hinge (AS.1880) ...	1	-		
1035	A.187071					Spring ...	3	Sp. St.	C.	JB.4
9773	C.229887					Door , starboard, group ...	1	L.72	B.	JB.1
	-					Pin , for hinge (AS.1880) ...	1	-		
1035	A.187071					Spring ...	3	Sp. St.	C.	JB.4
	A.226244					Stiffener , skin, outboard, port ...	1	L.72	MR	
	A.226245					Stiffener , skin, outboard, starboard ...	1	L.72	MR	
	A.226246					Stiffener , skin, outboard, port ...	1	L.72	MR	
	A.226247					Stiffener , skin, outboard, starboard ...	1	L.72	MR	
	A.226248					Stiffener , skin, port ...	1	L.72	MR	
	A.226249					Stiffener , skin, starboard ...	1	L.72	MR	
	A.226250					Stiffener , skin, port ...	1	L.72	MR	
	A.226251					Stiffener , skin, starboard ...	1	L.72	MR	

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28D/13868	A25.1.B	Bolt,	4	B.A.
28D/12528	A25.1.B	Bolt,	4	B.A.
28D/14194	A25.1.C	Bolt,	2	B.A.
28D/12512	A25.1.C	Bolt,	2	B.A.
28D/12513	A25.2.C	Bolt,	2	B.A.
28D/12531	A25.3.C	Bolt,	2	B.A.
28D/12532	A25.4.C	Bolt,	2	B.A.
28D/12533	A25.5.C	Bolt,	2	B.A.
28D/12566	A25.6.C	Bolt,	2	B.A.
28D/12514	A25.7.C	Bolt,	2	B.A.
28D/12629	A25.8.C	Bolt,	2	B.A.
28D/12536	A25.13.C	Bolt,	2	B.A.
28D/12537	A25.14.C	Bolt,	2	B.A.
28D/12538	A25.15.C	Bolt,	2	B.A.
28D/12630	A25.19.C	Bolt,	2	B.A.
28D/12631	A25.23.C	Bolt,	2	B.A.
28D/12519	A25.3.E	Bolt,	1/4"	B.S.F.
28D/12520	A25.4.E	Bolt,	1/4"	B.S.F.
28D/12633	A25.7.E	Bolt,	1/2"	B.S.F.
28D/12544	A25.8.E	Bolt,	1/4"	B.S.F.
28D/12812	A25.12.E	Bolt,	1/4"	B.S.F.
28D/12716	A25.16.E	Bolt,	1/4"	B.S.F.
28D/12548	A25.17.E	Bolt,	1/4"	B.S.F.
28D/12634	A25.18.E	Bolt,	1/4"	B.S.F.
28D/13046	A25.19.E	Bolt,	1/4"	B.S.F.
28D/12816	A25.7.G	Bolt,	5/16"	B.S.F.
28D/12817	A25.8.G	Bolt,	3/16"	B.S.F.
28D/12775	A25.17.G	Bolt,	5/16"	B.S.F.
28D/14434	A25.31.G	Bolt,	5/16"	B.S.F.
28D/13070	A25.38.G	Bolt,	5/16"	B.S.F.
28D/13476	A30.4.C	Bolt,	2	B.A.
28D/13473	A30.8.J	Bolt,	3/8"	B.S.F.
28D/13369	A20.9.J	Bolt,	3/8"	B.S.F.
28D/13445	A30.11.J	Bolt,	3/8"	B.S.F.
28D/13101	A30.12.J	Bolt,	3/8"	B.S.F.
28D/	A57.1.E	Bolt,	1/4"	B.S.F.
28D/15068	A47.2.E	Bolt,	1/4"	B.S.F.
28D/12179	AGS.571/505	Bolt,	5/16"	B.S.F.
28D/15733	AGS.571/603	Bolt,	3/8"	B.S.F.
28D/12580	AGS.571/604	Bolt,	3/8"	B.S.F.
28D/15069	A57.18.G	Bolt,	5/16"	B.S.F.
28D/15070	A57.25.G	Bolt,	5/16"	B.S.F.
28D/8300	AS.1242.1B	Bolt,	4	B.A.
28D/8303	AS.1242.4B	Bolt,	4	B.A.
28D/8306	AS.1242.1C	Bolt,	2	B.A.
28D/8307	AS.1242.2C	Bolt,	2	B.A.
28D/8308	AS.1242.3C	Bolt,	2	B.A.
28D/8309	AS.1242.4.C	Bolt,	2	B.A.
28D/15069	A57.18.G	Bolt,	5/16"	B.S.F.
28D/15070	A57.25.G	Bolt,	5/16"	B.S.F.
28D/8300	AS.1242.1B	Bolt,	4	B.A.

FUSELAGE-CENTRE PORTION


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.		
		1	2	3	4	5						
28D/8303	AS.1242.4B	Bolt,	4	B.A.	—	—	—
28D/8306	AS.1242.1C	Bolt,	2	B.A.	—	—	—
28D/8307	AS.1242.2C	Bolt,	2	B.A.	—	—	—
28D/8308	AS.1242.3C	Bolt,	2	B.A.	—	—	—
28D/8309	AS.1242.4C	Bolt,	2	B.A.	—	—	—
28D/8311	AS.1242.7C	Bolt,	2	B.A.	—	—	—
28D/8320	AS.1242.23C	Bolt,	2	B.A.	—	—	—
28D/8324	AS.1242.3E	Bolt,	1/4"	B.S.F.	—	—	—
28D/12124	AS.1242.19E	Bolt,	1/4"	B.S.F.	—	—	—
28D/12052	AS.1242.20E	Bolt,	1/4"	B.S.F.	—	—	—
28D/9353	AS.1248.1C	Bolt,	2	B.A.	—	—	—
28D/8341	AS.1248.1C	Bolt,	2	B.A.	—	—	—
28D/8342	AS.1248.2C	Bolt,	2	B.A.	—	—	—
28D/12234	AS.1248.23C	Bolt,	2	B.A.	—	—	—
28D/	A.30.4E	Bolt,	1/4"	B.S.F.	—	—	—
28D/	A.30.5E	Bolt,	1/4"	B.S.F.	—	—	—
28D/	A.30.6E	Bolt,	1/4"	B.S.F.	—	—	—
28D/	A.30.7G	Bolt,	5/16"	B.S.F.	—	—	—
28D/	A.30.8J	Bolt,	3/8"	B.S.F.	—	—	—
28D/	A.30.9J	Bolt,	3/8"	B.S.F.	—	—	—
28D/	A.30.11J	Bolt,	3/8"	B.S.F.	—	—	—
28D/	A.30.12J	Bolt,	3/8"	B.S.F.	—	—	—
28M/13271	A24.E.P.	Nut,	1/4"	B.S.F.	—	—	—
28M/13273	A24.J.P.	Nut,	3/8"	B.S.F.	—	—	—
28M/14438	A24.L.P.	Nut,	1/16"	B.S.F.	—	—	—
28L/13140	A27.B.T.	Nut,	4	B.A.	—	—	—
28M/12929	A27.C.P.	Nut,	2	B.A.	—	—	—
28L/13124	A27.C.T.	Nut,	2	B.A.	—	—	—
28M/12928	A27.E.P.	Nut,	1/4"	B.S.F.	—	—	—
28L/12931	A27.E.T.	Nut,	1/4"	B.S.F.	—	—	—
28M/13375	A27.G.P.	Nut,	5/16"	B.S.F.	—	—	—
28M/13827	A27.N.P.	Nut,	1/2"	B.S.F.	—	—	—
28L/13244	A27.T.P.	Nut,	5/8"	B.S.F.	—	—	—
28M/13403	AGS.572.A.P.	Nut,	1/4"	B.S.F.	—	—	—
28M/13439	AGS.572.C.P.	Nut,	5/16"	B.S.F.	—	—	—
28M/15365	AGS.572.E.P.	Nut,	3/8"	B.S.F.	—	—	—
28M/14440	A58.J.T.	Nut,	3/8"	B.S.F.	—	—	—
28M/10287	AGS.2001/B1	Nut,	4	B.A.	—	—	—
28M/10288	AGS.2001/C1	Nut,	2	B.A.	—	—	—
28M/10290	AGS.2001.E1	Nut,	1/4"	B.S.F.	—	—	—
28M/10291	AGS.2001.G1	Nut,	5/16"	B.S.F.	—	—	—
28M/10327	AGS.2002/B1	Nut,	4	B.A.	—	—	—
28M/10328	AGS.2002/C1	Nut,	2	B.A.	—	—	—
28M/11957	AGS.2007/C1	Nut,	2	B.A.	—	—	—
28M/10215	AGS.2008/B1	Nut,	4	B.A.	—	—	—
28M/10216	AGS.2008/C1	Nut,	2	B.A.	—	—	—
28M/10240	AGS.2013/C11	Nut,	2	B.A.	—	—	—
28M/12421	AGS.2018/C1	Nut,	2	B.A.	—	—	—
28M/13774	AGS.2019/B1	Nut,	4	B.A.	—	—	—
28M/13279	AGS.2019/C1	Nut,	2	B.A.	—	—	—
	AGS.2019.E.1	Nut,	1/4"	B.S.F.	—	—	—
	AGS.113/C	Nut,	wing		—	—	—

FUSELAGE-CENTRE PORTION


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
28S/13887	A32.B10	Screw, 4	B.A.	—	—	—
28S/2857	A32.B12	Screw, 4	B.A.	—	—	—
28S/13742	A32.C14	Screw, 2	B.A.	—	—	—
28S/6348	A37.C.16	Screw, 2	B.A.	—	—	—
28D/8303	AS.1242.4B	Screw, 4	B.A.	—	—	—
28D/8304	AS.1242.6B	Screw, 4	B.A.	—	—	—
28D/8306	AS.1242.1C	Screw, 2	B.A.	—	—	—
28D/8307	AS.1242.2C	Screw, 2	B.A.	—	—	—
28W/9419402	SP.13.C	Washer, 2	B.A....	—	—	—
28W/9419474	SP.15.B	Washer, 4	B.A....	—	—	—
28W/9419475	SP.15.C	Washer, 2	B.A....	—	—	—
28W/9419405	SP.15.E	Washer, $\frac{1}{4}$ "	dia.	—	—	—
28W/9419476	SP.15.G	Washer, $\frac{5}{16}$ "	dia.	—	—	—
28W/9419477	SP.15.J	Washer, $\frac{3}{8}$ "	dia.	—	—	—
28W/9419478	SP.15.L	Washer, $\frac{1}{16}$ "	dia.	—	—	—
98W/9419479	SP.15.N	Washer, $\frac{1}{2}$ "	dia.	—	—	—
28W/9419404	SP.16.C	Washer, 2	B.A....	—	—	—
28W/9419487	SP.16.E	Washer, $\frac{1}{4}$ "	dia.	—	—	—
28W/9419483	SP.16.G	Washer, $\frac{1}{16}$ "	dia.	—	—	—
28W/9419489	SP.16.J	Washer, $\frac{3}{8}$ "	dia.	—	—	—
28W/9419493	SP.16.Q	Washer, $\frac{3}{8}$ "	dia.	—	—	—
28WV/3097	AGS.162/B	Washer, 4	B.A....	—	—	—


FUSELAGE-CENTRE PORTION


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				




CENTRE FUSELAGE




























CENTRE FUSELAGE














This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

