

FUSELAGE—FRONT PORTION

Ref. No.	Part No.	Description	No. Off					Material Specification	M.R. Class of Score	Plate No.
			1	2	3	4	5			
1A/3948	E.228434	FRONT FUSELAGE STRUCTURE, ASSEMBLY						—		
	B.219476	CROWBAR, PILOT'S, ASSEMBLY						—		
	—	Crowbar	1	—	A.
4101	E.219270	DECKING, FRONT, ASSEMBLY						—		
	A.212975	Bracket, mounting, port	1	L.72	MR
	A.111330	Clip, spring, for crowbar stowage	1	Sp. St.	C. JC.1
	F.213493	Packing, for mounting bracket, port	1	L.72	
	B.219131	Platform, windscreen, centre	1	L.72	MR
	D.219224	Platform, windscreen, port	1	L.72	MR
	D.219225	Platform, windscreen, starboard	1	L.72	MR
	D.219270/1	Skin	1	L.72	MR
1327	C.219505	STRUCTURE, FOR SWIVEL BLOCK MOUNTING, STARBOARD, ASSEMBLY						—		
	A.219445	Bracket	1	L.72	MR
	A.219446	Bracket	1	L.72	MR
	Std.1547/24/12	Washer, packing	8	DTD.610	C. 4
1603 4212	E.218671	DECKING, REAR, ASSEMBLY						—		
	D.218140	Beam, support, group	1	—	
	F.212722	Bracket, bearing, group	1	—	MR
	F.212716	Bush	1	BSS.369	MR
	Std.1700/1C	Bolt, securing access panel	1	S.95.B	C. 5
	Std.1700/2C	Bolt, securing access panel	1	S.95.B	C. 5
	D.209740	Diaphragm, frames 13 to 16, group	1	—	
	F.211930	Bracket, support, outboard	1	L.72	JC.2
	F.211931	Bracket, support, inboard	1	L.72	JC.2
	D.218030	Diaphragm, aft of hood, group	1	—	
	D.218030/24	Strip, seating, for inflatable seal...	2	Rubber	MR
	D.207238	Frame 16, top portion	1	—	
	D.207087	Frame 17A, top portion	1	—	
	D.207470	Frame 18A, top portion	1	—	
6660	A.207435	Housing	1	L.65.C	C. JC.2
	B.215924	Mounting, for inverter, Type 206, group	1	—	JC.2
	C.215840	Bracket, mounting, group	2	—	
	C.215840/4	Strip, 1/16" thick x 5 3/4" long	2	F.61	MR
8725	A.221676	Strap, mounting, group	2	—	C. JC.2
	A.221676/3	Strip, 1/16" thick x 3/4" wide x 6 1/4" long	1	F.61	C. JC.2
8726	D.211670	MOUNTING, TOP, SEAT STRUCTURE, ASSEMBLY						—		
	Std.1553/G/600	Bolt, link attachment	2	S.99.B	MR
	B.211185	Link, for top mounting	2	Stamping	MR
8727	A.211122	Panel, access, port	1	L.72	C. JC.2
	A.211123	Panel, access, starboard	1	L.72	C. JC.2
8728	A.212351	Panel, access, group	1	—	C. JC.2
	A.212351/2	Sealing, 1/16" thick	1	Rubber Shore 40-50	
8728	C.218618	Panel, access	1	L.72	MR
	F.224327	Plate, cover, for lubrication point	2	L.72	MR
	C.216233	Platform, mounting	1	L.72	MR

FUSELAGE—FRONT PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	E.218779-80						-	-		
	D.218696						1	L.72	MR	
	D.218697						1	L.72	MR	
	C.220897						-	-		
8729	C.220898						1	L.72	C.	JC.1
	C.218917						-	-		
8730	C.218919						1	L.72	C.	
	C.218150						-	-		
8731	C.218152						1	L.72	C.	JC.1
	C.219035-6						-	-		
8732	B.218966						1	L.72	C.	JC.1
8733	B.218967						1	L.72	C.	JC.1
	E.218779/1						1	L.72	MR	JC.1
	E.218780/1						1	L.72	MR	JC.1
	G.219100						1	L.72		
	E.218811						-	-		
	B.218946						2	-	MR	
8734	F.213444						1	L.65.C	C.	JC.1
	F.224328						2	DTD.5509 Rubber, Grade C	MR	
	C.211809						-	-		
	C.211809/1						1	L.62	MR	JC.4
	A.211810						2	S.3	MR	JC.4
	C.229947						-	-		
①	C.229788						1	DTD.283	MR	
	A.229789						1	DTD.253 or 323	MR	
	B.229745						1	-	MR	
	B.229746						1	-	MR	
	A.230275						1	-	MR	
	A.229731						1	-	MR	
	Dowty GD.1453C Mk. 18						6	-	MR	
①	Std.851/67						1	DTD.390		

FUSELAGE—FRONT PORTION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	D.209217	FLOOR AND DIAPHRAGM, AFT OF FRAME 15, ASSEMBLY	-	-		
	A.212441	Adaptor, port, group	1	-	MR	
	F.212436	Bearing, spherical	1	L.65.C	MR	
	A.212442	Adaptor, starboard, group	1	-	MR	
	F.212436	Bearing, spherical	1	L.65.C	MR	
	F.214514	Bearing, bottom of diaphragm, frame 15, group ...	2	-		
		Consisting of:—				
	F.214510	Bearing	1	L.65.C		
	F.214511	Nut	1	-		
	F.214513	Pin	1	BSS.369		
	F.214512	Spring	1	Sp. St. Wire		
	B.212242	Bracket, mounting, for oxygen charging valve ...	1	L.72	MR	
	A.220669	Bracket, mounting, gun heating thermostat ...	1	-	MR	
	A.220934	Bracket, supporting, armament and radio access panel, starboard	1	-	MR	
	D.208977	Diaphragm, for access door lands, group	1	-		
	D.208977/2	Angle	2	L.72		
	A.221237	Angle	1	L.72		
	A.221238	Angle	1	L.72		
	D.208977/3	Land, port	1	L.72		
	D.208977/4	Land, starboard	1	L.72		
	F.231691	Plate	2	-		
	F.209757	Seal, 1/8" thick	2	LPS.36		
	A.212713	Fitting, fork	1	L.65.C		
	C.216252	MOUNTING, ACCUMULATOR, ASSEMBLY	-	-		
8735	A.212384	Bolt, accumulator fixing, group	4	-	C.	JC.6
	F.212385	End, fork	1	S.95.B		
8736	B.212383	Tray, for accumulator	2	L.72	C.	JC.6
26FH/3675	Std.914/E/16	Washer, for bolt	2	S.1 or S.3	C.	4
	F.221290	Packing piece, at support bracket (Local manufacture)	1	L.72	MR	
9947	Aviation Development 5348/410/08	Pin, pip, securing rear gun locking pins	2	-	C.	
	A.213652	Ramp, group	1	L.72	MR	JC.6
8754	F.213695	Roller	1	-	C.	JC.6
5785	Std.915/C16	Washer	1	DTD.364	C.	4
	A.213651	Roller, group	1	-		JC.6
8755	F.213646	Roller	1	-	C.	JC.6
5785	Std.915/C16	Washer	1	DTD.364	C.	4
	E.208002	FLOOR, PILOT'S, ASSEMBLY	-	-		
	F.227784	Angle, mounting, for cabin temperature amplifier	1	L.72		
	F.227785	Angle, mounting, for cabin temperature amplifier	1	L.72		
9342	F.222352	Bolt-plate, for attachment of anchorage bracket at access door, port	2	-	C.	JC.4
9343	F.222353	Bolt-plate, for attachment of anchorage bracket at access door, starboard	2	-	C.	
4212	Std.1700/2C	Bolt, at access panels	31	S.95.B	C.	5
	F.213439	Bracket, anchorage	4	L.65.C	MR	JC.4
	F.213033	Bracket, stop	2	S.3 & S.21	MR	JC.4
8738	A.210959	Gasket, for access panel	1	Hibudine	C.	JC.4
8739	B.210960	Gasket, for access panel	1	Hibudine	C.	JC.4

FUSELAGE—FRONT PORTION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	B.213043	LEVERS, BRAKE CONTROL, TO FLOOR, ASSEMBLY	-	-		
8740	F.213029	Bearing	1	S.1	C.	JC.4
8741	F.213031	Cover	1	L.59	C.	JC.4
8742	F.213030	Lever	1	S.1	C.	JC.4
8743	F.213028	Lever, group	1	-	C.	JC.4
	F.213027	Lever	1	S.1		
	F.213026	Lever, idling	2	S.1 or S.3		
2147	Std.915/C20	Washer	2	DTD.610	C.	4
8744	Dowty GD.1309/7	Ring, sealing, "O" type	1	-	C.	JC.4
	A.210789	Mounting, aileron "feel" unit, group	1	-	MR	
	A.201533	Bracket, mounting	1	L.65.C		JC.4
	A.210789/1	Tube	1	L.62		JC.4
	Std.1509/23/079	Tube, distance, $\frac{3}{8}$ " o/d. x 0.79" long (Make from 30B/556)	2	T.4		JC.4
	B.210384	Mounting, for air bottle, group	6	-	MR	
1510	F.189993	Channel	2	DTD.610	C.	JC.4
	F.210425	Channel	1	L.72		JC.4
1512	F.189988	Packing	2	L.72	C.	JC.4
	F.210426	Packing	1	L.72		JC.4
	B.210384/2	Seating, $\frac{1}{8}$ " thick x 0.6" wide	1	DTD.590	MR	JC.4
8745	B.207573	Panel, access to flying controls	1	L.72	C.	JC.4
8746	B.207589	Panel, access to flying controls	1	L.72	C.	JC.4
8747	C.207557	Panel, control column access, port, group	1	-	C.	JC.4
8748	C.207558	Panel, control column access, starboard, group	1	-	C.	JC.4
625	F.183710	Block, control column stop	2	DTD.364	C.	JC.4
	F.225619	Block, guard	2	-		
4895	F.203268	Stud	2	S.95.B	C.	JC.4
8749	A.215417	Seal, for control column access panels	2	Hibudine	C.	JC.4
1918	Std.1341/2	Stud, control column access panel	8	-	C.	4
1919	Std.1341/3	Stud, control column access panel	2	-	C.	4
1921	F.168421	Stud, control column access panel	4	-	C.	JC.4
8750	F.215667	Stud, control column access panel	2	-	C.	
	Std.1509/23/058	Tube, distance, $\frac{3}{8}$ " o/d x 0.58" long (Make from 30B/556)	2	T.4	MR	
	Std.1509/23/079	Tube, distance, $\frac{3}{8}$ " o/d. x 16 S.W.G. x 0.79" long	2	T.4	MR	
28Q/10454	Dowty SP.815/2	Washer, sealing, control column across panels (Use 28F/14252)	145	-		
	D.232509	FLOOR, WIRELESS BAY AND CROSS MEMBER, ASSEMBLY	-	-		
	A.210856	Gusset, port	1	-		
	A.210857	Gusset, starboard	1	-		
	C.232494	MOUNTING FOR EXTERNAL SUPPLY SOCKET, ASSEMBLY	-	-		
	B.232497	Bracket, for external supply socket	1	L.72		
	A.232496	Diaphragm, for external supply socket	1	L.72	MR	
	A.232498	Plate, mounting, for external supply socket	1	L.72	MR	
	B.232495	Stiffener, for external supply socket	1	L.72	MR	

FUSELAGE—FRONT PORTION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	E.209303	JOINTS, AT FRAMES 12 TO 15, ASSEMBLY	-	-		
	F.209345	Angle, sealing, frame 13	2	L.72		
	F.208385	Channel, mounting, on forward joint plate, frame 12	1	L.72		
	E.208018	Frame 14, centre portion, group	1	-		
	E.208018/10	Angle (Make from Std.550/J/20)	2	-	MR	
	E.208018/12	Angle (Make from Std.550/M/18)	1	-	MR	
	F.230929	Angle	1	-	MR	
	E.208016/11	Angle	3	L.72	MR	
	E.208016/12	Angle	5	L.72	MR	
	A.209742	Angle, for door landing	1	-	MR	
	F.212666	Angle, mounting, group	1	L.72		
	F.212667	Plate, nut	1	S.3	MR	
	F.223063	Bracket, mounting, for roller	1	S.510		
	B.212663	Bracket, mounting	2	L.72		
	B.213660	Bracket, mounting	1	L.72		
	B.213661	Bracket, mounting	1	L.72		
	A.213247	Channel, mounting	1	L.72		
	E.208018/1	Diaphragm	1	L.72		
	E.208018/11	Landing, 1/8" thick X 6" wide X 9-5" long ...	1	Rubber DTD.5509 Grade D	MR	
	F.212664	Lug, at top of frame 3	1	L.72		
1708	A.193141	Mounting, for anti—"G" air filter	1	-	C.	
	E.208018/14	Packing	1	L.72	MR	
	A.177391	Plate, joint	7	L.72	MR	
	A.177392	Plate, joint	2	L.72	MR	JC.5
	F.211211	Plate, joint	2	L.72	MR	JC.5
	F.211212	Plate, joint	1	L.72	MR	
	F.212667	Plate, nut	1	-		
	F.230994	Plate, reinforcing	1	-	MR	
8432	Chekaleke No. 6	Plug	6	-	C.	
	F.213649	Roller, assembly	1	-	MR	
8752	F.213647	Roller	1	-	C.	
4150	Std.915/C22	Washer	1	DTD.610	C.	4
	F.213650	Roller, assembly	1	-	MR	
8753	F.213648	Roller	1	-	C.	
4162	Std.915/B22	Washer	1	DTD.610	C.	4
	E.208018/3	Stiffener (Make from Std.1591/B/18)	1	-	MR	
	E.208018/4	Stiffener (Make from Std.772/Z/18)	1	-	MR	
	E.208018/5	Stiffener (Make from Std.772/Z/18)	1	-	MR	
	E.208018/7	Stiffener (Make from Std.1358/A/20)	2	-	MR	
	E.208018/8	Stiffener (Make from Std.1358/A/20)	3	-	MR	
	E.208018/10	Stiffener (Make from Std.550/J/20)	2	-		
	E.208018/15	Stiffener	1	L.72	MR	
	E.208018/16	Stiffener	1	L.72	MR	
	A.209741	Strip, retaining, for rubber landing at bottom	1	L.72	MR	
	Std.1507/2/050	Tube, distance, 1/2" o/d X 22 S.W.G. X 5" long (Local Manufacture)	11	T.26		

FUSELAGE—FRONT PORTION

Ref. No.	Part No.	Description						No. Off	Material Specification	M.R. Class of Store	Plate No.
			1	2	3	4	5				
	E.208458	Frame 15, centre portion, group						1	—		
	E.208458/13	Angle (Make from Std.550/H/18)						1	—		
	F.212320	Angle, mounting						4	L.72		
	F.227333	Bracket						1	L.72		
	F.211569	Bracket, support						2	S.3	MR	
	A.212273	Bracket, mounting						1	L.72		
	A.212274	Bracket, mounting						1	L.72		
	A.213826	Bracket, earth terminal						1	L.72	MR	
	E.208458/4	Butt-strap						1	L.72		
	E.208458/5	Butt-strap						1	L.72		
	A.208628	Channel						1	—		
	A.221503	Channel, mounting						1	L.72		
	E.208458/1	Diaphragm						1	L.72		
	B.208632	Fitting, attachment, for ammunition box						1	Stamping	MR	
	B.208633	Fitting, attachment, for ammunition box						1	Stamping	MR	
	E.208458/2	Plate, reinforcing						1	L.72		
	E.208458/14	Plate, reinforcing						1	L.72		
	E.208458/15	Plate, reinforcing						1	DTD.166		
	E.208458/16	Plate, reinforcing						2	DTD.166		
	E.208458/22	Plate, reinforcing						1	DTD.166		
	F.212275	Plate, reinforcing						1	L.72		
	F.212936	Plate, stud						2	—	MR	
	A.211660	Plate, support						1	L.65.C		
	A.211661	Plate, support						1	L.65.C	C.	
4211	Std.1687/2	Saddle						2	DTD.610		5
	F.214743	Shim, for each terminal bracket						2	L.16	MR	
	F.176179	Stud						1	—		
	E.208458/3	Stiffener (Make from Std.1156/E/18)						1	—		
	E.208458/6	Stiffener (Make from Std.1358/L/18)						1	—		
	E.208458/19	Stiffener (Make from Std.1156/E/18)						1	—		
	E.208458/20	Stiffener (Make from Std.1156/E/18)						1	—		
	E.208458/21	Stiffener (Make from Std.1156/E/18)						1	—		
	Std.1509/23/160	Tube, distance, $\frac{5}{16}$" o/d \times 17 S.W.G. \times 1-6" long (Make from 30B/556)						3	T.4	MR	
3803	Std.1509/24/085	Tube, distance, $\frac{3}{8}$" o/d \times 17 S.W.G. \times 0-85" long (Make from 30A/969)						8	T.4	MR/C	4
	Std.1509/24/105	Tube, distance, $\frac{3}{8}$" o/d \times 17 S.W.G. \times 1-05" long (Make from 30A/969)						8	T.4	MR	
	D.211338	MOUNTINGS, FOR AMMUNITION BOX, ASSEMBLY						—	—		
	A.211063	Bracket, mounting, frame 14, inboard, group						2	—	MR	JC.5
	F.211205	Bush						2	BSS.369		
	F.226416	Bush						1	—		
	B.211061	Bracket, mounting, frame 14, outboard, starboard, group						1	—	MR	JC.5
	B.211062	Bracket, mounting, frame 14, outboard, port, group						1	—	MR	JC.5
	F.211064	Bush						1	BSS.369		JC.5
	B.211099	Bracket, mounting, frame 15, inboard port, group						1	—	MR	JC.5
	F.211065	Bush						1	BSS.369	MR	

FUSELAGE—FRONT PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	F.228539					Bracket, mounting, frame 15, inboard, starboard, group	1	—	MR	JC.5
	F.211065					Bush	1	BSS.369		
	A.215779					Bracket, mounting, frame 15, outboard, port, group	1	—	MR	JC.5
	A.215780					Bracket, mounting, frame 15, outboard, starboard, group	1	—	MR	JC.5
	B.215506					Bracket, mounting, port	1	Stamping	MR	JC.5
	B.215507					Bracket, mounting, starboard	1	Stamping	MR	JC.5
	F.211098					Bush	1	BSS.369	MR	JC.5
	F.211097					Nut	1	—	MR	JC.5
8756	F.211096					Pin, group	1	—	C.	JC.5
	F.209042					Handle	1	S.1B		
	F.209041					Nut	1	—		
	F.211103					Pin	1	S.80		
	Std.1996/17					Chain, 17" long	1	Brass		
	F.211079-82					Packing, at mounting bracket, frame 14, inboard	QR	L.72	MR	
	F.211075-78					Packing, at mounting bracket, frame 14, outboard	QR	L.72	MR	
	F.211134-37					Packing, at mounting bracket, frame 15, inboard	QR	L.72	MR	
	F.211130-33					Packing, at mounting bracket, frame 15, inboard, starboard	QR	L.72	MR	
	F.211114-17					Packing, at mounting bracket, frame 15, outboard	QR	L.72	MR	
	F.211110-13					Packing, at mounting bracket, frame 15, outboard	QR	L.72	MR	
8757	A.211518					Pin, group	2	—	C.	JC.5
	F.209042					Handle	1	S.1B		
	F.211519					Lug	1	S.3		
	A.211518/1					Pin	1	S.80		
8758	Aviation Development 5348/403/6					Pin, pip	2	—	C.	
	C.211160					MOUNTINGS, FOR OXYGEN CYLINDERS, ASSEMBLY	—	—		
	C.211160/1					Packing, $\frac{3}{16}$" thick x 1-5" wide x 5-65" long ...	4	DTD.590	MR	JC.3
	C.211160/2					Packing, $\frac{3}{16}$" thick x 0-5" wide x 1-5" long ...	16	DTD.590	MR	JC.3
	C.211160/3					Packing, $\frac{3}{8}$" thick x 1-25" wide x 3-0" long ...	4	DTD.590	MR	JC.3
	C.211665					MOUNTING, RADIO, ASSEMBLY	—	—		
28FP/7	A.213704					Bracket, mounting, for aerial relay	1	—		
	Aviation Development A.413					Pin, pip	2	—	C.	
	D.209893-4					STRUCTURE, BENEATH PILOT'S FLOOR, FRAMES 6 TO 10, ASSEMBLY	—	—		
611	F.177456					Bearing, for rudder control lever	1	DTD.364	C.	JC.6
	B.209824					Box, sealing, for flying controls	2	—		
	C.209825					Box, sealing, control column, group	2	—		
1867	A.194272					Gasket, sealing	1	DTD.5590/C	C.	JC.6
4443	A.202036					Panel, access	1	L.72	C.	JC.6
28Q/10454	Dowty SP.815/2					Washer, sealing (Use 28F/14252)	8	—	C.	
	B.216158					Duct, forward, pressurising, port	1	—	MR	JC.6
	B.216159					Duct, forward, pressurising, starboard	1	—	MR	JC.6
	A.216160					Duct, centre, pressurising, port	1	L.59	MR	JC.6
	A.216161					Duct, centre, pressurising, starboard	1	L.59	MR	JC.6
	A.222155					Plate, reinforcing and mounting, for bearing	1	L.72	MR	
	F.214491					Ring nut, (in halves)	4	—	MR	

FUSELAGE—FRONT PORTION

Ref. No.	Part No.	Description	No. Off					Material Specification	M.R. Class of Store	Plate No.
			1	2	3	4	5			
	D.217040	STRUCTURE, BENEATH FLOOR, BETWEEN FRAMES 10 AND 11, ASSEMBLY								
2A/9500153	B.A.L.020	Bearing, in mounting bracket, at frame 11 ...		1			—	B.	JC.6	
2A/9500423	Hoffmann T.29	Bearing, in keel member ...		2			—	B.		
	F.208530	Bearing, in jack anchorage diaphragm ...		1			S.95.B	MR	JC.6	
	A.216962	Bracket, mounting, at frame 11 ...		1			L.72	MR	JC.6	
	A.216963	Bracket, support, at frame 11 ...		1			L.72	MR	JC.6	
	F.231382	Bracket, support, for restrictor valve ...		1			—	MR		
	B.216156	Duct, aft, pressurising, port ...		1			—	MR	JC.6	
	B.216157	Duct, aft, pressurising, starboard ...		1			—	MR	JC.6	
	A.229555	Housing, bearing ...		1			—	MR	JC.6	
	A.229508	Housing, bearing ...		1			—	MR	JC.6	
	A.207277	Housing, bearing ...		1			L.65	MR	JC.6	
	C.208526	Landing, access panel ...		1			L.72	MR	JC.6	
8759	A.209134	Panel, access, for nose wheel undercarriage jack		1			L.72	C.	JC.1	
	F.214491	Ring, nut (in halves) ...		4			—			
2144	Std.1231/3	Tab, locking, nosewheel jack anchorage bearing		1			S.3	C.	4	
	Std.1509/2/100	Tube, distance, at pressurising duct $\frac{1}{4}$ " o/d. x 22 S.W.G. x 1-0" long		12			T.4	MR		
	E.209146	STRUCTURE BETWEEN KEEL MEMBERS, FRAMES 6 TO 9, ASSEMBLY								
	F.207324	Bearing, in diaphragm, at frame 7 ...		1			L.65.C	MR	JC.6	
	A.222131	Bracket, bearing, rudder lever, group ...		1			—	MR	JC.6	
611	F.177456	Bearing, rudder control lever ...		1			DTD.364	C.	JC.6	
	F.207325	Bush, flanged ...		1			L.65.C	MR	JC.6	
	B.211984	Channel for nose wheel stop ...		1			L.72	MR	JC.6	
	B.208889	Diaphragm, for nose wheel stop ...		1			L.72	MR	JC.6	
	A.207661	Mounting, for lever and micro switch ...		1			—	MR	JC.6	
8760	A.209922	Pad ...		1			Rubber	C.	JC.6	
8761	F.216164	Plate, retaining, for rubber pad ...		1			DTD.166	C.	JC.6	
	A.208890	Stiffener, skin, at rear nose wheel door ...		1			L.72	MR	JC.6	
	F.208906	Strap, butt, at frame 9 ...		1			L.72	MR	JC.6	
	B.209284	Strap, butt, at frame 9 ...		1			L.72	MR	JC.6	
	Std.1509/23/034	Tube, distance, $\frac{1}{8}$ " o/d. x 17 S.W.G. x 0-34" long (Make from 30B/556)		2			T.4			
26AQ/2948	Std.1548/24/12	Washer, profile...		2			DTD.610	C.	4	
	F.225579	Washer, profile...		2			L.72	MR		
	E.229931	STRUCTURE, FRAMES 1C TO 6, ASSEMBLY								
	B.229929	ADDITIONAL STIFFENING, BETWEEN FRAMES 1D AND 6, PORT, ASSEMBLY								
	E.215966	ADDITIONAL STIFFENING, BETWEEN FRAMES 1D AND 6, STARBOARD, ASSEMBLY								
	F.210688	Angle, at frame 2 ...		2			L.72	MR		
	F.210689	Angle, at frame 2 ...		2			L.72	MR		
	F.215983	Angle, at frame 1D and 2 ...		4			L.72	MR		
	F.215984	Angle, at frames 1D and 2 ...		4			L.72	MR		
	F.216449	Angle, at frame 3, port ...		1			L.72	MR		
	F.216450	Angle, at frame 3, starboard ...		1			L.72	MR		
	A.216489	Angle, at frame 3 ...		2			L.72	MR		
	F.216041	Angle, at frame 4 ...		2			L.72	MR		
	F.229796	Angle, at frame 5, port ...		1			L.72	MR		
	F.216042	Angle, at frame 5, port ...		2			L.72	MR		

FUSELAGE—FRONT PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
F.229802							1	—		
B.229801							1	—		
F.230684							1	—		
F.216490							2	L.72	MR	
B.229805							1	—	MR	
F.230683							1	—	MR	
F.229797							1	—	MR	
B.229806							1	—	MR	
A.230992							1	—	MR	
F.216441							1	L.72	MR	JC.3
F.216442							1	L.72	MR	JC.3
E.215965/1							1	L.72	MR	JC.3
E.215966/1							1	L.72	MR	
B.215883							1	L.72	MR	JC.3
B.215884							1	L.72	MR	JC.3
B.215885							1	L.72	MR	JC.3
B.215886							1	L.72	MR	JC.3
B.215887							1	L.72	MR	JC.3
B.215888							1	L.72	MR	JC.3
B.215889							1	L.72	MR	JC.3
B.229930							1	L.72	MR	
B.215890							1	L.72	MR	JC.3
B.215891							1	L.72	MR	JC.3
B.229803							1	L.72	MR	
B.215892							1	L.72	MR	JC.3
B.229804							1	L.72	MR	
B.215893							1	L.72	MR	JC.3
B.230231							1	L.72	MR	
B.230681							1	L.72	MR	
B.215894							1	L.72	MR	JC.3
B.230682							1	—		
E.220883/3							1	DTD.364	MR	JC.3
E.220883/4							1	DTD.364	MR	JC.3
F.190905							1	DTD.610		
B.209401							1	—	MR	
B.209402							1	—	MR	
B.209124							—	—		
F.209128							1	L.72		
B.209126							1	L.72		
B.209127							1	L.72		
B.209125							1	—	MR	JC.2
F.179027							1	S.1		
C.215912							—	—		
B.215913							1	L.72	MR	JC.3
B.215914							1	L.72	MR	JC.3

FUSELAGE—FRONT PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	B.216179	DUCT, FOR CABLES, PORT, ASSEMBLY					-	-		
	A.219398	Channel					1	L.72	MR	JC.2
	C.207740	FASTENERS, NOSE PIECE ATTACHMENT, ASSEMBLY					-	-		
9390	F.220447	Hook					4	S.1	C.	JC.6
633	F.178626	Latch					4	S.3	C.	JC.6
9391	A.220638	Lever					4	DTD.166	C.	JC.6
28FP/5	A.409	Pin, pip					4	-	C.	JC.6
636	F.166450	Spring					4	Sp. St.	C.	JC.6
3794	Std.1509/2/104	Tube, distance, 3/4" o/d x 22 S.W.G. x 1-04" long (Make from 30B/555)					8	T.4	MR/C	
	Std.1509/2/112	Tube, distance, 3/4" o/d. x 22 S.W.G. x 1-12" long (Make from 30B/555)					4	T.4		
9392	F.220446	Washer, at hook attachment					4	Rubber	C.	
	D.232174	Frame, No. 1C, rear, group					1	-		
	F.218944	Angle, attachment, for junction box, group ...					2	-		
8541	F.218942	Bush					1	Rubber	C.	
8542	F.218943	Washer					2	Rubber	C.	
	A.218945	Bracket, attachment, group					1	-		
8541	F.218942	Bush					2	Rubber	C.	
8542	F.218943	Washer					4	Rubber	C.	
	F.213351	Spigot					4	S.1	MR	JC.3
	D.207541	Frame, No. 1D, group					1	-		
	D.207541/4	Plate, joint, port					1	L.72	MR	
	D.207541/5	Plate, joint, starboard					1	L.72	MR	
	D.207541/2	Side, portion, port					1	L.72	MR	JC.2
	D.207541/3	Side, portion, starboard					1	L.72	MR	
	D.207012	Frame, No. 2, group					1	-		
	D.207012/7	Landing					1	L.72	MR	
	D.207012/4	Plate, joint, top, port					1	L.72	MR	
	D.207012/5	Plate, joint, top, starboard					1	L.72	MR	
	D.207012/6	Plate, joint, bottom					1	L.72	MR	
	D.207012/1	Side, portion, port					1	L.72	MR	JC.2
	D.207012/2	Side, portion, starboard					1	L.72	MR	JC.2
	E.232186	Frame, No. 3, group					1	-		JC.2
	F.214092	Angle					1	L.72	MR	JC.2
	E.232186/3	Angle, bottom of frame					1	L.72	MR	
	F.207613	Angle, bottom of frame, port					1	L.72	MR	
	F.207614	Angle, bottom of frame, starboard					1	L.72	MR	
	F.210432	Cleat, bottom of frame, port					1	L.72	MR	
	F.210433	Cleat, bottom of frame, starboard					1	L.72	MR	
	D.207011	Frame, No. 4, group					1	-		
	D.207011/4	Plate, joint, port					1	L.72	MR	
	D.207011/5	Plate, joint, starboard					1	L.72	MR	
	D.207011/1	Side, portion, port					1	L.72	MR	JC.2
	D.207011/2	Side, portion, starboard					1	L.72	MR	JC.2

FUSELAGE—FRONT PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	B.229922						1	—		
	C.229741						1	S.510	MR	
	C.229742						1	S.510	MR	
	C.229743						1	S.510	MR	
	C.229744						1	S.510	MR	
	E.207377/4						1	L.72	MR	
	E.207377/5						1	L.72	MR	
	E.207377/1						1	L.72	MR	
	E.207377/2						1	L.72	MR	
	E.229936						1	—		JC.2
	E.229936/19						1	—	MR	
	E.229936/20						1	—	MR	
	E.229936/23						1	—	MR	
	E.229936/24						1	—	MR	
	C.230213/1						1	S.510	MR	
	C.230213/2						1	S.510	MR	
	C.230214/1						1	S.510	MR	
	C.230214/2						1	S.510	MR	
	A.230186						2	—	MR	
	F.230189						4	—		
	F.230785						1	—		
	A.211931						1	L.72		
	A.211933						1	—		
	A.211982						1	L.72		
	A.207406						2	S.3	MR	
	E.229936/40						1	L.72	MR	
	B.230494						1	Casting	MR	
	B.211684						1	Casting	MR	JC.2
	B.212309						2	L.72	MR	
	E.229936/29						2	L.72	MR	JC.2
8432	Chekaleke No. 6						16	—	C.	
	E.229936/25						1	L.72	MR	
	E.229936/26						1	L.72	MR	
	E.229936/27						1	L.72	MR	
	E.229936/28						1	L.72	MR	
	A.211890						1	L.72	MR	
	A.211891						1	L.72	MR	
	B.210386						1	L.72	MR	
	B.210387						1	L.72	MR	
8762	F.221510						4	S.96.B	C.	
	F.209665						1	L.65.C	MR	
	F.209666						1	L.65.C	MR	
	F.209663						1	L.65.C	MR	
	F.209664						1	L.65.C	MR	
	B.207749						1	L.72	MR	JC.2
	C.207750						1	L.72	MR	JC.3
	C.207751						1	L.72	MR	JC.3

FUSELAGE—FRONT PORTION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	C.207458	Member, edge, port	1	L.72	MR	JC.3
	C.207459	Member, edge, starboard	1	L.72	MR	JC.3
8618	E.210698	Panel, access to nose piece fasteners, frames 1C to 2	1	—	B.	JC.1
8763	King Aircraft Corporation C.6595	Fastener	4	—	C.	JC.1
8764	King Aircraft Corporation D.6597	Pin and spring	4	—	C.	JC.1
8765	King Aircraft Corporation D.5089	Washer, retaining	4	—	C.	JC.1
	G.219088	Skin, bottom, frame 3... ..	1	L.72	MR	
	G.219079-87	SKIN, COVERING, FRAMES 1C TO 6, ASSEMBLY	—	—		
	G.219079/2	Packing	1	L.72	MR	
	G.219080/2	Packing, port and starboard	2	L.72	MR	
	G.219080/3	Packing, port and starboard	2	L.72	MR	
	G.219082/2	Packing	2	L.72	MR	
	G.219083/4	Packing	1	L.72	MR	
	G.219083/5	Packing, port	1	L.72	MR	
	G.219083/6	Packing, starboard	1	L.72	MR	
	G.219086/3	Packing, port	1	L.72	MR	
	G.219087/3	Packing, starboard	1	L.72	MR	
	G.219079/1	Skin, top, frames 1C to 3	1	L.72	MR	
	G.219080/1	Skin, side, frames 1C to 3, port	1	L.72	MR	JC.1
	G.219081/1	Skin, side, frames 1C to 3, starboard	1	L.72	MR	JC.1
	G.219082/1	Skin, bottom, frames 1C to 3	1	L.72	MR	JC.1
	G.219083/1	Skin, top, frames 3 to 6	1	L.72	MR	
	G.219084/1	Skin, side, frames 3 to 6, port	1	L.72	MR	JC.1
	G.219085/1	Skin, side, frames 3 to 6, starboard	1	L.72	MR	JC.1
	G.219086/1	Skin, bottom, frames 3 to 6, port	1	L.72	MR	JC.1
	G.219087/1	Skin, bottom, frames 3 to 6, starboard	1	L.72	MR	JC.1
	G.219083/2	Strap, butt, for top skin, frames 3 to 6, port	1	L.72	MR	
	G.219083/3	Strap, butt, for top skin, frames 3 to 6, starboard	1	L.72	MR	
	G.219086/2	Strap, butt, for bottom skin, frames 3 to 6, port	1	L.72	MR	
	G.219087/2	Strap, butt, for bottom skin, frames 3 to 6	1	L.72	MR	
	F.215945	Spigot	2	S.96.B	MR	JC.1
	B.209205	SPIGOT, LOCK, NOSEWHEEL DOOR, ASSEMBLY	—	—		
8766	F.219718	Bolt, spigot attachment	8	S.94.B	C.	JC.3
	B.209206	Bracket, support	2	L.72	MR	JC.3
	A.219654	Channel, attachment, port	1	L.72	MR	JC.3
	A.219655	Channel, attachment, starboard	1	L.72	MR	JC.3
8767	Std.2019/1	Plate, locking, for bolts	4	S.511	C.	JC.3
	F.219658	Plate, serrated	2	S.95.B	MR	JC.3
8768	A.209207	Spigot	2	Stamping	C.	JC.3

FUSELAGE—FRONT PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	B.231680	STOWAGE, FOR HARNESS APRON, STARBOARD, ASSEMBLY					-	-		
9768	F.231308	Cord, tension					1	-	C.	
	Std.1231/7	Lug, locking, for tension cord					1	-		4
	Std.1231/7B	Lug, locking, for tension cord					1	-		4
	C.229644	Stowage, harness apron, group					1	-	MR	
	F.230883	Cable, attachment					1	W.9		
	Dzus A.W.425	Fastener					2	-		
	C.210361	STRUCTURE FOR ACCESS PANEL, FRAMES 1C TO 3, ASSEMBLY					-	-		
	B.210422	Beam, reinforcing, port					1	L.72	MR	JC.3
	B.210423	Beam, reinforcing, starboard					1	L.72	MR	JC.3
	C.210334	Beam, supporting, port, group					1	-	MR	JC.3
	C.210335	Beam, supporting, starboard, group					1	-	MR	JC.3
	F.210336	Bracket					2	L.72		
	F.210337	Bracket					2	L.72		
	F.210340	Cleat, at frame 1D					2	L.72		
8803	F.209440	Housing, fastener					2	L.65.C & L.72	C.	JC.3
9809	King Aircraft Corporation C.7810	Stud, fastener					2	-	C.	JC.3
	A.210860	Bracket, port					1	L.72	MR	JC.3
	A.210861	Bracket, starboard					1	L.72	MR	JC.3
	F.210338	Cleat, at frame 1C, port					1	L.72	MR	
	F.210339	Cleat, at frame 1C, starboard					1	L.72	MR	
	F.210341	Cleat, at frame 2					4	L.72	MR	
	G.228435-6	STRUCTURE, FRAMES 6 TO 18A, PORT AND STARBOARD, ASSEMBLY					-	-		
	A.217819	Angle, support, for engine controls, between frames 17B and 18A					1	L.72		
	C.222059-60	ATTACHMENTS, LEADING EDGE, ASSEMBLY					-	-		
8828	F.211372	Bracket, attachment, lower, port					1	S.3	MR/C	JC.1
8829	F.211373	Bracket, attachment, lower, starboard					1	S.3	MR/C	JC.1
8830	F.211374	Bracket, attachment, upper, port					1	S.3	MR/C	JC.1
8831	F.211375	Bracket, attachment, upper, starboard					1	S.3	MR/C	JC.1
8832	C.211476	Landing, upper, port					1	L.72	MR/C	JC.1
8833	C.211477	Landing, upper, starboard					1	L.72	MR/C	JC.1
8834	B.211478	Landing, lower, port					1	L.72	MR/C	JC.1
8835	B.211479	Landing, lower, starboard					1	L.72	MR/C	JC.1
3816	Std.1547/30/16	Washer, packing					16	DTD.610	MR/C	4
	E.214868	ATTACHMENT OF FRAME 8 TO 18A, TO TOP LONGERON GROUP (Mod. 778)					-	-		
	C.220439	BRACKET, SEALING, GROUP					-	-		
	F.230944	Plate, nut, port					1	-	MR	
	F.230945	Plate, nut, starboard					1	-	MR	

FUSELAGE—FRONT PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
	A.213970						1	L.72		JC.2
	A.213631						1	L.72		
	A.213549						1	L.72		
	B.214605						1	L.72		
	B.216432						-	-		
	B.216431						1	L.72		
	B.212051						-	-		
	B.212025						1	L.72		JC.2
	C.212132						1	L.72		JC.2
	C.212133						1	L.72		JC.2
	B.231674						-	-		
	A.231587						2	-		
	A.231606						1	L.72		
	A.231607						1	L.72		
	A.224245						1	-		
	D 207249-50						-	-		
	A.212600						1	L.72		JC.4
	C.211319-20						-	-		
4889	B.200745						2	-	B.	JC.1
1518	Mills GP.4						2	M.S.	C.	JC.1
4922	F.200736						2	S.1	C.	JC.1
1520	F.189113						1	Sp. St.	C.	JC.1
1521	F.189105						1	Sp. St.	C.	JC.1
1522	F.189106						1	Sp. St.	C.	JC.1
	C.229603						1	-		
	E.207172						1	-		
	F.175105						1	DTD.610		
	F.175106						1	DTD.610		
	F.175107						1	DTD.610		
	F.207173						1	L.72		
	F.176977						4	DTD.364	MR	
	F.182173						1	DTD.610		
	F.182174						1	DTD.610		
	C.229615/1						1	S.510	MR	
	C.229615/3						1	S.510	MR	
	C.229615/4						1	S.510	MR	

FUSELAGE—FRONT PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
	A.175103					Block, sealing, port	1	LFS.21 & BSS.972		
①	A.175104					Block, sealing, starboard	1	LFS. & BSS.972		
	B.207405					Bracket, reinforcing, starboard	1	S.3	MR	
	E.207171/1					Member, side, port	1	L.72	MR	
	E.207172/1					Member, side, starboard	1	L.72	MR	
	E.207171/2					Member, bottom, port	1	L.72	MR	
	E.207172/2					Member, bottom, starboard	1	L.72	MR	
	E.207171/3					Stiffener, port	1	L.72	MR	
	E.207172/3					Stiffener, starboard	1	L.72	MR	
	E.207171/5					Stiffener, port (Make from Std.1591/A/18)	1	—	MR	
	E.207172/5					Stiffener, starboard (Make from Std. 1591/1/18)	1	—	MR	
	B.230591					Frame 8, port	1	—		
	B.235659					Frame 8, starboard	1	—		
	A.230760 or A.231741					Angle, front, port	1	L.72		
	B.207147					Angle, front, starboard	1	L.72		
	A.230762 or A.231743					Angle, rear, port	1	L.72		
	B.207149					Angle, rear, starboard	1	L.72		
	A.207464					Angle, inboard, rear, port	1	L.72		
	A.207465					Angle, inboard, rear, starboard	1	L.72		
	A.207564					Angle, outboard, rear, port	1	L.72		
	A.207565					Angle, outboard, rear, starboard	1	L.72		
	F.210101					Angle, front, port	1	L.72		
	F.210102					Angle, front, starboard	1	L.72		
	F.208593					Angle, starboard	1	L.72	MR	
	F.208592					Angle, port	1	L.72	MR	
	F.208594					Angle, port	1	L.72	MR	
	F.208595					Angle, starboard	1	L.72	MR	
	F.210619					Angle, bottom, starboard	1	L.72	MR	
	F.210620					Angle, bottom, port	1	L.72	MR	
	A.164928					Block, axle	2	Stings	MR	
	A.209197					Block, sealing	1	LFS.21		
	A.209198					Block, sealing	1	LFS.21		
	F.209199					Block, sealing	2	LFS.21		
	Std.1553/G/235					Bolt	8	S.99.B	MR	
	B.230584					Bracket, reinforcing, front, port	1	S.3	MR	
	B.230585					Bracket, reinforcing, front, starboard	1	S.3	MR	
	B.230586					Bracket, reinforcing, rear, port	1	S.3	MR	
	B.230587					Bracket, reinforcing, rear, starboard	1	S.3	MR	
	A.207155					Channel, port	1	L.72	MR	
	A.207156					Channel, starboard	1	L.72	MR	
	A.176767					Channel	2	DTD.610	MR	
	F.176766					Channel	2	DTD.610	MR	
	B.176768					Channel	2	DTD.166	MR	
	C.207160					Channel	2	L.72	MR	
	B.207161					Channel, port	1	L.72		
	B.211795					Channel, starboard	1	L.72		
	A.207916					Channel	2	L.72	MR	
	A.220421					Channel, port	1	L.72		
	A.220422					Channel, starboard	1	L.72		
①	B.230413					Bracket, for flasher unit (Mod.741)	1	L.72		

FUSELAGE—FRONT PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	E.207168						1	—	MR	JC.3
	A.208114						1	S.3		
	A.208115						1	S.3		
	E.207169						1	—		
	F.212961						1	L.72	MR	
	A.211667						1	L.72		
	E.207170						1	—	MR	JC.3
	A.208114						1	S.3		
	A.208115						1	S.3		
	E.207196						1	—		
	E.207197						1	—		
	A.211668						1	L.72	MR	
	E.207198						1	—	MR	JC.3
	E.207199						1	—	MR	JC.3
	E.206263						1	—		
	E.208264						1	—		
	E.208263/7						1	—	MR	
	E.208263/8						1	—	MR	
	E.208264/7						1	—	MR	
	E.208264/8						1	—	MR	
	A.208271						1	L.72	MR	
	A.208272						1	L.72	MR	
	A.208273						1	L.72	MR	
	A.208274						1	L.72	MR	
	F.208100						1	L.72	MR	
	F.208101						1	L.72	MR	
	F.208116						1	L.72	MR	
	F.208117						1	L.72	MR	
	F.208279						1	L.72	MR	
	F.208280						1	L.72	MR	
	F.208281						1	L.72	MR	
	F.208282						1	L.72	MR	
	A.211725						1	L.72	MR	
	A.211726						1	L.72	MR	
	A.223939						1	L.72	MR	
	F.214160						1	L.72	MR	
	A.214877						1	LFS.21		
	A.214878						1	LFS.21		
	A.211868						1	L.72	MR	
	A.211869						1	L.72	MR	
①	F.213275						1	L.72	MR	
	E.208263/3						1	—	MR	
	E.208263/4						1	—	MR	
	E.208263/5						1	—	MR	
	E.208263/6						1	L.72	MR	
①	F.232860						1	—		

FUSELAGE—FRONT PORTION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	E.208264/3	Channel, starboard (Make from Std.1406/F/18)	1	—	MR	
	E.208264/4	Channel, starboard (Make from Stb.1406/F/18)	1	—	MR	
	E.208264/5	Channel, starboard (Make from Std.1406/F/18)	1	—	MR	
	E.2208264/6	Channel, starboard	1	L.72	MR	
	A.208269	Channel, port and starboard	2	L.72	MR	
	A.208270	Channel, port and starboard	2	L.72	MR	
	F.208275	Channel, port	1	L.72	MR	
	F.208276	Channel, port	1	L.72	MR	
	F.208277	Channel, port and starboard	2	L.72	MR	
	A.208278	Channel, port and starboard	2	L.72	MR	
	F.209811	Channel, starboard	1	L.72	MR	
	F.209812	Channel, starboard	1	L.72	MR	
	F.216020	Clip	1	—	MR	
	E.208263/1	Diaphragm, aft, port	1	L.72	MR	
	E.208263/2	Diaphragm, forward, port	1	L.72	MR	
	E.208264/1	Diaphragm, aft, starboard	1	L.72	MR	
	E.208264/2	Diaphragm, forward, starboard	1	L.72	MR	
	C.208444	MOUNTING, GUN, PORT, SUB ASSEMBLY	—	—		
	C.208445	MOUNTING, GUN, STARBOARD, SUB ASSEMBLY	—	—		
	B.208299	Fitting, inboard, port	1	Stamping	MR	
	B.208300	Fitting, inboard, starboard	1	Stamping	MR	JC.5
	B.207973	Fitting, outboard, port	1	Stamping	MR	
	B.207974	Fitting, outboard, starboard	1	Stamping	MR	JC.5
	B.208031	Housing, port and starboard	2	Stamping	MR	JC.5
	F.208036	Nut, special, port and starboard	2	S.95.B	MR	JC.5
	F.209079	Washer, port and starboard	2	L.72	MR	JC.5
	F.211645	Plate, sealing	21	L.72	MR	
	F.211646	Plate, sealing	2	L.72	MR	
	F.213499	Plate, sealing	2	L.72	MR	
	F.213705	Plate, sealing	2	L.72	MR	
	B.208265	Reinforcing, starboard	1	L.72	MR	
	B.208266	Reinforcing, port	1	L.72	MR	
	B.208267	Reinforcing, port	1	L.72	MR	
	B.208268	Reinforcing, starboard	1	L.72	MR	
	Std.1509/2/142	Tube, distance, $\frac{1}{4}$ " o/d. x 22 S.W.G. x 1-42" long (Make from 30B/555)	2	T.4	MR	
	Std.1509/2/122	Tube, distance, $\frac{1}{4}$ " o/d. x 22 S.W.G. x 1-22" long (Make from 30B/555)	3	T.4	MR	
	Std.1509/2/132	Tube, distance, $\frac{1}{4}$ " o/d. x 22 S.W.G. x 1-32" long (Make from 30B/555)	4	T.4	MR	
	Std.1509/23/216	Tube, distance, $\frac{1}{4}$ " o/d. x 22 S.W.G. x 2-16" long (Make from 30B/555)	2	T.4	MR	
	E.207189	Frame 13, port, group	1	—		
	E.207190	Frame 13, starboard, group	1	—		
	F.214160	Angle	1	—	MR	
	A.207518	Block, sealing, port	1	LFS.21	MR	
	A.207519	Block, sealing, starboard	1	LFS.21	MR	
	E.207189/1	Channel, port (Make from Std.1406/A/20) ...	1	—	MR	
	E.207189/6	Channel, port (Make from Std.1406/A/20) ...	1	—	MR	
	E.207190/1	Channel, starboard (Make from Std.1406/A/20)	1	—	MR	
	E.207190/6	Channel, starboard (Make from Std.1406/A/20)	1	—	MR	

FUSELAGE-FRONT PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	E.207189/2				Diaphragm, side, forward, port	...	1	L.72	MR	
	E.207189/3				Diaphragm, side, aft, port	...	1	L.72	MR	
	E.207189/4				Diaphragm, centre, forward, port	...	1	L.72	MR	
	E.207189/5				Diaphragm, centre, aft, port	...	1	L.72	MR	
	E.207190/2				Diaphragm, side, forward, starboard	...	1	L.72	MR	
	E.207190/3				Diaphragm, side, aft, starboard	...	1	L.72	MR	
	E.207190/4				Diaphragm, centre, forward, starboard	...	1	L.72	MR	
	E.207190/5				Diaphragm, centre, aft, starboard	...	1	L.72	MR	
	Std.1509/23/158				Tube, distance, $\frac{5}{16}$ " o/d. \times 17 S.W.G. \times 1.58" long (Make from 30B/556)	...	10	T.4	MR	
	Std.1547/29/12				Washer, packing	...	8	DTD.610	MR	
	D.211978				Frame, 14A, port, group	...	1	—		
	D.211979				Frame, 14A, starboard, group	...	1	—		
	B.214132				Channel, support, port	...	1	L.72		
	B.214133				Channel, support, starboard	...	1	L.72		
	D.211978/1				Frame, port	...	1	—		
	D.211979/1				Frame, starboard	...	1	—		
	F.212120				Plug, sealing	...	2	S.1		
	A.215668				Socket	...	1	L.65.C		
	A.215669				Socket	...	1	L.65.C		
	E.208016				Frame 14, side portion, port, group	...	1	—		JC.3
	E.208016/9				Angle (Make from Std.550/H/18)	...	1	—	MR	
	E.208016/12				Angle	...	4	L.72	MR	
	E.208016/13				Angle (Make from Std.550/M/18)	...	1	—	MR	
	E.208016/14				Angle (Make from Std.550/J/20)	...	1	—	MR	
	A.211512				Angle	...	1	L.72	MR	
	F.214130				Angle	...	1	L.72	MR	
	E.208016/15				Angle (Make from Std.550/M/18)	...	1	—	MR	
	E.208016/4				Butt-strap	...	1	L.72	MR	
	C.213767				CONNECTIONS, BULKHEAD, ASSEMBLY	...	—	—		
3771	Std.1231/6				Lug, locking	...	3	S.3	MR/C	4
1179	A.177021				Union, bulkhead, low pressure	...	2	DTD.364	C.	
	E.208016/1				Diaphragm	...	1	L.72	MR	
8432	Chekaleke No. 6				Plug	...	6	—	C.	
	A.211221				Stiffener	...	1	L.72	MR	
	A.211222				Stiffener	...	1	L.72	MR	
	E.208017				Frame 14, side portion, starboard, group	...	1	—		JC.3
	E.208016/12				Angle	...	4	L.72	MR	
	E.208016/14				Angle (Make from Std.550/J/20)	...	1	—	MR	
	E.208017/6				Angle (Make from Std.550/H/18)	...	1	—	MR	
	E.208017/8				Angle (Make from Std.550/M/18)	...	1	—	MR	
	A.211513				Angle	...	1	L.72	MR	
	F.214131				Angle	...	1	L.72	MR	
	E.208017/2				Butt, strap	...	1	L.72	MR	
	E.208017/1				Diaphragm	...	1	L.72	MR	
8432	Chekaleke No. 6				Plug	...	6	—	C.	
	A.211221				Stiffener	...	1	L.72	MR	
	A.211222				Stiffener	...	1	L.72	MR	

FUSELAGE-FRONT PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	E.208456						1	—		
	E.208456/6						1	—		
	B.214741						1	—	MR	
	F.211569						1	S.3		
	A.208626						1	L.72	MR	
	E.208456/1						1	L.72		
	E.208457						1	—		
	E.208457/6						1	—		
	B.214742						1	—	MR	
	F.211569						1	S.3		
	A.208627						1	L.72	MR	
	E.208457/1						1	L.72		
	C.221233						1	—		
	F.216526						2	DTD.171		
	F.216196						2	DTD.171		
	D.207236						1	L.72	MR	
	D.207237						1	L.72	MR	
	A.212697						1	—	MR	
	F.214144						1	—	MR	
	D.207236/1						1	L.72	MR	
	D.207088						1	—		
	D.207089						1	—		
	A.213625						1	L.72	MR	
	D.207088/1						1	L.72	MR	
	D.207089/1						1	L.72	MR	
	D.207783						1	—		
	F.211935						1	—	MR	
	D.207783/2						1	L.72	MR	
	D.207783/3						1	L.72	MR	
	F.211988						1	—	MR	
	F.211989						1	—	MR	
	D.207783/4						1	—	MR	
	D.207783/5						1	—	MR	
	D.207471						1	—	MR	
	D.207472						1	—	MR	
	C.217789-90						—	—		
	C.234926						1	—	MR	
	C.217792						1	—	MR	
	A.213498						1	S.3 & T.26	MR	
	C.234302-3						—	—		
	A.234450						2	S.510		
	A.234451						2	S.510		
	F.232309						6	S.80B		
	A.232318						2	S.61B		
	F.232310						8	—		
8456	F.219942						6	S.84	C.	

FUSELAGE—FRONT PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
3193	C.207752	Landing, between frames 6 to 9, port					1	L.72	MR	JC.1 JC.5
	C.207753	Landing, between frames 6 to 9, starboard					1	L.72	MR	
	B.208472	Landing, at frame 12, aft					1	—	MR	
	A.178278	Landing, gun access door					2	DTD.610	MR/C	
	C.234381	Landing, blast trough, frames 5-10 port					1	L.72	MR	
	C.208945	Landing, for blast trough, frames 5 to 10, starboard					1	L.72	MR	
	G.214586	LONGERON, TOP, PORT, ASSEMBLY					—	—		
	G.214587	LONGERON, TOP, STARBOARD, ASSEMBLY					—	—		
	F.211350	Bracket, between frames 17A and 17B					1	L.72		
	F.219443	Bracket, mounting, for hood lock micro switch, port, group					1	—	MR	
F.220730	Plate, serrated					1	L.72			
B.212310	BRACKET, FOR SWIVEL MOUNTING BLOCK, ASSEMBLY					—	—			
A.212035	Bracket					1	L.72	MR		
A.212036	Bracket					1	L.72	MR		
A.211005	Channel, attachment, for hood lock fitting, port					2	—	MR		
A.211006	Channel, attachment, for hood lock fitting, starboard					2	—	MR		
A.214679	Fitting, forward attachment of hood locks, port					1	—	MR		
A.214681	Fitting, rear attachment of hood locks, port					1	—	MR		
A.214680	Fitting, forward attachment of hood locks, starboard					1	—	MR		
A.214682	Fitting, rear attachment of hood locks, starboard					1	—	MR		
F.231432	Plate, nut, forward, port (Mod. 778)					1	—	MR		
F.231433	Plate, nut, forward, starboard (Mod. 778)					1	—	MR		
8431	Chekaleke No. 5	Plug					44	—	MR/C	
9145	Chekaleke No. 11	Plug					2	—	C.	
1327	Std.1547/24/12	Washer, packing, at mounting bracket					1	DTD.610	C.	
G.207645	LONGERON, BOTTOM, FRAMES 8 TO 19, PORT, ASSEMBLY					—	—			
G.207646	LONGERON, BOTTOM, FRAMES 8 TO 19, STARBOARD, ASSEMBLY					—	—			
F.178540	Angle, port and starboard					2	DTD.610	MR		
F.208603	Angle, port					1	DTD.364	MR		
F.208604	Angle, starboard					1	DTD.364	MR		
F.208605	Angle, port and starboard					2	L.72	MR		
F.208606	Angle, port					1	DTD.364	MR		
F.208607	Angle, starboard					1	DTD.364	MR		
F.208610	Angle, port and starboard					2	L.72	MR		
F.208613	Angle, port and starboard					2	L.72	MR		
F.209185	Angle, port					1	L.72	MR		
F.209186	Angle, starboard					1	L.72	MR		
F.209187	Angle, port					1	DTD.364	MR		
F.208188	Angle, starboard					1	DTD.364	MR		
F.208618	Angle, port					1	L.72	MR		
F.208619	Angle, starboard					1	L.72	MR		
F.208620	Angle, port					1	L.72	MR		
F.208621	Angle, starboard					1	L.72	MR		
F.208985	Angle, port and starboard					2	L.72	MR		
F.209044	Angle, port and starboard					2	L.72	MR		
F.208596	Block, distance					6	L.65.C	MR		

FUSELAGE—FRONT PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	E.207075/5						1	—		
	E.207075/6						1	—		
	E.207076/3						1	—	MR	JC.6
	E.207076/4						1	—		
	E.207076/5						1	—		
	E.207076/6						1	—		
	C.207938						1	DTD.166		
	C.207939						1	DTD.166		
	A.207095						1	L.72		
	A.207096						1	L.72		
	C.207077						1	DTD.166	MR	JC.6
	C.207078						1	DTD.166	MR	JC.6
652	F.177166						1	S.3	C.	JC.6
1924	F.177757						2	S.3	C.	JC.6
	A.214296						2	L.72		
	A.214297						2	L.72		
	F.175754						1	DTD.610		JC.6
	F.175755						1	DTD.610		JC.6
	E.175730/7						1	—		JC.6
	E.207075/7						1	—	MR	
	E.207075/10						1	—	MR	
	E.207076/7						1	—	MR	
	E.207076/10						1	—	MR	
	E.207075/1						1	L.72	MR	
	E.207075/2						1	L.72	MR	
	E.207076/1						1	L.72	MR	
	E.207076/2						1	L.72	MR	
	B.212327						—	—		
	A.211686						1	—	MR	
	B.211666						1	—	MR	
	A.214608						—	—		
	A.221733						1	L.72	MR	
	F.213309						4	L.72	MR	
	A.214609						—	—		
	F.213309						6	L.72	MR	
9098	F.221504						10	—	C.	
	B.233113						—	—		
	A.232839						2	L.72	MR	
	B.232825						2	L.72	MR	
	B.209635						—	—		
	C.209636						1	L.72	MR	
8836	B.209312						1	L.72	MR/C	JC.1
	E.207647						1	L.72	MR	JC.3
	E.207648						1	L.72	MR	JC.3

FUSELAGE—FRONT PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	F.220561					Pipe, drain, for hood locks	4	—	MR	JC.1
	F.187848					Pipe, drain, between frames 16 and 17A	1	—	MR	
	B.211187					Plate, reinforcing, between frames 9 to 12, port	1	L.72	MR	JC.3
	B.211188					Plate, reinforcing, between frames 9 to 12, starboard	1	L.72	MR	JC.3
8457	F.219972					Screw, special, for retention of blast trough, port and starboard (Make from AS.2921/1/C)	36	—	C.	
8459	F.220632					Screw, special, for retention of blast trough, port and starboard (Make from AS.1242/3/C)	2	—	C.	
	F.219973					Screw, special, for retention of blast trough, port and starboard	4	—	MR	
	G.219089					Skin, side, frames 6 to 9, port	1	L.72	MR	JC.1
	G.219090					Skin, side, frames 6 to 9, starboard	1	L.72	MR	JC.1
	C.228886/3					Skin, lower, side, frames 6 to 9, port	1	DTD.171	MR	JC.1
	G.219092					Skin, lower, side, frames 6 to 9, starboard	1	DTD.171	MR	JC.1
	G.219093					Skin, bottom, frames 6 to 9, port	1	DTD.171	MR	JC.1
	G.219094					Skin, bottom, frames 6 to 9, starboard	1	DTD.171	MR	JC.1
	G.219095/1					Skin, side, frames 9 to 18A, port	1	L.72		JC.1
	G.219096/1					Skin, side, frames 9 to 18A, starboard	1	L.72		JC.1
	C.228886/2					Skin, side, frames 9 to 12, port	1	L.72	MR	JC.1
	G.219098					Skin, side, frames 9 to 12, starboard	1	L.72	MR	JC.1
	C.228886/1					Skin, bottom, frames 9 to 12	1	L.72	MR	JC.1
	F.211363					Strap, butt, frames 11 to 12... ..	2	L.72	MR	
	A.214769					Strap, butt, frames 6 to 9, port	1	L.72	MR	JC.3
	A.214770					Strap, butt, frames 6 to 9, starboard	1	L.72	MR	JC.3
	B.208505					Strap, butt, frames 14 to 18A, port	1	L.72		
	B.208506					Strap, butt, frames 14 to 18A, starboard	1	L.72		
	A.211643					Strap, butt, port, at frame 12	1	L.72	MR	
	A.211644					Strap, butt, starboard	1	L.72	MR	
	A.210589					Stiffener, skin, frames 6 to 8 lower, port	1	—	MR	JC.3
	A.210590					Stiffener, skin, frames 6 to 8 lower, starboard	1	—	MR	JC.3
	C.222217					STRUCTURE, COCKPIT SHELF, PORT, ASSEMBLY	—	—		
	B.212587					Bracket, mounting	1	L.72		JC.3
	A.212230					Bracket, mounting, for undercarriage emergency valve	1	L.72	MR	JC.3
	F.212972					Bracket, pulley	1	L.72	MR	JC.3
	B.212726					Bracket, support, port	1	—		
	C.222216					SHELF, FIXED PORTION, FORWARD, ASSEMBLY	—	—		
	B.222214					Bracket, mounting, for triple pressure gauge	1	L.72	MR	JC.3
	C.212960					STRUCTURE, COCKPIT, SHELF, STARBOARD, ASSEMBLY	—	—		
	B.212956					Beam, mounting, for anti—"G" valve	1	—		
	F.212957					Bracket, mounting, anti—"G"	1	L.72	MR	
	B.214098					Bracket, mounting	1	L.72		
1178	Std.1606/44/B12					Screw, roundhead, 4 B.A.	4	Brass	C.	5
	Std.1509/12/184					Tube, distance, $\frac{3}{16}$ " o/d. x 22 S.W.G. x 1-84" long (Make from 30B/619)	2	T.4	MR	

FUSELAGE—FRONT PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	D.212474	WALL, STARBOARD, ASSEMBLY ...					-	-		
	F.229449	Attachment stud, for G.G.S. Recorder stowage					1	-		
29G/2180	Carr Fasteners Ltd. 882	Stud					1	-	C.	
	C.230525	MAP CASE AND G.G.S. RECORDER STOWAGE, ASSEMBLY					-	-		
	B.229448	Case, map and G.G.S. Recorder, stowage					1	L.72	MR/C	
29G/2098	Carr Fasteners Ltd. N.608	Socket, "lift the dot"					1	-	C.	
29G/2096	Carr Fasteners Ltd. 708/A	Washer, "lift the dot"					1	-	C.	
	Std.1547/20/8	Washer					1	DTD.610	MR	
	E.208975	STRUCTURE, FRAMES 10 TO 14, PORT, ASSEMBLY					-	-		
	C.208350	Angle, support					1	L.72	MR	
	F.208333	Angle					1	L.72	MR	
	F.208406	Angle					1	L.72	MR	
	F.208647	Angle					1	L.72	MR	
	F.208649	Angle					1	L.72	MR	
	F.209073	Angle					1	L.72	MR	
	F.209075	Angle, forward					1	L.72	MR	
	F.209076	Angle, aft					1	L.72	MR	
	F.211723	Angle					1	L.72	MR	
	A.211727	Angle					1	L.72	MR	
	D.209996	ATTACHMENTS, FAIRING, ASSEMBLY					-	-		
	C.209841	Angle, inboard, fairing attachment					1	L.72	MR	
	C.209843	Angle, outboard, fairing attachment					1	L.72	MR	
	B.209760	Bracket, support					1	L.72	MR	
	A.211241	Bracket, support					1	L.72	MR	
	F.214354	Piece, packing					1	L.72	MR	
	F.214355	Piece, packing					1	L.72	MR	
	F.214356	Piece, packing					1	L.72	MR	
	F.209834	Piece, packing					2	L.72	MR	
	A.211514	Piece, packing					1	S.3	MR	
	F.210056	Piece, packing					1	S.3	MR	
	F.214351	Piece, packing					1	L.72	MR	
	F.214352	Piece, packing					1	L.72	MR	
	F.214353	Piece, packing					1	L.72	MR	
	A.209764	Socket, attachment, port, group					1	Stamping	MR	
	F.209768	Bush					1	S.99.B	MR	
	A.209766	Socket, attachment, port, group					1	Stamping	MR	
	F.209768	Bush					1	S.99.B	MR	
	A.214347	Socket, attachment, port, group					1	Stamping	MR	
	F.209768	Bush					1	S.99B	MR	

FUSELAGE—FRONT PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	D.230569					BOX, SEALING, PORT, ASSEMBLY	—	—		
	D.230569/8					Angle	1	L.72	MR	
	D.230569/9					Angle	1	L.72	MR	
	D.230569/5					Angle	1	L.72	MR	
	D.230569/6					Angle	1	L.72	MR	
	D.230569/7					Angle	1	L.72	MR	
	F.211805					Bracket, for plug	1	L.72	MR	
	D.230570/9					Door	1	—	MR	
	D.230569/11					Gusset, front	1	L.72	MR	
	D.230569/12					Gusset, rear	1	L.72	MR	
	D.230569/10					Packing, front	1	L.72	MR	
	D.230569/13					Packing, rear	1	L.72	MR	
	D.230569/1					Wall, inboard	1	L.72	MR	
	D.230569/2					Wall, outboard	1	L.72	MR	
	C.208666					Bracket, mounting, for barrel support, forward	1	—	MR	
	C.208668					Bracket, mounting, for barrel support, aft	1	—	MR	
	F.208383					Channel	2	L.72	MR	
	B.208228					Cover, sealing	1	L.59	MR	
	C.208087					Diaphragm	1	L.72	MR	
	C.208348					Diaphragm	1	L.72	MR	
	B.208105					Diaphragm	1	L.72	MR	
	B.209071/1					Diaphragm	1	L.72	MR	
	B.218980					Duct, port	1	L.59	MR	JC.5
	B.209233					Landing	1	L.72	MR	
	B.209290					Landing	1	L.72	MR	
	A.209255					Landing	1	L.72	MR	
	F.208036					Nut, special	1	—	MR	JC.5
	F.208474					Packing	1	L.72	MR	
	F.208475					Packing	1	L.72	MR	
	F.214350					Plate, serrated	2	—	MR	JC.5
	B.208725					Plate, mounting, for barrel support	1	—	MR	
	A.211729					Plate, sealing	1	L.72	MR	
	A.214349					Plate, nut	2	—	MR	JC.5
	B.208644					Support, for trough	1	L.72	MR	
	C.209166					Trough, blast, forward	1	DTD.171	MR	
	B.235900					Trough, blast, aft	1	DTD.171	MR	
	Std.1507/23/050					Tube, distance, $\frac{3}{16}$ " o/d. \times 17 S.W.G. \times .5" long	4	T.26	MR	
	Std.1507/23/030					Tube, distance, $\frac{3}{16}$ " o/d. \times 17 S.W.G. \times .3" long	3	T.26	MR	
	F.209080					Washer, special	1	—	MR	
	E.208976					STRUCTURE, FRAMES 10 TO 14, STARBOARD, ASSEMBLY	—	—		
	C.208351					Angle, support	1	L.72	MR	
	A.211728					Angle	1	L.72	MR	
	F.208334					Angle	1	L.72	MR	
	F.208407					Angle	1	L.72	MR	
	F.208648					Angle	1	L.72	MR	
	F.208650					Angle	1	L.72	MR	
	F.209074					Angle	1	L.72	MR	
	F.209075					Angle, aft	1	L.72	MR	
	F.209076					Angle, forward	1	L.72	MR	
	F.211724					Angle	1	L.72	MR	

FUSELAGE—FRONT PORTION


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	D.209997	ATTACHMENTS, FAIRING, ASSEMBLY					-	-		
	C.209842	Angle, inboard, forward fairing attachment					1	L.72	MR	
	C.209844	Angle, outboard, forward fairing attachment					1	L.72	MR	
	B.209761	Bracket, support					1	L.72	MR	
	A.211242	Bracket, support					1	L.72	MR	
	F.214354	Piece, packing					1	L.72	MR	
	F.214355	Piece, packing					1	L.72	MR	
	F.214356	Piece, packing					1	L.72	MR	
	F.209834	Piece, packing					2	L.72	MR	
	A.211515	Piece, packing					1	S.3	MR	
	F.210057	Piece, packing					1	S.3	MR	
	F.214351	Piece, packing					1	L.72	MR	
	F.214352	Piece, packing					1	L.72	MR	
	F.214353	Piece, packing					1	L.72	MR	
8838	A.209765	Socket, attachment, group					1	Stamping	MR/C	JC.5
	F.209768	Bush					1	S.95.B	MR	
8839	A.209767	Socket, attachment, group					1	Stamping	MR/C	JC.5
	F.209768	Bush					1	S.99.B	MR	
8840	A.214348	Socket, attachment, group					2	Stamping	MR/C	JC.5
	F.209768	Bush					1	S.95.B	MR	
	D.230570	BOX, SEALING, STARBOARD, ASSEMBLY					-	-		
	D.230570/3	Angle					1	L.72	MR	
	D.230570/4	Angle					1	L.72	MR	
	D.230570/5	Angle					1	DTD.364	MR	
	D.230569/8	Angle					1	L.72	MR	
	D.230569/9	Angle					1	L.72	MR	
	F.211805	Bracket, for plug					1	L.72	MR	
	D.230570/9	Door					1	-	MR	
	D.230570/7	Gusset, front					1	L.72	MR	
	D.230570/8	Gusset, rear					1	L.72	MR	
	D.230569/10	Packing, front					1	L.72	MR	
	D.230569/13	Packing, rear					1	L.72	MR	
	D.230570/1	Wall, inboard					1	L.72	MR	
	D.230570/2	Wall, outboard					1	L.72	MR	
	C.208667	Bracket, mounting, for barrel support, forward					1	-	MR	
	C.208669	Bracket, mounting, for barrel support, aft					1	-	MR	
	F.208384	Channel					1	L.72	MR	
	B.208229	Cover, sealing					1	L.59	MR	
	C.208088	Diaphragm					1	L.72	MR	
	C.208349	Diaphragm					1	L.72	MR	
	B.208106	Diaphragm					1	L.72	MR	
	B.209072/1	Diaphragm					1	L.72	MR	
	B.218981	Duct, starboard					1	L.59	MR	JC.5
	B.209234	Landing					1	L.72	MR	
	B.209291	Landing					1	L.72	MR	
	A.209256	Landing					1	L.72	MR	
	F.208036	Nut, special					1	-	MR	JC.5
	F.208474	Packing					1	L.72	MR	
	F.208475	Packing					1	L.72	MR	
	B.208725	Plate, mounting, for barrel support					1	-	MR	

FUSELAGE—FRONT PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
① 28D/12528	A25.1.B	Bolt,	4	B.A.	—
28D/14194	A25.1C	Bolt,	2	B.A.	—
28D/12512	A25.1.C	Bolt,	2	B.A.	—
28D/12513	A25.2.C	Bolt,	2	B.A.	—
28D/12531	A25.3.C	Bolt,	2	B.A.	—
28D/12532	A25.4.C	Bolt,	2	B.A.	—
28D/12533	A25.5.C	Bolt,	2	B.A.	—
28D/12566	A25.6.C	Bolt,	2	B.A.	—
28D/12514	A25.7.C	Bolt,	2	B.A.	—
28D/12515	A25.10.C	Bolt,	2	B.A.	—
28D/12516	A25.11.C	Bolt,	2	B.A.	—
28D/12535	A25.12.C	Bolt,	2	B.A.	—
28D/12537	A25.14.C	Bolt,	2	B.A.	—
28D/12540	A25.18.C	Bolt,	2	B.A.	—
28D/12630	A25.19.C	Bolt,	2	B.A.	—
28D/13447	A25.21.C	Bolt,	2	B.A.	—
28D/12568	A25.22.C	Bolt,	2	B.A.	—
28D/12541	A25.24.C	Bolt,	2	B.A.	—
28D/12519	A25.3.E	Bolt,	1/4"	B.S.F.	—
28D/12569	A25.10E	Bolt,	1/4"	B.S.F.	—
28D/12570	A25.11.E	Bolt,	1/4"	B.S.F.	—
28D/12716	A25.16.E	Bolt,	1/4"	B.S.F.	—
28D/12548	A25.17.E	Bolt,	1/4"	B.S.F.	—
28D/12774	A25.4.G	Bolt,	5/16"	B.S.F.	—
28D/15020	A30.15.E	Bolt,	1/4"	B.S.F.	—
28D/8300	AS.1242.1B	Bolt,	4	B.A.	—
28D/8301	AS.1242.2B	Bolt,	4	B.A.	—
28D/8306	AS.1242/1C	Bolt,	2	B.A.	—
28D/8307	AS.1242/2C	Bolt,	2	B.A.	—
28D/8308	AS.1242/3C	Bolt,	2	B.A.	—
28D/8507	AS.1242/5C	Bolt,	2	B.A.	—
28D/8509	AS.1242/14C	Bolt,	2	B.A.	—
28D/11527	AS.1242/17C	Bolt,	2	B.A.	—
28D/8333	AS.1242.16E	Bolt,	1/4"	B.S.F.	—
28D/8337	AS.1248.1B	Bolt,	4	B.A.	—
28D/8342	AS.1248/2C	Bolt,	2	B.A.	—
28D/9588	AS.1248/3C	Bolt,	2	B.A.	—
28D/12266	AS.1248/13C	Bolt,	2	B.A.	—
28D/12136	AS.1248/18E	Bolt,	1/4"	B.S.F.	—
28D/9557	AS.1248/21E	Bolt,	1/4"	B.S.F.	—
28D/12786	AS.2920/1C	Bolt,	2	B.A.	—
28E/15049	AS.5419/6	Clip	—
28M/13086	A27.BP	Nut,	4	B.A.	—
28M/12929	A27.CP	Nut,	2	B.A.	—
28L/13124	A27.CT	Nut,	2	B.A.	—
28M/12928	A27.EP	Nut,	1/4"	B.S.F.	—
28L/12931	A27.ET	Nut,	1/4"	B.S.F.	—
28M/13375	A27.GP	Nut,	5/16"	B.S.F.	—
28L/13028	A27.JT	Nut,	3/8"	B.S.F.	—
① 28D/12511	A.25.2B	Bolt,	4	B.A.	—


FUSELAGE—FRONT PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
28M/807	AGS.120/E	Nut	-	-	-	
28M/7683	AGS.572/A	Nut	-	-	-	
28M/10287	AGS.2001/B1	Nut, 4 B.A.	-	-	-	
28M/10288	AGS.2001/C1	Nut, 2 B.A.	-	-	-	
28M/10328	AGS.2002/C1	Nut, 2 B.A.	-	-	-	
28M/10310	AGS.2002/C4	Nut, 2 B.A.	-	-	-	
28M/12153	AGS.2007/B1	Nut, 4 B.A.	-	-	-	
28M/11957	AGS.2007/C1	Nut, 2 B.A.	-	-	-	
28M/10215	AGS.2008/B1	Nut, 4 B.A.	-	-	-	
28M/10216	AGS.2008/C1	Nut, 2 B.A.	-	-	-	
① 28M/9999	AGS.2012/C11	Nut, 2 B.A.	-	-	-	
② 28M/13279	AGS.2019/C1	Nut, 2 B.A.	-	-	-	
28M/13264	AGS.2021/C1	Nut, 2 B.A.	-	-	-	
28M/13557	AGS.2023/B1	Nut, 4 B.A.	-	-	-	
28M/13085	AGS.2023/C1	Nut, 2 B.A.	-	-	-	
28M/14216	AGS.2023/E1	Nut, 1" B.S.F.	-	-	-	
28P/1024	SP.4Y.B22	Pin	-	-	-	
28P/862	SP.4Y.D4	Pin	-	-	-	
28P/12645	SP.9.B4	Pin, split	-	-	-	
28P/12587	SP.9.C4	Pin, split	-	-	-	
28P/15954	SP.9.G18	Pin, split	-	-	-	
28P/13970	SP.9.K18	Pin, split	-	-	-	
28P/16269	SP.113.C8½	Pin	-	-	-	
28P/16270	SP.113.E4½	Pin	-	-	-	
28R/13502	AS.111	Pulley	-	-	-	
28R/13496	AS.1860	Pulley	-	-	-	
28S/9419435	A.31.B12	Screw, 4 B.A.	-	-	-	
28S/2642	AGS.253/19	Screw	-	-	-	
28W/9419402	SP.13C	Washer, 2 B.A.	-	-	-	
28W/9419474	SP.15.B	Washer, 4 B.A.	-	-	-	
28W/9419475	SP.15.C	Washer, 2 B.A.	-	-	-	
28W/9419405	SP.15.E	Washer, 1" dia.	-	-	-	
28W/9419404	SP.16.C	Washer, 2 B.A.	-	-	-	
28W/9419487	SP.16.E	Washer, 1" dia.	-	-	-	
28W/9419488	SP.16.G	Washer, 5/16" dia.	-	-	-	
28W/9419489	SP.16.J	Washer, 3/8" dia.	-	-	-	
28N/257	SP.58.E	Washer, 1" dia.	-	-	-	
28F/12047	AGS.1186A	Washer	-	-	-	
① 28M/10229	AGS.2009/C1	Nut, 2 B.A.	-	-	-	
② 28M/13481	AGS.2020/C1	Nut, 2 B.A.	-	-	-	





FRONT FUSELAGE






FRONT FUSELAGE






FRONT FUSELAGE






FRONT FUSELAGE






FRONT FUSELAGE







This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

