

FUSELAGE-HOOD LOCKING AND JETTISON GEAR

Ref. No.	Part No.	Description	No. Off					Material Specification	M.R. Class of Store	Plate No.
			1	2	3	4	5			
	E.219019	HOOD LOCKING AND JETTISON GEAR, ASSEMBLY								
8841	A.229403	Angle , for micro switch mounting, at front centre lock	1				L.65.B			
	F.219535	Bearing , for link, at front centre lock	1				BSS.369	C.	JE.2	
	F.235439	Bearing , for link at front centre lock (for use only with bracket D.219595) (Issue 5 and subsequent) (AS.840/77)	1				BSS.369			
8843	F.212202	Bearing , special, at bell crank, aft of frame 6, for front centre lock control	2				BSS.369	C.	JE.2	
8844	F.212203	Bearing , special, for control rod attachment to front centre lock	1				BSS.369	C.	JE.2	
	F.212037	Bell-crank , aft of frame 6, for front centre lock control	1				Stamping		JE.2	
8847	F.212223	Bolt , lubricating, at bell-crank, for front centre lock control	1				S.95.B	C.		
8849	F.210333	Bolt , special, attaching connecting rod to torque shaft lever assembly	2				S.96.B	C.		
8850	Std.323/42	Bolt , shoulder, for control rod attachment forward lock	1				S.2	C.	4	
8851	Std.323/46	Bolt , shoulder, at hood jettison release unit attachment	1				S.2	C.	4	
5664	Std.1639/4CX	Bolt , for front centre lock attachment	4				S.95.B	C.	5	
	F.235400	Bolt , special, for hook attachment to link front centre lock (AS.840/77)	1				DTD.498	C.		
9757	F.229423	Bolt , for attachment of control rod to front centre lock	1				DTD.487	C.	JE.2	
9758	Std.1697/3B	Bolt , for attachment of micro switch mounting, front centre lock	1				DTD.487	C.		
26AQ/3098	Std.1697/1B	Bolt , for attachment of standby compass mounting bracket	2				DTD.487	C.		
	Std.1929/190/E	Bolt , at front centre lock	1				—			
	F.219966	Bracket , for front centre lock	1				DTD.498	MR	JE.2	
	A.229427	Bracket , mounting, for EB.2 standby compass	1				—		JE.2	
8854	F.211016	Bush , at hook attachment, front centre lock	1				BSS.369	C.	JE.2	
	C.234840	Casing , for hood locking gear, port, group (AS.830/100)	1				—	C.	JE.2	
	F.213590	Angle	1				L.72			
	F.213601	Angle	1				L.72			
	F.213589	Bracket	1				L.72			
1327	Std.1547/24/12	Washer (AS.840/92)	4				DTD.610	C.	4	
	C.234841	Casing , for hood locking gear, starboard, group (AS.830/100)	1				—	C.	JE.2	
	F.213591	Angle	1				L.72			
	F.213601	Angle	1				L.72			
	F.213589	Bracket	1				L.72			
8857	B.221137	Control , between forward lock and bell-crank, frame 6, for front centre lock group Consisting of:—	1				—	B.	JE.2	
27K/	Teleflex DS.377	Conduit , length (Hawker No. B.221137/1)	1				—	C.		
27K/	Teleflex DS.377	Conduit , length (Hawker No. B.221137/2)	1				—	C.		
27K/	Teleflex B.44665	Connector , No. 4 assembly	1				—	C.		
	F.221138	Fork-end	1				S.96.B	MR		
28K/	SP.7Y.E	Fork-end	1				—	C.		
28K/	SP.7Z.E	Fork-end (alternative to SP.7YE)	1				—	C.		
28L/12931	A.27.ET	Nut , lock... ..	2				—	C.		

FUSELAGE-HOOD LOCKING AND JETTISON GEAR

Ref. No.	Part No.	Description	No. Off					Material Specification	M.R. Class of Store	Plate No.	
			1	2	3	4	5				
27K/ 27K/	Teleflex C.44637 Teleflex C.44661	Rod and cable, assembly Swivel, No. 4 assembly						1 2	— —	C. C.	
	D.218777	DETAILS OF HOOD LOCKING AND JETTISON GEAR, ASSEMBLY						—	—		
8843	F.212202	Bearing, for jack release lever						1	BSS.369	C.	
8844	F.212203	Bearing, for jack release lever						1	BSS.369	C.	
	Std.1988/42	Bolt, shouldered						2	—		
	Std.1988/62	Bolt, shouldered						2	—	MR	
8858	F.213495	Bolt, greaser, attaching latch to support brackets						2	S.95.B	C.	JE.2
8859	A.210150	Latch, at forward hood attachment, group ...						2	S.95.B or S.96.B	C.	JE.2
	F.210151	Bush						2	BSS.369	MR	JE.2
8860	F.212719	Lever, jack release						1	Stamping	C.	JE.3
8861	F.212720	Lever, jack release						1	Stamping	C.	JE.3
8862	F.212750	Lever, jack release						1	Stamping	C.	JE.3
8863	F.213494	Piece, distance, for latch						2	S.95.B	C.	JE.2
8864	Std.499/1	Piece, locking						1	L.3	C.	
8865	A.218069	Rod, connecting, between hood jettison shaft and jack release levers, group						1	—	C.	JE.2
8866	A.218129	Rod, connecting, between hood jettison shaft and latch group						2	—	C.	JE.2
	F.212721	Shaft, for release jack levers... ..						1	T.45	MR	JE.3
4117	Std.1283/G	Shim, at torque shaft mounting						8	Laminum	C.	4
	Std.1507/24/100	Tube, distance, at jack release lever, $\frac{3}{8}$ " o/d \times 17 S.W.G. \times 1" long (Make from 30A/1469) (Local Manufacture)						1	T.26	MR	
	Std.1507/26/096	Tube, distance, at jack release lever, $\frac{1}{2}$ " o/d \times 17 S.W.G. \times .96" long (Make from 30A/975) (Local Manufacture)						1	T.26	—	
	E.218993	HOOD JETTISON GEAR, ASSEMBLY						—	—		
8867	F.214136	Block, clamp, securing gas pipe between firing unit and jettison gun						2	LFS.21	C.	JE.1
8868	F.214137	Block, clamp, securing gas pipe between firing unit and jettison gun						2	LFS.21	C.	JE.1
1935	F.196363	Bush, for emergency release						1	Rubber	C.	
8870	A.213166	Cable, control, hood release, group Consisting of :—						1	—	B.	JE.1
	Std.1920	Adjuster						2	—		
	A.213166/1	Cable, 5 cwt.						1	W.11		
29H/ 28U/15288	Bowdenex T.3 SP.38.A	Conduit, size T.3 34-7" long (A.213166/2)... ..						1	—	C.	
		Fork-end						2	—	C.	
8871	A.213076	Cable, control, for hood external release, group Consisting of :—						1	—	B.	JE.1
	Std.1920	Adjuster						1	—		
	A.213076/1	Cable, 5 cwt.						1	W.11		
	F.213077	Collet						1	L.65.C		
29H/ 28U/15288	Bowdenex T.3 S.P.38A	Conduit, size T.3, 29" long (A.213076/2)						1	—	C.	
	Std.1920/2	Fork-end						1	—	C.	
		Sleeve, outer						1	—		

FUSELAGE-HOOD LOCKING AND JETTISON GEAR

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
12K/	Martin Baker MBCJ/381						1	—	A.	
4761	Std.840/13						3	DTD.610	MR/C	4
2145	Std.841/13						1	DTD.610	C.	4
4821	Std.841/22						4	DTD.610	MR/C	4
	C.213112						1	—		
	B.212980						1	—	MR	JE.1
	F.212982						1	BSS.369	MR	JE.1
	B.212981						1	—	MR	JE.1
	F.212982						1	BSS.369		JE.1
	A.213103						1	—	MR	JE.1
	F.213104						1	BSS.369	MR	JE.1
	Std.165/4						8	S.2		
	A.212996						2	Stamping	MR	JE.1
	F.212995						1	S.3 & T.26	MR	JE.1
	A.213099						1	Stamping	MR	JE.1
	A.214342						1	Stamping	MR	JE.1
	Std.1510/2/087						2	T.4	MR	
	Std.1507/2/010						2	T.26	MR	
	Std.1507/23/050						1	T.26	MR	
	C.213280						—	—	—	
	F.214337						2	—	MR	JE.1
	F.214339						2	BSS.369	MR	JE.1
	A.219015						1	—		JE.1
	A.221340						1	Stamping		
	Std.1509/2/062						1	T.4		
	F.213078						1	S.21B & S.3	MR	JE.1
	F.214336						1	L.65.C	MR	JE.1
	F.213050						1	S.3 & T.26	MR	JE.1
	F.212424						1	L.72		
	F.214338						1	L.65.C		
	F.233091						1	—		
	F.230938						—	—	—	
28E/10027	Terry 80/000 Martin Baker O/MBEU/6093						1	—	C.	
	F.230937						1	—		
	—						1	L.72		
	F.233090						1	—		
	F.233090						1	Tool Steel		

FUSELAGE—HOOD LOCKING AND JETTISON GEAR

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
27FP/825	Aviation Dev.A.405									
	A.213058									
	F.213095									
	F.215738									
362	F.187712									
8744	Dowty GD.1309/7									
	Std.1507/2/010									
3783	Std.1509/2/062									
	Std.1507/3/020									
	Std.1507/23/008									
27L/5056	Martin Baker B/MBCJ/191									
3763	Std.915/B/24									
5781	Std.915/E/20									
8873	C.214166									
	B.215031									
8875	B.215031/A									
	A.215033									
	A.229562									
28Q/1650	AS.156/404									
590	F.188534									
27L/	Martin Baker MBCJ/174									
27L/5054	Martin Baker MBCJ/186									
27L/5055	Martin Baker MBCJ/187									
9667	F.226850									
8876	F.136453									
4162	Std.915/B/22									
7169	Std.915/C/18									
912	F.176949									
9984	A.210978									
9985	B.235381									
9986	B.235382									
9986	B.235383									
8848	F.210332									
	F.220562									
	F.208961									

FUSELAGE-HOOD LOCKING AND JETTISON GEAR

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	A.211698	Lever, assembly, between torque shaft and connecting rod, port, group					1	—		
	A.210165	Bracket, bearing, group					1	—	MR	JE.3
	F.210167	Bush					1	BSS.369	MR	JE.3
	A.210163	Coupling, half					1	L.65.C	MR	JE.3
	A.210269	Lever					1	Stamping	MR	JE.3
8878	Dowty GD.1309/14	Seal, "O" ring					1	—	C.	JE.3
	A.211699	Lever, assembly, between torque shaft and connecting rod, starboard, group					1	—		
	A.210165	Bracket, bearing, group					1	—	MR	JE.3
	F.210167	Bush					1	BSS.369	MR	JE.3
	A.210163	Coupling, half					1	L.65.C	MR	JE.3
	A.210270	Lever					1	Stamping	MR	JE.3
8878	Dowty GD.1309/14	Seal, "O" ring					1	—	C.	JE.3
	C.218120	LEVERS, HOOD JETTISON, ASSEMBLY ...					—	—		
	B.210173	Block, bearing, group					1	Stamping	MR	JE.3
	F.210009	Bush					2	BSS.369	MR	JE.3
	A.210122	Bracket, bearing, group					1	L.65.C	MR	JE.3
	F.210123	Bush					1	BSS.369	MR	JE.3
	B.218109	Lever, group					1	—	MR	JE.3
	F.212661	Bush					1	BSS.369	MR	JE.3
	Std.608/7	Bush					1	B.8	MR	JE.3
	A.218058	Lever, group					1	—	MR	JE.3
	Std.608/7	Bush					1	B.8	MR	JE.3
	A.210174	Lever					1	Stamping	MR	JE.3
	F.212718	Lever					1	Stamping	MR	JE.3
8879	Dowty GD.1309/15	Seal, "O" ring					2	—	C.	JE.3
	F.228638	Lever, micro switch operating					1	—		JE.2
9760	F.229422	Lever, at centre lock					1	—	C.	
	A.210209	Link, for rear lock, group					2	Stamping	MR	JE.2
	F.210259	Bearing					1	BSS.369	MR	JE.2
	F.210261	Bearing					2	BSS.369	MR	JE.2
8881	F.213315	Link, for forward and rear lock, group					4	Stamping	C.	JE.2
	F.210258	Bearing					1	BSS.369	MR	JE.2
8882	F.210211	Link, for forward lock, port, group					1	S.96.B	C.	JE.2
	F.210259	Bearing					1	BSS.369		JE.2
	F.210261	Bearing					2	BSS.369		JE.2
8883	F.210461	Link, for forward lock, starboard group					1	S.96.B	C.	JE.2
	F.210259	Bearing					1	BSS.369		JE.2
	F.210261	Bearing					2	BSS.369		JE.2

FUSELAGE-HOOD LOCKING AND JETTISON GEAR

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
8884	F.210966	Link , at front centre lock	1	DTD.498	C.	JE.2
8885	F.213285	Link , at front centre lock	1	DTD.498 Sect. 111	C.	JE.2
	A.219534	Mounting , for front centre lock	1	Stamping		
	F.232070	Packing , at bearing blocks	4	L.72		
9761	F.229424	Pin , special, for lever at centre lock	1	DTD.487	C.	
	B.221236	PIPES, DRAIN, AT HOOD LOCKS, ASSEMBLY					-	-		
	B.221236/1	Hose , drain pipe to outlet pipe, front, $\frac{7}{16}$ " o/d \times $\frac{1}{4}$ " i/d. \times 3" long	4	DTD. 5509/D	MR	JE.2
8886	F.210402	Rod , connecting, between torque shaft and rear lock, group	2	-	C.	JE.2
	F.210067	Bush , spherical	2	BSS.369	MR	JE.2
	F.210403	Eye-end , screwed	1	S.96.B	MR	JE.2
8887	A.210047	Rod , connecting, between forward and rear lock, group	2	-	C.	JE.2
	F.210067	Bush , spherical	2	BSS.369	MR	JE.2
	F.210062	Eye-end , screwed	1	S.96.C	MR	JE.2
8888	A.211173	Rod , connecting, between bell-crank, frame 6, and front centre lock group	1	-	C.	JE.2
	F.211174	Fork-end , adjustable	1	DTD.498 Sect.111	MR	
8890	F.209864	Shim , at bearing block, for forward and rear locks	4	Laminated Brass	C.	JE.2
8891	F.211139	Shim , at trunnion attachment, forward and rear lock	4	Laminated Alumn.	C.	JE.2
8892	F.219967	Shim , for front centre lock	QR	Laminated Brass	C.	JE.2
8893	F.219760	Shim , for front centre lock mounting	QR	Laminated Brass	C.	JE.2
8894	F.219968	Shim , for bracket, front centre lock	QR	Laminated Brass	C.	JE.2
8895	F.216574	Shim , for front centre lock mounting	QR	Laminated Brass	C.	JE.2
	F.227545	Shim , at torque-shaft assembly	2	-		
	F.231519	Stop , at front centre lock (Mod. 2292)	1	L.65C	MR	
	B.210168	Torque-shaft , group	1	-	MR	JE.3
	A.210170	Block , bearing, group	1	-		JE.3
	F.210171	Bush	2	BSS.369	MR	JE.3
26FH/2996	Std.165/4	Ferrule	16	-	C.	
	A.210169	Lever , group	1	L.65.C	MR	JE.3
	F.212662	Bush	2	BSS.369	MR	JE.3
	A.212001	Lever	1	S.3 & S.1	MR	JE.3
	Std.1510/24/125	Tube , distance, $\frac{3}{8}$ " o/d \times 17 S.W.G. \times 1.25" long (Make from 30B/558) (Local Manufacture)	4	T.4	MR	
	Std.1510/24/144	Tube , distance, $\frac{3}{8}$ " o/d \times 17 S.W.G \times 1.44" long (Make from 30B/558) (Local Manufacture)	4	T.4	MR	

FUSELAGE-HOOD LOCKING AND JETTISON GEAR

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	F.211138						4	S.95.B	MR	JE.2
8896	B.212214						1	—	A.	JE.3
897	F.189118						2	S.95.B	C.	JE.3
898	A.127278						4	S.1	C.	JE.3
899	F.189074						2	S.95.B	C.	JE.3
	F.212258						2	S.96.B	MR	JE.3
	F.212257						1	S.96.B	MR	JE.3
	F.228234						1	S.1		JE.3
27S/-	B.S.1.S.F.E. $\frac{3}{8}$ "						1	—	B.	
	A.189071						1	—		
900	F.189069						1	S.96.B	C.	JE.3
	F.212237						1	S.95.B	MR	JE.3
	F.229583						1	—		
	A.215725						1	—	MR	JE.3
	F.215726						1	L.65.C	MR	JE.3
904	A.126610						1	S.20	C.	JE.3
	A.127030						1	L.1		
906	F.189067						1	DTD.364	C.	JE.3
	A.215724						1	S.1	MR	JE.3
907	F.169854						1	DTD.364	C.	JE.3
8182	F.210867						1	S.95.B	C.	JE.3
909	F.189070						2	S.1	C.	JE.3
	F.210655						1	L.65.C	MR	JE.3
	A.126828						1	DTD.239		JE.3
	F.212423						1	S.96.B	MR	JE.3
910	A.127031						2	Rubber	C.	JE.3
26FH/3474	Std.1547/20/12						2	DTD.610	MR/C	4
	F.232051						16	—		

FUSELAGE-HOOD LOCKING AND JETTISON GEAR


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28D/12528	A.25.1.B	Bolt,	4	B.A.
28D/12530	A.25.6.B	Bolt,	4	B.A.
28D/12810	A25.13.B	Bolt,	4	B.A.
28D/12513	A25.2.C	Bolt,	2	B.A.
28D/12531	A25.3.C	Bolt,	2	B.A.
28D/12532	A25.4.C	Bolt,	2	B.A.
28D/12533	A25.5.C	Bolt,	2	B.A.
28D/12566	A25.6.C	Bolt,	2	B.A.
28D/12629	A25.8.C	Bolt,	2	B.A.
28D/12534	A25.9.C	Bolt,	2	B.A.
28D/12515	A25.10.C	Bolt,	2	B.A.
28D/12535	A25.12.C	Bolt,	2	B.A.
28D/12536	A25.13.C	Bolt,	2	B.A.
28D/12537	A25.14.C	Bolt,	2	B.A.
28D/12538	A25.15.C	Bolt,	2	B.A.
28D/12539	A25.16.C	Bolt,	2	B.A.
28D/12543	A25.6.E	Bolt,	1/4"	B.S.F.
28D/12545	A25.13.E	Bolt,	1/4"	B.S.F.
28D/8302	AS.1242.3.B	Bolt,	4	B.A.
28D/8307	AS.1242.2.C	Bolt,	2	B.A.
28D/8308	AS.1242.3.C	Bolt,	2	B.A.
28D/9918	AS.1248.4.B	Bolt,	4	B.A.
28D/8341	AS.1248.1.C	Bolt,	2	B.A.
28D/9354	AS.1248.6C	Bolt,	2	B.A.
28D/15459	A57.4.E	Bolt,	1/4"	B.S.F.
28D/14526	A57.6.E	Bolt,	1/4"	B.S.F.
28D/14862	A57.8.E	Bolt,	1/4"	B.S.F.
28D/13953	A57.6.G	Bolt,	5/16"	B.S.F.
28D/13952	A57.8.G	Bolt,	5/16"	B.S.F.
28D/13789	AS.2920.1.B	Bolt,	countersunk, 4 B.A.	
28E/14147	AS.487/2	Clip
28E/3319	AGS.606/B	Clip, for hose
28U/16264	SP.37.A	Eye-end
28U/15288	SP.38.A	Fork-end
28N/9796	SP.21	Nipple, lubricating
28L/5236	A14.E.B.	Nut,	1/4"	B.S.F.
	A14.G.T.	Nut,	5/16"	B.S.F.
28M/12929	A27.C.P.	Nut,	2	B.A.
28L/13124	A27.C.T.	Nut,	thin, 2 B.A.	
28L/12931	A27.E.T.	Nut,	thin, 1/4" B.S.F.	
28L/13326	A27.G.T.	Nut,	thin, 5/16" B.S.F.	
28M/13121	A27.C.S.	Nut,	slotted, 2 B.A.	
28M/12930	A27.E.S.	Nut,	slotted, 1/4" B.S.F.	
28M/13122	A27.G.S.	Nut,	slotted, 5/16" B.S.F.	
28M/13899	A53.B	Nut,	4	B.A.
28M/13898	A53.C	Nut,	2	B.A.
	A53.E	Nut
28L/14534	A54.C	Nut,	2	B.A.
28M/13935	A58.E.S.	Nut,	slotted, 1/4" B.S.F.	
28M/14537	A58.G.S.	Nut,	slotted, 5/16" B.S.F.	
28M/14833	A58.J.S.	Nut,	slotted, 5/16" B.S.F.	
28M/14440	A58.J.T.	Nut,	thin, 3/8" B.S.F.	


FUSELAGE-HOOD LOCKING AND JETTISON GEAR


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
28M/10288	AGS.2001.C1	Nut,	stiff,	2	B.A.	...	-	-	-	
28M/10327	AGS.2002.B1	Nut,	stiff,	4	B.A.	...	-	-	-	
28M/10309	AGS.2002.B4	Nut,	stiff,	4	B.A.	...	-	-	-	
28M/10328	AGS.2002.C1	Nut,	stiff,	2	B.A.	...	-	-	-	
28P/12587	SP.9.C4	Pin,	split			...	-	-	-	
28P/12349	SP.9.C5	Pin,	split			...	-	-	-	
28P/12462	SP.9.C8	Pin,	split			...	-	-	-	
28P/812	SP.4.Y.A2	Pin				...	-	-	-	
28P/813	SP.4.Y.A3	Pin				...	-	-	-	
28P/863	SP.4.YD5	Pin				...	-	-	-	
28R/13515	AS.104	Pulley				...	-	-	-	
28D/13476	A30.4.C	Screw,	2	B.A.	-	-	-	
28D/13262	A30.6.E	Screw,	1/4"	B.S.F.	-	-	-	
28S/3426	A32.B8	Screw,	4	B.A.	-	-	-	
28W/9419474	SP.15.B	Washer,	4	B.A.	-	-	-	
28W/9419475	SP.15.C	Washer,	2	B.A.	-	-	-	
28W/9419405	SP.15.E	Washer,	1/4"	dia.	-	-	-	
28W/9419476	SP.15.G	Washer,	5/16"	dia.	-	-	-	
28W/9419486	SP.16.B	Washer,	4	B.A.	-	-	-	
28W/9419404	SP.16.C	Washer,	2	B.A.	-	-	-	
28W/9419489	SP.16.J	Washer,	3/8"	dia.	-	-	-	
28W/416642	SP.47.B	Washer,	spring			...	-	-	-	
28W/416643	SP.47.C	Washer,	spring,	2	B.A.	...	-	-	-	
28W/416644	SP.47.E	Washer,	spring,	1/4"	dia.	...	-	-	-	

FUSELAGE-HOOD LOCKING AND JETTISON GEAR

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				









HOOD LOCKING GEAR





HOOD LOCKING GEAR





This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.