

SERVICES—FUEL SYSTEM CENTRE FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.	
							1
		FUEL SYSTEM IN CENTRE FUSELAGE ASSEMBLY					
6519	E.204069	Adaptor , special, at pump connection	2	L.65.C	B.	NA.1	
6520	A.201800	Adaptor , at flow proportioner branch pipe	1	L.65.C	B.	NA.3	
27F/2226	A.202469	Aerocock , de-fuelling S.P., Type 42	1	—	A.		
	Saunders 42A10						
27F/2881	Saunders 51B12	Aerocock , low pressure cock S.P., Mk. 2	1	—	A.		
6521	F.208261	Block , mounting, for pressure switch	4	LF.21	C.		
9080	F.219335	Block , mounting, air exhaust pipe at frame 27	1	LFS.21	C.		
1088	A.189332	Bolt , banjo	2	S.95	C.	NA.1	
6522	Std.677/25	Bolt , 'U' attaching reducing valve between frames 24-25	4	S.1 & S.3	C.		
7235	B.202033	Bracket , for L.P. cock between frames 30-31	1	L.72	MR/C	NA.1	
7236	B.206430	Bracket , mounting, for pressure switches between frames 19-20	1	L.72	MR/C	NA.1	
	B.214325	Bracket , mounting, for 3-way cock, port	1	—		NA.1	
	B.214326	Bracket , mounting, for 3-way cock, starboard	1	—			
5057	F.203591	Cap , for pressure relief valve mounting bracket	2	S.3	C.	NA.3	
1087	F.185874	Circlip	2	DTD.215	C.	NA.1	
6524	A.202711	Clamp , for transfer pipe at frame 38, port and starboard	2	LFS.21	C.	NA.1	
6525	A.201803	Clamp , pipe connection, group	7	—	B.	NA.1	
2723	F.184931	Bolt , eye	1	S.94.B	C.	NA.1	
6526	F.213079	Nut , special	1	—	C.	NA.1	
2724	F.185592	Washer	1	DTD.364	C.	NA.1	
421	A.185593	Clamp , pipe connection, group	10	—	B.	NA.1	
2723	F.184931	Bolt , eye	1	S.94.B	C.	NA.1	
6526	F.213079	Nut , special	1	S.95	C.	NA.1	
2724	F.185592	Washer	1	DTD.364	C.	NA.1	
1085	A.185870	Clamp , pipe connection, group	2	—	B.	NA.1	
2723	F.184931	Bolt , eye	1	S.94.B	C.	NA.1	
6526	F.213079	Nut , special	1	S.95	C.	NA.1	
	F.184938	Washer	1	DTD.364		NA.1	
1136	A.186450	Clamp , pipe connection, group	13	—	B.	NA.1	
2723	F.184931	Bolt , eye	1	S.94.B	C.	NA.1	
6526	F.213079	Nut , special	1	S.95	C.	NA.1	
2724	F.185592	Washer	1	DTD.364	C.	NA.1	
6659	A.214175	Cleat , for pressurising pipes	4	LFS.21	C.		
6527	A.203302	Cleat , for transfer pipe at frame 32	1	Ferobestos	C.		
6528	A.203303	Cleat , for transfer pipe at frame 32	1	Ferobestos	C.		
7195	F.204794	Clip , for pressurising pipe mounting brackets at frames 35 and 37	2	S.3	MR/C		
	F.204931	Clip , pressurising pipe attachment to rear spar (Local manufacture from 30B/1732, ½" wide)	1	L.72			
	F.205150	Clip , reducing valve attachment between frames 35 and 36 starboard (Local manufacture from 30B/1730, ½" wide)	1	L.72		NA.1	
	A.205062	Clip , attaching transfer pipe at frame 35 (Local manufacture from 30B/1732, ½" wide)	1	L.72			
3741	Std.840/20	Clip , recuperator drain pipe	1	DTD.610	C.	4	
3747	Std.841/28	Clip , 7/16" wide x 22 S.W.G. (Make from 30B/1433)	2	DTD.610	MR/C	4	
3749	Std.841/38	Clip , 7/16" wide x 22 S.W.G.	3	DTD.610	C.	4	
—	Std.841/39	Clip , 7/16" wide x 22 S.W.G. (Make from 30B/1433)	2	DTD.610			
—	Std.842/53	Clip , 7/16" wide x 22 S.W.G. (Make from 30A/549)	2	S.3			

SERVICES—FUEL SYSTEM CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	Std.842/17	Clip, $\frac{7}{16}$ " wide × 22 S.W.G. (Make from 30A/549)					5	S.3		
4165	Std.850/35	Clip, $\frac{7}{16}$ " wide × 22 S.W.G.					4	DTD.610	C.	4
4164	Std.850/50	Clip, $\frac{7}{16}$ " wide × 22 S.W.G.					2	DTD.610	C.	4
	Std.850/58	Clip, $\frac{7}{16}$ " wide × 22 S.W.G. (Make from 30B/1433)					9	DTD.610		
	Std.850/19	Clip, $\frac{7}{16}$ " wide × 22 S.W.G. (Make from 30B/1433)					1	DTD.610		
4281	Std.850/20	Clip, $\frac{7}{16}$ " wide × 22 S.W.G. (Make from 30B/1433)					1	DTD.610	MR/C	4
4038	Std.851/47	Clip, $\frac{7}{16}$ " wide × 22 S.W.G. (Make from 30B/1433)					2	DTD.610	MR/C	4
	Std.851/90	Clip, $\frac{7}{16}$ " wide × 22 S.W.G. (Make from 30B/1433)					1	DTD.610		
	Std.851/48	Clip, $\frac{7}{16}$ " wide × 22 S.W.G. (Make from 30B/1433)					1	DTD.610		
	Std.2045/21/24	Clip, sleeved					3	S.510 or S.511		
	Std.2089/55/20	Clip, sleeved					1			
	Std.2046/21/24	Clip, sleeved					1	S.510 or S.511		
	Std.2046/42/22	Clip, sleeved					1	S.510 or S.511		
	Std.2046/59/20	Clip, sleeved					1	S.510 or S.511		
	Std.2046/17/26	Clip, sleeved					1	S.511 or S.511		
	Std.2046/67/20	Clip, sleeved					1	S.510 or S.511		
27F/	Saunders 216.CH80/P3	Cock, tank selector, port (C/W actuator 5CW/2480 or 2589)					1	—	A.	
27F/	Saunders 216.CJ80/P3	Cock, tank selector, starboard (C/W actuator 5CW/2480 or 2589)					1	—	A.	
1086	F.185873	Collar, half					4	DTD.364	C.	NA.1
1729	A.192904	Connection, tank pressurising, grup					1	—	B.	NA.2
1730	A.193370	Cap, blanking					1	DTD.364	C.	NA.2
	A.192905	Connection					1	DTD.364		
	A.184691	Guide, valve					1	DTD.364		
1731	F.193381	Ring, sealing, for blanking cap					1	Rubber	C.	NA.2
3976	F.197676	Ring, retaining, for blanking cap					1	—	C.	NA.2
3950	Dowty Seals GD.1307/H	Seal, bonded					1	—	C.	
1732	F.184693	Spring					1	DTD.215	C.	NA.2
1733	F.184692	Valve					1	DTD.364	C.	NA.2
4134	*Std.1285/4/BB	Connector, earthing (When stocks are exhausted, use 5K/3373)					7	—	C.	4
27F/2327	Flight Refuelling F.R.S.110/H	Connector, pipe, 1" B.S.P.					2	—	A.	
27F/2330	Flight Refuelling F.R.S.110/L	Connector, pipe, 1 $\frac{3}{4}$ " B.S.P.					6	—	A.	
27F/2329	Flight Refuelling F.R.S.110/K	Connector, pipe, 1 $\frac{1}{2}$ " B.S.P.					1	—	A.	
6529	King C.5338	Coupling, flexible, 1 $\frac{1}{2}$ " B.S.P.					2	—	B.	
27F/	Flight Refuelling C.0724000/1	Coupling, refuelling, group (Alternative to F.C.110)					1	—	A.	
27F/2596	Flight Refuelling B.0724140	Cover, dust					1	—	C.	

SERVICES—FUEL SYSTEM CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
27F/2227	Avery Hardoll F.C.110	Coupling , refuelling, group (Alternative to C.0724000/1)					1	—	A.	
27F/2228	Avery Hardoll F.C.109	Cover , dust, group					1	—	C.	
	Dowty GD.1457/39	Ring , sealing					1	—	C.	
28Y/	AS.1523	Drain , water/sediment					8	—	C.	
6530	F.205063	Fairlead , for pressure pipe at frame 28 aft					2	LFS.21	C.	NA.3
6531	F.203312	Fairlead , for external charging and pressurising branch pipes at frame 36					6	LFS.21	C.	NA.1
6532	A.203228	Fairlead , for transfer pipe at frame 32					2	LFS.21	C.	NA.3
8351	F.216492	Fairlead , for transfer pipe					2	LFS.21	C.	
8352	F.216493	Fairlead , for transfer pipe					2	LFS.21	C.	
27VA/4943	Dunlop ACM.17994	Filter , air, at frame 35					2	—	A.	
9082	A.218433	Gasket , for front tank vent extension at frame 25 (Alternative to A.226377)					1	E.75	C.	NA.3
9657	A.226377	Gasket , for front tank vent extension at frame 25 ... (Alternative to A.218433)					1	DTD.1177 or L.73	C.	NA.3
27F/2241	Saunders A.102/3	Handle , for defuelling cock					1	—	C.	
2852	F.189214	Label , instruction, for fuelling cock					1	DTD.610	MR/C	NA.2
2144	Std.1231/3	Lug , locking, at non-return valves in stub wing and at frame 36					6	S.3	C.	4
	C.203026	MOUNTING, FOR FLOW PROPORTIONER, ASSEMBLY					—	—		
6533	F.205949	Bolt , attaching flow proportioner to bracket ...					1	S.95.B	C.	
	A.215324	Bracket , support, at frame 22					1	S.84 or T.26	C.	
8034	F.202967	Link , at frame 23					2	L.72	C.	
8374	F.215325	Washer , special, for support bracket					1	S.3	C.	
8375	F.215326	Washer , special, for support bracket					1	S.3	C.	
	B.190411	MOUNTING, FOR REFUELLING COUPLING, ASSEMBLY					—	—		
	A.201806	Label					1	Alum	C.	
1061	C.189254	Mounting					1	S.3	C.	NA.1
1081	F.188372	Nipple					1	S.1	C.	
1082	F.188057	Nipple					4	S.1	C.	
5067	F.190837	Nut , retaining, at vapour release connection, forward tanks					2	DTD.364	C.	NA.3
	F.205061	Packing , for "U" bolt at reducing valve, frame 24 (Local manufacture)					1	LFS.21	—	
7241	F.203498	Packing , for clip at transfer and pressure pipes between frames 25-26					1	LFS.21	MR/C	
	Std.1938/3	Packing , pressurising pipe, frame 27 (Local manufacture)					1	Plastic		
	Std.1939/3	Packing , reducing valve, frame 35 (Local manufacture)					1	Plastic		
	Std.1939/4	Packing , transfer pipe, frame 35 (Local manufacture)					5	Plastic		
	Std.1939/6	Packing , pressurising pipe, frame 33 (Local manufacture)					QR	Plastic		
1722	C.188051/16	Pipe , pressurising, connection at frame 38 to bulkhead connection, frames 39, port					1	DTD.253	C.	

SERVICES—FUEL SYSTEM CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
1723	C.188051/17	Pipe, pressurising, connection at frame 38 to bulkhead connection frame 39, starboard					1	DTD.253	C.	
6539	C.200368	Pipe, delivery, four-way at flow proportioner ...					1	DTD.253	B.	NA.1
9103	C.214000	Pipe, refuelling branch, from connection at frame 26 to refuelling valves at frames 27 and 29, port					1	DTD.253	B.	
9104	C.214001	Pipe, refuelling branch, from connection at frame 26 to refuelling valves at frames 27 and 29, starboard					1	DTD.253	B.	
6590	C.201517	Pipe, transfer branch, frame 30 to non-return valve at frame 27, port					1	DTD.253	B.	
6589	C.201518	Pipe, transfer branch, frame 30 to non-return valve at frame 27, starboard					1	DTD.253	B.	NA.1
6540	C.201520	Pipe, delivery branch, four-way pipe to frame 27, port					1	DTD.253	B.	NA.1
6596	C.201521	Pipe, transfer branch, selector cock, frame 26 to front tank, port					1	DTD.253	B.	NA.1
6595	C.201522	Pipe, transfer branch selector cock, frame 26 to front tank, starboard					1	DTD.253	B.	
6578	C.201523	Pipe, refuelling branch, from connection between frames 25-26 to refuelling valve, starboard					1	DTD.253	B.	
6574	C.201525/3	Pipe, recuperator charging, recuperator to four-way pipe, port					1	DTD.253	B.	
6600	C.201525/4	Pipe, vent, at 'Y' piece pipe, between frames 25-26					1	DTD.253	B.	
6541	C.201525/6	Pipe, delivery, frame 27 to L.P. cock, frames 30-31, port					1	DTD.253	B.	NA.1
6542	C.201525/7	Pipe, delivery, between frames 31-32, port ...					1	DTD.253	B.	NA.1
6584	C.201525/9	Pipe, transfer, frame 37 to 35, port ...					1	DTD.253	B.	
6585	C.201525/10	Pipe, transfer, frame 37 to 34, starboard ...					1	DTD.253	B.	NA.1
6582	C.201525/11	Pipe, transfer, transport joint to frame 37, port ...					1	DTD.253	B.	NA.1
6583	C.201525/12	Pipe, transfer, transport joint to frame 37, starboard					1	DTD.253	B.	NA.1
6592	C.201525/15	Pipe, transfer, elbow at tank selector cock, frames 26-27, port					1	DTD.253	B.	
6591	C.201525/16	Pipe, transfer, elbow at tank selector cock, frames 26-27, starboard					1	DTD.253	B.	
6586	C.201525/19	Pipe, transfer, frame 35 to 32, port ...					1	DTD.253	B.	
6588	C.201525/21	Pipe, transfer, frame 32 to 40 port ...					1	DTD.253	B.	
7246†	C.201525/22	Pipe, pressure tapping, from tee-piece to refuelling branch pipe at frame 26					1	DTD.253	MR/C	
7244†	C.201525/23	Pipe, pressure tapping, wing tank pressure relief valve to tee-piece frame 26, port					1	DTD.253	MR/C	
7245†	C.201525/24	Pipe, pressure tapping, wing tank pressure relief valve to tee-piece, frame 26, starboard					1	DTD.253	MR/C	
6598	C.201525/25	Pipe, vent, connecting 'Y' piece pipes at frames 26					1	DTD.253	B.	
6537	C.201525/26	Pipe, delivery, front tank to flow proportioner, port					1	DTD.253	B.	NA.1
6538	C.201525/27	Pipe, delivery, front tank to flow proportioner, starboard					1	DTD.253	B.	NA.1
6543	C.201525/28	Pipe, delivery, between frames 31-32 to flexible coupling, starboard					1	DTD.253	B.	NA.1
6544	C.201525/29	Pipe, delivery, flexible coupling to flexible coupling, frames 32-34, starboard					1	DTD.253	B.	NA.1
6587	C.201525/30	Pipe, transfer, frame 34 to 30, starboard ...					1	DTD.253	B.	NA.1
6599	B.201526	Pipe, vent, 'Y' piece between frames 25-26 connecting suction and pressure relief valves					1	DTD.253	B.	NA.1
6549	C.202088/6	Pipe, pressurising, external charging between frames 35-36					1	DTD.253	B.	NA.1

SERVICES—FUEL SYSTEM CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
6560	C.202088/7	Pipe,	pressurising,	reducing	valve branch pipes to connection at framè 38, port	1	DTD.253	B.	NA.1	
6561	C.202088/8	Pipe,	pressurising,	reducing	valve branch pipes to connection at frame 38, starboard	1	DTD.253	B.	NA.1	
6564	C.202088/9	Pipe,	pressurising,	reducing	valve at frame 35 branch pipe to connection frame 34, port	1	DTD.253	B.		
6565	C.202088/10	Pipe,	pressurising,	reducing	valve at frame 35 branch pipe to connection frame 34, starboard	1	DTD.253	B.		
6572	C.202088/20	Pipe,	pressurising,	at wing tank	pressure relief valve, port	1	DTD.253	B.		
6573	C.202088/21	Pipe,	pressurising,	at wing tank	pressure relief valve, starboard	1	DTD.253	B.		
6556	C.202088/22	Pipe,	pressurising,	branch at reducing	valve to inverter flight recuperator, port	1	DTD.253	C.		
6557	C.202088/23	Pipe,	pressurising,	branch at reducing	valve to inverted flight recuperator, starboard	1	DTD.253	C.		
6562	C.202088/24	Pipe,	pressurising,	reducing	valve at frame 35 to air filter, port	1	DTD.253	B.		
6563	C.202088/25	Pipe,	pressurising,	reducing	valve at frame 35 to air filter, starboard	1	DTD.253	B.		
†	C.202088/26	Pipe,	vent, from 'Y' piece,	to front tank	vapour release valve connection, port	1	DTD.253	MR		
†	C.202088/27	Pipe,	vent, from 'Y' piece,	to front tank	vapour release valve connection, starboard	1	DTD.253	MR		
6534	C.202088/29	Pipe,	air exhaust,	at front tank	inverted flight recuperator, port	1	DTD.253	C.		
†	C.202088/31	Pipe,	recuperator	to water sediment	drain, port	1	DTD.253	MR/C		
†	C.202088/32	Pipe,	recuperator	to water sediment	drain, starboard	1	DTD.253	MR/C		
7256†	C.202088/33	Pipe,	recuperator	union to water	sediment drain, port	1	DTD.253	MR/C		
7247†	C.202088/37	Pipe,	pressure	balance, from	refuelling branch pipe at frame 26 to selector cock, transfer branch pipe	1	DTD.253	MR/C		
7250†	C.202088/38	Pipe,	pressure,	in stub wing	branch pipe to pressure switch on diaphragm 'D,' port	1	DTD.253	MR/C		
7251†	C.202088/39	Pipe,	pressure,	in stub wing	branch pipe to pressure switch on diaphragm 'D,' starboard	1	DTD.253	MR/C		
7248†	C.202088/41	Pipe,	pressure,	from delivery	pipe to pressure switch between frames 20-21, port	1	DTD.253	MR/C		
7249†	C.202088/42	Pipe,	pressure,	from delivery	pipe to pressure switch between frames 20-21, starboard	1	DTD.253	MR/C		
7242†	C.202088/46	Pipe,	drain,	fuel booster	pump front tank, port ...	1	L.67	MR/C	NA.1	
7243†	C.202088/47	Pipe,	drain,	fuel booster	pump front tank, starboard	1	L.67	MR/C	NA.1	
6545	C.202088/48	Pipe,	drain,	water/sediment	front tank, port ...	1	DTD.253	C.	NA.1	
6546	C.202088/49	Pipe,	drain,	water/sediment	front tank, starboard ...	1	DTD.253	C.	NA.1	
7252†	C.202088/50	Pipe,	pressure,	transfer	pipe to pressure switch at frame 29. port	1	DTD.253	MR/C		
7253†	C.202088/51	Pipe,	pressure,	transfer	pipe to pressure switch at frame 29, starboard	1	DTD.253	MR/C		
7863	C.202088/54	Pipe,	pressurising,	conn. to conn.	2	DTD.253	C.	NA.1	
7864	C.202088/55	Pipe,	pressurising,	conn. to N.R.V.	2	DTD.253	C.	NA.1	
6558	C.202202	Pipe,	pressurising	branch, at	reducing valve to frame 35, port	1	DTD.253	B.		
6559	C.202203	Pipe,	pressurising	branch, at	reducing valve frame 35, starboard	1	DTD.253	B.		

† For details see Piping Chart.

SERVICES—FUEL SYSTEM CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
6555	C.202208	Pipe,	pressurising	branch,	at reducing valve, frame 24	1	DTD.253	B.		
6548	C.202270	Pipe,	pressurising	branch,	between frames 35-36 ...	1	DTD.253	B.		
6547	B.203411/1	Pipe,	pressurising,	non-return valve	frame 36 to flexible pipe connection, frame 37	1	DTD.253	B.	NA.1	
6550	B.203411/2	Pipe,	pressurising,	between frames	32-35	1	DTD.253	C.		
6551	B.203411/3	Pipe,	pressurising,	between frames	29-32	1	DTD.253	C.		
6552	B.203411/4	Pipe,	pressurising,	between frames	26-29	1	DTD.253	C.		
6553	B.203411/5	Pipe,	pressurising,	at frame 26	1	DTD.253	C.		
6554	B.203411/6	Pipe,	pressurising,	reducing valve	at frame 24 to connection at frame 26	1	DTD.253	C.		
6575	B.209656	Pipe,	refuelling,	from refuelling	coupling valve to connection frames 25-26, port	1	DTD.253	B.		
6597	A.212046	Pipe,	vent, 'Y' piece	connecting wing	tank pressure relief valves	1	DTD.253	B.	NA.1	
6577	A.212532	Pipe,	refuelling	branch,	between frames 25-26 ...	1	DTD.253	B.		
6594	B.214125	Pipe,	transfer	branch,	non-return valve to wing connection at frame 26, port	1	DTD.253	B.		
6593	B.214126	Pipe,	transfer	branch,	non-return valve to wing connection at frame 26, starboard	1	DTD.253	B.		
6566	B.214173	Pipe,	pressurising,	connection	at frame 34 to connection in stub wing, frame 33, port	1	DTD.253	B.		
6567	A.214174	Pipe,	pressurising,	connection	at frame 34 to connection in stub wing, frame 33, starboard	1	DTD.253	B.		
6576	B.214127	Pipe,	refuelling	branch,	from connection to refuelling valve and aero-cock frames 25-26	1	DTD.253	B.	NA.1	
9071	B.219014/1	Pipe,	air, exhaust	at reducing	valve, frame 35, port	1	DTD.253	C.	NA.1	
†	B.219014/2	Pipe,	air, exhaust,	joint to joint,	port (Mod. 545) ...	1	DTD.253	C.		
9072	B.219014/3	Pipe,	air, exhaust	at reducing	valve frame 35, starboard	1	DTD.253	C.	NA.1	
†	B.219014/4	Pipe,	air, exhaust,	joint to joint,	starboard	1	DTD.253	C.	NA.1	
†	B.219014/5	Pipe,	air, exhaust,	joint to 'Y' piece,	starboard	1	DTD.253	C.		
9073	B.219014/6	Pipe,	air, exhaust,	joint to 'Y' piece,	port	1	DTD.253	C.		
9074	B.219014/7	Pipe,	air exhaust,	'Y' piece	1	DTD.253	C.		
9075	B.219014/8	Pipe,	air exhaust,	boss to reducing	valve at frame 24	1	DTD.253	C.		
9076	B.219014/9	Pipe,	vent, branch,	at front tank	inverted flight recuperator, starboard	1	DTD.253	C.	NA.1	
9069	B.219228	Pipe,	vent,	from connection	at frame 25, to atmosphere	1	DTD.253	C.		
6603	F.203076	Plate,	sealing,	for delivery	pipe at frame 30	2	LFS.21	C.		
6604	F.203077	Plate,	sealing,	for transfer	pipe at frame 30	2	LFS.21	C.		
9078	F.219336	Plate,	sealing	air exhaust	pipes at frame 30	2	LFS.21	C.		
4644	F.196784	Plate,	clamp,	for transfer	pipe at frame 32	1	DTD.610	C.	NA.1	
	A.203497	Plate,	blanking,	on front tanks	(Local manufacture)...	2	L.72	C.		
27F/2602	Rotol Ltd. F.F.P. 2/2	Proportioner,	flow	1	—	A.		
5UE/6622	S.P.E.13875/A	Pump,	fuel booster,	(S.P.E.2009 Mk. 4)	1	—	A.		
5UE/6622	S.P.E.13875/B	Pump,	fuel booster	(S.P.E.2009 Mk. 4)	1	—	A.		
5UE/6208	SPE.10306	Gasket,	between pump	and base plate	2	—	C.		
27F/2842	Self-Priming Pump	Recuperator,	inverted flight,	RC.38.A. Mk. 4 (Mod. 626)	2	—	A.		
5048	Dowty Seals GD.1309/27	Ring,	sealing	2	—	C.	NA.1	
5099	F.192028	Ring,	sealing,	at vapour	release connection	2	Rubber	C.		
5100	Dowty Seals GD.1309/21	Ring,	sealing,	1" B.S.F.	2	—	C.		
9077	F.219341	Plate,	sealing	2	LFS.21	C.		

† for details see Piping Chart

SERVICES—FUEL SYSTEM CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
3944	Dowty Seals GD.1308/1					Ring , sealing, "O" Type 1½" B.S.P.	7	—	C.	NA.1
3945	Dowty Seals GD.1308/2					Ring , sealing, "O" Type 1¾" B.S.P.	10	—	C.	
3948	Dowty Seals GD.1309/25					Ring , sealing, "O" type 1¼" B.S.P.	13	—	C.	
3943	Dowty Seals GD.1307/K					Seal , bonded, 1½" B.S.P.	2	—	C.	
3939	Dowty Seals GD.1307/C					Seal , bonded, ¾" B.S.P.	3	—	C.	
3936	Dowty Seals GD.1307/A					Seal , bonded, ⅝" B.S.P.	16	—	C.	
3932	Dowty Seals GD.1307/3					Seal , bonded	12	—	C.	
3937	Dowty Seals GD.1307/B					Seal , bonded	5	—	C.	
3938	Dowty Seals GD.1307/BB					Seal , bonded	4	—	C.	
27F/2423	Flight Refuelling F.R.S. 185/K					Shield , heat, delivery pipe connection between frames 31-32	1	—	C.	
27F/2336	Flight Refuelling F.R.S. 185/L					Shield , heat, transfer pipe connections	6	—	C.	
6606	A.201802					Sleeve , at pump connection	2	L.65.C	C.	
5CW/5390	Thermal Control T.P.5250					Switch , pressure	2	—	A.	
5CW/5913	Thermal Control T.P.5252/1 or T.P.1200					Switch , pressure	4	—	A.	
	D.201703					TANKS, FORWARD, INSTALLATION, ASSEMBLY	—	—		
6A/4315	Smiths JM14					Box , terminal, contents gauge	2	—	B.	
5101	B.190833					Connection , vapour release	2	DTD.364	C.	
1186	B.181004					Connection , vent	2	DTD.364	C.	
1127	F.181002					Plate , locking	4	DTD.610	C.	
1124	A.169270					Plate , mounting, refuelling valve	2	DTD.610	C.	
1125	F.170684					Piece , distance	8	DTD.364	C.	
	Marston CN.3467					Ring , packing (supplied with Marston Tanks)	2	—		
5CW/6001	Flight Refuelling D.3504100/47					Switch , fuel level (Alternative to D.215808)	2	—	A.	
	D.215808					Switch , fuel level, group (Alternative to D.3504100/47)	2	—		
	B.215810					Shield , group	1	—	MR	
	F.215812					Plug	1	L.65.C	MR	
	F.215813					Spacer	1	L.65.C	MR	
	F.219141					Washer , sealing	3	DTD.560	MR	
	—					TANKS (SEE SECTION Q)	—	—	—	
	Marston CM.2930/1					Washer , joint (supplied with Marston Tanks)	2	—		

SERVICES—FUEL SYSTEM CENTRE FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
1126	F.170685	Washer, special	8	DTD.610	C.	NA.2
9647	F.226366	Washer, sealing	2	—	C.	
9648	F.226367	Washer, sealing	2	—	C.	
	Smiths FG.558	Washer, sealing for fuel level switch (D.215808 only)	1	—		
8350	F.214324	Thimble, for 3-way cock mounting	6	S.1	C.	
	Std.1509/23/070	Tube, distance, at air exhaust pipe fixing, frame 29	1	T.4		
	Std.1509/23/076	Tube, distance, $\frac{7}{8}$ " i/d x 1" o/d x 0.76" long ... (Make from 30B/556)	1	T.4		
1734	A.189594	Union, bulkhead, $\frac{3}{8}$ " B.S.P., for pressurising pipes at frame 39	2	DTD.364	C.	NA.2
6607	F.204590	Union, restrictor, at branch transfer pipe, front tank, port	1	—	C.	NA.2
27F/3043	Flight Refuelling C.111700/6A	Valve, refuelling, Mk. 17	4	—	A.	
27F/3044	Flight Refuelling C.1117000/6B	Valve, refuelling, Mk. 17	2	—	A.	
27VB/4996	Hymatic C.51658 or C.51886	Valve, pressure reducing	1	—	A.	
1071	A.186567	Valve, non-return, group	4	—	B.	NA.2
2144	Std.1231/3	Lug, locking	1	S.3	C.	4
1072	F.185048	Pin	1	DTD.364	C.	NA.2
1076	F.186616	Screw	10	—	C.	NA.2
1073	F.171937	Spring	1	Phos. Br.	C.	NA.2
1074	A.186567/A	Valve, hinge, group Consisting of:—	1	—	C.	NA.2
	F.185046	Hinge	1	DTD.610		
	F.185047	Valve	1	DTD.364		
	F.186594	Washer	1	DTD.610		
1075	F.185049	Washer, sealing	1	Klingerite	C.	NA.2
27F/2831	Self-Priming Pump SPE.2191	Valve, non-return, pressurising	3	—	A.	
	B.225865	Valve, pressure relief, group	2	—	A.	NA.3
5104	C.207670	Valve, vapour release, group	2	—	B.	NA.3
	A.190835	Float, group	1	—		
5406	F.190839	Float	1	Cork	MR/C	NA.3
5407	Std.915/T/18	Washer	1	DTD.610	MR/C	4
	F.190841	Pin	1	S.80.B		
5408	F.191984	Seal	1	Rubber	MR/C	NA.3
5409	F.204291	Spring	1	Bronze	MR/C	NA.3
5410	F.207669	Valve	1	—	MR/C	NA.3
7973	F.215242	Valve, (alternative to F.207669)	1	—	MR/C	NA.3

SERVICES—FUEL SYSTEM CENTRE FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
8137	B.217334	Valve, suction and pressure relief, group (Mod. 564)	2	—	A.	NA.2
428	F.184477	Adaptor, valve	1	DTD.364	C.	NA.2
429	F.184476	Cap, valve	1	DTD.364	C.	NA.2
6200	F.209640	Collar	1	DTD.364	C.	NA.2
430	F.184480	Collar	1	DTD.364	C.	NA.2
1882	F.195019	Plug	2	DTD.364	C.	NA.2
431	A.184478	Ring, cap	1	DTD.364	C.	NA.2
3931	Dowty Seals GD.1288	Ring, sealing	1	—	C.	
3947	Dowty Seals BD.1308/8	Ring, sealing, "O" type	1	—	C.	
3933	Dowty Seals GD.1307/6	Seal, bonded	2	—	C.	
3935	Dowty Seals GD.1307/23	Seal, bonded	1	—	C.	NA.2
434	F.184473	Seat, valve	2	DTD.364	C.	NA.2
432	F.184482	Screw	6	—	C.	NA.2
1068	F.185613	Spring	1	DTD.239	C.	NA.2
6199	F.209155	Spring	1	Phos. Br.	C.	NA.2
441	A.184484	Valve	1	DTD.364	C.	NA.2
7050	F.215727	Valve	1	DTD.610	C.	NA.2
4666	F.201931	Washer	1	DTD.610	C.	NA.2
27VB/4896	Hymatic C.51642	Valve, pressure reducing	2	—	A.	
9081	C.218432	Vent, extension, front tank	1	S.3	C.	
1327	Std.1547/24/12 A.213098	Washer, profile	4	DTD.610	C.	4
		Washer, special, between 3-way fuel cock mounting bracket and frame 26 (Local Manufacture from 30B/1730)	6	L.72	—	
			(Max. Qn.)			
1092	A.189002* or 9656 A.226376	Washer, sealing, at blanking plate on front tanks	2	E.75 or DTD.1177 & L.72	C.	NA.2
1393	Std.1547/26/14	Washer, packing, reducing valve securing bolt, star-board	2	DTD.610	C.	4
1093	F.189004 or 9649 F.226368	Washer, sealing, transfer pipe to tank	2	E.75 or DTD.1177 & L.72	C.	NA.3
1094	A.189042 or 9658 A.226378	Washer, sealing, at cover plate	2	E.75 or DTD.1177 & L.72	C.	NA.3
6608	F.201934	Washer, sealing, at front tank recuperator connection to delivery branch pipe	2	E.75	C.	NA.3
8353	F.216941	Washer, for 3-way cock mounting	6	L.72	C.	
9079	F.219291* or 9651 F.226370	Washer, sealing at vent pipe to atmosphere frame 25	1	E.75 or DTD.1177 & L.72	C.	
3765	Std.915/C/24 C.208250	Washer	2	DTD.610	C.	4
		WING-FUSELAGE CONNECTION, ASSEMBLY	—	—		
8131	F.207610	Bolt, 2 B.A., at main spar connector	12	S.99.B	C.	
421	A.185593	Clamp, pipe, connection, group	2	—	B.	NB.1
2723	F.184931	Bolt, eye	1	S.94.C	C.	NB.1
2724	F.185592	Washer	1	DTD.364	C.	NB.1
5059	A.186451	Clamp, pipe, connection, group	2	—	B.	
2723	F.184931	Bolt, eye	1	S.94.B	C.	NB.1
2724	F.185592	Washer	1	DTD.364	C.	NB.1

SERVICES—FUEL SYSTEM CENTRE FUSELAGE


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
27F/2330	Std.850/58					Clip, $\frac{7}{16}$ " x 22 S.W.G. (Make from 30B/1433) ...	6	DTD.610		
	Std.851/30					Clip, $\frac{7}{16}$ " x 22 S.W.G. (Make from 30B/1437) ...	1	DTD.610		
	Flight Refuelling F.R.S.110/L					Connector, pipe $1\frac{1}{4}$ " B.S.P. ...	4	—	A.	
4994	Std.1939/1					Packing ...	3	LFS.21	C.	5
8050	A.214304					Pipe, branch, to pressure relief valve ...	2	DTD.253	B.	NA.1
8048	B.214302					Pipe, branch, port ...	1	DTD.253	B.	NA.1
8049	B.214303					Pipe, branch, starboard ...	1	DTD.253	B.	
6611	C.202205					Pipe, branch, port ...	1	DTD.253	B.	NA.1
6612	C.202206					Pipe, branch, starboard ...	1	DTD.253	B.	
6613	C.202088/18					Pipe, branch, port ...	1	DTD.253	B.	NA.1
9096	C.202088/56					Pipe, branch, starboard ...	1	DTD.253	B.	
6094	A.208096					Pipe, stub ...	2	DTD.253	B.	
8051	C.210525/31					Pipe, front spar to connection, port ...	1	DTD.253	B.	NA.1
8052	C.201525/32					Pipe, front spar to connection, starboard ...	1	DTD.253	B.	
5100	Dowty Seals GD.1309/21					Ring, sealing ...	2	—	C.	
8010	Dowty Seals GD.1309/23					Ring, sealing ...	4	—	C.	
3945	Dowty Seals GD.1308/2					Ring, sealing ...	4	—	C.	
3937	Dowty Seals GD.1307/B					Seal, bonded, $\frac{1}{4}$ " B.S.P. ...	2	—	C.	
3936	Dowty Seals GD.1307/A					Seal, bonded, $\frac{1}{8}$ " B.S.P. ...	4	—	C.	
3942	Dowty Seals GD.1307/J					Seal, bonded ...	2	—	C.	
1706	Std.1703/6C					Screw, at refuelling pressure relief valve ...	8	S.95.B	C.	5
8348	A.214274					Sleeve, centre ...	2	L.65.C	C.	
8349	A.214240					Sleeve, outer ...	2	L.65.C	C.	
8129	B.211551					Valve, refuelling, pressure relief, group ...	2	—	A.	NA.3
8186	F.209643					Spring ...	1	DTD.239	MR/C	NA.3
	F.199296					Valve ...	1	S.80.C		
	F.199297					Washer ...	1	DTD.364		

SERVICES—FUEL SYSTEM CENTRE FUSEALGE


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28F/10797	AGS.1129/A	Body,	banjo,	$\frac{1}{8}$ "	B.S.P....	—
28F/10798	AGS.1129/B	Body,	banjo,	$\frac{1}{4}$ "	B.S.P.	—
28F/11079	AGS.1129/BB	Body,	banjo,	$\frac{3}{16}$ "	B.S.P.	—
28F/8221	AGS.1135/A	Bolt,	banjo,	$\frac{1}{8}$ "	B.S.P.	—
28F/10018	AGS.1135/B	Bolt,	banjo,	$\frac{1}{4}$ "	B.S.P.	—
28F/11017	AGS.1136/B	Bolt,	banjo,	$\frac{1}{4}$ "	B.S.P.	—
28D/8301	AGS.1142/2B	Bolt,	4 B.A.			—
28D/8342	AS.1248/2C	Bolt,	2 B.A.			—
28D/8307	AGS.1252/2C	Bolt,	2 B.A.			—
28D/12528	A25.1B	Bolt,	4 B.A.			—
28D/12511	A25.2B	Bolt,	4 B.A.			—
28D/12622	A25.3B	Bolt,	4 B.A.			—
28D/12529	A25.4B	Bolt,	4 B.A.			—
28D/12512	A25.1C	Bolt,	2 B.A.			—
28D/12513	A25.2C	Bolt,	2 B.A.			—
28D/12531	A25.3C	Bolt,	2 B.A.			—
28D/12532	A25.4C	Bolt,	2 B.A.			—
28D/12433	A25.5C	Bolt,	2 B.A.			—
28D/12514	A25.7C	Bolt,	2 B.A.			—
28D/12534	A25.9C	Bolt,	2 B.A.			—
28D/12515	A25.10C	Bolt,	2 B.A.			—
28D/12535	A25.12C	Bolt,	2 B.A.			—
28D/12517	A25.17C	Bolt,	2 B.A.			—
28D/12970	A25.36C	Bolt,	2 B.A.			—
28D/12520	A25.4E	Bolt,	$\frac{1}{4}$ "	B.S.F.		—
5K/3373	AS.3360/B5B	Connection,	earthing			—
5K/3403	AS.3360/C6C	Connection,	earthing			—
28F/9838	AGS.1104/A	Cone,	adaptor			—
28F/10610	AGS.1118/B	Cone,	tee-rail			—
28F/9619	AGS.1142/C	Nipple				—
28F/9620	AGS.1142/D	Nipple				—
28F/8278	AGS.1142/E	Nipple				—
28F/8235	AGS.1142/F	Nipple				—
28F/8280	AGS.1142/H	Nipple				—
28F/8216	AGS.1142/J	Nipple				—
28F/11777	AGS.1142/K	Nipple				—
28F/11905	AGS.1107/H	Nipple				—
28F/14529	AGS.1170/C	Nipple				—
28F/14530	AGS.1170/D	Nipple				—
28F/9710	AGS.1170/E	Nipple				—
28F/9711	AGS.1170/F	Nipple				—
28F/11906	AGS.1170/J	Nipple				—
28F/12071	AGS.1170/K	Nipple				—
28M/10287	AGS.2001/B1	Nut,	4 B.A.			—
28M/10327	AGS.2002/B1	Nut,	4 B.A.			—
28M/10288	AGS.2001/C1	Nut,	2 B.A.			—
28M/10328	AGS.2002/C1	Nut,	2 B.A.			—
28M/11957	AGS.2007/C1	Nut,	2 B.A.			—
28M/10216	AGS.2008/C1	Nut,	2 B.A.			—
28M/10240	AGS.2012/C11	Nut,	2 B.A.			—
28M/13279	AGS.2019/C1	Nut,	2 B.A.			—


SERVICES—FUEL SYSTEM CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
28N/10330	AGS.2002/E1	Nut , 1/4" B.S.F.	—	—	—
28M/13121	A.27.CS	Nut , 2 B.A.	—	—	—
28L/5265	A14.EB	Nut , lock	—	—	—
28R/6341	AS.566/B	Plug	—	—	—
28Q/8077	AGS.164/303	Rivet	—	—	—
28Q/7943	AGS.164/304	Rivet	—	—	—
28Q/7755	AGS.164/305	Rivet	—	—	—
28P/12587	SP.9.C4	Split, pin	—	—	—
5K/1766	AGS.1533/E	Strip, bonding	—	—	—
28F/110410	AGS.1104/C	Union	—	—	—
28W/9419474	SP.15.B	Washer , 4 B.A....	—	—	—
28W/9419486	SP.16.B	Washer , 4 B.A....	—	—	—
28W/9419475	SP.15.C	Washer , 2 B.A....	—	—	—
28W/9419405	SP.15.E	Washer , 1/4" B.S.F.	—	—	—
28W/9419404	SP.16.C	Washer , 2 B.A....	—	—	—
28W/14206	SP.23.C	Washer , 2 B.A....	—	—	—




FUEL SYSTEM







FUEL SYSTEM





FUEL SYSTEM





This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.