

SERVICES—HYDRAULICS REAR FUSELAGE

Ref. No.	Part No.	Description	No. Off					Material Specification	M.R. Class of Store	Plate No.
			1	2	3	4	5			
	D.209242	<b>HYDRAULIC INSTALLATION IN REAR FUSELAGE, ASSEMBLY</b>					-	-		
27Q/	Dowty 08692Y.AO.5	<b>Accumulator, unit</b> ... ..	...	...	...	...	1	-	A.	
2052	F.194338	<b>Block, clamp</b> ... ..	...	...	...	...	7	LFS.21	C.	NG.1
2053	F.194339	<b>Block, clamp</b> ... ..	...	...	...	...	8	LFS.21	C.	NG.1
2081	F.195583	<b>Block, clamp</b> ... ..	...	...	...	...	6	LFS.21	C.	NG.1
1180	F.183906	<b>Block, clamp, for return pipe</b> ... ..	...	...	...	...	1	LFS.21	C.	NG.1
1181	F.183907	<b>Block, clamp, for pressure pipe</b> ... ..	...	...	...	...	1	LFS.21	C.	NG.1
4950	F.204723	<b>Block, clamp</b> ... ..	...	...	...	...	8	LFS.21	C.	NG.1
4951	F.204934	<b>Block, clamp</b> ... ..	...	...	...	...	2	LFS.21	C.	NG.1
8511	F.220531	<b>Block, saddle at Pressure Regulator valve</b> ... ..	...	...	...	...	1	LFB.72	C.	NG.1
7231	B.200875	<b>Bracket, mounting, for pressure gauge</b> ... ..	...	...	...	...	1	L.72	MR/C	
	A.215212	<b>Bracket, mounting for micronic filter</b> ... ..	...	...	...	...	1	-		
27BA/	Auto Prod. AVA.64-7C	<b>Cap, blanking</b> ... ..	...	...	...	...	2	-	C.	
1182	A.189669	<b>Clamp, top</b> ... ..	...	...	...	...	1	S.3	C.	NG.1
1183	F.189672	<b>Clamp, block, group</b> ... ..	...	...	...	...	1	S.3	C.	NG.1
	F.189672/1	<b>Channel</b> ... ..	...	...	...	...	1	S.3		
	F.189672/2	<b>Clamp, plate</b> ... ..	...	...	...	...	1	S.3		
4952	F.204102	<b>Clamp, plate</b> ... ..	...	...	...	...	4	LFS.21	C.	NG.1
	F.221095	<b>Clip, securing cable duct in dorsal fin</b> ... ..	...	...	...	...	1	-		
	F.211876	<b>Clip</b> ... ..	...	...	...	...	1	S.3		
3736	Std.840/17	<b>Clip, <math>\frac{1}{8}</math>" wide x 22 S.W.G. x 1-7" long</b> ... ..	...	...	...	...	2	DTD.610	C.	4
4764	Std.840/21	<b>Clip, on spring landing, <math>\frac{7}{16}</math>" x 22 S.W.G. x 2-1" long</b> ... .. (Make from 30B/1433) (Pre Mod. 417)	...	...	...	...	1	DTD.610	C.	4
	Std.2045/38/22	<b>Clip, sleeved</b> ... ..	...	...	...	...	1	-		
	Std.2045/29/22	<b>Clip, sleeved</b> ... ..	...	...	...	...	1	-		
	Std.850/19	<b>Clip</b> ... ..	...	...	...	...	1	DTD.610		
4161	Std.850/21	<b>Clip, <math>\frac{1}{8}</math>" wide x 22 S.W.G. x 2-1" long</b> ... ..	...	...	...	...	1	DTD.610	C.	4
5789	Std.851/35	<b>Clip, <math>\frac{1}{8}</math>" wide x 22 S.W.G. x 3-5" long</b> ... ..	...	...	...	...	2	DTD.610	C.	4
9421	F.215214	<b>Clip, half securing micronic filter</b> ... ..	...	...	...	...	1	-	C.	NG.1
	Std.853/81	<b>Clip, securing at Pressure Regulator Valve</b> ... ..	...	...	...	...	1	S.3		
9092	F.221834	<b>Clip, saddle, securing pipes above frame 51</b> ... ..	...	...	...	...	1	S.510	C.	NG.1
27BA/8762	Auto Prod. AVA.58C	<b>Coupling, flanged</b> ... ..	...	...	...	...	2	-	C.	
	F.222439	<b>Duct, cable in dorsal fin</b> ... ..	...	...	...	...	1	L.62		
27BA/8796	Auto Prod. AVA.57A	<b>Coupling, half, high pressure, union half</b> ... ..	...	...	...	...	1	-	C.	
27BA/8759	Auto Prod. A.V.A.57B	<b>Coupling, half, high pressure, union half</b> ... ..	...	...	...	...	1	-	C.	
27KC/1547	Fairey FHS.1211Z	<b>Filter, micronic, group</b> ... .. (For spares see AP.4515P Vol. 3)	...	...	...	...	1	-	A.	
6A/2693	-	<b>Gauge, pressure, Mk. 14LL.</b> ... ..	...	...	...	...	1	-	A.	
7232	B.209709	<b>Guard, for flexible pipes</b> ... ..	...	...	...	...	1	-	MR/C	NG.1
4953	A.204708	<b>Hose, flexible, for airbrake jack</b> ... ..	...	...	...	...	1	-	C.	NG.1
4954	A.204709	<b>Hose, flexible, for airbrake jack</b> ... ..	...	...	...	...	1	-	C.	
27BA/9261	Auto Prod. AVA.322A/16-0	<b>Hose, flexible, 16-0"</b> ... ..	...	...	...	...	1	-	C.	
27BA/10606	Auto Prod. AVA.322A/18-5	<b>Hose, flexible, 18-5"</b> ... ..	...	...	...	...	1	-	C.	
27BA/9493	Auto Prod. AVA.322A/26-5	<b>Hose, flexible, 26-5"</b> ... ..	...	...	...	...	1	-	C.	

SERVICES—HYDRAULICS REAR FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
27BA/9699	Auto Prod. AVA.322B/16-0	<b>Hose</b> , flexible, 16-0" ... ..					1	—	C.	
27BA/9466	Auto Prod. AVA.322B/23-0	<b>Hose</b> , flexible, 23-0" ... ..					1	—	C.	
6A/2771	—	<b>Label</b> , air ... ..					1	—	C.	
2144	Std.1231/3	<b>Lug</b> , locking ... ..					7	S.3	C.	4
27BA/8798	Auto Prod. AVA.26A	<b>Nut</b> , union ... ..					1	—	C.	
27BA/8766	Auto Prod. AVA.62B	<b>Nut</b> , union ... ..					1	—	C.	
	†B.187926/1	<b>Pipe</b> , pressure, flexible hose to non-return valve ...					1	DTD.323A		
	†B.187926/4	<b>Pipe</b> , pressure, tee-piece to valve ... ..					1	DTD.323A		
	†B.187926/6	<b>Pipe</b> , pressure, valve to tee-piece ... ..					1	DTD.323A		
	†B.187926/7	<b>Pipe</b> , pressure, tee-piece to flexible hose ... ..					1	DTD.323A		
	†B.187926/8	<b>Pipe</b> , return, flexible hose to non return valve ...					1	DTD.323A		
	†B.187926/10	<b>Pipe</b> , return, top-piece to valve ... ..					1	DTD.323A		
	†B.187926/11	<b>Pipe</b> , return, valve to flexible hose ... ..					1	DTD.323A		
	†B.187926/12	<b>Pipe</b> , return, tee-piece to thermal relief valve ...					1	DTD.323A		
	†B.187926/13	<b>Pipe</b> , return, thermal relief valve to tee-piece ...					1	DTD.323A		
4603	B.187926/16	<b>Pipe</b> , tee-piece to charging connection ... ..					1	DTD.323A	C.	
4604	B.187926/17	<b>Pipe</b> , tee-piece to pressure gauge ... ..					1	DTD.323A	C.	
4605	B.187926/18	<b>Pipe</b> , charging, accumulator to tee-piece ... ..					1	DTD.323A	C.	
4606	B.187926/19	<b>Pipe</b> , pressure, tee-piece to accumulator ... ..					1	DTD.323A	C.	
5935	B.187926/23	<b>Pipe</b> , pressure, regulator valve to non return valve...					1	DTD.323A	C.	
5936	B.187926/24	<b>Pipe</b> , pressure, non return valve to tee-piece ...					1	DTD.323A	C.	
5937	B.187926/25	<b>Pipe</b> , pressure, tee-piece to lower selector valve ...					1	DTD.323A	C.	
5938	B.187926/26	<b>Pipe</b> , pressure, tee-piece to upper selector valve ...					1	DTD.323A	C.	
	†B.187926/29	<b>Pipe</b> , return, 4-way to upper selector valve ... ..					1	DTD.323A		
5942	B.187926/30	<b>Pipe</b> , return, 4-way to lower selector valve ... ..					1	DTD.323A	C.	
5943	B.187926/31	<b>Pipe</b> , return, 4-way to tee-piece ... ..					1	DTD.323A	C.	
	†B.187926/32	<b>Pipe</b> , return, tee-piece to relief valve ... ..					1	DTD.323A		
	†B.187926/33	<b>Pipe</b> , return, upper selector, valve to non-return valve					1	DTD.323A		
5946	B.187926/34	<b>Pipe</b> , return, thermal relief valve to tee-piece ...					1	DTD.323A	C.	
5947	B.187926/35	<b>Pipe</b> , airbrake "UP," upper selector valve to 4-way					1	DTD.323A	C.	
5848	B.187926/36	<b>Pipe</b> , airbrake "UP," 4-way to flexible hose ... ..					1	DTD.323A	C.	
	†B.187926/37	<b>Pipe</b> , airbrake "UP," 4-way to non return valve ...					1	DTD.323A		
	†B.187926/38	<b>Pipe</b> , airbrake "UP," 4-way to thermal relief valve					1	DTD.323A		
5951	B.187926/39	<b>Pipe</b> , airbrake "down," lower selector valve to pressure relief valve					1	DTD.323A	C.	
5952	B.187926/40	<b>Pipe</b> , airbrake "DOWN," relief valve to tee-piece ...					1	DTD.323A	C.	
5953	B.187926/41	<b>Pipe</b> , airbrake "DOWN," tee-piece to flexible hose					1	DTD.323A	C.	
	†B.187926/42	<b>Pipe</b> , airbrake "DOWN," tee-piece to pressure switch					1	DTD.323A		
6514	B.187926/45	<b>Pipe</b> , pressure, union to union ... ..					1		C.	
								DTD.743		
6515	B.187926/46	<b>Pipe</b> , pressure, union to regulator valve ... ..					1		C.	
								DTD.743		
6516	B.187926/47	<b>Pipe</b> , return, union to 4-way ... ..					1		C.	
								DTD.743		
6517	B.187926/48	<b>Pipe</b> , pressure, S.S. coupling to union ... ..					1		C.	
								DTD.743		
6518	B.187926/49	<b>Pipe</b> , return, S.S. coupling to union ... ..					1		C.	
								DTD.743		
7860	B.187926/51	<b>Pipe</b> , pressure, tee-piece to tee-piece ... ..					1	DTD.323	C.	
7861	B.187926/52	<b>Pipe</b> , return, non return valve to tee-piece ... ..					1	DTD.323	C.	

† For details see Piping Chart

SERVICES—HYDRAULICS REAR FUSELAGE

Ref. No.	Part No.	Description	No. Off					Material Specification	M.R. Class of Store	Plate No.
			1	2	3	4	5			
27Q/12037	B.187926/53	Pipe, pressure, non return valve to filter (inlet) ...	1					DTD.323A		
	B.187926/54	Pipe, pressure, filter (outlet) to tee-piece ...	1					DTD.323A		
	F.217369	Plate, sealing at frame 50 ...	1					LFS.21		
	F.217370	Plate, sealing at frame 51 ...	1					LFS.21		
	SP.900/22	Ring, " O " ...	2					—	C.	
	Dowty Seals									
	7822	GD.1576	Shroud, 3/8" B.S.P., union connection ...	1				—	C.	
	Dowty Seals									
	7821	GD.1579	Shroud, 3/8" B.S.P., bulkhead connection ...	4				—	C.	
		D.209242/1	Sleeve, 1" int. dia. x 4" long (Make from 5F/2272)...	2					PVC	
	D.209242/2	Sleeve, 3/8" int. dia. x 14-5" long ...	1					PVC		
	Thermal Control									
5CW/6015	TP.5300/2	Switch, pressure (Alternative to TP.1300) ...	1					—	A.	
5CW/5981	Thermal Control TP.1300	Switch, pressure (Alternative to TP.5300/2) ...	1					—	A.	
1184	F.180950	Tee-piece ...	1					—	C.	
—	Std.1507/2/026	Tube, distance (Local Manufacture) ...	1					T.26	—	
—	Std.1507/2/082	Tube, distance (Local Manufacture) ...	1					T.26	—	
—	Std.1507/2/080	Tube, distance (Local Manufacture) ...	1					T.26	—	
1466	F.140778	Union, reducing ...	1					L.1	C.	NF.1
1185	F.183200	Union ...	2					—	C.	
8334	A.210242	Union, flanged at bulkhead ...	2					—	C.	NG.1
27Q/926	Dowty D.5220.Y	Valve, thermal relief ...	3					—	A.	
27Q/15170	Dowty D.5230.Y	Valve, non-return ...	1					—	A.	
27Q/1288	Dowty C.4651.Y.Mk.D	Valve, pressure release ...	1					—	A.	
27Q/	Dowty 04862Y-B08	Valve, pressure maintaining ...	1					—	A.	
27Q/1932	Dowty 08808Y-A04	Valve, selector ...	1					—	A.	
27Q/1933	Dowty 08816Y-A03	Valve, selector ...	1					—	A.	
27Q/1936	Dowty 08818Y-A02	Valve, selector ...	1					—	A.	
27Q/927	C.4603.Y.Mk.A	Valve, thermal relief ...	1					—	A.	
7100	Std.915/B/10	Washer ...	1					DTD.610	MR/C	
	Std.1547/28/18	Washer ...	1					DTD.610	—	

SERVICES—HYDRAULICS REAR FUSELAGE


Ref. No.	Part No.						Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5					

SERVICES—HYDRAULICS REAR FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
<b>SUMMARY OF STOCK ITEMS</b>										
28Y/12849	AGS.1212	<b>Block</b> , adaptor	...	...	...	...	...	—	—	—
28D/13868	A25.1B	<b>Bolt</b> , 4 B.A.	...	...	...	...	...	—	—	—
28D/12528	A25.1B	<b>Bolt</b> , 4 B.A.	...	...	...	...	...	—	—	—
28D/12622	A25.3B	<b>Bolt</b> , 4 B.A.	...	...	...	...	...	—	—	—
28D/12623	A25.5B	<b>Bolt</b> , 4 B.A.	...	...	...	...	...	—	—	—
28D/12530	A25.6B	<b>Bolt</b> , 4 B.A.	...	...	...	...	...	—	—	—
28C/12624	A27.7B	<b>Bolt</b> , 4 B.A.	...	...	...	...	...	—	—	—
28D/12512	A25.1C	<b>Bolt</b> , 2 B.A.	...	...	...	...	...	—	—	—
28D/12513	A25.2C	<b>Bolt</b> , 2 B.A.	...	...	...	...	...	—	—	—
28D/12531	A25.3C	<b>Bolt</b> , 2 B.A.	...	...	...	...	...	—	—	—
28D/12533	A25.4C	<b>Bolt</b> , 2 B.A.	...	...	...	...	...	—	—	—
28D/12566	A25.6C	<b>Bolt</b> , 2 B.A.	...	...	...	...	...	—	—	—
28D/12534	A25.9C	<b>Bolt</b> , 2 B.A.	...	...	...	...	...	—	—	—
28D/12516	A25.18C	<b>Bolt</b> , 2 B.A.	...	...	...	...	...	—	—	—
28D/12536	A25.13C	<b>Bolt</b> , 2 B.A.	...	...	...	...	...	—	—	—
28D/12537	A25.14C	<b>Bolt</b> , 2 B.A.	...	...	...	...	...	—	—	—
28D/12539	A25.16C	<b>Bolt</b> , 2 B.A.	...	...	...	...	...	—	—	—
28D/12517	A25.17C	<b>Bolt</b> , 2 B.A.	...	...	...	...	...	—	—	—
28D/9744	AGS.1248-2B	<b>Bolt</b> , 4 B.A.	...	...	...	...	...	—	—	—
28F/8221	AGS.1135A	<b>Bolt</b> , banjo	...	...	...	...	...	—	—	—
28F/10018	AGS.1335B	<b>Bolt</b> , banjo	...	...	...	...	...	—	—	—
28E/15049	AS.5419/6	<b>Clip</b>	...	...	...	...	...	—	—	—
28F/9838	AGS.1104A	<b>Cone</b> , adaptor	...	...	...	...	...	—	—	—
28F/8714	AGS.1111C	<b>Cone</b> , union	...	...	...	...	...	—	—	—
28F/10782	AGS.1118A	<b>Cone</b> , tee	...	...	...	...	...	—	—	—
28F/10610	AGS.1118B	<b>Cone</b> , tee	...	...	...	...	...	—	—	—
28F/10020	AGS.1120.1	<b>Cone</b> , tee	...	...	...	...	...	—	—	—
28F/9721	AGS.1120.5	<b>Cone</b> , tee	...	...	...	...	...	—	—	—
28F/13290	AGS.1120.11	<b>Cone</b> , tee	...	...	...	...	...	—	—	—
28F/14399	AGS.1120.13	<b>Cone</b> , tee	...	...	...	...	...	—	—	—
28F/9726	AGS.1123C	<b>Cone</b> , 4-way piece	...	...	...	...	...	—	—	—
28F/9619	AGS.1142C	<b>Nipple</b> , adaptor	...	...	...	...	...	—	—	—
28F/14529	AGS.1170C	<b>Nipple</b>	...	...	...	...	...	—	—	—
28L/13124	A27.CT	<b>Nut</b> , 2 B.A.	...	...	...	...	...	—	—	—
28M/10287	AGS.2001.B1	<b>Nut</b> , 4 B.A.	...	...	...	...	...	—	—	—
28M/10327	AGS.2002.B1	<b>Nut</b> , 4 B.A.	...	...	...	...	...	—	—	—
28M/10288	AGS.2001.C	<b>Nut</b> , 2 B.A.	...	...	...	...	...	—	—	—
28M/10332	AGS.2002.C1	<b>Nut</b> , 2 B.A.	...	...	...	...	...	—	—	—
28S/2857	A32.B12	<b>Screw</b> , 4 B.A.	...	...	...	...	...	—	—	—
28S/14005	A32.B14	<b>Screw</b> , 4 B.A.	...	...	...	...	...	—	—	—
28S/2875	A32.B24	<b>Screw</b> , 4 B.A.	...	...	...	...	...	—	—	—
28S/14546	A31.C14	<b>Screw</b> , 2 B.A.	...	...	...	...	...	—	—	—
28F/8213	AGS.1106.B	<b>Union</b>	...	...	...	...	...	—	—	—
28F/11198	AGS.1106.D	<b>Union</b>	...	...	...	...	...	—	—	—
28F/14532	AGS.1125.B	<b>Union</b> , piece 4-way	...	...	...	...	...	—	—	—
28F/11167	AGS.1132.A	<b>Union</b> , banjo	...	...	...	...	...	—	—	—
28F/10524	AGS.1132.B	<b>Union</b> , banjo	...	...	...	...	...	—	—	—
28Y/10145	AGS.1200	<b>Valve</b> , charging	...	...	...	...	...	—	—	—

SERVICES—HYDRAULICS REAR FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.	
		1	2	3	4	5					
28W/9419474	SP.15.B	Washer,	4	B.A.	...	...	...	...	—	—	—
28W/9419475	SP.15.C	Washer,	2	B.A.	...	...	...	...	—	—	—
28W/9419404	SP.16.C	Washer,	2	B.A.	...	...	...	...	—	—	—
28W/14206	SP.23.C	Washer,	2	B.A.	...	...	...	...	—	—	—
28W/9416642	SP.47.B	Washer,	4	B.A.	...	...	...	...	—	—	—
28F/11949	AGS.1115/4	Washer,	plate		...	...	...	...	—	—	—
28F/12047	AGS.1186A	Washer,	sealing		...	...	...	...	—	—	—
28F/12048	AGS.1186B	Washer,	sealing		...	...	...	...	—	—	—







This file was downloaded  
from the RTFM Library.

Link: [www.scottbouch.com/rtfm](http://www.scottbouch.com/rtfm)

Please see site for usage terms,  
and more aircraft documents.