

SERVICES—PRESSURISATION FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Score	Plate No.
	E.230567	CABIN PRESSURISING AND AIR CONDITIONING, FRONT FUSELAGE, ASSEMBLY	-	-		
	F.230326	Angle, mounting, aft of frame 12	1			
5145	F.205189	Block, clamp	2	LFS.21	C.	
	F.214073	Block, distance	1	LFS.21		
	F.218950	Block, distance, for cleat, at feet spray pipe, port ...	1	LFS.21		
	Thos. Boorn FD.6000/2	Bracelet	2	-		
8982	F.222258	Bracelet, mounting, for front light spray pipe, port	1	-	C.	
8983	F.222259	Bracket, mounting, for front light spray pipe, starboard	1	-	C.	
	A.214111	Bracket, securing pipes, at ducts aft of frame 12 ...	1	S.3		
8978	K.A.C. C.4370/B/1	Clamp, pipe, Mk. 2	6	-	C.	NM.1
8979	K.A.C. C.4370/B/1 $\frac{1}{2}$ -1 $\frac{1}{2}$	Clamp, pipe, Mk. 2	12	-	C.	NM.1
8980	K.A.C. C.4370/B/1 $\frac{3}{4}$ -2	Clamp, pipe, Mk. 2	12	-	C.	NM.1
	F.218951	Clamp, securing feet spray pipe, port	1	LFS.21		
9006	F.213578	Clip, securing flexible pipe to hood spray	4	S.3	C.	
	F.214107	Clip, securing pipe bracket on duct aft of frame 12	2	S.3		
8981	F.214307	Clip, securing pipe, frame 14 to floor connection	1	S.3	C.	
	Std.2046/60/20	Clip, sleeved	1	S.510 or S.511		
	Std.2046/69/20	Clip, sleeved	1	S.510 or S.511		
	Std.2046/89/20	Clip, sleeved	4	S.510 or S.511		
	Std.841/85	Clip, support, $\frac{7}{16}$ " wide \times 22 S.W.G. \times 8.5" long ...	1	DTD.610		
	Std.851/44	Clip, support, $\frac{7}{16}$ " wide \times 22 S.W.G. \times 4.4" long	1	DTD.610		
	Std.851/74	Clip, support, $\frac{7}{16}$ " wide \times 22 S.W.G. \times 7.4" long	2	DTD.610		
1366	Std.1682/10	Clip, pipe coupling	2	S.3	C.	5
924	Std.1682/12	Clip, pipe coupling	10	S.3	C.	5
	F.230868	Clip, pipe support	1	S.510		
27KD/10	Normalair 504600	Connection, ground pressurising	1	-	C.	
27UA/515	Sir George Godfrey Ltd. 23782	Coupling, drain vent	1	-	B.	
	A.214482	Coupling, for flexible pipe	2	L.65.C		
	A.213916	Duct, ground pressurising, frame 1C to frame 3 ...	1	-		
	A.213917	Duct, ground pressurising, frame 3 to frame 6 ...	1	-		
8984	F.213851	End, fork	1	S.96.B	C.	NM.1
27UA/891	Sir George Godfrey Ltd. 103441	Extractor, water, WE30/Mk. 7	1	-	A.	
	Sir George Godfrey Ltd. 103554	Gaiter, lagging, for water extractor (AS.830/50) ...	1	-		
1375	A.182801	Guard, for ground pressurising duct	1	-	C.	NM.2
	E.230560	HOOD, SEAL, EXTRACTOR VALVE AND SUPPLY PIPES, ASSEMBLY	-	-		
4585	F.202581	Block, clamp	5	LFS.21	C.	NM.2
4586	F.202582	Block, clamp	2	LFS.21	C.	NM.2
8985	F.213999	Block, clamp	2	LFS.21	C.	NM.2
8986	F.214020	Block, clamp	1	LFS.21	C.	NM.2
8987	F.214021	Block, clamp	2	LFS.21	C.	NM.2
8988	F.214025	Block, clamp	1	LFS.21	C.	NM.2

SERVICES—PRESSURISATION FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
†	B.213254/37					Pipe, air supply, valve, starboard to tee ...	1	DTD.253 or DTD.323		
†	B.213254/38					Pipe, air supply, bulkhead connection to tee ...	1	DTD.253 or DTD.323		
†	B.213254/42					Pipe, air supply, tee to discharge valve, port ...	1	DTD.253 or DTD.323		
	B.187402					Plate, locking ...	1	DTD.610		
	F.214064					Ring, "S" ...	1	Brass Wire		
27KD/29	Normalair 504372/M					Ring, sealing ...	2	—	C.	
3936	Dowty GD.1307A					Seal, bonded ...	1	—	C.	
3937	Dowty GD.1307B					Seal, bonded ...	4	—	C.	
3940	Dowty GD.1307D					Seal, bonded ...	1	—	C.	
3932	Dowty GD.1307-3					Seal, bonded ...	2	—	C.	
3935	Dowty GD.1307-23					Seal, bonded ...	1	—	C.	
1371	F.182800					Stud ...	1	S.95.B	C.	NM.2
	Std.1509/12/038					Tube, distance ¼" o/d. x 20 S.W.G. x 38" long	2	T.4		
	Std.1509/12/062					Tube, distance (AS.830/40) ...	1	T.4		
	Std.1509/23/060					Tube, distance ⅜" o/d. x 17 S.W.G. x 60" long	1	T.4		
1369	A.187762					Union, body, flanged ...	1	DTD.364	C.	NM.2
27KD/960	Normalair 510710					Unit, valve 7/20 combined type ...	1	—	A.	
	B.232459					Unit, valve 7/20 and restrictor group ...	1	—		
	F.221542					Restrictor ...	1	L.59		
27KD/960	Normalair 510710					Unit, valve 7/20 ...	1	—	A.	
6332	B.205529					Valve, air extractor, group ...	1	—	A.	NM.2
1362	A.185216					Diaphragm ...	1	—	C.	NM.2
2144	Std.1231/3					Lug, locking ...	3	S.3	C.	4
3937	Dowty GD.1307B					Seal, bonded ...	1	—	C.	
1363	F.172452					Spring ...	1	Ph. Br. Wire	C.	NM.2
1361	B.185213					Valve, air extractor, group ...	1	—	B.	NM.2
1362	A.185216					Diaphragm ...	1	—	C.	NM.2
2144	Std.1231/3					Lug, locking ...	3	S.3	C.	4
3937	Dowty GD.1307.B					Seal, bonded ...	1	—	C.	
1363	F.172452					Spring ...	1	Ph. Br. Wire	C.	NM.2
27V/3453	Teddington Controls ES/A/390					Valve, electro-magnetic ...	1	—	A.	
	B.213147					VALVE, HOOD DE-SEAL ASSEMBLY ...	—	—	—	
27V/4125	Teddington Controls ES/A/430					Valve, E.S., tropicalised ...	1	—	A.	
27VB/3455	Hymatic Eng. D.9205					Valve, non-return N.R.9 Mk. 6 ...	1	—	A.	
27VB/3454	Hymatic Eng. PS.29/4 Std.1546/24/18					Valve, reducing ...	1	—	A.	
						Washer, profile ...	2	DTD.610		

† For details see Piping Chart

SERVICES—PRESSURISATION FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
2144	Std.1231/3	Lug, locking	1	S.3	C.	4
9867	A.232078	Pipe, frame 18 to valve	1	—		
	A.232079	Pipe, frame 18 to water separator	1	—		NM.1
	A.232076	Pipe, water separator to non-return valve	1	—		NM.1
10151	B.232077	Pipe, non-return valve to cabin feed, group	1	—		NM.1
	B.212654	Pipe, (unlagged), group	1	—		
27V/4813	Teddington Controls FHG/A/49	Element, sensing	1	—	C.	
	F.211739	Plate, backing	1	—		
8993	F.211740	Washer, sealing	1	—	C.	
	B.212656	Pipe, connector pipe to spray pipes, port	1	—		
	B.212658	Pipe, frame 18 to connector pipe, port	1	—		
	B.212870	Pipe, to spray pipes	1	—		
	B.212871	Pipe, to body spray, port	1	—		
	B.212872	Pipe, to body spray, starboard	1	—		
	A.212875	Pipe, feet spray, port	1	—		
	A.212876	Pipe, feet spray, starboard	1	—		
	B.213002	Pipe, to valve, starboard	1	—		
†	B.213254/28	Pipe, drain	1	—		
	A.213428	Pipe, ram air, frame 1C to frame 3	1	—		
	A.213915	Pipe, ram air, frame 3 to frame 6	1	—		
	C.213456/9	Pipe, flexible, frame 14 to hood spray port	1	—		NM.1
	C.213456/10	Pipe, flexible, frame 14 to hood spray, starboard	1	—		NM.1
	C.213456/5	Pipe, flexible, beneath pilots floor, port	1	—		NM.1
	C.213456/11	Pipe, flexible, frame 14 to floor connection, port	1	—		NM.1
	C.213456/12	Pipe, flexible, frame 14 to floor connection, starboard	1	—		NM.1
9666	C.213456/8	Pipe, flexible, beneath pilots floor, starboard	1	—	B.	
	B.215957	Pipe, floor connection to frame 8, port	1	—		
	A.215959	Pipe, floor connection to frame 8, starboard	1	—		
	A.232377	Pipe, junction	1	—		
	B.215958	Pipe, at frame 18, port	1	—		
	B.215960	Pipe, at frame 18, starboard	1	—		
	A.220231	Pipe, supply, to hood spray, port and starboard	2	—		
8999	B.221980	Pipe, front light spray, port	1	—	B.	NM.1
9000	B.221981	Pipe, front light spray, starboard	1	—	B.	NM.1
	B.232075	Pipe, quarter light spray, port	1	—		NM.1
	B.232074	Pipe, quarter light spray, starboard	1	—		NM.1
	C.232244	PIPES, BODY SPRAY AND CONTROLS, ASSEMBLY					—	—		
10113	F.231037	Bracket, stop	2	S.510	MR	NM.1
10114	A.231045	Cable, control, port, group	1	—	MR	NM.1
10115	A.231046	Cable, control, starboard, group	1	—	MR	NM.1
557	F.171912	Nipple	4	BSS.250	C.	NM.1
	F.172899	Pin, taper	4	MS	—	
	Std.1522/2	Sleeve, outer	4	DTD.364 Sect. 3		
	Std.1522/1	Stop, adjusting	4	DTD.364 Sect. 3		
	Std.2046/56/20	Clip, sleeved (AS.860/23)	1	S.510 or S.511		
10120	A.231052	Control, for butterfly valve	2	—	MR	NM.1
10116	A.228600	Duct, exit, port	1	BSS.265	MR	NM.1
10117	A.228601	Duct, exit, starboard	1	BSS.265	MR	NM.1
10118	A.228701	Duct, port	1	L.67	MR	NM.1
10119	A.228702	Duct, starboard	1	L.67	MR	NM.1

SERVICES—PRESSURISATION FRONT FUSELAGE

Ref. No.	Part No.	Description						No. Off	Material Specification	M.R. Class of Store	Plate No.
			1	2	3	4	5				
4871	Thermotank Std.1606/44/A8	Punkah louvre, type A.R.1½ ...						1	—		NM.1
10121	A.231024	Screw ...						6	Brass	C.	5
10122	A.231025	Valve, butterfly, port, group						1	—	MR	NM.1
	A.231026	Valve, butterfly, starboard, group						1	—	MR	NM.1
	A.231027	Casing, port, group						1	—		
	A.231027	Casing, starboard, group						1	—		
10123	F.213411	Ring, sealing						2	DTD.5509B		NM.1
10124	F.205077	Ring, retaining						2	Rubber	C.	NM.1
	F.213406	Flap						1	BSS.265	MR	
	F.231405	Lever						1	S.95.B	MR	
	F.213404	Shaft						1	S.95.B	MR	
10125	F.213407	Spring, port						1	Sp. Stl.	MR	NM.1
10126	F.213408	Spring, starboard						1	Sp. Stl.	MR	NM.1
10127	F.213409	Washer						1	L.72	MR	NM.1
10128	F.213410	Washer						1	L.72	MR	NM.1
	F.232245	Washer						2	½" Langite	MR	
2791	F.187586	Plate, clamp						1	DTD.610	MR/C	NM.2
	A.213823	Rod, connecting						1	S.95.B		
5CZ/4901	Teddington Controls FLJ/A/2	Resistor, follow-up						1	—	B.	
2792	F.187585	Ring, packing						1	Felt	MR/C	NM.2
9003	F.214120	Ring, sealing						2	Rubber	C.	
	AS.5401	Ring, sealing, for pipe joint						6	—		NM.1
	AS.5402	Ring, sealing, for pipe joint						12	—		NM.1
	AS.5403	Ring, sealing, for pipe joint						14	—		NM.1
3932	Dowty GD.1307-3	Seal, bonded						6	—	C.	
1659	Std.1744/10	Sleeve						1	Rubber	C.	5
1715	Std.1744/12	Sleeve						5	Rubber	C.	5
1371	F.182800	Stud						6	S.95.B	C.	NM.2
680	F.185654	Support, pipe						2	LFS.21	C.	NM.1
3808	Std.1509/23/040	Tube, distance, ⅜" o/d x 17 S.W.G. x 40" long (Make from 30B/556)						2	T.4	MR/C	4
	Std.1509/23/050	Tube, distance (AS.830/100)						1	T.4		
669	B.211598	Valve, non-return, group						1	—		
	F.185406	Pin, pivot						1	DTD.364	C.	NM.2
7069	F.212314	Plate, valve						1	—	C.	NM.2
671	F.185336	Spring						1	Bronze	C.	NM.2
	B.211493	Valve, temperature control and actuator, group						1	—		
5W/307	Plessey CZ.54709/10/A	Actuator						1	—	A.	
9004	A.211496	Lever, quadrant, group						1	—	B.	NM.1
2766	A.183331	Block, mounting						1	DTD.364	MR/C	NM.1
1354	F.183338	Bolt, shoulder						1	S.11	C.	NM.7
	A.211497	Lever, quadrant						1	—		NM.1
9151	B.211494	Valve						1	—	B.	NM.1
1372	F.179156	Washer, taper						6	—	C.	NM.2
1373	F.179157	Washer, taper						2	LFS.21	C.	NM.2
	Std.1547/22/12	Washer, radius						4	DTD.610		4
9007	Std.1547/22/18	Washer, radius						11	DTD.610	C.	4
1374	F.174892	Washer, sealing						1	DTD.378A	C.	NM.2

SERVICES—PRESSURISATION FRONT FUSELAGE


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28F/9501	AGS.1142.B	Adaptor, nipple	---	---	---
28F/11777	AGS.1142.K	Adaptor, nipple	---	---	---
28F/10019	AGS.1131.B	Banjo	---	---	---
28D/13868	A25.3.B	Bolt, 4 B.A.	---	---	---
28D/12528	A25.1.B	Bolt, 4 B.A.	---	---	---
28D/12511	A25.2.B	Bolt, 4 B.A.	---	---	---
28D/12622	A25.3.B	Bolt, 4 B.A.	---	---	---
28D/12529	A25.4.B	Bolt, 4 B.A.	---	---	---
28D/12523	A25.5.B	Bolt, 4 B.A.	---	---	---
28D/12530	A25.6.B	Bolt, 4 B.A.	---	---	---
28D/12624	A25.7.B	Bolt, 4 B.A.	---	---	---
28D/12565	A25.8.B	Bolt, 4 B.A.	---	---	---
28D/12626	A25.10.B	Bolt, 4 B.A.	---	---	---
28D/14194	A25.3.C	Bolt, 2 B.A.	---	---	---
28D/12512	A25.1.C	Bolt, 2 B.A.	---	---	---
28D/12513	A25.2.C	Bolt, 2 B.A.	---	---	---
28D/12531	A25.3.C	Bolt, 2 B.A.	---	---	---
28D/12533	A25.5.C	Bolt, 2 B.A.	---	---	---
28D/12566	A25.6.C	Bolt, 2 B.A.	---	---	---
28D/12514	A25.7.C	Bolt, 2 B.A.	---	---	---
28D/12629	A25.8.C	Bolt, 2 B.A.	---	---	---
28D/12534	A25.9.C	Bolt, 2 B.A.	---	---	---
28D/13447	A25.21.C	Bolt, 2 B.A.	---	---	---
28D/12855	A25.27.C	Bolt, 2 B.A.	---	---	---
28D/12520	A25.4.E	Bolt, 1/4" B.S.F.	---	---	---
28D/8307	AS.1242.2.C	Bolt, 2 B.A.	---	---	---
28F/10018	AGS.1135.B	Bolt, banjo	---	---	---
28E/14187	AS.487/12	Clip	---	---	---
28E/8184	AGS.605/2	Clip, hose	---	---	---
28E/14076	AS.3181/24/B	Clip	---	---	---
28E/14336	AS.5419/4	Clip	---	---	---
28F/6353	AGS.952.B	Collar	---	---	---
5K/	SP.40.F14	Grommet	---	---	---
	AS.1285.3C.C	Lead, bonding	---	---	---
5K/3394	AS.3360.B6B	Lead, bonding	---	---	---
5K/3408	AS.3360.B6C	Lead, bonding	---	---	---
28F/10482	AGS.1140.A	Nipple, plug	---	---	---
28F/8212	AGS.1140.B	Nipple, plug	---	---	---
28F/14123	AGS.1170.B	Nipple	---	---	---
28M/12929	A27.CP	Nut, 2 B.A.	---	---	---
28L/12931	A27.ET	Nut, lock, 1/4" B.S.F.	---	---	---
28M/12928	A27.EP	Nut, 1/2" B.S.F.	---	---	---
28F/10491	AGS.1148.A	Nut, lock	---	---	---
28F/9584	AGS.1148.B	Nut, lock	---	---	---
28F/9879	AGS.1148.D	Nut, lock	---	---	---
28M/10286	AGS.2001.A1	Nut, 6 B.A.	---	---	---
28M/10287	AGS.2001.B1	Nut, 4 B.A.	---	---	---
28M/10288	AGS.2001.C1	Nut, 2 B.A.	---	---	---
28M/10327	AGS.2002.B1	Nut, 4 B.A.	---	---	---
28M/10288	AGS.2002.C1	Nut, 2 B.A.	---	---	---
28M/10330	AGS.2002.E1	Nut, 1/2" B.S.F.	---	---	---
28P/816	SP.4.Y.A.6	Pin	---	---	---
28P/5495	SP4.ZB.3	Pin, shackle	---	---	---
28P/12645	SP.9.B4	Pin, split	---	---	---
28P/12587	SP.9.C4	Pin, split	---	---	---
28P/9429619	SP.9.C.5	Pin, split	---	---	---
28P/12431	SP.9.C.6	Pin	---	---	---
28S/14005	A32.B.14	Screw, 4 B.A.	---	---	---

SERVICES—PRESSURISATION FRONT FUSELAGE


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.	
		1	2	3	4	5					
28F/5721	AGS.904.A	Sleeve,	outer	-	-	-
28F/5722	AGS.904.B	Sleeve,	outer	-	-	-
28F/10790	AGS.1114.B	Sleeve	-	-	-
28F/10610	AGS.1118/B	Tee	-	-	-
28F/11268	AGS.1111.B	Union	-	-	-
28F/9533	AGS.1145.B	Union	-	-	-
28F/10510	AGS.1146.A	Union	-	-	-
28F/9737	AGS.1146.B	Union	-	-	-
28F/11274	AGS.1115/2	Washer	-	-	-
28F/9598	AGS.1149.2	Washer-plate	-	-	-
28F/12048	AGS.1186.B	Washer,	sealing...	-	-	-
28W/9625	AGS.568.D	Washer	-	-	-
28W/9419454	SP.10.C	Washer,	2 B.A....	-	-	-
28W/9419474	SP.15.B	Washer,	4 B.A....	-	-	-
28W/9419475	SP.15.C	Washer,	2 B.A....	-	-	-
28W/9419404	SP.16.C	Washer,	2 B.A....	-	-	-


SERVICES—PRESSURISATION FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				









This file was downloaded
from the RTFM Library.
Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

