

SERVICES—FUEL FILTER DE-ICING

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		FUEL FILTER DE-ICING SYSTEM, ASSEMBLY	—	—		
3905	C.204905 F.196092 Auto Prod.	Block, clamp	2	LFS.21	C.	NN.1
27BA/	AVA.64-7B Auto Prod.	Cap, blanking	1	—	C.	
27BA/	AVA.64-7C	Cap, blanking	1	—	C.	
3736	Std.840/17	Clip, support, for branch pipe, frame 32	1	DTD.610	C.	4
2145	Std.841/13	Clip, support, for pipes $\frac{7}{16}$" wide x 22 S.W.G.	1	DTD.610	C.	4
4544	Std.841/18	Clip, support, for pipes $\frac{7}{16}$" wide x 22 S.W.G.	2	DTD.610	C.	4
4821	Std.841/22	Clip, support, for branch pipe, frame 34	1	DTD.610	MR/C	4
	Std.851/44	Clip, support, for pipes $\frac{7}{16}$" wide x 22 S.W.G.	1	DTD.610		
	F.218519	Clip, support, for pipe, at frame 31	1	L.72		
4649	F.193862	Clip, support, for filter	1	S.94	C.	NN.1
6314	Std.1959/5 Auto Prod.	Clip, support, for pipes	2	S.3	MR/C	
27BA/8749	AVA.55B Auto Prod.	Coupling	1	—	C.	
27BA/8750	AVA.55C	Coupling	1	—	C.	
5UE/6245	—	Filter	1	—	C.	
1940	Std.1231/1	Lug, locking	2	S.3	C.	4
	B.207900	MOUNTING FOR SOLENOID VALVE, ASSEMBLY	—	—		
4821	Std.841/22	Clip, at valve attachment	1	DTD.610	MR/C	4
	B.205149	Mounting, valve	1	—		
5CW/5830	C.W.C. Ltd. XD.781	Switch, S.P. centre "off," spring return	1	—	B.	
	F.218976	Packing, at pump	2	L.72		
	Std.1939/3	Packing, for solenoid valve support clip	1	LFS.21		
6243	B.204904/1	Pipe, overflow, tank to coupling	1	T.55 or DTD.743	B.	NN.1
6244	B.204904/2	Pipe, pump drain to atmosphere	1	T.55 or DTD.743	B.	NN.1
6245	B.204904/3	Pipe, pump to solenoid valve	1	T.55 or DTD.743	B.	NN.1
6246	B.204904/4	Pipe, solenoid valve to non return valve	1	T.55 or DTD.743	B.	NN.1
6247	B.204904/5	Pipe, non return valve to fuel delivery pipe connection	1	T.55 or DTD.743	B.	NN.1
6248	B.204904/6	Pipe, filler coupling to adaptor	1	T.55 or DTD.743	B.	NN.1
6249	B.204904/7	Pipe, vent, tank to connection	1	T.55 or DTD.743	B.	NN.1
6250	B.204904/8	Pipe, filter to pump	1	T.55 or DTD.743	B.	NN.1
6251	B.204904/9	Pipe, vent, connection to atmosphere	1	T.55 or DTD.743	B.	NN.1
6252	A.205044	Pipe, branch	1	T.55 or DTD.743	B.	NN.1
5UE/6294	Plessey	Pump, FP3 Mk. 9	1	—	A.	
6253	A.205848	Shield, heat, for non return valve	2	S.95	B.	NN.1

SERVICES—FUEL FILTER DE-ICING


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
6254	B.205142	Strap , tank mounting ($\frac{1}{16}$ " dia. hole in screw omitted)					2	DTD.166	B.	NN.1
6255	C.205140	Tank , group					1	—	B.	NN.1
6256	A.205045	Adaptor					1	—	C.	NN.1
6257	A.205270	Valve , pressure and suction relief, group					1	—	B.	NN.1
2A/9500570	—	Ball , $\frac{3}{8}$ " dia.					1	Steel	B.	
6258	F.205271	Spring					1	Steel	C.	NN.1
6259	F.205269	Spring					1	Steel	C.	NN.1
	Std.1509/23/055	Tube , distance, $\frac{5}{16}$ " o/d × 17 S.W.G. × .55" long (Make from 30B/556)					1	T.4		
	Std.1509/23/072	Tube , distance, $\frac{5}{16}$ " o/d × 17 S.W.G. × .72" long (Make from 30B/556)					4	T.4		
6260	F.204903 Teddington	Union , jet, at fuel delivery pipe					1	—	C.	NN.1
27V/4814	FAW/A/325 Saunders	Valve , solenoid					1	—	A.	
27F/2661	N.1002	Valve , non-return					1	—	A.	

SERVICES—FUEL FILTER DE-ICING


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28D/12528	A25.1B	Bolt,	4	B.A.	—
28D/12622	A.25.3B	Bolt,	4	B.A.	—
28D/12623	A.25.5B	Bolt,	4	B.A.	—
28D/12624	A25.7B	Bolt,	4	B.A.	—
28D/12565	A.25.8B	Bolt,	4	B.A.	—
28D/12512	A.25.1C	Bolt,	2	B.A.	—
28D/12566	A.25.6C	Bolt,	2	B.A.	—
28D/12629	A25.8C	Bolt,	2	B.A.	—
28D/12519	A.25.3E	Bolt,	1/4"	B.S.F.	—
28D/8301	AS.1242/2B	Bolt,	4	B.A.	—
28D/8313	AS.1242/9C	Bolt,	2	B.A.	—
28N/13018	AGS.2031/2	Circlip	—
28M/10288	AGS.2001.C1	Nut,	2	B.A.	—
28M/10327	AGS.2002.B1	Nut,	4	B.A.	—
28M/10328	AGS.2002.C1	Nut,	2	B.A.	—
28R/7973	AGS.165.B	Ring,	locking	—
28Q/5982	AS.161.404	Rivet	—
28S/2796	A31.C40	Screw,	2	B.A.	—
28S/3420	A32.B8	Screw,	4	B.A.	—
28W/9419474	SP.15.B	Washer,	4	B.A.	—
28W/9419475	SP.15.C	Washer,	2	B.A.	—
28W/9419405	SP.15.E	Washer,	1/4"	dia.	—
28F/8215	AGS.1138.B	Washer,	4	B.A.	—
28F/9649	AGS.1138.C	Washer,	2	B.A.	—
28F/9654	AGS.1138.G	Washer,	5/16"	dia.	—

SERVICES—FUEL FILTER DE-ICING

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				



FUEL FILTER DE-ICING SYSTEM



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.



**TELEBRIEF
CONNECTIONS**

E