

UNDERCARRIAGE—MAIN FAIRING

Ref. No.	Part No.	Description	1 2 3 4 5					No. Off	Material Specification	M.R. Class of Store	Plate No.
			1	2	3	4	5				
	D.187500-1	<b>FAIRING, MAIN UNDERCARRIAGE, ASSEMBLY</b>						—			
4219	F.191499	<b>Bolt</b> , banjo, for greaser pipe ... ..						2	—	C.	RB.1
7016‡	E.214862	<b>Door</b> , wheel, port group (with trimming allowance)						1	—	A.	RB.2
7017‡	E.214863	<b>Door</b> , wheel, starboard group (with trimming allowance)						1	—	A.	RB.2
484	F.187537	<b>Bolt</b> , attachment jack anchorage shackle ... ..						2	S.95.B	C.	RB.2
4669	F.201476	<b>Bolt</b> , front and aft lock pin fittings ... ..						16	S.99.B	C.	RB.2
8394	A.211328	<b>Fitting</b> , pin, aft lock, port						1	DTD.473	C.	RB.2
8395	A.211329	<b>Fitting</b> , pin, aft lock, starboard						1	DTD.473	C.	RB.2
8392	A.211326	<b>Fitting</b> , pin, front lock, port						1	DTD.473	C.	RB.2
8393	A.211327	<b>Fitting</b> , pin, front lock, starboard						1	DTD.473	C.	RB.2
491	C.178792	<b>Hinge</b> , door, port ... ..						1	—	C.	RB.2
492	C.178793	<b>Hinge</b> , door, starboard ... ..						1	—	C.	RB.2
7018	A.212601	<b>Lever</b> , group ... ..						2	—	B.	RB.2
5772	F.202798	<b>Bush</b> ... ..						1	BSS.250	MR/C	RB.2
	Std.1221/Y/D85	<b>Pin</b> ... ..						1	S.2		4
5773	F.201688	<b>Roller</b> ... ..						1	DTD.504	MR/C	RB.2
8213	F.212691	<b>Roller</b> ... ..						1	L.65.C	MR/C	RB.2
7885	F.214842	<b>Plate</b> , locking (Mod. 479) ... ..						2	L.72	C.	RB.2
493	A.187533	<b>Shackle</b> , jack anchorage, port ... ..						1	—	C.	RB.2
494	A.187534	<b>Shackle</b> , jack anchorage, starboard ... ..						1	—	C.	RB.2
495	F.187535	<b>Shim</b> , at aft lock pin fitting (Max. 4)						QR	DTD.610	C.	RB.2
496	F.187536	<b>Shim</b> , at front lock pin fitting (Max. 4)						QR	DTD.610	C.	RB.2
7824	F.206293	<b>Shim</b> , taper at aft lock pin fitting (Max. 1)						QR	L.72	C.	
7882	F.206294	<b>Shim</b> , taper front lock pin fitting (Max. 1)						QR	L.72	C.	
8396	F.211330	<b>Shim</b> , at front lock pin fitting						QR	Shim Steel	C.	
8397	F.211331	<b>Shim</b> , at front lock pin fitting						QR	Shim Steel	C.	
8398	F.211332	<b>Shim</b> , at front lock pin fitting						QR	Shim Steel	C.	
8399	F.211333	<b>Shim</b> , at aft lock pin fitting						QR	Shim Steel	C.	
8400	F.211334	<b>Shim</b> , at aft lock pin fitting						QR	Shim Steel	C.	
8401	F.211335	<b>Shim</b> , at aft lock pin fitting						QR	Shim Steel	C.	
5775	F.201687	<b>Tube</b> , distance, at lever attachment ... ..						2	S.95.B	MR/C	
4560	Std.914/J/20	<b>Washer</b> , for pin through channel ... ..						2	S.1	C	
343	E.187463	<b>Fairing</b> , leg, port, group ... ..						1	—	A.	RB.1
344	E.187464	<b>Fairing</b> , leg, starboard, group ... ..						1	—	A.	RB.1
497	A.187467	<b>Panel</b> , access to locking pin attachment bolts ...						2	DTD.610	C.	RB.1
498	A.170012	<b>Pin</b> attachment of fairing links ... ..						2	S.1	C.	RB.1
6101	A.208253	<b>Pin</b> , locking, port ... ..						1	—	C.	RB.1
6102	A.208254	<b>Pin</b> , locking, starboard ... ..						1	—	C.	RB.1
3927	Std.1208/75/32/70	<b>Shim</b> , at attachment of fairing ... ..						8	St. Steel	C.	4
1534	F.187496	<b>Washer</b> , serrated, for lock pin ... ..						2	S.3	C.	RB.1
8169‡	D.215617	<b>Fairing</b> , wheel, port, group (with trimming allowance) (Mod. 197)						1	—	A.	RB.2
8170‡	D.215618	<b>Fairing</b> , wheel, starboard, group (with trimming allowance) (Mod. 197)						1	—	A.	RB.2
	D.187155	<b>DETAILS OF FAIRING, ASSEMBLY</b> ...						—	—		
503	F.151366	<b>Bolt</b> , fairing attachment to undercarriage leg bracket						8	S.1	C.	RB.2
505	F.187218	<b>Nut</b> , clamp, fairing attachment to undercarriage leg, bracket						8	S.92.B	C.	RB.2
4671	B.203598	<b>Panel</b> , access, to brakes ... ..						2	L.72	C.	RB.2

UNDERCARRIAGE—MAIN FAIRING


Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
509	F.151365	Plate, clamp, fairing attachment to undercarriage leg bracket	8	S.1	C.	RB.2
510	A.173027	Plate, fixing, fairing attachment to undercarriage leg bracket	8	S.92.B	C.	RB.2
511	F.151368	Sleeve, adjusting, fairing attachment to undercarriage leg bracket	8	S.2	C.	RB.2
512	F.151367	Washer, fairing attachment to undercarriage leg bracket	8	L.16	C.	RB.2
6168	Hellermann 2553	Grommet	2	—	C.	
506	A.187178	Panel, access to bleeder screw	2	DTD.610	C.	RB.2
507	A.187180	Panel, access to jacking plug, port	1	DTD.610	C.	RB.2
508	A.187181	Panel, access to jacking plug, starboard	1	DTD.610	C.	RB.2
341	D.186870	Flap, fairing, port, group (with trimming allowance)	1	—	B.	RB.1
342	D.186871	Flap, fairing, starboard, group (with trimming allowance)	1	—	B.	RB.1
513	F.187237	Bolt, attachment of link to bracket	2	S.95.B	C.	RB.1
514	A.186873	Bracket, link	2	DTD.162	C.	RB.1
515	A.187118	Hinge, front port, rear starboard	2	—	C.	RB.1
516	A.187119	Hinge, front starboard, rear port	2	—	C.	RB.1
	B.182128	Hinge, flap and leg fairing, port, group	1	—		
	B.182129	Hinge, flap and leg fairing, starboard, group	1	—		
3985	A.197874	Bracket, hinge, front, leg fairing, port	1	Stamping	C.	RB.1
3986	A.197875	Bracket, hinge, front, leg fairing, starboard	1	Stamping	C.	RB.1
3987	A.197876	Bracket, hinge, rear, leg fairing, port	1	Stamping	C.	RB.1
3988	A.197877	Bracket, hinge, rear, leg fairing, starboard	1	Stamping	C.	RB.1
9135	B.182107	Hinge, flap, port	1	—	MR/C	RB.1
6957	B.182108	Hinge, flap, starboard	1	—	C.	RB.1
549	F.182111	Link, flap, hinge, forward, port	2	S.2	C.	RB.1
550	F.182112	Link, flap, hinge, forward, starboard	2	S.2	C.	RB.1
6171	F.202596	Link, hinge, rear, port and starboard	4	Casting or S.96.B	C.	RB.1
551	F.189654	Pin, flap, hinge, front, 3/16" dia. x 3-80" long	2	St. Stl.	C.	RB.1
552	F.189655	Pin, flap, hinge, rear, 3/16" dia. x 3-35" long	2	St. Stl.	C.	RB.1
6172	F.207897	Shim, for hinge bracket	4	Lam. Alum.	C.	
517	A.187321	Link, undercarriage fairing flap, group	2	—	C.	RB.1
518	F.151348	Bolt, lubricating	1	S.94.B	C.	RB.1
519	F.187323	Shackle	1	S.1	C.	RB.1
520	B.187328	Link, leg fairing, group	4	—	C.	RB.1
	A.187325	Bearing, rod end	1	—		
	A.187326	Bearing, rod end	1	—		
	A.187327	Rod, connecting...	1	—		
521	F.187324	Pin, hinge, fairing flap	2	S.3	C.	RB.1
522	F.171532	Pin, hinge, leg fairing	4	S.95.B	C.	RB.1
8299	A.206280	Pipe, greaser, port (Mod. 197)	1	—	C.	RB.1
8300	A.206281	Pipe, greaser, starboard (Mod. 197)	1	—	C.	RB.1
3983	F.197954	Plate, fairing flap hinge pin retaining	2	DTD.610	C.	RB.1
3984	F.197955	Plate, fairing flap pin retaining	2	DTD.610	C.	RB.1
27Q/12001	Dowty	Seal, for greaser pipe banjo	4	—	C.	
	S.P.815/3					
4222	Std.915/U/18	Washer, for greaser pipe...	2	DTD.610	C.	4


UNDERCARRIAGE—MAIN FAIRING


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
<b>SUMMARY OF STOCK ITEMS</b>										
28N/	AGS.636/2	<b>Ball</b>	...	...	...	...	...	—	—	—
28D/12528	A25.1B	<b>Bolt, 4 B.A.</b>	...	...	...	...	...	—	—	—
28D/12514	A25.7C	<b>Bolt, 2 B.A.</b>	...	...	...	...	...	—	—	—
28D/12629	A.25.8C	<b>Bolt, 2 B.A.</b>	...	...	...	...	...	—	—	—
28D/8307	AS.1242/2C	<b>Bolt, 2 B.A.</b>	...	...	...	...	...	—	—	—
28D/8308	AS.1242/3C	<b>Bolt, 2 B.A.</b>	...	...	...	...	...	—	—	—
28D/8310	AS.1242/6C	<b>Bolt, 2 B.A.</b>	...	...	...	...	...	—	—	—
28D/8311	AS.1242/7C	<b>Bolt, 2 B.A.</b>	...	...	...	...	...	—	—	—
28D/8312	AS.1242/8C	<b>Bolt, 2 B.A.</b>	...	...	...	...	...	—	—	—
28D/11439	AS.1242/16G	<b>Bolt, <math>\frac{5}{16}</math>" B.S.F.</b>	...	...	...	...	...	—	—	—
28M/8101	AGS.572.C	<b>Nut</b>	...	...	...	...	...	—	—	—
28L/5240	A.14.JB	<b>Nut, <math>\frac{3}{8}</math>" B.S.F.</b>	...	...	...	...	...	—	—	—
28L/5227	A.14.JBL	<b>Nut, <math>\frac{3}{8}</math>" B.S.F.</b>	...	...	...	...	...	—	—	—
28L/753	A.16.YCT	<b>Nut, 2 B.A.</b>	...	...	...	...	...	—	—	—
28M/770	A.16.YGS	<b>Nut, <math>\frac{5}{16}</math>" B.S.F.</b>	...	...	...	...	...	—	—	—
28L/13124	A.27.CT	<b>Nut, 2 B.A.</b>	...	...	...	...	...	—	—	—
28M/12930	A.27.ES	<b>Nut, <math>\frac{1}{4}</math>" B.S.F.</b>	...	...	...	...	...	—	—	—
28M/13122	A.27.GS	<b>Nut, <math>\frac{5}{16}</math>" B.S.F.</b>	...	...	...	...	...	—	—	—
28M/10288	AGS.2001/C1	<b>Nut, 2 B.A.</b>	...	...	...	...	...	—	—	—
28N/9796	SP.21	<b>Nipple, lubricating</b>	...	...	...	...	...	—	—	—
28P/837	SP.4Y.B11	<b>Pin</b>	...	...	...	...	...	—	—	—
28P/838	SP.4Y.B12	<b>Pin</b>	...	...	...	...	...	—	—	—
28P/1087	SP.4Y.G20	<b>Pin</b>	...	...	...	...	...	—	—	—
28W/9419475	SP.15C	<b>Washer, 2 B.A.</b>	...	...	...	...	...	—	—	—
28W/9419405	SP.15E	<b>Washer, <math>\frac{1}{4}</math>" dia.</b>	...	...	...	...	...	—	—	—
28W/9419476	SP.15G	<b>Washer, <math>\frac{3}{16}</math>" dia.</b>	...	...	...	...	...	—	—	—
28W/9419404	SP.16C	<b>Washer, 2 B.A....</b>	...	...	...	...	...	—	—	—
28L/13772	SP.41G	<b>Washer, tab</b>	...	...	...	...	...	—	—	—


UNDERCARRIAGE—MAIN FAIRING

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				









This file was downloaded  
from the RTFM Library.

Link: [www.scottbouch.com/rtfm](http://www.scottbouch.com/rtfm)

Please see site for usage terms,  
and more aircraft documents.

