


UNDERCARRIAGE—NOSE WHEEL DOOR OPERATING GEAR


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	B.208488	NOSE-WHEEL DOOR OPERATING GEAR, ASSEMBLY					—	—		
1531	F.152672	Bolt , jack attachment to frame 3					1	S.2	C	RE.1
1533	F.156330	Bolt , jack attachment to lever					1	S.2	C.	RE.1
8975	F.216171	Bracket , for cross shaft, port, group					1	—	C.	RE.1
	F.216173	Bush					1	BSS.369	MR	RE.1
8976	F.216172	Bracket , for cross shaft, starboard, group					1	—	C.	RE.1
	F.216173	Bush					1	BSS.369		RE.1
27Q/	Dowty O7584Y-AO2	Jack , door					1	—	A.	
8977	A.218521	Rod , connecting, group					2	—	B.	RE.1
28R/15720	AGS.589/3/PB	Ball					2	—	C.	
5859	F.208205	Locknut , L.H.					1	S.1	C.	RE.1
5860	F.208206	Locknut , R.H.					1	S.1	C.	RE.1
5862	F.204656	Pin					1	S.95 or S.95B	C.	RE.1
5863	F.204657	Pin					1	S.96B or S.95B	C.	RE.1
28P/12349	SP.9.C5	Pin , split					2	—	C.	
8103	A.218085	Rod , end, complete					1	S.1	C.	RE.1
8102	F.218084	Turnbuckle					1	S.1	C.	RE.1
8104	F.218070	Washer , locking					1	S.1	C.	RE.1
28L/12248	SP.42.C	Washer , tab					2	S.3	C.	
8124	B.215854	Shaft and lever , group					1	—	B.	RE.1
124	Std.532/15	Ferrule					8	S.95B or S.96B	C.	4
125	A.178907	Lever , for door connection					1	Stamping 1699	C.	RE.1
126	A.178908	Lever , for door and jack					1	Stamping 1700	C.	RE.1
	A.178909	Shaft					1	T.50		
	F.168113	Spigot					2	S.1		
	Std.1208/105/56/10	Shim , between bush and cross shaft bracket (Max. 0-03)					QR			

UNDERCARRIAGE-NOSE WHEEL DOOR OPERATING GEAR

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.	
		1	2	3	4	5					
SUMMARY OF STOCK ITEMS											
28D/12515	A25 10.C	Bolt, 2 B.A.	-	—	—
28D/12536	A25.13.C	Bolt, 2 B.A.	-	—	—
28D/12539	A25.16.C	Bolt, 2 B.A.	-	—	—
28N/9796	SP.21	Nipple, lubricating	-	—	—
28M/12929	A27.CP	Nut, 2 B.A.	-	—	—
28M/12930	A27.ES	Nut, 1/4" B.S.F.	-	—	—
28P/12462	SP.9.C8	Pin, split	-	—	—
28W/9419454	SP.10.C	Washer, 2 B.A....	-	—	—
28W/9419475	SP.15.C	Washer, 2 B.A....	-	—	—
28W/9419405	SP.15.E	Washer, 1/4" dia.	-	—	—
28W/9419404	SP.16.C	Washer, 2 B.A....	-	—	—



NOSE UNDERCARRIAGE





This file was downloaded from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms, and more aircraft documents.

