

ARMAMENT - GUN INSTALLATION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	E.207768	GUN INSTALLATION, ASSEMBLY ... ..	-	-		
7R/3	-	Barrel, gun, Mk. 1 (For low velocity ammunition) (Alternative to 7R/308)	2	-	A.	
7R/308	-	Barrel, gun, Mk. 2 (For high velocity ammunition) (Alternative to 7R/3)	2	-	A.	
10192	F.235620	Bolt, special for eccentric bridge piece ...	2	S.95A or S.95B	C.	
	F.245074	Bolt, special for blast deflectors ... ..	6	-	C.	
	F.227967	Bolt, special, for blast deflectors (Make from AS.2920/2C)	30	-		
10187	F.232313	Bolt, at gun front fairings ... ..	8	S.80.B		
	E.208826	Box, ammunition, group ... ..	1	-	A.	CA.1
	F.210668	Angle, slotted, port, for link chute attachment	1	-	C.	
9475	F.210669	Angle, slotted, starboard, for link chute attachment	1	-	C.	CA.1
9477	F.210695	Bolt, special, for link chute attachment	2	S.94.B	C.	CA.1
	C.208844	Chute, internal feed, port ... ..	1	DTD.171	C.	CA.1
9478	C.208845	Chute, internal feed, starboard ... ..	1	DTD.171	C.	CA.1
9479	C.210712	Chute, link, top portion ... ..	2	-	C.	CA.1
9480	F.210696	Ferrule, for link chute attachment ...	4	B.8	C.	CA.1
	F.228997	Lid, ammunition box, port, group ..	1	-		CA.1
	F.228998	Lid, ammunition box, starboard, group ...	1	-		CA.1
	B.208968	Bolt, pinch, group ... ..	1	-		
808	F.176633	Knob, bolt ... ..	2	S.94.B	C.	CA.2
809	F.176635	Spring ... ..	1	Sp. St.	C.	CA.2
	A.208966	Fitting, hinge ... ..	2	L.65.C	MR	
792	F.183848	Fitting, hook ... ..	2	S.94.B	C.	
	D.208835/9	Strip, sealing, 1/16" thick ... ..	2	Felt RS.7	MR	
	D.208835/10	Strip, sealing, 1/16" thick ... ..	1	Felt RS.7	MR	
	D.208835/12	Strip, sealing, 1/16" thick ... ..	1	Felt RS.7	MR	
	D.208835/13	Strip, sealing, 1/16" thick ... ..	2	Felt RS.7	MR	
	Std.1509/23/018	Tube, distance, 5/16" o/d x 17 S.W.G. x 0.18" long	4	T.4		4
3996	Std.1547/20/16	Washer, packing ... ..	16	DTD.364	MR/C	4
28FP/798	Aviation Development 5134/510	Pin, pip ... ..	2	-	C.	
9483	F.222734	Pin, sling ... ..	2	-	C.	
	A.213653	Roller, group ... ..	1	-		
795	F.175253	Roller ... ..	1	LFB.82	C.	
3789	Std.1509/24/076	Tube, distance, 3/8" o/d x 17 S.W.G. x 0.76" long	1	T.4	MR/C	4
3953	Std.915/E/22	Washer, for roller attachment ... ..	1	DTD.610	MR/C	4
1548	A.188823	Roller, internal feed ... ..	2	-	C.	CA.1
9486	B.208846	Sling, group ... ..	2	-	C.	CA.1
	B.208846/4	Spindle ... ..	2	T.26		
	Std.1507/24/100	Tube, distance, 3/8" o/d x 17 S.W.G. x 1.0" long (Make from 30B/557)	4	T.4		4
	F.215382	Spigot ... ..	2	L.65.C		
9487	F.208877	Spindle, for roller ... ..	2	T.26	C.	CA.1
	Std.1509/5/838	Tube, distance, at bottom bearings, 7/16" o/d x 22 S.W.G. x 8.38" long (Make from 30B/636)	2	T.4		4
	C.208836	Wall, front, group ... ..	1	-		
	B.209025	Angle, support, front, group ... ..	1	-		
	F.209031	Bearing, for pin ... ..	2	BSS.369	MR	
	F.209032	Pin, group ... ..	2	-	MR	
	F.209042	Handle ... ..	1	S.1.B		
	F.209041	Nut ... ..	1	S.1.B		
	F.209040	Pin ... ..	1	S.80		
	F.210257	Bearing, for pin ... ..	2	-	MR	
	F.210566	Bearing, at bottom of wall ... ..	2	BSS.369	MR	

RESTRICTED

## ARMAMENT - GUN INSTALLATION

Hunter Two Seater  
Issued with A/L No.3

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R.	Plate No.	
					Class of Store		
		1	2	3	4	5	
795 3789	A.209024	Roller, group	2		MR		
	F.175253	Roller	2	LFB.82	C	CA.1	
3953	Std.1509/23/ 076	Tube, distance, 3/4" o/d x 17 S.W.G. x 0.76" long (Make from 30B/557)	2	T.4	MR/C	4	
	Std.915/E/22	Washer, for roller attachment	2	DTD.610	MR/C	4	
10045	C.208837	Wall, rear, group	1				
	B.209388	Angle, support, rear, group	1				
	F.215650	Bush, guide	1	BSS.369	MR		
	F.215651	Bush, guide	1	BSS.369	MR		
	F.215658	Nut, special, for bush	2	S.95.B	MR		
	F.210257	Bearing, for pin	2				
	F.220575	Bearing, at bottom of wall	2	BSS.369	MR		
	C.229264	Wall, side, port, group	1				
	C.229265	Wall, side, starboard, group	1				
	A.213343	Bracket, port, group	1				
	A.213344	Bracket, starboard, group	1				
	F.213342	Roller	2	LFB.82 or 89			
3953	Std.1509/24/ 036	Tube, distance, 3/4" o/d x 17 S.W.G x 0.36" long	2	T.4	MR/C	4	
	Std.915/E/22	Washer, for roller attachment	2	DTD.610	MR/C	4	
	A.210845/2	Channel, for sealing strip (Make from Std.778/22)	2				
10188	A.210845	Seal, port, group	1				
	A.210846	Seal, starboard, group	1				
	A.210845/3	Strip, sealing (Make from Std.2088/2)	2	Rubber	C	4	
Std.1509/2/030	Tube, distance	6	T.4				
10189	A.232316	Bush, eccentric, inner, at blast deflectors	2	S.61.B or S.62.B			
10189	A.232317	Bush, eccentric, outer, at blast deflectors	2	S.61.B or S.62.B			
8796	B.212510	Chute, empty case, forward portion, port, group	1		B	CA.1	
8796	B.212511	Chute, empty case, forward portion, starboard group	1		B	CA.1	
6630	F.206709	Catch, spring, group	6		C	CA.1	
10190	F.232314	Clip, half, at eccentric bush	4				
10253	E.230324	Deflector, blast, port	1				
	E.230325	Deflector, blast, starboard	1				
5W/329 4768 1486 1487 8826 1492 8827 2147	D.229967	Door, access	1			CA.2	
	C.213844	Actuator & Ventilation gear assembly	1				
	CZ.72257	Actuator, Jaguar	1		A		
	Std.841/14	Clip, hinge pin	1	DTD.610	MR/C		
	# F.191862	Lever, actuator shaft	1	Stamping	C	CA.2	
	# F.191861	Lever, door	1	Stamping	C	CA.2	
	F.216294	Link, door lever (Local Manufacture)	2	L.72		CA.2	
	F.218778	Pin, hinge	1	S.96.B	C	CA.2	
	# F.191863	Shaft, actuator	1	T.45	C	CA.2	
	C.213659	Scoop	1		C	CA.2	
	Std.915/C20	Washer, at attachment bracket	1	DTD.610	C	4	
	A.213330	Bracket, bearing, group	1			CA.2	
F.191727	Bush	2	B.8	C	CA.2		
D.213726	Duct, gun, installation	1					
F.213336	Landing, port	1	L.72				
F.213337	Landing, starboard	1	L.72				
B.213329	Mounting, actuator, group	1					
1490	A.191729	Bearing, group	2		B	CA.2	
1482	F.191727	Bush	1	B.8	C	CA.2	
3	Std.1509/23/050	Tube, distance	2	T.4		4	
	B.213328	Plate, mounting	1				
	R.230576	Fairing, gun, front portion, port	1		A	CA.2	
	B.230577	Fairing, gun, front portion, starboard	1		A	CA.2	
	E.230595	Fairing, gun, centre portion, port	1		A	CA.2	
	E.230596	Fairing, gun, centre portion, starboard	1		A	CA.2	
	9809	K.A.C. 7810	Fastener, custodian stud, lower body	2			CA.1

RESTRICTED

**RESTRICTED**

**ARMAMENT - GUN INSTALLATION**

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
8800	C.209004	Former " B ", port, group ... ..	1	-		
	C.209005	Former " B ", starboard, group ... ..	1	-		
	A.209063	Fitting, spigot, inboard, port, group	1	-	C.	
	A.209064	Fitting, spigot, inboard, starboard, group	1	-	C.	CA.2
8801	F.209065	Spigot ... ..	2	S.95.B		
	A.209059	Fitting, spigot, outboard, port, group	1	-	C.	
	A.209060	Fitting, spigot, outboard, starboard	1	-	MR/C	CA.2
4827	A.209065	Spigot ... ..	2	S.95.B		
	Std.1509/23/080	Tube, distance, 5/16" o/d x 17 S.W.G. x 0.8" long (Make from 30B/556)	6	T.4	MR/C	4
8802	C.209033	Former " D ", port, group ... ..	1	-		
	C.209034	Former " D ", starboard, group ... ..	1	-		
	A.209061	Fitting, spigot, inboard, port, group	1	-	C.	
	A.209062	Fitting, spigot, inboard, starboard, group	1	-	C.	
8801	F.209065	Spigot ... ..	2	S.95.B		
	A.209059	Fitting, spigot, outboard, port, group	1	-	C.	
	A.209060	Fitting, spigot, outboard, starboard,	1	-	MR/C	CA.2
4827	F.209065	Spigot ... ..	2	S.95.B		
	Std.1509/23/080	Tube, distance, 5/16" o/d x 17 S.W.G. x 0.8" long (Make from 30B/556)	14	T.4	MR/C	4
8803 #	F.209440	Housing, fastener ... ..	1	L.65.C and L.72	MR/C	CA.1
6656 26VA/ 6046969	F.214732	Plate, joint, at stud fastener, port ...	1	L.72		
	F.214733	Plate, joint, at stud fastener, starboard	1	L.72		
	E.230595/27	Strip, sealing attachment, inboard, port	1	L.72		
	E.230596/27	Strip, sealing attachment, inboard, starboard	1	L.72		
	E.230595/28	Strip, sealing attachment, outboard, port	1	L.72		
6656 26VA/ 6046969	Std.2088/2 or Std.2338/2	Strip, sealing, inboard, starboard ... (For the manufacture of E.230596/29)	2ft.	Rubber	C.	
	Std.2088/2 or Std.2338/2	Strip, sealing, outboard, starboard ... (For the manufacture of E.230596/30)	4ft.	Rubber	C.	
8804	E.210791	Feed neck, port, group (Supplied less panel)	1	-		CA.2
	E.210792	Feed neck, starboard, group (Supplied less panel)	1	-	A.	CA.2
8805	E.210791/14	Panel, access, port, group ... ..	1	-		CA.2
	E.210792/8	Panel, access, starboard, group ... .. Consisting of:-	1	-	B.	CA.2
807 808	E.210791/6	Angle ... ..	1	DTD.171		
	E.210791/12	Angle ... ..	2	DTD.171		
	E.210792/6	Angle ... ..	1	DTD.171		
808	F.185768	Bolt ... ..	2	S.94.B	C.	CA.2
	F.176633	Knob ... ..	2	S.94.B	C.	CA.2
809	E.210791/7	Panel, port ... ..	1	DTD.171		
	E.210792/7	Panel, starboard ... ..	1	DTD.171		
	F.176635	Spring ... ..	1	Sp. St.	C.	CA.2
28FP/881	F.185766	Tongue ... ..	2	-		
	F.185767	Tube ... ..	1	-		
	Aviation Dev. 5134/421	Pin, pip ... ..	1	-	C.	

ARMAMENT - GUN INSTALLATION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
7R/407	-	Gun, "Aden", 30 m/m, Mk.4 (R.H.), port, less barrel	1	-	A.	
7R/406	-	Gun, "Aden", 30 m/m, Mk.4 (L.H.), starboard, less barrel	1	-	A.	
8798	D.212602	Lid, collector tank, group ... ..	2	-	B.	CA.1
	B.212605	Bolt, pinch, group ... ..	1	-		
808	F.176633	Knob ... ..	2	S.95.B	C.	
	F.212634	Spring ... ..	1	Sp. St.		
	F.212604	Fitting, hinge ... ..	2	L.65.C		
	F.212603	Fitting, hook ... ..	2	L.65.C		
	D.212602/7	Strip, sealing, 3/32" thick ... ..	2	Rubber		
	D.212602/8	Strip, sealing, 3/32" thick ... ..	2	Rubber		
	B.210870	Link-chute, port, group ... ..	1	-		CA.2
8806	B.210871	Link-chute, starboard, group ... ..	1	-	B.	CA.2
8807	B.210869	Door, link-chute, group ... ..	1	-	E.	CA.2
	A.210863	Bolt, pinch, group ... ..	1	-		
808	F.176633	Knob ... ..	2	S.95.B	C.	CA.2
	F.210866	Spring ... ..	1	Sp. St.		
	B.210722	Link-chute, port, bottom portion ... ..	1	-		CA.2
8808	B.210722	Link-chute, starboard, bottom portion ... ..	1	-	B.	CA.2
8809	C.210803	Link-chute, centre portion, group ... ..	1	-	B.	CA.2
	A.216499	Bolt, pinch, group ... ..	1	-		
808	F.176633	Knob ... ..	2	S.95.B	C.	CA.2
	F.210866	Spring ... ..	1	Sp. St.		
	B.210870/1	Pin, hinge ... ..	1	S.1.B.		
	F.220587	Wasner, special ... ..	2	L.65.C or L.52		
	D.229964	MOUNTINGS, GUN, PORT, ASSEMBLY ... ..	-	-		
	D.229965	MOUNTINGS, GUN, STARBOARD, ASSEMBLY ... ..	-	-		
	D.229257	Attachments to Aden Gun, port, group ... ..	1 set	-		CA.4
	D.229258	Attachments to Aden Gun, starboard, group ... ..	1 set	-		CA.4
	A.214834	Adaptor ... ..	1	-		CA.4
7R/641	Dunlop	Adaptor, cocking(Alternative F.230941)	1	-	C.	CA.4
	ACO.26079					
7R/	F.230941	Adaptor, cocking(Alternative to ACO.26079)	1	-	C.	
768	F.187866	Bar, locking, link-chute attachment ... ..	2	S.94.B	C.	CA.4
770	F.175964	Bolt, special, attaching gun mounting brackets	5	S.94.B	C.	CA.4
769	F.177014	Bolt, special, feed neck ... ..	3	S.94.B	C.	CA.4
	A.228887	Bracket, feed neck attachment, port ... ..	3	S.94.B	C.	CA.4
9936	A.226007	Bracket, feed neck attachment, starboard	1	S.510	C.	CA.4
	C.208405	Bracket, gun mounting, port ... ..	1	-		CA.4
9749	C.208404	Bracket, gun mounting, starboard ... ..	1	Stamping	C.	
	B.225323	Cradle, contact	2	-		
780	F.187874	Head, slotted, link chute ... ..	1	S.94.B	C.	CA.4
781	F.187868	Lever, link-chute attachment ... ..	1	-	C.	CA.4
782	F.187873	Pad, locking, link-chute attachment ... ..	1	Steel	C.	CA.4
7R/436	Dunlop	Plate, attachment, at cocking adaptor	1	-	B.	
	ACO.7739					
	F.229182	Plate, locking, feed neck attachment, port	1	S.510	C.	
9938	F.226005	Plate, locking, feed neck attachment, starboard	1	S.510	C.	CA.4

ARMAMENT - GUN INSTALLATION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
783	A.187870	Plate, locking, link-chute attachment, port	1	S.80	C.	
784	A.187871	Plate, locking, link-chute attachment, starboard	1	S.80	C.	CA.4
7R/437	Dunlop ACO.7738	Seal, at cocking adaptor ... ..	1	Rubber	C.	CA.4
785	F.183105	Shim, laminated, gun mounting ...	1	Brass	C.	CA.4
5780	F.206705	Spring, link-chute attachment ...	1	DTD.215	C.	CA.4
5F/9454141	NY.18007A	Strapping ... ..	AR	-	C.	
5F/9138822	NY.3342	Stud ... ..	AR	-	C.	
	C.225322	Unit, electric firing	2	-		
787	F.184270	Washer, locking, gun mounting ...	2	S.3	C.	CA.4
	F.230766	Bearing, barrel support, group ...	1	-		CA.3
6975	A.213709	Bolt, attachment, eccentric to universal link	1	S.97.B	C.	CA.3
816	B.183106	Bush, spherical, front gun mounting ...	1	Stamping	C.	CA.3
6781	B.214161	Eccentric, port, group ... ..	1	-	B.	CA.3
6782	B.214162	Eccentric, starboard, group ... ..	1	-	B.	CA.3
8814	F.208083	Ferrule, at barrel support ... ..	2	S.95.B	C.	CA.3
8815	B.208567	Link, rear gun mounting ... ..	1	S.97.B	C.	CA.3
8816	B.208507	Link, universal, rear gun mounting ...	1	Stamping	C.	CA.3
7R/556		Nut, cradle, Mk.2 ... ..	1	-	C.	
8817	B.208932	Pin, group ... ..	1	-	C.	CA.3
	F.212243	Bolt ... ..	1	S.95.B		
	F.211790	Handle ... ..	1	L.65.C		
	F.211788	Pin ... ..	1	S.96.B		
	F.211791	Screw, special ... ..	1	S.1		
	F.211549	Spring ... ..	1	Sp. St.		
	F.211789	Stop ... ..	1	-		
3791	Std.1509/2/026	Tube, distance, 1/4" o/d x 22 S.W.G. x 0.26" long. (Make from 30B/555)	1	T.4	MR/C	4
8818	F.212929	Plate, locating, at front mounting ...	1	DTD.166	C.	CA.3
817	B.172423	Ring, retaining special bush, at front mounting	1	Stamping	C.	CA.3
851	A.190699	Ring, retaining, at barrel support ...	1	S.95.B	C.	CA.3
8819	# A.208930	Screw, traverse, rear mounting ... ..	1	S.99.B	C.	CA.3
8820	F.208931	Sleeve, locating, rear mounting ... ..	1	S.1.B.	C.	CA.3
826	F.180624	Sleeve, locking, rear mounting ... ..	1	S.97.B	C.	CA.3
8821	F.208099	Stud, at barrel support ... ..	2	S.97.B	C.	CA.3
	A.208082	Support, barrel ... ..	1	L.65.C		CA.3
	Std.1507/23/020	Tube, distance, 5/16" o/d x 17 S.W.G. x 0.2" long (Make from 30A/975)	2	T.26		4
8822	F.208898	Washer, grooved, at barrel support ...	2	S.95.B	C.	CA.3
	F.208085	Washer, at barrel support(Local manufacture)	2	L.16		CA.3
8823	F.208419	Washer, locking, at front mounting ...	1	S.1.B.	C.	CA.3
8824	F.208084	Washer, special, at barrel support ...	2	S.95.B	C.	CA.3
10193	F.235737	Nut, special for bridge piece bolt ...	2	S.80	C.	
	E.209610	Panel, armament access, group ... ..	1	-	A.	CA.1
	F.214505	Bush, armament access, group ... ..	1	-		
9858	K.A.C. C.5331	Fastener, stud ... ..	2	-	C.	
	E.209610/11	Seal, 1" thick x 0.55" wide x 12.0" long	2	Neoprene Sponge		
	E.209610/12	Seal, 1/4" thick x 0.55" wide x 7.25" long	2	Neoprene Sponge		
	E.209610/13	Seal, 3/8" thick x 1 1/8" wide x 1'0" long	4	Neoprene Sponge		

RESTRICTED

## ARMAMENT - GUN INSTALLATION

Hunter Two Seater

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R.	Plate No.
					Class of Store	
		1	2	3	4	5
808	G.207964	Panel, armament and radio access, port, group	1			CA.1
	A.233424	Panel, armament and radio bay access, starboard, group	1		A	CA.1
	F.220945	Bolt, pinch, supporting, panel, group	1			
	F.221144	Bolt	1	S.95.B or S.96.B		
	F.176633	Knob	1	S.94.B	C	CA.2
	F.211516	Spring	1	Sp.St.		
	F.221303	Landing, for port door	1	L.72		
	A.233425	Landing, for starboard door	1	L.72		
	C.222229	DOOR, ACCESS TO EXTERNAL SUPPLY SOCKET, SUB-ASSEMBLY				
	8797	B.222228	Door, access, group	1		C
Fairey FS.430/D		Fastener	2			
A.222226		Landing	1	L.72		
A.222227		Landing	1	L.72		
9640	K.A.C. D.4798	Fitting, attachment, for toggle fastener	2			CA.1
	A.228959	Hook	4	Stamping		CA.1
	K.A.C. C.7057	Housing, toggle fastener	2		C	CA.1
	K.A.C. C.7032	Lever, and male link, for toggle fastener	2		C	CA.1
4034	G.207964/17	Ring, sealing, 1/8" thick	2	Felt		
	F.226994	Tube, distance	2			
	Std.1509/23/088	Tube, distance, at hook	8	T.4	MR/C	4
	26FH/3474	Washer, at hook	8	DTD.610	MR/C	4
	1327	Washer, at hook	4	DTD.610	C	4
	Std.1547/24/12	Washer, at distance tube	2		C	4
	Std.1548/26/12					
	C.211500	Panel, access to feed neck, port, group	1			CA.1
	C.211501	Panel, access to feed neck, starboard, group	1		A	CA.1
	F.211517	Bolt, pinch, group	2			
808	F.210865	Bolt	1	S.96.B or S.95.B		
	F.176633	Knob	1	S.94.B	C	CA.2
	F.211516	Spring	1	Sp.St.		
	A.211508	Bracket	4	L.72		
10191	Std.1509/23/054	Tube, distance, for bearing bracket, 5/16" o/d x 17 S.W.G. x 0.54" long (Make from 30B/1784)	2	T.4		4
	F.234320	Piece, bridge (AS.830/98)	2	S.96.B		
	D.234848	Tank, empty case collector, port, group	1			
	D.234849	Tank, empty case collector, starboard, group	1		B	
9987	F.212647	Bracket, support, inboard, port and starboard, group	2		C	
	F.212648	Bracket, support, outboard, group	2		C	
8799	F.212945	Ferrule	1	S.96.B or S.95.B		
	Std.377/3B	Washer	1	S.94		
	C.212686	Chute, empty case, rear portion, port	1	S.3		CA.1
	C.212687	Chute, empty case, rear portion, starboard	1	S.3	B	CA.1
	A.213864	Duct, ventilating	1			
	F.212649	Piece, distance, at inboard support bracket port and starboard	2	L.56.C		
	F.212892	Spigot, fitting	2			
	Std.914/B20	Washer	1			4
	Std.1509/24/042	Tube, distance (AS.830/98)	2	T.4		4
	F.222336	Washer, tab, at gun front fairing	8	S.511		
10157	F.219942	Washer, tab, for bolts at blast deflector	30	S.84	C	
8456						

RESTRICTED


ARMAMENT - GUN INSTALLATION


Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.	
							1
1482	A.213330	Bracket, bearing, group ... ..	1	-	C.	CA.2	
	F.191727	Bush ... ..	2	B.8		CA.2	
	A.213331	Bracket, hinge ... ..	1	S.3		CA.2	
	C.230986	Door, access, assembly ... ..	-	-			
	B.230930	Door, access ... ..	1	-			
	D.229966	DUCT, GUN VENTILATION TO ACCESS PANEL, ASSEMBLY	1	-			
	D.229823	Duct ... ..	1	L.59 & L.72		CA.2	
	C.229766	Support, duct ... ..	1	L.72		CA.2	
	F.213336	Landing, for duct, port ... ..	1	L.72			
	F.213337	Landing, for duct, starboard ... ..	1	L.72			
1490 1482	B.213329	Mounting, actuator, group ... ..	1	-	B. C.	CA.2	
	A.191729	Bearing, group ... ..	2	-		CA.2	
	F.191727	Bush ... ..	1	B.8		CA.2	
	Std.1509/23/050	Tube, distance, for hinge bracket, 5/16" o/d x 17 S.W.G. x 0.5" long (30B/1784)	2	T.4		4	
	Std.1509/23/054	Tube, distance, for bearing bracket, 5/16" o/d x 17 S.W.G. x 0.54" long (Make from 30B/1784)	2	T.4		4	
	10191	F.234320	Piece, bridge (AS.830/98) ... ..	2		S.96.B	
		D.234848	Tank, empty case collector, port, group ...	1		-	
		D.234849	Tank, empty case collector, starboard, group	1		-	B.
	9987	F.212647	Bracket, support, inboard, port and starboard, group	2		-	C.
	9988	F.212648	Bracket, support, outboard, group ...	2		-	C.
F.212945		Ferrule ... ..	1	S.96.B or S.95.B			
8799	Std.377/3B	Washer ... ..	1	S.94			
	C.212686	Chute, empty case, rear portion, port ...	1	S.3	B.	CA.1	
	C.212687	Chute, empty case, rear portion, starboard	1	S.3		CA.1	
	A.213864	Duct, ventilating ... ..	1	-			
	F.212649	Piece, distance, at inboard support bracket port and starboard	2	L.56.C			
	F.212892	Spigot, fitting ... ..	2	-			
Std.914/B20	Washer ... ..	1	-	4			
10157 8456	Std.1509/24/042	Tube, distance (AS.830/98) ... ..	2	T.4	4		
	F.222336	Washer, tab, at gun front fairing ... ..	8	S.511			
	F.219942	Washer, tab, for bolts at blast deflector ...	30	S.84	C.		


**RESTRICTED**


**ARMAMENT - GUN INSTALLATION**

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
SUMMARY OF STOCK ITEMS						
28D/1008149	A25.2.B	Bolt, 4 B.A.				
28D/9436920	A25.1.C	Bolt, 2 B.A.				
28D/9133011	A25.2.C	Bolt, 2 B.A.				
28D/1200119	A25.4.C	Bolt, 2 B.A.				
28D/12533	A25.5.C	Bolt, 2 B.A.				
28D/1010030	A25.7.C	Bolt, 2 B.A.				
28D/9435710	A25.11.C	Bolt, 2 B.A.				
28D/9140647	A25.14.C	Bolt, 2 B.A.				
28D/12517	A25.17.C	Bolt, 2 C.A.				
28D/1011030	A25.2.E	Bolt, 1/4" B.S.F.				
28D/1011242	A25.7.E	Bolt, 1/4" B.S.F.				
28D/1011245	A25.10.E	Bolt, 1/4" B.S.F.				
28D/12812	A25.12.E	Bolt, 1/4" B.S.F.				
28D/12547	A25.15.E	Bolt, 1/4" B.S.F.				
28D/7002426	A25.1.G	Bolt, 5/16" B.S.F.				
28D/8300	AS.1242.1B	Bolt, 4 B.A.				
28D/1007468	AS.1242.3B	Bolt, 4 B.A.				
28D/1007975	AS.1242/1C	Bolt, 2 B.A.				
28D/1007976	AS.1242/8C	Bolt, 2 B.A.				
28D/8312	AS.1242/8C	Bolt, 2 B.A.				
28D/1013177	AS.1242/2E	Bolt, 1/4" B.S.F.				
28D/12125	AS.1242/22E	Bolt, 1/4" B.S.F.				
28D/1007982	AS.1248/1C	Bolt, 2 B.A.				
28D/1013284	AS.1248/2C	Bolt, 2 B.A.				
28D/8345	AS.1248/7C	Bolt, 2 B.A.				
28D/12266	AS.1248/13C	Bolt, 2 B.A.				
28D/9357	AS.1248/14C	Bolt, 2 B.A.				
28D/12762	AS.2920/7E	Bolt, 1/4" B.S.F.				
28M/9403519	A27.BP	Nut, 4 B.A.				
28M/9403520	A27.CP	Nut, 2 B.A.				
28M/1006473	A27.CT	Nut, 2 B.A.				
28M/12931	A27.ET	Nut, 1/4" B.S.F.				
28M/1011476	A27.JS	Nut, 3/8" B.S.F.				
28M/13935	A58.ES	Nut, 1/4" B.S.F.				
28M/14833	A58.JS	Nut, 3/8" B.S.F.				
28M/10287	AGS.2001/B1	Nut, 4 B.A.				
28M/10288	AGS.2001/C1	Nut, 2 B.A.				
28M/10328	AGS.2001/C1	Nut, 2 B.A.				
28M/9435067	AGS.2008/C1	Nut, 2 B.A.				
28M/9993193	AGS.2009/C1	Nut, 2 B.A.				
28M/14931	AGS.2009/G1	Nut, 5/16" B.S.F.				
28P/829	SP.4Y.B3	Pin				
28P/831	SP.4Y.B5	Pin				
28P/839	SP.4Y.B13	Pin				
29P/864	SP.4Y.D6	Pin				
28P/872	SP.4Y.D14	Pin				
28P/19225	SP.90.C3	Pin				
28P/19153	SP.90.C5	Pin				
28P/19154	SP.90.C7	Pin, split				
28P/19128	SP.90.E4	Pin, split				
28W/9419466	SP.13J	Washer, 3/8" B.S.F.				
28W/9419474	SP.15B	Washer, 4 B.A.				
28W/9419475	SP.15C	Washer, 2 B.A.				
28W/9419405	SP.15E	Washer, 1/4" B.S.F.				
28W/9419477	SP.15J	Washer, 3/8" dia.				
28W/9419404	SP.16C	Washer, 2 B.A.				
28W/9419492	SP.16P	Washer, 9/16" dia.				
28W/9419456	SP.10G	Washer, 5/16" dia.				
28W/9419403	SP.13G	Washer, 5/16" dia.				









This file was downloaded  
from the RTFM Library.  
Link: [www.scottbouch.com/rtfm](http://www.scottbouch.com/rtfm)

Please see site for usage terms,  
and more aircraft documents.

