


FLYING CONTROLS - CENTRE FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	B.199204	FLYING CONTROLS, CENTRE FUSELAGE, ASSEMBLY (Incorporating E.177242 and E.199235)	-	-		
1928	F.196235	Bolt, attachment of aileron control tube to lever, frame 33	1	S.94.B	C.	
282	A.169493	Bracket, for rudder and elevator idling links, at frame 33 and 38	4	DTD.610	C.	DC.1
283	F.183798	Bracket, for rudder and elevator idling links, at frames 27 and 38	2	DTD.610	C.	DC.1
7142	A.201016	Bracket, for cross shaft at frame 33	2	Stmpg.	MR/C	DC.1
7143	B.202890	Housing, bearing aileron torque shaft aft of rear spar, group	1	Stmpg.	MR/B	DC.1
2A/9500420	BRT.1 5/16 F.177841/5	Bearing Tube, distance, 1 1/2" o/d x 14 S.W.G. x 2.310" long	2 1	- T.4 or DTD.464	B.	DC.1
286	A.168403	Link, idling, rudder and elevator, between frames 33 and 34, group	2	-	B.	DC.1
287	A.168404	Link, idling, rudder and elevator, between frames 38 and 39, 27 and 28, group	3	-	B.	DC.1
288	A.170441	Link, idling, and bracket, between frames 23 and 24, 27 and 28, group	4	-	B.	DC.1
	A.169495	Bracket	1	DTD.610		DC.1
287	A.168404	Link, group	1	-	B.	DC.1
	A.227805	Link, idling, and bracket, between frames 27 and 28, group	1	-		DC.1
	A.227756	Bracket	1	M.S.		DC.1
	A.168405	Link	1	-		DC.1
7144	B.201292	Lever, aileron control, aft of rear spar, group	2	-	MR/B	DC.1
237	B.178823	Lever, aileron torque shaft, top aft of rear spar, group	1	-	B.	DC.1
7145	B.205161	Lever, aileron torque shaft, bottom aft of rear spar, group	1	-	MR/B	DC.1
292	F.165986	Packing, for rudder and elevator levers ...	4	DTD.610	C.	DC.1
7146	A.199242	Shaft, aileron torque, aft of rear spar ...	1	S.95.B	MR/B	DC.1
7147	A.201014	Shaft, cross, mounting of aileron, frames 32 and 33	2	T.50	MR/B	DC.1
299	A.180427	Tube, control, between frames 18 and 24, group	3	-	B.	DC.1
6339	A.199290	Tube, control, between frames 24 and 28, group	3	-	B.	DC.1
6340	A.199291	Tube, elevator and rudder control, between frames 27, 28, 33 and 34, group	2	-	B.	DC.1
4113	A.199284	Tube, elevator and rudder control, between frames 33, 34, 38 and 39, group	2	-	B.	DC.1
6341	A.199292	Tube, aileron control, between frames 28 and 33, group	1	-	B.	DC.1
6342	A.199258	Tube, aileron control, aft of rear spar, group	2	-	B.	DC.1
168	A.169527	Eye-end	1	-	B.	DC.1
6343	A.199240	Tube, aileron control, aft of rear spar, group	1	-	B.	DC.1
6344	A.199239	Tube, aileron control, aft of rear spar, group	1	-	B.	DC.1
306	A.171699	Tube, adjustable, elevator and rudder control, between frames 38 and 41, group	2	-	B.	DC.1
2368	F.171710	Fork-end	1	-	MR/C	DC.1
3790	Std.1509/24/050	Tube, distance, 3/8" o/d x 17 S.W.G. x 5" long (Make from 30B/557)	2	T.4	MR/C	DC.1
7148	F.201018	Tube, retaining cross shaft at frame 32 and 33	2	L.62	MR/C	

FLYING CONTROLS - CENTRE FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No
309	Std.1208/167/84/30	Washer, shim, torque shaft	2	Shim Steel	C.	DC.1
7149	Std.1208/140/63/30	Washer, shim, aileron lever cross shaft ...	4	Shim Steel	MR/C	4
	F.165985	Washer, at bracket attachment between frames 27 and 28	4	-		
SUMMARY OF STOCK ITEMS						
28D/9133011	A.25-2C	Bolt, 2 B.A.	-
28D/9133012	A.25-3C	Bolt, 2 B.A.	-
28D/1200119	A.25-4C	Bolt, 2 B.A.	-
28D/7002428	A.25-6C	Bolt, 2 B.A.	-
28D/9419397	A.25-12C	Bolt, 2 B.A.	-
28D/12536	A.25-13C	Bolt, 2 B.A.	-
28D/9453970	A.25-15C	Bolt, 2 B.A.	-
28D/1012995	A.25-22C	Bolt, 2 B.A.	-
28D/1011026	A.25-26C	Bolt, 2 B.A.	-
28D/13711	A.30-9E	Bolt, 1/4" B.S.F.	-
28D/13442	A.30/11E	Bolt, 1/4" B.S.F.	-
28D/13474	A.30/12E	Bolt, 1/4" B.S.F.	-
28D/13114	A.30/13E	Bolt, 1/4" B.S.F.	-
28D/15472	A.30/27E	Bolt, 1/4" B.S.F.	-
28D/15020	A.30/15E	Bolt, 1/4" B.S.F.	-
28D/13263	A.30/10G	Bolt, 5/16" B.S.F.	-
28M/9403520	A.27.CP	Nut, 2 B.A.	-
28M/1006473	A.27.CT	Nut, 2 B.A.	-
28M/12931	A.27.ET	Nut, 1/4" B.S.F.	-
28M/7683	AGS.572A	Nut, 1/4" B.S.F.	-
28M/8101	AGS.572C	Nut, 5/16" B.S.F.	-
28M/13439	AGS.572.CP	Nut, 2 B.A.	-
28M/13403	AGS.572.SP	Nut, 1/4" B.S.F.	-
28M/15496	A.58.LT	Nut, locking	-
28M/14537	A.58.GS	Nut, 5/16" B.S.F.	-
28P/19154	SP.90.C7	Pin, split	-
28P/19228	SP.90.C8	Pin, split	-
28W/1200106	SP.42.C	Tab, locking	-
28W/9419475	SP.15.C	Washer, 2 B.A.	-
28W/9419404	SP.16.C	Washer, 2 B.A.	-
28W/9419405	SP.15.E	Washer, 1/4" dia.	-
28W/9419476	SP.15.G	Washer, 5/16" dia.	-
28W/9419487	SP.16.E	Washer, 1/4" dia.	-



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

