

FLYING CONTROLS - FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		FLYING CONTROLS, FRONT FUSELAGE, ASSEMBLY				
2A/9500154 6757	F.217039 BAL.025 F.213777	Bearing, for aileron control Block, at attachment of torque tube to control column	1 2		B C	
205	Std.1553/E120	Bolt, for control column crank	2	S.99	C	5
206	Std.1553/E150	Bolt, for control column crank	8	S.99	C	DD.2
10172	Std.1553/E170	Bolt, for attachment of levers of torque shaft	7	S.99		5
8661	Std.1553/N330	Bolt, pivot, for rudder control lever	1	S.99	C	5
5803	F.205015	Bolt, attachment of torque tube to control column, group	2		C	DD.2
	F.166254	Bolt	1	S.95.B		
	A.53057/2	Plug	1	S.2		
2137	B.253529 A.53067	Bracket, mounting for oxygen contents gauge Bush, at attachment of torque tube to control column	1 4	L.72 S.2		DD.2
248	B.177650/3	Cable, rudder arm adjusting, group Consisting of:-	2		B	DD.1
	A.177657	Body, union	1			
	B.177650/2	Cable, Bowdenex 19/2	1			
	B.177650/1	Conduit, Bowdenex T.2.H	1			
28N/ 28M/1007403	AS.2903	Nipple	1		C	
	A.27.ET	Nut	1		C	
	A.177653	Pin	1			
	Std.1522/2	Sleeve	2			4
	F.177655	Spring	1	Sp.St.		
	Std.1522/1	Stop, adjusting	1			4
	D.314555	Column, control, port, group	1			
207	F.180779	Adjuster	2	S.95.B	C	
2A/9501177	BRE. $\frac{1}{4}$ "	Bearing, at universal fork	2		B	
2A/9501178	BRE. $\frac{3}{8}$ "	Bearing, at control column head	2		B	
1494	F.191314	Block, stop	1	DTD.364	C	DD.2
208	F.177528	Bolt, attachment of control column tube to socket	1	S.95.B	C	DD.2
209	F.177527	Bolt, attachment of control column tube to socket	1	S.95.B	C	DD.2
220	F.166596	Bolt, chain guard attachment	2	S.95.B	C	DD.2
	Std.1553/E130	Bolt, for control column crank	4	S.99		5
8089	F.204430	Block, profile	1	L.65.C	C	DD.2
7833	A.213425	Chain, top aileron control, complete with eye ends	1		C	DD.2
211	A.182743	Chain, bottom aileron control, C/W eye ends	1		C	DD.2
	A.178531	Crank, control column	2	Stpg.		DD.2
9091	B.221990	Feel unit, group	1		B	DD.2
8095	F.204424	Nut, adjusting	1	S.1	C	DD.2
8091	A.212862	Spindle	1	S.95.B	C	DD.2
8092	F.204420	Spring	1	DTD.215	C	DD.2
8093	F.208510	Washer, stop	1	S.95.B	C	DD.2
8094	F.204426	Washer, locking	1		C	DD.2
8096	Std.1356/9	Washer, shim	1		C	4
8097	Std. 1208/90/40/48	Washer, shim	QR	Shim Steel	C	4
212	F.180736	Ferrule, at attachment of control column tube to socket	2	S.95.B	C	DD.2
2138	A.61599	Guard, chip, at universal joint	2		C	DD.2

RESTRICTED

## FLYING CONTROLS - FRONT FUSELAGE

Hunter Two Seater

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R.	Plate No.		
					Class of Store			
		1	2	3	4	5		
9876	A.231571	Guard, for feel control knob (Mod.766)	1		C	DD.2		
7831	D.206792/3	Guard, chain, front portion, group	1		B	DD.2		
	D.206792/1	Consisting of:-						
	C.206794	Cover, front	1	DTD.610				
28M/9434251	AGS.2008/B1	Cover, forward	1	L.59				
	F.191313	Nut, anchor	2		C			
28Q/7656	AS.164/405	Plate, stop	1	DTD.610				
28W/7943	AS.164/304	Rivet	2		C			
28W/7655	AS.163/404	Rivet	2		C			
7832	D.206792/4	Rivet	10		C			
		Guard, chain, rear, portion, group	1		B	DD.2		
		Consisting of:-						
	F.191312	Block, distance	1	LFS.21		DD.2		
	F.177444	Block, distance	1	LFS.21		DD.2		
	F.191311	Block, saddle	1	LFS.21				
	F.177443	Block, saddle	2	LFS.21				
	F.177441	Block, saddle	1	LFS.21		DD.2		
	F.177445	Block, saddle	1	LFS.21		DD.2		
9126	F.204692	Block, saddle	1	Fibre				
28D/8311	AS.1242/7C	Bolt, 2 B.A.	2		C			
	A.177395	Bracket	1	S.3				
	D.206792/2	Cover, rear	1	DTD.610				
	C.206793	Cover, rear	1	L.59				
28M/9435067	AGS.2008/C1	Nut, anchor	1		C			
	F.177518	Packing	1	DTD.610				
28Q/10098	AS.164/409	Rivet	2		C			
28Q/8147	AS.164/406	Rivet	4		C			
28Q/8148	AS.164/407	Rivet	2		C			
28Q/9038	AS.164/414	Rivet	2		C			
28Q/10012	AS.164/415	Rivet	2		C			
28Q/7943	AS.164/304	Rivet	2		C			
28Q/8394	AS.163/304	Rivet	2		C			
28Q/8882	AS.163/404	Rivet	2		C			
	C.260516	Rivet	10		C			
	F.257991	Handle, control c/w Cable F.26 group	1		A			
5X/5805358	Plessey	Fairlead	1					
	Z.11394/2	Ferrule	1					
	A.209037	Guard, cable	1					
5X/	Dunlop AC.61316	Handle, control	1		A			
	Plessey	Sleeve, green	3					
	Z.139621							
5X/1005131	508/2/11232/002	Sleeve	5					
5K/-		Sleeve, Helsyn, 150HT. 20 x 1"	5					
5K/-		Sleeve, Helsyn, 150HT. 30 x 2"	1					
5K/-		Sleeve, Helsyn, 150HT. 50 x 1"	1					
5K/-		Sleeve, Single way, Helsyn, 900	2					
5X/7178	Plessey	Socket, Code 7	1					
	2CZ.111234							
	UKAN.	Socket, 3 pin, free	1					
	9103-10S-3S							
	Plessey	Socket, insert	3					
	2CZ.139485							
6974	F.180734	Lug, locking	1	DTD.610	C	DD.2		
7834	F.212863	Nut, special	1	S.95.B	C	DD.2		
	F.168225	Pin, sprocket attachment to socket	2	S.97.B				
	B.178321	Plug-end	1	Stpg.				
	B.178579	Plug-end	1	S.95.B				
9812	F.231559	Rod, chain connecting	1	S.95.B	C	DD.2		

RESTRICTED

FLYING CONTROLS - FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
217	F.177524	Shim, attachment of universal fork to control tube	1	Laminum	C	DD.2
8602	B.178440	Socket, joint	1	S.95.B	C	
	F.178409	Sprocket, at joint socket	1	S.95.B	C	
	A.306835	Tube, control	1	T.50		
	A.314557	Tube, control	1	T.50		
	A.73025	Tube, distance, at universal fork	1			
4654	Std.1510/13/139	Tube, distance	1	T.4		4
	Std.1208/90/25/64	Washer, at sprocket and fork, assembly	1	Shim Steel	C	DD.2
221	Std.1208/75/33/50	Washer, at attachment of control column tube to socket	1	Shim Steel	C	DD.2
222	Std.1208/75/33/100	Washer, at control column joint socket	1	Shim Steel	C	DD.2
207	D.314556	Column, control, starboard, group	1			
	F.180779	Adjuster	2	S.95.B	C	DD.2
2A/9501177	BRE. 3/4"	Bearing, at universal fork	2		B	
2A/9501178	BRE. 3/4"	Bearing, at control column head	2		B	
1494	F.191314	Block, stop	1	DTD.364	C	DD.2
208	F.177528	Bolt, attachment of control column tube to socket	1	S.95.B	C	DD.2
209	F.177527	Bolt, attachment of control column tube to socket	1	S.95.B	C	DD.2
220	F.166596	Bolt, chain guard attachment	2	S.95.B	C	DD.2
	Std.1553/E130	Bolt, for control column crank	4	S.99		5
210	A.182742	Chain, top aileron control, complete with eye ends	1		C	DD.2
211	A.182743	Chain, bottom aileron control, c/w eye ends	1		C	DD.2
212	A.178531	Crank, control column	2	Stpg.		
	F.180736	Ferrule, at attachment of control column tube to socket	2	S.95.B	C	DD.2;
2138	A.61599	Guard, chip, at universal guard	2		C	DD.2
214	D.177684/B	Guard, chain, front portion, group	1		B	DD.2
28M/9434251	D.177684/1	Consisting of:-				
	AGS.2008/B1	Cover, front	1	DTD.610		
	F.191313	Nut, anchor	2		C	
	AS.164/304	Plate, stop	1	DTD.610		
	AS.164/405	Rivet	4		C	
	D.177684/A	Rivet	2		C	
		Guard, chain, rear portion, group	1		B	DD.2
		Consisting of:-				
		Block, saddle	1	LFS.21		DD.2
		Block, saddle	2	LFS.21		
28D/1007978	F.177443	Block, distance	1	LFS.21		DD.2
	F.177444	Block, saddle	1	LFS.21		DD.2
	F.177445	Block, saddle	1	LFS.21		DD.2
	F.191311	Block, saddle	1	LFS.21		
	F.191312	Block, distance	1	LFS.21		DD.2
	AS.1242/7C	Bolt, 2 B.A.	2		C	
	A.177395	Bracket	1	S.3		
	D.177684/2	Cover, rear	1	DTD.610		
	AGS.2008/C1	Nut, anchor	1		C	
	F.177518	Packing	1	DTD.610		
28Q/7943	AS.164/304	Rivet	2		C	
	AS.164/406	Rivet	4		C	

FLYING CONTROLS - FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
28Q/10098	AS.164/409				Rivet					
28Q/9038	AS.164/414				Rivet	2		C		
28Q/10012	AS.164/415				Rivet	2		C		
	C.260516				Handle control c/w Cable F.26 group	1		C		
	F.257991				Fairlead	1		A		
5X/5805358	Plessey				Ferrule	1				
	Z.11394/2					1				
	A.209037				Guard,cable	1				
	Dunlop AC.61316				Handle, control	1		A		
5X/	Plessey				Sleeve, green	3				
	2Z.139621									
5X/1005131	508/2/11232/002				Sleeve, adaptor	5				
5K/-					Sleeve, Helsyn 150HT. 20 x 1"	5				
5K/-					Sleeve, Helsyn 150HT. 30 x 2"	1				
5K/-					Sleeve, Helsyn 150HT. 50 x 1"	1				
5K/-					Sleeve, Single way Helsyn, 900	2				
5X/5805564	Plessey				Socket, Code 7	1				
	2Z.111234									
	UKAN.				Socket, 3 pin, free	1				
	9103-10A-3/S									
	Plessey				Socket, insert	3				
	2CZ.139485									
	F.180734				Lug, locking	1	DTD.610	C	DD.2	
	F.168225				Pin, sprocket attachment to socket	2	S.97.B			
	B.178321				Plug-end	1	Stpg.			
	B.178579				Plug-end	1	S.95.B			
216	F.182735				Rod, chain connecting, port (Alternative to F.231559)	1		C		
9812	F.231559				Rod, chain connecting, port and starboard	2		C	DD.2	
217	F:177524				Shim, attachment of universal fork to control tube	1	Laminum	C	DD.2	
	B.178440				Socket, joint	1	S.95.B			
8602	F.178409				Sprocket, at joint socket	1	S.55.B1	C		
1891	F.195967				Sprocket, and fork, group	1		C	DD.2	
	A.314557				Tube, control	1	T.50			
	A.73025				Tube, distance, at universal fork	1				
4654	Std.				Washer, at sprocket and fork, assembly	1	Shim	C	DD.2	
	1208/90/25/64									
221	Std.				Washer, at attachment of control column tube, to socket	1	Shim	C	DD.2	
	1208/75/33/50									
222	Std.				Washer, at control column joint socket	1	Shim Steel	C	DD.2	
	1208/75/33/100									
	C.266171				CONTROLS, BETWEEN FRAMES 10 TO 18, ASSEMBLY					
	C.216966				LEVERS, AFT OF SEAT FRAME, ASSEMBLY					
8663	B.216995				Lever, aileron control, group	1		MR/B	DD.1	
228	B.168402				Lever, elevator and rudder, group	2		B	DD.1	
	F.210577				Shaft	1	T.50			
230	F.178826				Spool	2	DTD.364	C	DD.1	
231	F.178430/3				Tube, distance	1	T.4	C	DD.1	
232	F.178430/4				Tube, distance	1	T.4	C	DD.1	
	F.210575				Tube, distance	1	L.62			
	F.210576				Tube, distance	1	L.62			
234	Std.				Washer, 1.41" o/d x 1 1/16" x 0.04" wide	6	Shim	C	DD.1	
	1208/141/68/40									
287	A.168404				Link, idling, group	3		B	DD.1	
6201	A.209620				Tube, aileron, elevator and rudder control between frames 14 and 17B, group	3		B	DD.1	
	A.209621				Fork-end	1	S.96.B	C		
	A.217043				Tube, aileron control, between frames 11 and 13	1				
	B.268993				Tube, elevator control, between frames 11 and 13	1		B	DD.1	

FLYING CONTROLS - FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
10569	B.243233	Tube, rudder control between frames 11 and 13	1		B	DD.1
4444	B.190129	GAITER, FOR CONTROL, COLUMN, ASSEMBLY				
4105	F.201985	Clip, for gaiter attachment	2	L.72	C	DD.1
1495	Std.1285/8CC	Connector, earthing	2		C	4
4106	B.190128	Gaiter, at control column base, group	2		C	DD.1
5799	F.199283	Guard, for gaiter	1	L.72	C	DD.1
	A.205006	Support, for gaiter	1	L.72	C	
	F.259587	Spacer (Mod.1180)	4			
	F.259586	Strip, retaining (Mod.1180)	2			
10867	F.165984	Guard, chip, at housing for aileron control	1	DTD.610		DD.2
	F.218110	Guard, chip, at housing for aileron control	1	L.72		DD.2
	F.218200	Guard, chip, at aileron control	1	L.72		
	A.185082	Housing, aileron torque tube, group	2			
223	G.300225½	Seal, "GACO"	1	SE.85	C	DD.2
	A.180432	Housing, control column crank, group	2			
224	G.189125¾"	Seal, "GACO"	1	SE.85	C	DD.2
	B.217273	Housing, bearing for aileron control	1	Casting		
613	A.177446	Housing, bearing, rudder lever, group	2		B	DD.2
2A/9500419	Hoffmann T.17	Bearing	1		B	DD.2
645	A.180433	Housing, bearing, rudder lever, group	2		B	DD.2
2A/9500419	Hoffmann T.17	Bearing	1		B	DD.2
27Q/70127	Dowty	Jack	1		A	
	1.00426.001					
	B.207226	Lever, elevator control under pilot's floor, group	1			
	B.229510	Lever, elevator control under pilot's floor, group	2			
10171	B.207567	Lever, elevator control under pilot's floor, group	2			
226	B.165970	Lever, rudder control aft of frame 8 under pilot's floor, group	1		B	DD.1
	B.207280	Lever, rudder control, group	1			
	B.207281	Lever, rudder control under pilot's floor, group	1			
2139	A.53255	Nut, attachment of torque tube to control column	2	S.2	C	DD.2
	Std.1921/SS	Nut, for spindle, at aileron control jack	1	S.94.B		
	F.230465	Packing, for rudder bar pedestal	2	L.72		
	F.211957	Piece, distance, at rudder control lever	1	S.1.B		
	F.235549	Piece, distance, at torque tube (AS.840/95)	1	L.65.C		
5804	A.53057/1	Pin, attachment of torque tube to control column	2	S.94.B	C	DD;2
240	F.182714	Plate, locking, for rudder lever	1	S.3	C	DD.1
	D.316438	Rudder, bar, group	2			
	B.207322	Arm, rudder bar, group	2			DD.1
242	F.179017	Eye-bolt, adjusting link attachment	1	S.95.B	C	DD.1
2A/9500419	BRT.1.1/16"	Bearing, rudder control spindle	2		B	
244	Std.1551/2/65	Bolt, adjusting link attachment to rudder bar arm	4	S.99.B	C	DD.1
243	Std.325/154	Bolt, attachment of rudder bar links to pedal	2	S.99.B	C	DD.1
	+ 519516	Bolt	1			
	F.316439	Bracket, retaining	1		C	DD.1
245	F.148388	Bush, rudder control spindle, top	1	B.8	C	DD.1
246	F.148389	Bush, rudder control spindle, bottom	1	B.8	C	DD.1
247	F.148387	Cap, rudder control spindle	2	DTD.176A	C	DD.1
	A.207278	Lever, on rudder control spindle, group	1			
251	F.178554	Link, rudder bar adjusting	2	S.95.B	C	DD.1
	A.207290	Link, for rudder bar, group	1			DD.1
	A.207289	Link, rudder bar, group	1			DD.1
4554	F.202251	Packing, for lever stop	QR	Brass Lam	C	
	C.203345	Pedal, rudder, group	2			
254	F.179068	Heel-bar	1	LFS.21	C	DD.1
4767	B.203346	Plate, pedal	1		C	DD.1
4102	A.198965	Strap, toe	1		C	DD.1

+ Swiss Supply.


**RESTRICTED**


**FLYING CONTROLS - FRONT FUSELAGE**

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
253	C.207293						1	Casting		
257	B.177767						1	Casting	C	DD.1
258	A.169699						1		C	DD.1
	GACO						1	SE.85	C	DD.1
	G.175106 $\frac{3}{8}$ "						1	MI.106175 $\frac{3}{8}$ "		
	GACO						1			
	MI.106175 $\frac{3}{8}$ "						1	G.175106 $\frac{3}{8}$ "		
5797	F.204988						1	S.84	C	DD.1
6749	A.210153						1	S.84	C	DD.1
259	F.165192						QR	DTD.364	C	DD.1
1927	F.196367						1	DTD.364	C	DD.1
260	A.177118						1	Stpg.	C	DD.1
261	F.169546						1	Sp.St.	C	DD.1
	A.207292						1	L.65.C		DD.1
	AS.2210						2			
	F.207581						1	L.73		
4150	Std.914/C22						3	S.1	C	4
	A.230423						1	S.95.B	C	DD.2
	A.208242						1	S.95.B		
264	F.178750						2	S.95.B	C	DD.2
	Std.						2	ShimSteel		4
	1208/130/68/50						2	ShimSteel	C	DD.2
267	Std.						10	ShimSteel		4
	1208/150/68/50						1	S.96.B or S.95.B		
	Std.						1			
	1208/200/96/15						1			
	A.216960						1			
	A.207336						1			
2368	F.171710						1		MR/C	
	A.207381						1			
279	B.165991						1		B	DD.1
	A.207361						1			DD.1
274	A.171044						1	S.96.B	B	DD.1
	B.207328						1			
278	B.165990						1		B	
	A.207337						1			DD.1
2368	F.171710						1		MR/C	
	A.207382						1			DD.1
	B.207338						1	T.50		
	B.207279						2			
2A/9500154	BAL.025						1		B	
	F.165984						1	DTD.610		DD.2
10867	F.218110						1	L.72		DD.2
	B.208230						1	Casting		DD.2
	A.207278						1			DD.2
272	Std.						1	ShimSteel	C	DD.2
	1208/106/24/64						1			
	F.216961						1	T.26 or S.1.B		
1497	F.185083						2	DTD.560	C	DD.2
	E.217039/1						1	L.72		
8664	E.217039/2						1	Rubber	C	
	F.218338						1	L.65.C		

FLYING CONTROLS - FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28D/9133011	A.25.2C	Bolt, 2	B.A.							
28D/9133012	A.25.3C	Bolt, 2	B.A.							
28D/1200119	A.25.4C	Bolt, 2	B.A.							
28D/1013172	A.25.5C	Bolt, 2	B.A.							
28D/1010030	A.25.7C	Bolt, 2	B.A.							
28D/9133014	A.25.13C	Bolt, 2	B.A.							
28D/1011240	A.25.5E	Bolt, 1/4"	B.S.F.							
28D/1212313	A.25.15E	Bolt, 1/4"	B.S.F.							
28D/12550	A.25.22E	Bolt, 1/4"	B.S.F.							
28D/13099	A.30.17C	Bolt, 2	B.A.							
28D/13361	A.30.8E	Bolt, 1/4"	B.S.F.							
28D/13711	A.30.9E	Bolt, 1/4"	B.S.F.							
28D/14010	A.30.10E	Bolt, 1/4"	B.S.F.							
28D/13442	A.30.11E	Bolt, 1/4"	B.S.F.							
28D/13474	A.30.12E	Bolt, 1/4"	B.S.F.							
28D/13979	A.30.14E	Bolt, 1/4"	B.S.F.							
28D/13115	A.30.16E	Bolt, 1/4"	B.S.F.							
28D/13102	A.30.21J	Bolt, 3/8"	B.S.F.							
28D/1007976	AS.1242/4C	Bolt, 2	B.A.							
28N/9156370	SP.21	Greaser								
28M/5808573	A.27.CS	Nut, 2	B.A.							
28M/1086473	A.27.CT	Nut, 2	B.A.							
28M/1011475	A.27.EP	Nut, 1/4"	B.S.F.							
28M/1011467	A.27.ES	Nut, 1/4"	B.S.F.							
28M/1007403	A.27.ET	Nut, 1/4"	B.S.F.							
28M/13464	A.27.G.T.L.	Nut, 5/16"	B.S.F.							
28M/1011476	A.27.JS	Nut, 3/8"	B.S.F.							
28M/13641	A.27.LT	Nut, 7/16"	B.S.F.							
28M/13935	A.58.ES	Nut, 1/4"	B.S.F.							
28M/14536	A.58.ET	Nut, 1/4"	B.S.F.							
28M/14833	A.58.JS	Nut, 3/8"	B.S.F.							
28M/15496	A.58.LT	Nut, 7/16"	B.S.F.							
28M/14555	A.58.NS	Nut, 1/2"	B.S.F.							
28M/10288	AGS.2001/C1	Nut, 2	B.A.							
28M/1002430	AGS.2002/E1	Nut, 1/4"	B.S.F.							
28P/19154	SP.90.C7	Pin, split								
28P/19229	SP.90.C9	Pin, split								
28P/19235	SP.90.E10	Pin, split								
28P/19155	SP.90.E12	Pin, split								
28W/9419475	SP.15C	Washer, 2 B.A.								
28W/9419405	SP.15E	Washer, 1/4" B.S.F.								
28W/9419476	SP.15G	Washer, 5/16" B.S.F.								
28W/9419477	SP.15J	Washer, 3/8" B.S.F.								
28W/9419479	SP.15N	Washer, 1/2" B.S.F.								
28W/9419404	SP.16C	Washer, 2 B.A.								
28W/9419487	SP.16E	Washer, 1/4" B.S.F.								







This file was downloaded  
from the RTFM Library.

Link: [www.scottbouch.com/rtfm](http://www.scottbouch.com/rtfm)

Please see site for usage terms,  
and more aircraft documents.