

Hunter Two Seater
Issued with A/L No.3

ELECTRICAL EQUIPMENT — FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		ELECTRICAL EQUIPMENT IN FRONT FUSELAGE, ASSEMBLY	-	-	-	
		ADDITIONAL DETAILS, ASSEMBLY	-	-	-	
5X/1002695	G. 315927 E. 316518 Plessey	Block, terminal, 20-way	2	-	B	
	703/1/00249					
5X/1002694 9670	703/1/00238 B. 227889 B. 227799	Block, terminal, 5-way (Mod.2414) Box, test, for G90 camera, group (Mod.712) Box, ground test	1 1 1	- - -	B - -	
5L/9951273 10H/321	- Belling Lee	Filament, 28 V., 3.5 watt Fuse, 750 m/a	1 1	- -	B C	
10H/0590100	L. 1055/7.5A Belling Lee	Holder, fuse	1	-	B	
	L. 356					
5CX/4191 3837	Rotax H. 2705 Std. 1606/44/B10	Lamp, warning Screw, securing switch	1 4	- Brass	B C B	5
10H/9472265 5CW/7551	508/1/40123/320 CWC. Ltd. XD. 786	Socket, Code 45 Switch, D.P. "ON-OFF" spring return to off	1 1	- -	B B	
	A. 231201	Bracket, mounting for S.P. switch	1	-		
	A. 235100	Bracket, mounting (Mod.2414)	1	L. 72		
	B. 232048	Cable assembly, F.100 (See Cable Chart)	1	-		
	B. 235975	Cable assembly, F.150 (See Cable Chart)	1	-		
	B. 245978	Cable assembly, F.168 (See Cable Chart)	1	-		
3	Plessey					
	508/1/03442/003	Cap, protective	4	-		
	Std. 2045/26/22	Clip, securing cables	2	-		6
	Std. 2045/29/22	Clip, securing cables	2	-		6
	Std. 2045/36/22	Clip, securing cables	1	-		
	Std. 2046/44/20	Clip, securing cables	1	-		6
	Std. 2045/18/26	Clips, securing cables (Mod.2414)	2	-		6
	Std. 2045/19/26	Clips, securing cables (Mod.2414)	3	-		6
	Std. 2046/16/24	Clip, securing cables	1	-		
	Std. 2046/18/26	Clip, securing cables	1	-		
	Std. 2046/19/24	Clips, securing cables (Mod.2414)	1	-		6
	Std. 2046/19/26	Clip, securing cable	1	-		
	Std. 2046/21/22	Clip, securing cables	2	-		
	Std. 2046/29/22	Clip, securing cables	1	-		
	Std. 2046/34/22	Clip, securing cables	1	-		
10H/19457	Plessey	Connector, bulkhead, code 45	1	-	B	
	508/1/40183/320					
3	508/1/40582/320	Connector, bulkhead	1	-	B	
	508/1/40563/323	Connector, bulkhead (Mod.2583)	1	-	B	
5X/9149643	703/1/00266	Cover, T.B., 20-way	2	-	B	
5X/9149641	703/1/00264	Cover, T.B., 5-way (Mod.2414)	1	-	B	
10207	F. 235313	Diode, assembly (Mod.2414)	1	-	C	
5L/9952254	-	Filament lamp, 24V., 6 watt	1	-	B	
5CW/4222	-	Guard, locking, for S.P. switch	1	-	B	
5CZ/1961	Rotax	Horn, electric, Type C. 24 volts (Alt. to ROTAX V0.601W)	1	-		
	Rotax V0.601W	Horn, electric (Alt. to 5CZ/1961)	1	-		
5CX/446	-	Lamp, cockpit, Mk.1A	1	-	B	
10204	F. 233580	Lever, for micro switch (Mod.2414)	1	S. 521	C	
5X/1004082	Plessey	Link, commoning	1	-		
	703/2/00251					
5X/1004083	703/2/00252	Link, commoning, 3-way	1	-	C	
5X/9450403	703/2/00267	Pillar	6	-	C	
	F. 231090	Plate, mounting	1	L. 72		
	A. 318406	Plate, guard	1	L. 72		
10206	F. 234942	Plate, serrated (Mod.2414)	1	L. 72	C	
5CW/6453	Smiths RD. 2	Relay, magnetic Type 9B. Mk. 2A (Mod.2414)	2	-		
26AQ/2783	Std. 1606/44/B6	Screw, roundhead, 2 B.A.	1	Brass	C	5
3840	Std. 1606/44/C28	Screw, Roundhead	2	Brass	C	5
	Std. 1953/1-5	Sleeve, marker	1 set	-		
	Std. 1953/1-20	Sleeve, marker	2 sets	-		
10205	F. 233582	Spring, (Mod.2414)	1	DTD. 215	C	
5F/9506025	NY. 18067	Strapping	QR	-	C	
5F/9454141	NY. 18007A	Strapping	QR	-	C	
5F/9138823	NY. 3255	Stud	QR	-	C	

RESTRICTED

ELECTRICAL EQUIPMENT — FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.	
							1
5F/9138822	NY. 3342	Stud	QR	-	C		
5CW/6977	Dowty C1831.Y Mk. 102C	Switch, limit, "DOWMIC" (Mod.2414)	2	-	B		
5CW/7540	CWC. Ltd. XD778	Switch, single pole, change over, no centre position	1	-	B		
5CW/4839	Std. 1509/23/116	Tube, distance	1	T.4	MR	4	
	Std. 1509/25/020	Tube, distance	2	T.4		4	
	Rotax D11201	Unit, thermal delay	1	-	A		
10488	508/2/07811/005	Washer, panel mounting	1	-			
	D.261266	Additional details, assembly	-	-			
	C.238026	Box, test of tail chute, group	1	-	B		
5CY/5280	A.238046	Base	1	L.72			
	B.238027	Box, test	1	L.59			
	B.T.H. LGA 6 B1/1	Breaker, circuit 6 amp. 28V	1	-	A		
5CY/5361	A.E.I. Ltd. CX. 119950	Cover, trip-button	1	-	C		
10H/11718	Std.2044/9/067	Ferrule	1	DTD.604		6	
	Belling Lee L.1055/5	Fuse, 5.0A	1		C		
5CW/7249	A.238028	Plate, top	1	L.72			
5K/5K/9335	N.S.F. Ltd. 765/B.102	Switch, test tail chute with grey dolly	1	-	A		
	F.222497	Clip, special, securing cable	8	L.72			
	Std.2045/14/26	Clip, securing cable	1	-		6	
5K/5K/9335	B.235458	Duct, cable (Starboard)	1	1.67			
	Hellermann	Sleeve, helsyn HT. 30 x 1"	1	-	C		
	Hellermann	Sleeve, helsyn HT. 50 x 1"	1	-	C		
9335	Std.1547/19/6	Washer, profile	2	DTD.610		4	
5CZ/5299		Amplifier, cabin temperature	1	-	A		
3	519935	Angle, (Mod.2583)	1	-			
3	A.315638	Angle, for diode box (Mod.2583)	1	-			
5CZ/430	Rotax N5BN	Block, terminal, 2-way, type B, No.1	1	-	B		
5X/1004088	703/2/00244	Block, terminal, 10-way	2	-	B		
5X/1002695	703/2/00249	Block, terminal, 20-way	4	-	B		
5X/1004088	D.315914	Box, A.C., junction, group	1	-	A		
	A.316553	Angle, mounting fuse	1	-			
	703/2/00244	Block, terminal, 10-way	2	-	B		
8668	F.216107	Bolt, wing	6	-	C		
8670	F.220761	Bush, for earthing terminal	1	LFB.82	C		
10C/0115567	B.220853	Cable assembly, AC3 group, (See Cable Chart)	1	-			
	B.216048	Cable form, AC2, (See Cable Chart)	1	-			
	B.216049	Cable form, AH1, (See Cable Chart)	1	-			
	B.216050	Cable form, F25, (See Cable Chart)	1	-			
	B.216051	Cable form, F45, (See Cable Chart)	1	-			
	B.216053	Cable form, GC11 (See Cable Chart)	1	-			
	B.316448	Cable G.C.21	1	-			
	B.216052	Cable form, RR1 (See Cable Chart)	1	-			
	B.224535	Capacitors, 4, 5, and 6, group	1	-			
	Dubilier	Capacitor, 0.5 MFD, 250V	3	-	C		
	5X/6215	Plessey Z.56545	Lug	1	-	C	
	10CV/	Ferranti ZS.10A	Rectifier, silicon	1	-	B	
	10CV/448	-	Rectifier, silicon	1	-	B	
	5K/3623	Tucker S.79	Tag, eyelet	4	-	C	
	5K/4346693	RC.2120	Tag, 6 amp. QR	1	-	C	
10C/0115567	A.224536	Capacitors, 7, 8 and 9, group	1	-			
	Dubilier	Capacitor, 0.5 MFD, 250V	3	-	C		
	5X/6215	Plessey Z.56545	Lug	1	-	C	
10CV/	Ferranti ZS.10A	Rectifier, silicon	1	-	B		
10CV/448	-	Rectifier, silicon	1	-	B		
5K/3623	Tucker S.79	Tag, eyelet	4	-	C		
5K/4346693	RC.2120	Tag, 6 amp. QR	2	-	C		

+ Swiss supply, Swiss fit.

Hunter Two Seater
Issued with A/L No.1

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R.		Plate No.
					Class of Store		
		1 2 3 4 5					
10C/0115567 5X/6215 10CV/ or 10CV/448 5K/3623 5K/4346693	A.224537	Capacitors, 10,11 and 12, group	1	-			
	Dubilier	Capacitor, 0.5MFD, 250V	3	-		C.	
	Plessey Z.56545	Lug	1	-		C.	
	Ferranti	Rectifier, silicon	1	-		B.	
	-	Rectifier, silicon	1	-		B.	
	Tucker S.79	Tag, eyelet	4	-		C.	
	RC.2120	Tag, 6 amp., Q.R.	2	-		C.	
	Std. 841/77	Clip	3	-			6
	B.215794	Cover, end	1	-			
	C.316486/1	Diagram, wiring	1	Photo			
10H/21797 10H/23865 10H/23864 10H/21791 5X/2790	B.215787	Diaphragm	1	L.72			
	L.562/1	Fuse, 10 amp.	2	-			
	Plessey Z.22634	Fuse, 2.5 amp.	14	-		C.	
	A.230969	Fuse, 2.5 amp, H.R.C.	6	-		C.	
	F.229680	Fuse, 5.0 amp, H.R.C.	2	-		C.	
	L/575	Fuse, dummy, Type "S"	18	-			
	F.222438	Grommet, dummy	1	-		C.	
	F.222438/2	Guard, switch	2	L.72			
	B.215796	Guard, cushion	1	-			
	B.316552	Holder, fuse	2	-			
8669	B.215964	Holder for relay group	1	-			
	703/1/00420	Pad, 1/4" thick, "Volcrepe"	1	Rubber			
	A.215864	Lid, for junction box	1	L.72		C.	
	HV.3110A	Plate, plug mounting	1	-			
	B.215791	Platform, fuse block, group	1	-			
	C.316554	Block, fuse	10	-		C.	
	Smith 213 MV	Bus-bar, for 4-way fuse block	8	BSS.266		C.	
	5E/9100175	Grommet	6	-			
	5E/9100176	Platform, fuse block	1	L.72			
	5E/9100179	Platform, relay, group	1	-			
10H/0560130 5CW/6717 5CW/6719 5K/3455	508/1/40466/320	Auto transformer	1	-		A.	
	Std.2133/11	Cable, unipren 24 amp.	QR	BSE.21		C.	
	Std.2134/11	Capacitor, 0.25 mf. 250V., working	1	-		C.	
	Std.2135/21	Clip, securing capacitor	1	S.150		C.	
	508/1/40046/320	Grommet	1	-		C.	
	RC.2120	Platform, relay	1	L.72			
	Hellermann	Plug, panel mounting	1	-		C.	
	HC.294	Relay, type "S" No. 7, 25 amp.	4	-		A.	
	5E/9100175	Relay, type "S" No. 9, 25 amp.	6	-		A.	
	5E/9100176	Sleeve, helsyn, 150 HT.20 x 3/4" long	8	-		C.	
5E/9100179	Sleeve, helsyn, 150 HT.30 x 1 1/4" long	3	-		C.		
10F/0530453 10F/0119881	5E/9100185	Sleeve	4	-			
	B.224538	Sleeve, marker	41	-			
	F.222438	Sleeve, marker	2	-			
	F.222438/2	Socket, panel mounting	1	-		C.	
	Standard	Tag, 6 amp. Q.R.	33	-		C.	
	Telephone	Tag, ring 4 B.A.	6	-		C.	
	10F/0530453	Wire equipment, type 2 14/0076 red	QR	DEF.12		C.	
	10F/0119881	Wire, equipment, type 2 14/0076 blue	QR	DEF.12		C.	
	9616	Wire, equipment, type 2, 14/0076 black	QR	DEF.12		C.	
	5X/9450396	Wire, equipment, type 2, 14/0076 pink	QR	DEF.12		C.	
5K/3623 5X/7296 5E/9100185 5E/9100180	F.222438	Relay, "M" group	1	-		C.	
	Hellermann	Holder, group	1	-			
	HC.490	Pad, 1/4" thick vocrepe	1	Rubber			
	Tucker S.79	Relay, type SM.5A N.25 (Alt. to 10F/0119881)	1	-		A.	
	H.C. 294	Relay, type SM. 5A N.96 (Alt. to 10F/0530453)	1	-		A.	
	5K/3623	Support, relay wire	1	LFS.12		C.	
	5X/7296	Tag, 6 amp. Q.R.	2	-		C.	
	5E/9100185	Tag, eyelet	2	-		C.	
	5E/9100180	Tag, ring 4 B.A.	1	-		C.	
		Wire, equipment, type 2, 14/0076, pink	QR	DEF.12A		C.	
	Wire, equipment, type 2, 14/0076, white	QR	DEF.12A		C.		

RESTRICTED

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

Hunter Two Seater
Issued with A/L No.3

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
10F/0530453	B.224539	Relay, "N" group	1	-		
	F.222438	Holder, group	1	-		
	F.222438/2	Pad, 1/4" thick "Volcrepe"	1	Rubber		
10/0119881	Standard Telephone	Relay, type SM5A-N25 (Alt. to 10F/0119881)	1	-	A	
		Relay, type SM5A-N96 (Alt. to 10F/0530453)	1	-	A	
9616	224543	Support, relay wire	1	LFS.21	C	
5X/9450396	Hellermann HC.490	Tag, 6 amp. QR	2	-	C	
5K/3623	Tucker S.79	Tag, eyelet	2	-	C	
5X/7296	HC.294	Tag, ring, 4 B.A.	1	-	C	
5E/9100185		Wire, equipment, type 2, 14/0076, pink	QR	DEF.12A	C	
5E/9100180		Wire, equipment, type 2, 14/0076, white	QR	DEF.12A	C	
10F/0530453	B.224540	Relay, "P" group	1	-		
	S.T.C.	Relay, type SM5A-N25 (Alt. to 10F/0119881)	1	-	A	
10F/0119881		Relay, type SM5A-N96 (Alt. to 10F/0530453)	1	-	A	
9616	F.224534	Support, relay wire	1	LFS.21	C	
5X/9450396	Hellermann HC.490	Tag, 6 amp. QR	2	-	C	
5K/3623	Tucker S.79	Tag, eyelet	2	-	C	
5X/7296	Hellermann HC.294	Tag, ring 4 B.A.	1	-	C	
5E/9100185		Wire, equipment, type 2, 14/0076 pink	QR	DEF.12A	C	
5E/9100180		Wire, equipment, type 2, 14/0076 white	QR	DEF.12A	C	
3838	Std.1606/44/88	Screw, roundhead, 4 B.A.	2	Brass	C	5
	C.215795	Shell, for junction box	1	L.72		
5CW/5907	Std.1953/1-20	Sleeve, marker	1 set	-	C	
5CW/7544	Smiths EAP.2340	Switch, torque	3	-	A	
3796	Std.1509/12/072	Switch, single pole, "On-Off"	1	-	B	
3806	Std.1509/23/032	Tube, distance, 1/4" o/d x 20 S.W.G. x 0.72" long	12	T.4	MR/C	4
	Std.1509/23/032	Tube, distance, at relay holder, 5/16" o/d x 17 S.W.G.	2	T.4	MR/C	4
	Std.1509/23/140	Tube, distance, 5/16" o/d x 17 S.W.G. x 1/4" long	2	T.4		4
8673	F.220762	Washer, at earthing terminal	1	LFB.82	C	
5X/3268	B.316798	Box, diode, Tail chute	1			
	Plessey 703/1/00238	Block, terminal	1			
	A.242602	Box				
	F.242604	Carrier diode	1			
	I.R.C. Ltd. 25 H.10	Diode, silicon	2			
	F.316799/1	Diagram, wiring	1			
	F.242603	Lid	1			
	Std.1953	Sleeve, marker 1-5	1 set			
	Std.2134/11	Sleeve marker	4			
	Std.1606/44/320	Screw	2			
5K/4346693	R.C.2120	Tag	2			
5K/5867	R.C.01	Tag	1			
	D.315916	Box, main fuse, group	1			
5X/6480	703/2/00465	Bar, commoning	2	-	C	
5X/6607	703/1/00420	Block, fuse (tags both sides, less cover)	13	-	C	
8674	A.211093	Bus-bar	4	BSS.265	C	
5E/3040		Cable, unipren, 12 amp	QR	-	C	
5E/3042		Cable, unipren, 24 amp	QR	-	C	
	A.210916	Channel, mounting, for fuse block	2	-		
	A.210917	Channel, mounting, for fuse block	1	-		
	B.316488/1	Diagram, wiring	1			
		Fuse, 2.5 amp	15	L.72	C	
3	10H/21797	Fuse, 5 amp	19	-	C	
3	10H/21798	Fuse, 10 amp, type H.R.C. (Mod.2583)	2	-	C	
3	5CZ/5216	Fuse, 10 amp (AS.840/93)	8	-	C	
3	10H/21799	Fuse, 20 amp, type S (AS.840/93)	2	-	C	
3	10H/23801	Fuse, 20 amp, type S (AS.840/93)	2	-	C	
	10H/23865	Fuse, 2.5 amp, type H.R.C.	2	-	C	
3	10H/21791	Fuse, dummy type "S" (AS.900/14)	12	-	C	

Hunter Two Seater
Issued with A/L No.3

ELECTRICAL EQUIPMENT — FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off					Material Specification	M/R Class. of Store	Plate No.
			1	2	3	4	5			
28FP/148	C.244849 Dzus A4.35	Lid, for fuse box, group Fastener Strip sealing, ½" wide x 1/16" thick					1 4 43"	- - DTD.5509D	B C C	
5X/9400388 10209	703/2/00362 F.235385 F.221704 F.233330	Lug Mounting, for diode (Mod.2414) Plate, conversion Plate, reinforcing					4 1 2 2	- BSS.265 L.72	C C	
7813 7815	F.206916 F.206918	Plate, tapped Plate, tapped					2 2	L.72 L.72	MR/C MR/C	
5X/9185	Plessey 508/1/06413	Plug, assembly, code 21					2	-	B	
5X/9173	Plessey 508/1/06401	Plug, assembly, code 21					1		B	
5X/9175	Plessey 508/1/06403	Plug, assembly, code 9					1		B	
5CZ/5862 5245	B.T.H. Std.1606/44/A10	Rectifier, type GJ/6/M (Mod.789) Screw, roundhead, 6 B.A.					1 8	- Brass	B C	5
3838	Std.1606/44/B8	Screw, roundhead, 4 B.A.					30	Brass	C	5
1178	Std.1606/44/B12	Screw, roundhead, 4 B.A.					4	Brass	C	5
1637	Std.1606/44/B14	Screw, roundhead, 4 B.A.					8	Brass	C	5
5K/4346711	RC.2121	Tag					54			
5K/	RC.2122	Tag					6			
5K/5866	RC.00	Tag, 4 B.A. (Mod.2414)					1	-	C	
5F/	-	Tube, 1½mm. 2½mm. black					QR	P.V.C.	C	
	A.221485	Box, junction, artificial horizon, group (Mod.1002)					1	-	-	
	A.253591	Box, complete					1	L.72		
5X/2790	Plessey Z.22430 A.214146	Grommet Plate cover					1 1	- L.72	B C	
10H/0560080	Plessey 508/1/40063/320	Plug, panel unit, code 45					1		C	
10H/0560260	Plessey 508/1/40043/320	Socket, panel unit, code 45					2	-	C	
5K/- 5E/9100173	-	Sleeve, helsyn, 150 HT.20 x 3/4" Wire, equipment 7/70076 (Grey)					18 QR	- DEF.12	C	
8677	G.315915 F.217908	BOX JUNCTION, FOR MAIN TRUNKING ASSEMBLY Block, packing					40	LFS.21	C	
5X/1002695	Plessey 703/1/00249	Block, terminal, 20-way					10	-	B	
5X/1004088	Plessey 703/2/00244	Block, terminal, 10-way					4	-	B	
3	Raychem 44A/0111-20-9	Cable (Mod.2583)					1	-		
3	+ C.315633	Cable, assy., A.9 (See Cable Chart) (Mod.2583)					1	-		
3	+ C.315624	Cable, assy., A.68 (See Cable Chart) (Mod.2583)					1	-		
3	+ C.315671	Cable, assy., F.84 (See Cable Chart) (Mod.2583)					1	-		
3	+ B.315632	Cable, assy., F.125 (See Cable Chart) (Mod.2583)					1	-		
3	+ B.315659	Cable, assy., F.161 (See Cable Chart) (Mod.2583)					1	-		
3	+ B.315637	Cable, assy., RA.4 (See Cable Chart) (Mod.2583)					1	-		
5E/3038	-	Cable, unipren, 6 amp					QR	-	C	
5E/3040	-	Cable, unipren, 12 amp					QR	-	C	
5E/3042	-	Cable, unipren, 24 amp					QR	-	C	
5E/3113	-	Cable, duprensheath, 6 amp					QR	-	C	
5E/3116	-	Cable, sextoprensheath, 6 amp					QR	-	C	
5E/3114	-	Cable, triprensheath, 6 amp					QR	-	C	
5E/3685	-	Cable, uninypren, 6 amp					QR	-	C	
5X/	Plessey 703/2/00477	Cover, for terminal block, 20-way					10	-	B	

+ Swiss supply, Swiss fit.

ELECTRICAL EQUIPMENT — FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5X/	Plessey 703/1/00301					Cover, for terminal block, 10-way	4	-	B	
	G.316484/1					Diagram, wiring	1	Photo	-	
7989	A.209702					Ferrule	2	L.65.C	C	
7990	A.209704					Ferrule	2	L.65.C	C	
7991	A.209699					Ferrule	1	-	C	
5X/6921	Plessey CZ.28009					Ferrule	22	-	C	
3 5X/4491288	Plessey Z.18500/B					Ferrule	1	-	C	
	Std.2044/8/061					Ferrule	1	L.65.C		6
	Plessey CZ.50823					Ferrule	2	-		
	B.222449					Gaiter	1	-		
3 10H/0970058	Plessey 508/2/07705/200					Gasket, outlet, code 45	2	Rubber	C.	
10H/0970059	Plessey 508/2/07706/200					Gasket, outlet (Mod. 921)	3	Rubber	C.	
10H/0970060	Plessey 508/2/07707/200					Gasket, outlet	2	Rubber	C.	
3 10H/0970107	Plessey 508/2/07721/200					Gasket, union	1	-	C.	
10H/0970111	Plessey 508/2/07720/200					Gasket, union	1	Rubber	C.	
3	VN.781					Grommet, 15 x 1	2	-	C.	
	Plessey 2CZ.139485					Insert, socket	3	-	C.	
8680	C.215080					Lid, port, for box, group	1	-	C.	
28FP/148	Dzus A4.35					Fastener	6	-	C.	
8681	C.215081					Lid, starboard, for box, group	1	-	C.	
28FP/148	Dzus A4.35					Fastener	6	-	C.	
5X/1004082	Plessey 703/2/00251					Link, commoning, 2-way	13	-	C.	
5X/1012122	Plessey 703/2/00259					Link, commoning, 10-way	2	-	C.	
5X/1004083	Plessey 703/2/00252					Link, commoning, 3-way	6	-	C.	
5X/6172	Plessey 703/2/00253					Link, commoning, 4-way	1	-	C.	
5X/9400389	Erma 12109					Lug, cable	3	-	C.	
8682	F.220647					Nut, special	28	-	C.	
3 10H/0970061	Plessey 508/1/07622/003					Outlet, straight	1	-	C.	
10H/0970065	Plessey 508/1/07624/003					Outlet, straight	3	-	C.	
10H/0970067	Plessey 508/1/07627/003					Outlet, straight	2	-	C.	
10H/0970068	Plessey 508/1/07631/003					Outlet, 90°	1	-	C.	
8679	C.220646					Plate, cover	1	-	C.	
5D/645						Plug, 3 pin	1	-		
5X/6440	Plessey CZ.23144/z					Ring, clamp	3	-	C.	
5X/6488	Plessey CZ.23144/B					Ring, clamp	5	-	C.	
3 5X/1058004	Plessey CZ.23144/C					Ring, clamp	43	-	C.	
5X/3143	Plessey CZ.23144/D					Ring, clamp	4	-	C.	
10H/0970089	Plessey 508/2/07711/200					Ring, sealing	1	-	C.	
3 10H/0970087	Plessey 508/2/07710/200					Ring, sealing	1	-	C.	

Hunter Two Seater
Issued with A/L No.3

ELECTRICAL EQUIPMENT — FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class. of Store	Plate No.
10H/0970090	Plessey 508/2/07713/200	Ring, sealing	2	-	C.	
10H/0970091	Plessey 508/2/07709/200	Ring, sealing	3	-	C.	
3 10H/0970095	Plessey 508/2/07754/007	Ring, thrust	1	-	C.	
10H/0970098	Plessey 508/2/07758/007	Ring, thrust	1	-	C.	
10H/	Plessey 508/2/07753/007	Ring, thrust	1	-	C.	
5X/1005131	Plessey 508/2/11232/002	Sleeve, 6-12 amp.	498	-	C.	
3 5X/1005132	Plessey 508/2/11232	Sleeve, 12 amp.	5	-	C.	
3	+ A2	Sleeve, Helavia (Mod.2583)	11	-		
3	+ 323975	Sleeve, crimping (Mod.2583)	1	-		
3	+ Raychem RNF. 100	Sleeve, 3/32" x 15mm. (Mod.2583)	1	-		
3 5X/	-	Sleeve, helsyn 150 HT. 20 x 2"	654	-	C.	
5K/	-	Sleeve, helsyn 150 HT. 30 x 1"	4	-	C.	
5K/	-	Sleeve, helsyn 150 HT. 50 x 1"	1	-	C.	
3 5K/	-	Sleeve, helsyn 150 HT. 75 x 1"	7	-	C.	
5K/	-	Sleeve, helsyn 150 HT. 100 x 1"	4	-	C.	
5K/	-	Sleeve, helsyn 150 HT. 150 x 1"	1	-	C.	
3	Std. 2134/11	Sleeve, marker	501	-		
3	Std. 2134/21	Sleeve, marker	39	-		
3	Std. 2135/11	Sleeve, marker	27	-		
3	Std. 2135/21	Sleeve, marker	5	-		
3	Std. 2137/11	Sleeve, marker	4	-		
3	Std. 1953/1-240	Sleeve, marker	1 set	-		
3	+ Raychem D142/50	Sleeve, solder (Mod.2583)	2	-		
5X/9083	508/1/03949	Socket	1	-	B.	
5X/9088	508/1/03954	Socket	2	-	B.	
5X/9094	508/1/03960	Socket	2	-	B.	
5X/9095	508/1/03961	Socket	20	-	B.	
10H/0560090	Plessey 508/1/40000/320	Socket	11	-	C.	
10H/0560120	Plessey 508/1/40003/320	Socket	1	-	C.	
10H/0560180	Plessey 508/1/40009/320	Socket	1	-	C.	
10H/0560181	Plessey 508/1/40009/321	Socket	1	-	C.	
10H/0560220	Plessey 508/1/40016/320	Socket	2	-	C.	
10H/0560160	Plessey 508/1/40006/320	Socket	1	-	C.	
	U. K. A. N. 9202/14S-7S	Socket, free, 3-pin	1	-		
5K/4346693	RC. 2120	Tag, Q.R., 6 amp.	QR	-	C.	
5K/4346711	RC. 2121	Tag, Q.R., 12 amp.	QR	-	C.	
	RC. 2122	Tag, Q.R., 24 amp.	QR	-	C.	
5X/7298	Hellermann H.C. 490	Tag, Q.R., 6 amp.	6	-	C.	
	E. 315998	TRUNKING, SUB-ASSEMBLY	-	-	-	
	F. 217904	Guard, cable	2	S.84/T.4		
	F. 217905	Guard, cable	2	S.84/T.4		
	F. 217906	Guard, cable	2	S.84/T.4		
	F. 217907	Guard, cable	4	S.84/T.4		
	B. 215077	Plate end, for trunking, port, group	1	-		
28FP/331	Dzus S.4.225	Spring	1	-	C.	

+ Swiss supply, Swiss fit.

ELECTRICAL EQUIPMENT — FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	B.229457	Plate, end, for trunking, starboard, group	1	-	C.	
28FP/331	Dzus S.4.225	Spring	1	-	C.	
	C.215079	Plate, side, for trunking, centre, group	1	-	C.	
28FP/331	Dzus S.4.225	Spring	1	-	C.	
	F.228599	Plate, stud	8	-		
	F.212157	Plate, stud	12	-		
	F.212867	Plate, stud	8	-		
28FP/331	Dzus S.4.225	Spring	8	-	C.	
32C/	-	Strip, sealing, 1" x.1/4"	QR	DTD.560 or DTD.5509	C.	
5F/	-	Tube, 1m/m i/d	QR	P.V.C.	C.	
5F/2143	-	Tube, 1/4" i/d	QR	P.V.C.	C.	
5F/	-	Tube, 5/16" i/d	QR	P.V.C.		
5F/2034	-	Tube, 3/8" i/d	QR	P.V.C.	C.	
5F/2035	-	Tube, 1/2" i/d	QR	P.V.C.	C.	
5F/2036	-	Tube, 3/4" i/d	QR	P.V.C.	C.	
5F/2037	-	Tube, 1" i/d	QR	P.V.C.	C.	
5F/2038	-	Tube, 1" i/d	QR	P.V.C.	C.	
7100	Std.915/B10	Washer	28	DTD.610	C.	
	E.315502	Box, junction, No.2, group	1	-	A.	4
	F.208578	Adaptor, 12-6 amp.	1	-		
	Plessey					
	703/1/00420	Block, fuse	7	-		
5X/2863	703/2/00244	Block, terminal, 10-way	10	-		
5X/3181	703/1/00249	Block, terminal, 20-way	2	-		
	D.315501	Box, group	1	-		
	A.221811	Clamp, cable	1	-		
	D.315501/4	Panel, access	1	L.72		
	F.189234	Plate, stud	1	-		
	F.221810	Plate, stud	2	-		
	B.222355	Platform, mounting	1	-		
28FP/337	Dzus S5.200	Spring	2	-	C.	
268X/5617	Std.914/B22	Washer, 4 B.A.	4	DTD.610	MR/C	4
3762	Std.915/A18	Washer, 6 B.A.	4	DTD.610	MR/C	4
5E/3038	-	Cable, unipren, 6 amp	QR	-	C.	
5E/3040	-	Cable, unipren, 12 amp	QR	-	C.	
5E/3042	-	Cable, unipren, 24 amp	QR	-	C.	
3971	Std.840/19	Clip, securing resistor	1	DTD.610	C.	
10247	B.236211	Cover, terminal, (Mod.886)	1	P1. Sht.	C.	
10246	B.236212	Cover, terminal, (Mod.886)	1	P1. Sht.	C.	
	D.316485/1	Diagram, wiring	1	Photo		
5X/6921	Plessey CZ28009	Ferrule	1	-	C.	
8687	A.220751	Ferrule, group	2	-	C.	
7990	A.209704	Ferrule	1	-	C.	
10H/21797		Fuse, 2.5 amp., type "S"	13	-	C.	
10H/23865		Fuse, 2.5 amp., H.R.C.	1	-	C.	
10H/21798		Fuse, 5 amp type "S"	9	-	C.	
	VE.60623	Fuse, 15 amp, (Mod.2583)	1	-	C.	
10H/21799	H.T. Newton Ltd.	Fuse, 10 amp, type "S"	2	-	C.	
10H/21791		Fuse, dummy, type "S"	2	-	C.	
5935-99-	508/2/07707/200	Gasket, outlet	1	-	C.	
097-0060						
5X/9491421	Plessey Z.22431	Grommet, helsyn	1	-	C.	
	C.286784	Lid, half	1	-		
	C.286785	Lid, half	1	-		
28FP/239	Dzus AW5/30	Fastener	2	-	C.	
	Std.1687/4	Saddle	2	-		5
5X/1004082	703/2/00251	Link, commoning, 2-way	4	-	C.	
5X/1004083	703/2/00252	Link, commoning, 3-way	2	-	C.	
5X/6480	703/2/00465	Link, commoning, 4-way	8	-	C.	
5X/1012122	703/2/00259	Link, commoning, 10-way	1	-	C.	

ELECTRICAL EQUIPMENT — FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
5X/6675	703/2/00363	Lug	2	-	C.	
5X/6671	703/2/00359	Lug	1	-	C.	
10H/19111	508/1/07636/003	Outlet, angle, code 50	1	-	C.	
	F.233330	Plate, reinforcing	12			
7814	F.206917	Plate, tapped	1	L.72	MR/C	
7815	F.206918	Plate, tapped	12	L.72	MR/C	
3 5X/4500169	508/1/06405	Plug	1	-	C.	
5X/4500177	508/1/06413	Plug	12	-	B.	
10H/19068	508/1/40060/320	Plug, panel unit	1	-	B.	
5935-99-972-9109	508/1/40469/320	Plug, panel unit	2	-	B.	
10H/19121	508/1/40076/320	Plug, panel unit	1	-	B.	
5935-99-056-0151	508/1/40069/321	Plug, panel unit	1	-		
5935-99-972-9112	508/1/40463/320	Plug	1	-		
5905-99-014-0181	-	Resistor, 30 ohm	1	-	C.	
5935-99-097-0090	508/2/07713/200	Ring, sealing	1	-	C.	
5X/1005131	508/2/11232/002	Sleeve, 6 to 12 amps.	156			
5K/		Sleeve, helsyn plus, 150 HT. 20 x 1/2"	113	-		
	Std.1948/11	Sleeve, marker	419	-		5
	Std.1953	Sleeve, marker	196	-		
3	Serie 0	Sleeve, marker, Plastisol Ø 2.5 (Mod.2583)	8	-		
3	Serie 0	Sleeve, marker, Plastisol Ø 3.0 (Mod.2583)	15	-		
5X/9095	508/1/03961	Socket	1	-		
10H/19107	508/1/40016/320	Socket, free	1	-	C.	
10H/19157	508/1/40056/320	Socket, panel unit	1	-	C.	
5935-99-056-0381	508/1/40056/321	Socket, panel unit	1	-	C.	
5935-99-972-9114	508/1/40449/320	Socket	2	-		
5K/4346693	RC.2120	Tag, Q.P., 6 amp	QR	-	C.	
5K/4346711	RC.2121	Tag, Q.R., 12 amp	QR	-	C.	
5K/	RC.2122	Tag, Q.R., 24 amp	QR	-	C.	
5F/	-	Tube, 1 1/2 - 2 1/2 m/m. i/d (Comm1. Grade)	QR	P.V.C.	C.	
5F/2037	-	Tube, 3/4" i/d	54"	P.V.C.	C.	
5935-99-199-7586	C.315736	Box, junction, ARM 9	-	-		
	Plessey	Block, terminal, 5 way	1	-		
	CZ.72441					
	C.315735	Box, 1B 9	1	-		
5E/3038		Cable, unipren 6	A/R	-		
3	B.306862/1	Diagram, wiring	1	-		
	805063E	Lid, box (Mod.2583)	1	-		
5935-99-056-0200		Plug, panel unit	1	-		
3	+ 804870E	Relay assembly (Mod.2583)	1	-		
5935-99-056-0380		Socket, panel unit	1	-		
	Std.2134/11	Sleeve, marker	29	-		
	Std.2134/21	Sleeve, marker	27	-		
	-	Sleeve, helsyn HT.20 x 1/2"	44	-		
5K/5867	RC.01	Tag	8	-		
	C.261118	Box, Tailplane Relay, Assembly	-	-	C.	
	C.261119	Box, relay, group	1	-		
5E/3038	-	Cable, unipren 6	QR	-	C.	
5E/3685	-	Cable, unipren 6	QR	-	C.	
5E/3686	-	Cable, unipren 12	QR	-	C.	
	B.261126	Diagram, wiring	1	Photo		
5K/28	-	Ferrule	1	-	C.	
5X/2784	-	Grommet	1	-	C.	
5X/2787	-	Grommet	1	-	C.	
	A.261151	Mounting, relay box	1	L.72		

+ Swiss Supply, Swiss Fit.

ELECTRICAL EQUIPMENT — FRONT FUSELAGE

Hunter Two Seater
Issued with A/L No.3

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
3	10H/508/2/08798/002	Nut, cable, clamp	1	-	C.	
3	10H/508/2/09484/002	Nut, outlet	1	-	C.	
3	10H/508/2/08725/002	Outlet, straight	1	-	C.	
5X/	UKAN 8000/14S/7P	Plug, fixed unit	1	-	C.	
5CW/10678	Hendry	Relay, type 20B, No.3	2	-	A.	
5X/	UKAN 8000/22/14S	Socket, fixed unit	1	-	C.	
5X/	UKAN 9000/16/1S	Socket, straight, free unit	1	-	C.	
10H/5K/5867	2CZ. 139485	Socket, contacts	7	-	C.	
5X/9462952	RC.01	Tag	52	-	C.	
		Tag, ring tongue	2	-	C.	
	A.218494	Bracket, mounting	3	S.3		
	F.316510	Bracket, for switch, at frame 10	1	L.72		
#	C.221999	Cable assembly, AC.1, group	1	-		
#	C.221171	Cable assembly, AC.2, group	1	-		
#	B.234412	Cable assembly, AC.4, group	1	-		
#	B.234409	Cable assembly, AC.5, group	1	-		
#	B.234411	Cable assembly, AC.6, group	1	-		
#	B.234410	Cable assembly, AC.7, group	1	-		
#	B.221437	Cable assembly, AH.1, group	1	-		
#	B.212106	Cable assembly, F.15, group	1	-		
#	B.217730	Cable assembly, F.16, group	1	-		
#	B.217731	Cable assembly, F.18, group	1	-		
#	B.217732	Cable assembly, F.20, group	1	-		
#	D.232142	Cable assembly, F.27, group	1	-		
#	B.235459	Cable assembly, F.29, group	1	-		
#	C.219411	Cable assembly, F.30, group	1	-		
#	B.315716	Cable assembly, F.31, group	1	-		
#	C.316388	Cable assembly, F.42, group	1	-		
#	B.223626	Cable assembly, F.45, group	1	-		
#	C.232350	Cable assembly, F.50, group	1	-		
#	B.231567	Cable assembly, F.63, group	1	-		
#	C.231553	Cable assembly, F.64, group	1	-		
#	C.316771	Cable assembly, F.69, group	1	-		
#	B.219448	Cable assembly, F.71, group	1	-		
#	B.217652	Cable assembly, F.101, group	1	-		
#	B.228264	Cable assembly, F.102, group	1	-		
#	B.228265	Cable assembly, F.103, group	1	-		
#	B.228999	Cable assembly, F.104, group	1	-		
#	B.219713	Cable assembly, F.107, group	1	-		
#	B.219756	Cable assembly, F.109, group	1	-		
#	B.219904	Cable assembly, F.110, group	1	-		
#	B.221877	Cable assembly, F.118, group	1	-		
#	B.222783	Cable assembly, F.124, group	1	-		
#	A.223429	Cable assembly, F.113, group	1	-		
#	B.227882	Cable assembly, F.140, group	1	-		
#	B.235974	Cable assembly, F.149, group	1	-		
#	B.316286	Cable assembly, F.151, group	1	-		
#	B.315693	Cable assembly, F.155, group (Mod.2583)	1	-		
#	C.261149	Cable assembly, F.206, group (Mod.1188)	1	-		
#	B.316387	Cable assembly, F.220, group	1	-		
14A/4929		Camera, G.90	1	-	A.	
10H/0970055		Cap, protective (Mod.1068)	2	-	C.	
	A.227880	Channel, mounting	1	L.72		
	Std.2045/21/22	Clip, sleeved, securing cables	2	-		6
9496	Std.2045/18/24	Clip, sleeved, securing cables	1	-		6
	Std.2045/20/22	Clip, sleeved, securing cables	1	-		6
	Std.2045/20/24	Clip, sleeved, securing cables	1	-	C.	6
9664	Std.2045/23/24	Clip, sleeved, securing cables	1	-	C.	6
	Std.2045/22/24	Clip, sleeved, securing cables	1	-		6
	Std.2045/29/22	Clip, sleeved, securing cables	1	-		6
11310	Std.2045/33/22	Clip, sleeved, securing cables	1	-		6

See Cable Chart

Hunter Two Seater
Issued with A/L No.3

ELECTRICAL EQUIPMENT — FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	Std.2045/38/22	Clip, sleeved, securing cables	1	-		6
	Std.2045/46/20	Clip, sleeved, securing cables	1	-		6
	Std.2046/16/24	Clip, sleeved, securing cables	1	S.510		6
	Std.2046/18/24	Clip, sleeved, securing cables	3	S.510		6
	Std.2046/18/26	Clip, sleeved	1			
	Std.2046/19/26	Clip, sleeved	1			
	Std.2046/21/22	Clip, sleeved	2			
	Std.2046/20/24	Clip, sleeved, securing cables	1	S.510		6
	Std.2046/23/34	Clip, sleeved, securing cables	2	S.510		6
	Std.2046/28/22	Clip, sleeved, securing cables	5	S.510		6
	Std.2046/29/22	Clip, sleeved, securing cables	2	S.510		6
3	11384	Std.2046/34/22	1	S.510		6
	Std.2046/35/22	Clip, sleeved, securing cables	1	S.510		6
	Std.2046/41/22	Clip, sleeved, securing cables	1	S.510		6
	11409	Std.2046/42/22	2	S.510		6
	11405	Std.2046/69/20	1	S.510		6
	Std.2046/63/20	Clip, sleeved, securing cables	1	S.510		6
	Std.2076/35/22	Clip, sleeved, securing cables	2	S.510		6
	Std.2076/27/24	Clip, sleeved, securing cables	1	S.510		6
	Std.2046/24/24	Clip, sleeved, securing cables	2	-		6
	10216	Clip, securing catch guard to frame 8	1	S.520		
	5K/86	Collet	4	-	C.	
	A.228425	Connector, inverter, for inverters No. 1 and 2, group	2	-		
	5F/	Braid, flexible, T.C. size 1"	16"	-	C.	
	5E/3038	Cable, unipren, 6 amp	51"	-	C.	
	5E/3042	Cable, unipren, 24 amp	34"	-	C.	
3	5X/4491288	Ferrule	2	-	C.	
	5K/	Sleeve, helsyn plus, HT. 20 x 2"	10	-	C.	
	5X/9525146	Sleeve, helsyn (12 amps - 24 amps)	6	-	C.	
	5X/1005131	Sleeve, (6 amps - 12 amps)	6	-	C.	
	5X/7043	Socket, code 10	2	-	B.	
	5F/2036	Tube, 8" i/d	16"	P.V.C.	C.	
	9339	Connector, for inverter No.3, group	1	-		
	6022	Connector, for inverter No.4, group	1	-	B.	
	6A/4392	Connector	2	-	B.	
	E.314379	Console, centre, group	1	-		
	F.208578	Adaptor, 12x - 6x	2	-		
	A.212377	Angle, relay, mounting	2	L.72		
	F.227348	Block, taper	2	L.65.C		
	5CY/4376060	Breaker circuit, type "A", 45 amp	1	-	A.	
3	+ C.315563	Cable entrance, 1F.3, and panel lighting assembly (Mod.2583)	Ref	-		
3	Raychem	Cable, 0.38mm	1	-		
3	44A/0111-22-9					
3	C.315592	Cable assy, 1F.3 (See cable chart)	1	-		
3	320555	Knife, disconnecting	4	-		
3	5L/9959118	Lamp, filament, 28V, 0.4 amp	3	-	C.	
3	5CX/5364	Light, pillar	1	-	C.	
3	520031E	Light, pillar	2	-		
3	708797E	Plate, resistor	1	-		
3	320559	Prolongateur	1	-		
3	-	Tube, P.V.C., 5.5mm x 60mm	4	-		
	5E/3038	Cable, unipren 6	QR	-		
	5E/3040	Cable, unipren 12	QR	-		
	5E/3042	Cable, unipren 24	QR	-		
	10C/0145519	Capacitor, 500 MFD, 50 volts D.C. (Alt. to 5910-99-012-4913)	1	-	C.	

ELECTRICAL EQUIPMENT — FRONT FUSELAGE

Hunter Two Seater
Issued with A/L No.3

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
5910-99-012-4913 8691	Plessey F. 221234 B. 314380 A. 221275	Capacitor, 500 MFD, 50 volts D.C. (Alt. to 10C/0145519) Clip, for audio delay unit CONSOLE, CENTRE, SUB-ASSEMBLY Fitting, pivot	1 1 -	- - -	C. C. -	
5CY/4520	BTH., Smart or Brown D. 315364/1	Cover, safety	1 1	L.65.C -	C. -	
10H/180	Belling Lee L. 1055/3	Diagram, wiring Fuse, 3 amp	1 2	- -	C. -	
10H/0590100	Belling Lee L. 356	Holder, fuse	2	-	B.	
5CZ/5639	7CZ. 97135/55	Indicator, magnetic	2	-	B.	
5CZ/5085	CZ. 97636/2 B. 318008	Indicator, magnetic Label (Mod.2583)	1 1	- -	B. -	
3 5CZ/3137	+ C. 315565	Lug, terminal, No.25	2	-	-	
3	F & W 708742E	Mounting, volume control, SIWA (Mod.2583)	1	-	-	
3	F & W 516076E	Button, control	1	-	-	
3	Ross Courtney TY 23M	Cable	1	-	-	
3 5K/9333088	Ross Courtney TY 23M	Strap, cable	30	-	C.	
3 5K/9333089	TY 25M 32802	Strap, cable Terminal, ring tongue	25 2	- -	C. -	
3	C. 314577	Panel, access, port	1	L.72	C.	
3	C. 314578	Panel, access, starboard	1	L.72	C.	
3	F. 314386	Plate, relay mounting	2	L.72	-	
3	F. 314387	Plate, relay mounting	1	L.72	-	
7815	F. 206918	Plate, tapped	2	L.72	-	
5935-99-056-0150	508/1/66413	Plug, panel unit	1	-	-	
5935-99-056-0200	508/1/40076/320	Plug, panel unit	2	-	-	
3 5935-99-056-0260	508/1/40043/320	Plug, panel unit	1	-	-	
3 5X/4500177 5CW/6719 10W/0113475	508/1/66413 - -	Plug, climatic proof Relay, type "S", No.9 Resistor, 330 ohm, 4.5 watt	2 15 1	- - -	- - C.	
3 5245	Std. 1606/44/A10	Screw, roundhead, 6 B.A.	3	Brass	C.	5
3 5247	Std. 1606/44/A16	Screw (Mod.2583)	1	-	C.	
	Std. 1606/44/A26	Screw, roundhead, 6 B.A.	4	Brass	C.	5
1178	Std. 1606/44/B12	Screw, roundhead, 4 B.A.	1	Brass	C.	5
5829	Std. 1606/44/A14	Screw, roundhead, 6 B.A.	1	Brass	C.	5
	Std. 1606/44/A36	Screw, roundhead, 6 B.A.	4	Brass	C.	5
5830	Std. 1606/45/A14	Screw, countersunk, 6 B.A.	3	Brass	C.	5
	Std. 1606/45/A6	Screw, countersunk, 6 B.A.	2	Brass	C.	5
	Std. 1606/45/A10	Screw, countersunk, 6 B.A.	5	Brass	C.	5
5K/ 5K/		Sleeve, helsyn plus, HT. 20 x 2"	116	-	C.	
		Sleeve, helsyn plus, HT. 75 x 2"	2	-	C.	
		Sleeve, helsyn plus, HT. 30 x 1"	1	-	C.	
5X/1005131	Z. 49428	Sleeve, reducing	48	-	C.	
	Std. 2133/21	Sleeve	3	-	-	
	Std. 2134/11	Sleeve	285	-	-	
	Std. 2134/21	Sleeve	26	-	-	
	Std. 2135/11	Sleeve	7	-	-	
	Std. 2135/21	Sleeve	1	-	-	
	Std. 2137/11	Sleeve	4	-	-	
	Std. 2137/21	Sleeve	1	-	-	
	Std. 2138/21	Sleeve	1	-	-	
	D. 101	Sleeve, holder	1	-	-	

+ Swiss supply, Swiss fit

ELECTRICAL EQUIPMENT — FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
3	Honeywell					Switch	2	-		
*	1TL1-3									
*	Honeywell					Switch (Mod.2583)	1	-		
*	1TL1-3D									
*	Honeywell					Switch	1	-		
*	2TL1-51									
5X/9462951	Hellermann H.C.294					Tag, ring	13			
5F/	-					Tube, 2" i/d	QR	P.V.C.		
5F/	-					Tube, 1 1/2 m/m; 2 1/2 m/m i/d	QR	P.V.C.		
3792	Std.1509/23/025					Tube, distance, for relay	4	T.4	MR/C	4
	Std.1509/23/055					Tube, distance, for oxygen pipe clipping 1" o/d x 22 S.W.G. - 0.64" long	1	T.26		4
5E/						Wire, equipment, P.T.F.E. type B, 19/0.20	QR			
5E/						Wire, equipment, P.T.F.E. type BSM, 19/0.20	QR			
5X/9149643	703/1/00266					Cover, 20-way	4	-	B.	
8545	F.220484					Cover	3	-		
+	E.315542					Electrical equipment, front fuselage (Mod.2583)	-	-		
	B.315660					Amplifier, top temp. assy.	1	-		
5CZ/5541	Smith EC1/6					Amplifier, magnetic	1	-	B.	
	B.315654					Rail, support	2	-		
5CZ/5241	Elect. compon- ents Ltd. 22508-685C					Resistor, plug-in	1	-	C.	
	BT 93001					Bracket	1	-		
	B.315646					Cable assy. AH.2 (See cable chart)	1	-		
	B.315647					Cable assy. AH.3 (See cable chart)	1	-		
	C.315589					Cable assy. A.44 (See cable chart)	1	-		
	D.315577					Cable assy. A.76 (See cable chart)	1	-		
	C.315583					Cable assy. A.77 (See cable chart)	1	-		
	D.315579					Cable assy. A.78 (See cable chart)	1	-		
	C.315581					Cable assy. A.80 (See cable chart)	1	-		
	B.315648					Cable assy. F.32 (See cable chart)	1	-		
	B.315627					Cable assy. F.92 (See cable chart)	1	-		
	AS.3360/B3E					Cable, bonding	1	-		
	Plessey					Cap, protective	1	-		
	508/1/41035									
11738	Std.2045/23/24					Clip	1	-	C.	
11294	Std.2045/25/24					Clip	2	-	C.	
11834	Std.2045/34/22					Clip	3	-	C.	
11305	Std.2046/25/24					Clip	2	-	C.	
	C.315661					Converter, SIWA assy.	1	-		
	17/735-FM9					Absorber, shock	4	-		
	C.315513					Bracket, mtg.	1	743 F.5		
	A.315642					Bolt	2	-		
	D.H.S. 4.7/21					Cable, bonding	1	-		
*	F & W 823597E					Panel, converter & control	1	-		
*	D.315679					Equipment, electrical, radio bay	-	-		
*	803272E					Box, junction, arm., no.10	1	-		
*	850461E					Box, relay, SIWA	1	-		
*	B.315587					Cable, assy. A.40	1	-		
3	B.315588					Cable, assy. A.45	1	-		

+ Swiss Supply, Swiss fit.

Hunter Two Seater
Issued with A/L No.3

ELECTRICAL EQUIPMENT — FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
3	Std. 1509/23/082	Tube, distance	2	-		
*	SAAB					
*	BT. 91005	Unit, central BT.9	1	-		
*	ED. 70001	Unit, control, B.T.9	1	-		
*	C. 315511	Unit, equipment (time delay fuel filter deicing)	1	-		
*	F & W 709015E	Bracket, fuse	1	-		
	B. 315553	Cable assy., F.115 (See cable chart)	1	-		
	Philips	Clamp	1	-		
	4322-043-03310					
	VN. 472	Clip, cable, HP.5N	1	NYLON		
	Philips	Condenser, 2200 μ F., 63 U.D.C.	1	-		
	2222-071-18222					
	ART. AF303F	Fuse, 1 amp. (AMF)	2	-		
	VN. 781	Grommet	1	-		
	ART. AF355	Holder, fuse (AMF)	2	-		
	F & W 520211E	Label	1	-		
	F. 315512	Label, set	1	-		
	75/37	Lug	2	-		
	VN 52	Nut, SM 5 x 0.8	1	-		
5CW/4102		Relay, 'Q'	1	-	B.	
	0200F	Resistor, 100 Ω 25W	1	-		
	NB. 1006	Screw, raised head	1	-		
	Helavia AD	Sleeve	2	-		
	Raychem	Sleeve	2	-		
	RNF. 100					
	Serie 0	Sleeve, Plastisol	4	-		
	C. 315510	Support	1	-		
	VE. 24913	Washer, insulation	2	-		
	Ref. 3					
	1603	Wire, filotex	Q/R	-		
	VLD 90/	Unit, voltage stabilizing	1	-		
	135-400A					
5CZ/5673	FHJ/A/7	Element, cabin, temperature	1	-	A.	
	D. 315947	EQUIPMENT, COCKPIT LIGHTING ASSEMBLY	-	-		
	F. 249966	Bracket, dimmer switch mounting	1	-		
	F. 222736	Bracket, lamp mounting	3	BS. 265		
	F. 223283	Bracket, lamp mounting	1	BS. 265		
	F. 224528	Bracket, lamp mounting	2	BS. 265		
	F. 229594	Bracket, lamp mounting	1	BS. 265		
	B. 223419	Cable assembly, F.120, group (See Cable Chart)	1	-		
	B. 223467	Cable assembly, F.121, group (See Cable Chart)	1	-		
	A. 231540	Cable assembly, F.135, group (See Cable Chart)	1	-		
	+ A. 315698	Cable assembly, F.180, (See Cable Chart)	1	-		
	+ A. 315700	Cable assembly, F.182, (See Cable Chart)	1	-		
11304	Std. 2046/21/24	Clip, sleeved	1	-		6
5L/9951271	-	Filament, 28V., 3.5 watt	11	-	B.	
	+ 520050E	Lamp, cockpit	1	-		
5CX/5133	-	Lamp, cockpit, type "D" red	10	-	A.	
* 5247	Std. 1606/44/A16	Screw, roundhead, 6 B.A.	6	Brass	C.	5
* 3859	Std. 1606/45/B10	Screw, countersunk, 4 B.A.	12	Brass	C.	5
* 5F/9454141	NY. 18007A	Strapping, 1/2" wide	QR	-	C.	
* 5F/9138822	NY. 3342	Stud	QR	-	C.	
* 5CW/2452	-	Switch, dimmer, type "R" 135 ohm	1	-	A.	
3 5CW/2530	-	Switch, dimmer, type "R" 75 ohm	1	-	A.	

+ Swiss supply, Swiss fit

RESTRICTED

ELECTRICAL EQUIPMENT — FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
3	E.315928	EQUIPMENT IN RADIO BAY, ASSEMBLY	-	-		
* 5J/3307	-	Accumulator, lead acid, 12 volt	2	-	B.	
* 5J/3336	Varley	Accumulator, type "J"	2	-	B.	
* 6A/4457	Smiths F.A.B.18	Amplifier	2	-	A.	
* 5CZ/5541	Smiths EC.1/6	Amplifier, magnetic (alt. to 5CZ/5291 & 5CZ/5040)	1	-	A.	
* 5CZ/5291	Smiths EC.1/3	Amplifier, magnetic (alt. to 5CZ/5541 & 5CZ/5040)	1	-	A.	
5CZ/5040		Amplifier, magnetic (alt. to 5CZ/5291 & 5CZ/5541)	1	-	A.	
	A.310350	Angle, mounting, top for circuit breaker	1	L.72		
	A.213624	Angle, mounting, bottom for circuit breaker	1	L.72		
5X/9000	AS.2654	Block, connector, 200 amp, single way	2	-	C.	
9744	F.209908	Bolt, special	4	S.95.B	C.	
6A/4317	Smiths Waymouth BW/13	Box, connector	1	-	B.	
6A/4318	Smiths Waymouth BW/14	Box, connector	1	-	B.	
* 5D/506	-	Box, junction	2	-	B.	
* A.236233		Box, for stand-by batteries (Complete with cable PC.13)	1	-	B.	
* C.216122		Box, group	1	-		
* 8483	F.216126	Clip, spring	2	Spr. Stl.	C.	
3	F.216127	Packing	1	-		

Hunter Two Seater
Issued with A.L. No.1

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
9637	B.220068					Box, A.C. control, top temperature, group	1	-		
7139	F.208121					Bar, bridge	1	L.72	MR/C	
5X/6630	Plessey 703/1/00190					Block, terminal, 5-way	1	-	B.	
	B.220069					Box	1	-		
	F.220072					Bracket, mounting, for terminal block	1	L.72		
5E/3038	-					Cable, unipren, 6 amp.	QR	-	C.	
10C/0115567	-					Capacitor, 5 MFD. 250V.	3	-	C.	
9337	A.220070					Lid	1	L.59	C.	
	A.220071					Platform, mounting, for torque switch and relay	1	L.72		
10H/0560060	Plessey					Plug, panel mounting	1	-	C.	
	508/1/40061/320									
10H/0560065	Plessey					Plug, panel mounting	1	-	C.	
	508/1/40061/325									
	Ferranti ZS.10A					Rectifier, silicon (Alternative to 10CV/448)	1	-		
10CV/448	-					Rectifier, silicon (Alternative to Ferranti ZS.10.A)	1	-	A.	
10F/0530453	-					Relay, type SM5A-N25	1	-	A.	
5K/	-					Sleeve, helsyn HT. 20 x 1/2"	12	-	C.	
5K/	-					Sleeve, helsyn HT. 30 x 1/2"	1	-	C.	
10H/0560240	Plessey					Socket, panel mounting	1	-	C.	
	508/1/40041/320									
5CW/5907	Smiths EAP.2340					Switch, torque	1	-	A.	
5K/3469	RC. 01					Tag	10	-	C.	
5K/3623	Tucker S.79					Tag, eyelet	9	-	C.	
	-					Tube, 1 1/2" m/m. i/d	QR	P.V.C.	C.	
	C.225203					BREAKER, CIRCUIT, MAIN FEED ASSEMBLY	-	-	-	
	A.225186					Angle, mounting, bottom	1	L.72	MR	
	A.225187					Angle, mounting, top	1	L.72	MR	
	B.225184					Bracket, mounting	1	L.72	MR	
	B.225185					Bracket, mounting	1	L.72	MR	
5CY/2564	-					Breaker, circuit, 45 amp.	6	-	A.	
5CY/4520	-					Cover	6	-	C.	
1639	Std.1606/44/46					Screw, roundhead, 6 B.A.	12	Brass	C.	5
	Std.1509/23/075					Tube, distance	4	T.4		4
5CY/2559	-					Breaker, circuit, 45 amp.	1	-	B.	
5CY/4376383	-					Breaker, circuit, 15 amp	2	-	A.	
5CY/2562	-					Breaker, circuit, 25 amp.	1	-		
5CY/4376060	-					Breaker, circuit, 45 amp.	2	-	A.	
5CY/2568	-					Breaker, circuit, 125 amp, type B.4	1	-	B.	
5X/9017	AS.2724					Bus-bar	1	-	C.	
#	B.220706					Cable assembly, F.38, group	1	-		
#	B.232091					Cable assembly, F.39, group	1	-		
#	A.222006					Cable assembly, F.41, group	1	-		
#	B.213871					Cable assembly, F.46, group	1	-		
#	B.213872					Cable assembly, F.47, group	1	-		
#	B.214265					Cable assembly, F.48, group	1	-		
#	B.219783					Cable assembly, F.77, group	1	-		
#	B.219903					Cable assembly, F.111, group	1	-		
#	B.232090					Cable assembly, F.117, group	1	-		
#	B.232087					Cable assembly, F.119, group	1	-		
#	B.219884					Cable assembly, F.132, group	1	-		
#	B.225156					Cable assembly, F.139, group	1	-		

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

Hunter Two Seater
Issued with A/L No.3

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
11405 11794	Std.2045/37/22	Clip, sleeved	1	-		6
	Std.2046/23/24	Clip, sleeved	3	-		6
	Std.2045/21/24	Clip, sleeved	1	-		6
	Std.2045/46/20	Clip, sleeved	1	-		6
	Std.2045/55/20	Clip, sleeved	2	-		6
	Std.2045/15/25	Clip, sleeved	2	-		6
	Std.2046/40/20	Clip, sleeved	2	-		6
	Std.2046/22/32	Clip, sleeved	1	-		6
	Std.2076/30/22	Clip, sleeved	1	-		6
	Std.2076/38/22	Clip, sleeved	1	-		6
3747	Std.841/28	Clip, securing cable	1	-		6
6A/4392	Smiths CS.21	Connector	1	DTD.610	MR/C	4
5X/9704508	AS.2655	Cover, for connector block	2	-	B	
4143	F.170058	Cover, sealing	2	-	C	
5CY/4520	-	Cover	1	DTD.213	C	
5J/3419	-	Cover, vented	4	-	C	
	F.316825	Diagram, wiring for JB.7	2	-		
	F.316826	Diagram, wiring for JB.8	1	Photo		
5L/9952254	AS.2722	Filament, lamp, 24V., 5W., type "J"	1	Photo		
5X/9010	B.260571	Insulator	1	-	B	
5UB/7401	-	Inverters, installation assembly	2	-	C	
	B.260570	Inverter, type 300	-	-		
5CX/446	-	Mounting, inverter, group	4	-		
	805033E	Lamp, cockpit Mk.1A	4	-		
	805038E	Mounting, starter relay	1	-	B	
	F.213042	Mounting, inertia switch	1	-		
	D.315918	Packing, at frame 17B	1	L.72		
5X/6903	703/2/00471/100	PANEL, GENERATOR, CONTROL, ASSEMBLY	1	-		
5X/6608	703/1/00420	Bar, commoning	-	-		
	703/2/00244	Block, fuse, with identification tags less cover	1	-	C	
5X/1004088	F.196207	Block, terminal, 10-way	2	-	B	
	B.222427	Bolt, special, for securing links	1	BSS.250B		
	A.198117	Bracket, mounting, for switch	1	L.72		
5CY/2562	-	Bracket, mounting	2	DTD.610		
5CY/2561	-	Breaker, circuit, 25 amp	1	-		
5CY/5336	-	Breaker, circuit, Type A no.3, 15 amp	2	-	A	
	D.316468	Breaker, circuit, Type D.1B (Mod.2583)	2	-	A	
	B.205481	Cable assembly, F.49 group (See Cable Chart)	1	-		
	B.224966	Cable assembly, F.52 group (See Cable Chart)	1	-		
		Cable assembly, F.136 group (See Cable Chart)	1	-		
3	5CY/4520	Cap, protective	2	-	C	
	Std.2045/20/24	Clip, securing cable (Mod.2583)	1	-		
	Std.2045/19/24	Clip, securing cable	2	-		
	Std.2045/23/24	Clip, securing cable	3	-		
	Std.2045/25/24	Clip, securing cable	2	-		
3	Std.2045/38/22	Clip, securing cable (Mod.2583)	1	-		
	Std.2046/15/26	Clip, securing cable	1	-		
	Std.2046/17/26	Clip, securing cable	1	-		
	Std.2046/18/24	Clip, securing cable	1	-		
5CY/4211	C.316692	Cut-out, differential, Type "A". Mk.2	2	-	A	
10H/	-	Diagram, wiring	1	-		
10H/21791	-	Fuse, dummy	3	-		
10H/21797	-	Fuse, 2.5 amp., Type "S"	1	-		
10H/21798	-	Fuse, 5 amp., Type "S"	8	-	C	
5X/9131181	Plessey Z.1841	Grommet	2	-	C	
	Hellermann 3111	Grommet	8	-		
5CZ/5073	Dowty C.5165.Y Mk.1	Indicator, magnetic	2	-	A	

+ Swiss Supply, Swiss Fit

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5X/1012122	703/2/00259									
	A.190681									
4181	A.190682									
4182	A.190683									
4183	A.190684									
4184	A.190685									
4185	A.190680									
	F.236504									
	D.316453									
28FP/228	Dzus AJW 5/35									
	F.212049									
	F.216829									
5UC/5937	-									
5CW/6719	-									
5CW/8979	-									
5UC/5209	-									
	E.12022									
5Q/4341	-									
5CY/3002	-									
5CW/7748	C.W.C. Ltd.									
	XD.789									
5CW/6452	Smiths R.D.1									
5CW/6185	-									
5CW/6434	-									
5CW/4485	Rotax									
	N.100397/37									
	Std.1509/12/174									
	Std.1509/23/026									
5781	Std.915/E20									
	Std.1546/36/16									
	F.225845									
	C.316907									
5X/6480	703/2/00465									
5X/3271	703/1/00416									
5X/1004088	703/2/00244									
	F.260590									
	A.316910									
5E/3038	-									
	B.260574									
5X/3275	703/1/00265									
	Std.2045/22/22									
	Std.2045/27/22									
10250	-									
10H/21798	-									
10H/23862	-									
10H/0590170	L.575									
10H/0590139	L.754/2									
5X/1004085	703/2/00254									
	C.260585									
5X/9450403	703/2/00267									

Hunter Two Seater
Issued with A.L. No.1

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
6733	A.207436						1	L.65	C.	
7060	A.207437						1	-	C.	
	A.223553						1	L.72		
4099	Std.840/18						1	DTD.610	C.	4
	Std.2046/49/22						2	S.510		6
	Std.2046/59/22						3	S.510		6
	E.316489						2	Photo		
10H/21791							1	-	C.	
10H/21797							10	-	C.	
10H/21798							10	-	C.	
10H/21799							6	-	C.	
10H/23801							1	-	C.	
5X/1004082	703/2/00251						6	-	C.	
5X/1012122	703/2/00259						2	-	C.	
5X/1004086	703/2/00260						2	-	C.	
5X/6898	703/2/00467						3	-	C.	
5X/6899	703/2/00468						4	-	C.	
5X/6905	703/2/00473						1	-		
5X/6173	703/2/00255						1	-		
	A.262536						1	Aluminium		
	D.229417						1	-		
	B.211911						1	L.72		
	B.211912						1	L.72		
	F.211946						1	L.72		
	F.211947						1	L.72		
	D.229406						-	-		
8701	F.221284						2	-	C.	
	C.186214						1	-		
	Dzus S5.200						4	-	C.	
28FP/337	Std.915/A18						8	-	MR/C	4
3762	Std.1509/24/058						4	T.4		4
	Std.1509/24/060						2	T.4		4
	Std.1548/20/16						2	DTD.610	MR/C	4
3997	F.197407						16	L.54C		
6026	A.204928						1	L.72	MR/C	
6028	A.204930						2	L.72	MR/C	
7814	F.206917						1	L.72	C.	
7815	F.206918						4	L.72	C.	
	F.233330						4	L.72		
	A.229360						1	-		
5CW/6791	Pullin or Hendry						1	-	A.	
	A.229361						1	-		
5CW/6791	Pullin or Hendry						4	-	A.	
	A.317825						1	-		
5CW/6719	Pullin or Hendry						1	-	A.	
	A.223652						1	-		
5CW/6717	Pullin or Hendry						1	-	A.	
	Smiths RD.1						5	-	A.	
5CW/6452	Smiths RD.2						2	-	A.	
5CW/6453	F.229405						1	-		
10W/0243046	-						1	-	C.	

RESTRICTED

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

Hunter Two Seater
Issued with A/L No.3

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
6A/3580	Sangamo Weston FD.871					Spool, adjustable	1	-	B	
5F/9454141	NY.18007A					Strapping	QR	-	C	
5F/9138822	NY.3342					Stud	QR	-	C	
	Std.1509/12/072					Tube, distance	16	-		4
	A.230397					Panel, for wiring diagram	1	Paxolin		
	F.224693					Piece, distance	4	L.54.C		
	F.225202					Plate, mounting, for inertia switch	1	L.72		
5CT/4314	-					Plug, external power supply	1	-	B	
5CZ/5241	Electronic Components					Resistor, plug-in	1	-	B	
	22508/685°C									
	Std.1606/45/B18					Screw, countersunk head, 4 B.A.	3	Brass		5
5CY/3002	-					Socket, 3 pole, 2 amp	1	-	B	
5F/9454141	NY.18007A					Strapping	QR	-	C	
5F/9138822	NY.3342					Stud	QR	-	C	
5X/9011	AS.2719					Stud, terminal	3	-	C	
27N/93	-					Switch, inertia, Mk.1, Type S.3	3	-	A	
	Std.1932/285					Transfer:	1			
	Std.1932/286					Transfer:	1			
5F/	-					Tube, 1 m/m i/d	QR	P.V.C.	C	
5F/	-					Tube, 1/4" i/d	QR	P.V.C.	C	
	Std.1509/23/060					Tube, distance, 5/16" o/d x 17 S.W.G. x 0.6" long (Make from 30B/556)	2	T.4		4
	Std.1509/24/052					Tube, distance, 3/8" o/d x 17 S.W.G. x 0.52" long (Make from 30B/557)	1	T.4		4
3953	Std.915/E/22					Washer	4	DTD.610		4
	C.315285					EQUIPMENT, ON PORT FORWARD SHELF ASSEMBLY	-	-		
	B.241040					Box, switch, group (Mod.921)	1	-		
10966	B.241041					Box, group	1	-		
	B.T.H.									
	LGA.24.B1					Breaker, circuit	1			
	F.238577					Channel mounting	1			
	Std.1606/44/B6					Screws	2			
	Std.1606/44/B8					Screws	2			
5CW/7539						Switch, central off	1			
	B.232755/13					Transfer 'HAUT'	1			
	B.232755/14					Transfer 'BAS'	1			
	C.315936					Cable, form F.28 (See Cable Chart)	1	-		
	A.241191					Cable, form F.165 (See Cable Chart) (Mod.921)	1	-		
	A.261150					Cable, F.207 (See Cable Chart)	1	-		
	Std.840/20					Clip, securing cable	1			4
	F.315281					Guard, for locking switch	1	L.72	MR/C	
6A/	Smiths 849/FL					Indicator, position trim	1	-	A	
	B.233279					Lock, for trim switch, N.256 (Mod.791)	1	-	-	
	AW.49161					Bracket, mounting	1	-		
	AW.49164					Clip	1	-		
	A.233268					Lever	1	S.510		
5700	AW.49162					Plunger	1	-	MR/C	
5701	AW.49163					Spring	1	-	MR/C	
	AS.2806					Tube, distance	1	-		
	AW.88052/7					Washer	1	-		
	AW.88052/8					Washer	1	-		
3	+					Mounting, SIWA volume control (Mod.2583)	Ref	-		
3						Button, control	1	-		
3	26VA/6044080					Clip	1	-	C	
3						Lever	1	-		
3	5K/9333088					Tie, ty-rap	15	-	C	
3	+					Plate, mounting connector	1			
	A.315677					Guard, Switch	2			
	F.315281					Screw, roundhead, 4 B.A.	4	Brass	C	5
3838	Std.1606/44/B8					Screw, roundhead, 4 B.A.	1	Brass	C	5
1637	Std.1606/44/B14					Screw, roundhead, 4 B.A.	2	Brass	C	5
3839	Std.1606/44/B16					Screw, roundhead, 2 B.A.	4	Brass	C	5
3856	Std.1606/44/C20					Sleeve, P.V.C. 9" long (Mod.921)	1	1738	C	
5K/9107067	Hellermann									

Hunter Two Seater
Issued with A/L No.3

ELECTRICAL EQUIPMENT — FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.	
							1
5CW/4682	Honeywell 1TL1/51	Switch	1	-	B.		
	Western Manufg. LS.1611 C.315283	Switch, trim, Mk. 8/2	1	-	A.		
		EQUIPMENT, ON STARBOARD FORWARD SHELF ASSEMBLY	-	-			
5CY/2564	F.213003	Angle, support for switch	1	L.72			
	F.213004	Angle, support, for switch	1	L.72			
	+ B.03114E	Box, RP distribution, 14801.007	1	-			
	A213138	Bracket, mounting for trim switch lever	1	-			
	B.T.H. or Thorn	Breaker, circuit, Type "A", No.6	1	-			
	C.315942	Cable, F.99 (See Cable Chart)	1	-			
	B.315734	Cable, F.93 (See Cable Chart)	1	-			
	F.213142	Cam, at mounting bracket	1	-			
	8698	A.213360	Cover, for circuit breaker, group	1	-	C.	
		F.213303	Bracket	1	L.72		
	A.213302	Cover	1				
	F.213304	Spring	1	Ph. Bronze			
	F.315281	Guard, switch	1				
	B.223749	Housing, for armament safety switch	1				
6A/	Smiths 849/FL	Indicator, position	1		A.		
	A.213139	Lever, actuating trim switch	1	-			
3815	Std.1547/20/14	Packing	6	DTD.610	MR/C		
5700	AW.49162	Plunger	1	S.1	MR/C		
	F.213140	Rod, actuating, adjustable, group	1	-			
8699	F.213195	Screw, adjusting	1	S.1	C.		
3839	Std.1606/44/B16	Screw, roundhead, 4 B.A.	2	Brass	C.	5	
3856	Std.1606/44/C20	Screw, roundhead, 4 B.A.	2	Brass	C.	5	
3857	Std.1606/44/C24	Screw, roundhead, 4 B.A.	2	Brass	C.	5	
1178	Std.1606/44/B12	Screw, roundhead, 4 B.A.	4	Brass	C.	5	
	C.315282	Shelf, starboard, forward portion, group	1	-			
	F.315728	Bracket, mounting	1				
	F.213141	Duct, actuating rod	1				
29G/2180	Carr 882	Stud (Lift the Dot)	1	-	C.		
5701	AW.49163	Spring	1	Steel	MR/C		
	+ 518038	Strap, mounting	2				
5CW/6977	Dowty C.1831 Mk.102C	Switch, armament safety	1	-	B.		
5CW/4682	Western Manufg. LS.1611	Switch, trim Mk.8/2	1	-	A.		
	Honeywell 1TL1-51	Switch	1				
	C.315283/1	Washer, at lever attachment	1	S.3			
	C.227917	Guard, cable, centre console	1	L.72			
	B.264409	Guard, cable, forward	1	L.59			
	B.264341	Guard, cable, centre	1	L.72			
	B.264342	Guard, cable, aft	1	L.72			
	F.222049	Guard, locking for switch	1	-			
5CZ/6000	-	Indicator, magnetic	1	-	A.		
5CZ/5003	Dowty	Indicator, magnetic, Mk.14 (Mod.2583)	1	-	C.		
	F.315923	Label	1				
5X/1004082	703/2/00251	Link, commoning, 2-way	10	-	C.		
8543		Mounting	12	Rubber	C.		

+ Swiss supply, Swiss fit

ELECTRICAL EQUIPMENT — FRONT FUSELAGE

Hunter Two Seater
Issued with A/L No.3

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	C.258773	Mounting, control unit, assembly	-	-	-	
	A.249462	Bracket	1	L.72		
	B.249461	Cable, FF.153, group (See Cable Chart)	1			
	Std.2046/50/20	Clip	1	S.510 or 511		6
	Std.2045/20/24	Clip	1	S.510 or 511		6
	Std.2045/50/20	Clip	1	S.510 or 511		6
5F/9454141	NY.18007A	Strapping	QR		C.	
5F/9138822	NY.3342	Stud	QR		C.	
5CZ/7659	Graviner	Unit, control, Type 165 D (2)	1		B.	
	Std.1335/B18	Washer	2			4
4162	Std.915/B22	Washer	1	L.72	C.	4
6733	A.207436	Nut	1	L.65	C.	
	C.316569	Panel, A.C. supplies circuit breaker, group	1	-		
5CY/2561	B.T.H. or Thorn	Breaker, circuit, Type "A", N.3, 15 amps	4	-	A.	
	B.218569	Cable, F.34 group (See Cable Chart)	1	-		
	A.209700	Ferrule, code 54	1	-		
5CW/5253	Hellerman	Cap, helvin (Sea grey)	1	-	C.	
	HV.3710					
5CY/4520	B.T.H. Smart or Brown	Cover, safety	4	-	B.	
	B.316568	Panel, switch	1			
1639	Std.1606/44/46	Screw, roundhead, 6 B.A.	8	Brass	C.	5
1638	Std.1606/44/B6	Screw, roundhead, 4 B.A.	4	Brass	C.	5
1943	Std.1606/45/B16	Screw, countersunk, 4 B.A.	3	Brass	C.	5
5CY/3002	-	Socket, 3 pole, 2 amp.	1	-	B.	
5CW/6439	C.W.C. Ltd.	Switch, D.P. "centre off" spring both ways	1	-	B.	
	XD.787					
	B.232755/18	Transfer, 'DROITE'	1	-	C.	
	B.232755/17	Transfer, 'GAUCHE'	1	-	C.	
3	+ 823864	Panel, cabin pressurisation control, group (Mod.2583)	1	-		
	B.315274	Panel, control, between frames 10 and 11	1	L.72	-	

+ Swiss supply, Swiss fit

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	D.314760	Panel, leg, port, group	1	-		
	F.314810	Arm	1			
	A.314809	Bar, ganging	1			
5X/1004088	703/2/00244	Block, terminal, 10-way	1	-	B	
	F.188304	Bracket	1			
5E/3038	# -	Cable, unipren, 6 amp	QR			
5E/3040	# -	Cable, unipren, 12 amp	QR			
5E/3042	# -	Cable, unipren, 24 amp	QR			
8700	A.212014	Cover, access, group	1	-	C	
28FP/146	Dzus A4.25	Fastener	6	-	C	
5K/2724	-	Cover, spring, for D.P., switch, Type "B"	1	-	C	
	B.316487	Diagram, wiring	1	-	C	
5L/9959118	-	Filament, 28V., 0.04 amp	1	-	B	
5CW/5045	Rotax N.65290	Grommet, at attachment of bridge light	1	-	C	
5CX/5361	Thorn 80/10/1483	Light, bridge, for ratiometer oil indicator	1	-	B	
5X/6171	# 703/2/00252	Link, 3-way	1			
4490	F.199451	Nut, at transfer "on and off" switch	1	L.65.C	C	
8682	F.220647	Nut, special	2	Brass		
	+ D.315634	Panel, leg, cable form	1			
	F.313311	Plate, locking	1			
5X/9171	# 508/1/06399	Plug	2			
5X/9185	# 508/1/06413	Plug	2			
	Smiths 23/ACR	Ratiometer Indicator, for oil pressure	1	-	A	
5247	Std.1606/44/A16	Screw, roundhead, 6 B.A.	8	Brass	C	5
	Std.1606/44/B20	Screw, roundhead, 4 B.A.	8	Brass	C	5
3837	Std.1606/44/B10	Screw, roundhead, 4 B.A.	4	Brass	C	5
1720	Std.1606/44/B24	Screw, roundhead, 4 B.A.	2	Brass	C	5
3840	Std.1606/44/B28	Screw, roundhead, 4 B.A.	2	Brass	C	5
5X/1005131	# Z/49428	Sleeve, reducing	42			
	# Std.1953	Sleeve	1 set			
	# Std.2134/11	Sleeve, marker	23			
	# Std.2134/21	Sleeve, marker	33			
	# Std.2135/11	Sleeve, marker	4			
	# Std.2135/21	Sleeve, marker	4			
	F.258933	Spring	1			
5CW/540	Rotax D.0701	Switch, D.P., Type "B"	1	-	B	
	Honeywell 1TL1-3	Switch	7			
	2TL1-3	Switch	1			
5X/9462951	# HC.294	Tag, ring, 4 B.A.	9			
5X/9462745	# HC.304	Tag, ring	8			
5X/9462956	# HC.314	Tag, ring	4			
5K/4346693	# R.C.2120	Tag, 6 amp QR	14			
5K/4346711	# R.C.2121	Tag, QR	2			
	+ FW.519699E	Tape, adhesive	1			
	+ FW.520004E	Tape, adhesive	1			
	B.232755/15	Transfer 'DEMARREUR'	1			
	Std.1509/12/014	Tube, distance	2	T.4		4
	Std.1509/23/020	Tube, distance	1			
	+ FW.519698E	Tube, distance	2			

H.S.A. supply, Swiss fit
+ Swiss supply, Swiss fit

ELECTRICAL EQUIPMENT — FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R.	Plate No.
					Class of Store	
		1 2 3 4 5				
5CW/5253	B. 315272	PANEL, PORT, MISCELLANEOUS, SWITCH ASSEMBLY	-	-		
	A. 315273	Cap, helvin, sea grey	2	-	C.	
26AQ/2783	Std. 1606/44/B6	Panel, mounting	1	L.72		
5CW/7551	C.W.C. Ltd. XD.786	Screw, roundhead, 4 B.A. Switch, F.P. "ON-OFF"	12 1	Brass	C. B	5
5CW/7552	C.W.C. Ltd. XD.788	Switch, D.P. one side "ON"	2	-	B	
	B.232755/1	Transfer 'OVERT'	1	-	C	
	B.232755/5	Transfer, 'NORMAL'	2	-	C	
5X/9450503	703/2/00267	Pillar, fixing	8	-	C	
	B.221852	Plate, guard, for T.B.79 and T.B.80	1	L.72		
	B.223174	Plate, cover for T.B.4 and T.B.7	1	L.72		
	B.227578	Plate, mounting, cabin temperature amplifier	1	L.72		
	B.325634	Platform, mtg., port (Mod.2583)	1	L.72		
	B.325635	Platform, mtg., starboard (Mod.2583)	1	L.72		
3	5UC/6581	Rotax F.1306	1	-	A	
3	3838	Std. 1606/44/B8	2	Brass	C	5
	1720	Std. 1606/44/B24	3	Brass	C	5
	9450	Std. 1606/45/A18	2	Brass	C	5
		Std. 1953/1-10	3 sets	-		
		Std. 1953/1-20	4 sets	-		
	5F/9454141	NY.18007A	QR	-	C	
	8546	Std.2008/C/362	3	S.84	C	6
	8547	Std.2008/B/423	3	S.84	C	6
	5F/9138822	NY.3342	QR	-	C	
	5CY/1002	-	1	-	A	
	5CW/5042	KSD/02/01	1	-	A	
	5CW/7540	C.W.C. Ltd. XD.778	2	-	B	
	5CW/7550	C.W.C. Ltd. XD.787	1	-	B	
		C.228720	-	-		
		SWITCHES, MICRO, FOR HOOD LOCKING GEAR ASSEMBLY	-	-		
8702	DTD.487/9B	Bolt	2	DTD.487	C	
	B.228769	Cable assembly, F.142, group (See Cable Chart)	1	-		

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	A.232039						2	-		
9919	Std.1459/C						3	-	C	
8705	F.213284						1	L.72	C	
5CW/9438275	Burgess Mk.4						1	-	B	
5CW/4639	Burgess 5 BR						3	-	B	
5CW/6376	Pye 400						3	-	B	
5CW/6375	Pye 401						1	-	B	
9920	F.228644						3	-	C	
5CW/6000	FHM/A/57						1	-	A	
5CW/6257	FHM/A/68						1	-	A	
	B.232755/3						1	-	C	
	B.232755/4						1	-	C	
	B.232755/1						1	-	C	
	B.232755/2						1	-	C	
5F/3802	-						QR	P.V.C.	C	
	Std.1507/23/085						2	T.4	C	4
	Std.1509/23/084						6	T.4		4
	Std.1508/13/075						1	T.4		4
	Std.1509/23/058						2	T.4		4
1940										
7060	Std.1231/1						1		C	4
	F.207437						1	S.3	C	
	Std.1208/44/16/20						1	DTD.171		
							1	-		4

ELECTRICAL EQUIPMENT — FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
	28D/1010658	A25. 1B	Bolt	4	B.A.	-	-	-	-	-
	28D/1008149	A25. 2B	Bolt	4	B.A.	-	-	-	-	-
	28D/9419425	A25. 3B	Bolt	4	B.A.	-	-	-	-	-
	28D/1011001	A25. 5B	Bolt	4	B.A.	-	-	-	-	-
	28D/1010029	A25. 6B	Bolt	4	B.A.	-	-	-	-	-
3	28D/1009984	A25. 7B	Bolt	4	B.A.	-	-	-	-	-
	28D/1010142	A25. 9B	Bolt	4	B.A.	-	-	-	-	-
	28D/9138768	A25. 1/2C	Bolt	2	B.A.	-	-	-	-	-
	28D/9436920	A25. 1C	Bolt	2	B.A.	-	-	-	-	-
	28D/9133011	A25. 2C	Bolt	2	B.A.	-	-	-	-	-
	28D/9133012	A25. 3C	Bolt	2	B.A.	-	-	-	-	-
	28D/1200119	A25. 4C	Bolt	2	B.A.	-	-	-	-	-
	28D/12533	A25. 5C	Bolt	2	B.A.	-	-	-	-	-
	28D/1010030	A25. 7C	Bolt	2	B.A.	-	-	-	-	-
	28D/1011019	A25. 8C	Bolt	2	B.A.	-	-	-	-	-
	28D/9140644	A25. 9C	Bolt	2	B.A.	-	-	-	-	-
	28D/9140645	A25. 10C	Bolt	2	B.A.	-	-	-	-	-
	28D/9435710	A25. 11C	Bolt	2	B.A.	-	-	-	-	-
	28D/9419397	A25. 12C	Bolt	2	B.A.	-	-	-	-	-
	28D/12536	A25. 13C	Bolt	2	B.A.	-	-	-	-	-
	28D/9140647	A25. 14C	Bolt	2	B.A.	-	-	-	-	-
	28D/9140648	A25. 19C	Bolt	2	B.A.	-	-	-	-	-
	28D/1012995	A25. 22C	Bolt	2	B.A.	-	-	-	-	-
3	28D/1011029	A25. 1E	Bolt	1/4"	B.S.F.	-	-	-	-	-
	28D/1011030	A25. 2E	Bolt	1/4"	B.S.F.	-	-	-	-	-
	28D/1011238	A25. 3E	Bolt	1/4"	B.S.F.	-	-	-	-	-
	28D/1008151	A25. 4E	Bolt	1/4"	B.S.F.	-	-	-	-	-
	28D/1010031	A25. 8E	Bolt	1/4"	B.S.F.	-	-	-	-	-
	28D/1011244	A25. 9E	Bolt	1/4"	B.S.F.	-	-	-	-	-
	28D/1011246	A25. 11E	Bolt	1/4"	B.S.F.	-	-	-	-	-
	28D/14004	A57. 5E	Bolt	1/4"	B.S.F.	-	-	-	-	-
	28D/14826	AS. 1242. 1/2B	Bolt	4	B.A.	-	-	-	-	-
	28D/9130080	AS. 1242. 9B	Bolt	4	B.A.	-	-	-	-	-
	28D/8307	AS. 1242. 2C	Bolt	2	B.A.	-	-	-	-	-
	28D/8308	AS. 1242. 3C	Bolt	2	B.A.	-	-	-	-	-
	28D/8329	AS. 1242. 9E	Bolt	1/4"	B.S.F.	-	-	-	-	-
	28D/9128739	AS. 1248. 1/2B	Bolt	4	B.A.	-	-	-	-	-
	28D/8837	AS. 1248/1B	Bolt	4	B.A.	-	-	-	-	-
	28D/8339	AS. 1248. 6B	Bolt	4	B.A.	-	-	-	-	-
	28D/1007981	AS. 1248. 1/2C	Bolt	2	B.A.	-	-	-	-	-
	28D/1007982	AS. 1248. 1C	Bolt	2	B.A.	-	-	-	-	-
	28D/1013301	AS. 1248. 4C	Bolt	2	B.A.	-	-	-	-	-
	28D/8344	AS. 1248/5C	Bolt	2	B.A.	-	-	-	-	-
	28D/9354	AS. 1248/6C	Bolt	2	B.A.	-	-	-	-	-
	28D/8345	AS. 1248. 7C	Bolt	2	B.A.	-	-	-	-	-
	28D/8347	AS. 1248. 10C	Bolt	2	B.A.	-	-	-	-	-
	28N/256	SP. 58. D	Burr			-	-	-	-	-
	28N/254	AGS. 191. B	Burr			-	-	-	-	-
	28E/9128961	AGS. 605/1	Clip, hose			-	-	-	-	-
	28E/5452	AGS. 895/1	Clip, spring			-	-	-	-	-
	5K/115	AGS. 1661/D	Clip, banding			-	-	-	-	-
	5K/119	AGS. 1661/H	Clip, banding			-	-	-	-	-
3	28E/1012878	AS. 3181/16C	Clip			-	-	-	-	-
	5K/86	AGS. 1657 Mk. 0	Collet			-	-	-	-	-
	5K/3355	AS. 3360/B/4/B	Connector, earthing			-	-	-	-	-
	5K/2868	SP. 40. B8	Grommet			-	-	-	-	-
	5K/2956	SP. 40. B36	Grommet			-	-	-	-	-
	5K/	SP. 48. A18	Grommet			-	-	-	-	-
	5K/1058169	SP. 93. A18	Grommet			-	-	-	-	-
		SP. 93. A56	Grommet			-	-	-	-	-
		SP. 40. A8	Grommet			-	-	-	-	-

Hunter Two Seater
Issued with A/L No.3

ELECTRICAL EQUIPMENT — FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
3	28M/9403518	A27. AP				
	28M/1200096	A27. AT	-	-	-	
	28M/9403519	A27. BP	-	-	-	
	28M/1006504	A27. BT	-	-	-	
	28M/9403520	A27. CP	-	-	-	
	28M/13121	A27. CS	-	-	-	
	28M/1006473	A27. CT	-	-	-	
	28M/12931	A27. ET	-	-	-	
	28M/13734	A54. B	-	-	-	
	28M/14534	A54. C	-	-	-	
	28M/10286	AGS.2001. A1	-	-	-	
	28M/10287	AGS.2001. B1	-	-	-	
	28M/10288	AGS.2001. C1	-	-	-	
	28M/10290	AGS.2001. E1	-	-	-	
	28M/10276	AGS.2001. E4	-	-	-	
	28M/10326	AGS.2002. A1	-	-	-	
	28M/10327	AGS.2002. B1	-	-	-	
	28M/10309	AGS.2002. B4	-	-	-	
	28M/10328	AGS.2002. C1	-	-	-	
	28M/7002430	AGS.2002. E1	-	-	-	
	28M/9434251	AGS.2008. B1	-	-	-	
	28M/9435067	AGS.2008. C1	-	-	-	
	28M/13307	AGS.2018. B1	-	-	-	
	28M/13774	AGS.2019. B1	-	-	-	
	28M/9144673	AGS.2019. C1	-	-	-	
	28M/13264	AGS.2021. C1	-	-	-	
	28M/13721	AGS.2021. E1	-	-	-	
	28P/1006943	SP.9. C6	-	-	-	
	28P/19153	SP.90. C5	-	-	-	
	28P/14669	SP.4. Z. D18	-	-	-	
	28S/1200045	A31. A10	-	-	-	
3	28S/1200049	A31. A12	-	-	-	
	28S/9435712	A31. B8	-	-	-	
	28S/9419435	A31. B12	-	-	-	
	28S/1200034	A31. B16	-	-	-	
	28S/1200040	A31. B20	-	-	-	
	28S/1200033	A31. B24	-	-	-	
	28S/1005622	A31. B28	-	-	-	
	28S/	A31. B38	-	-	-	
	28S/6201	A31. B40	-	-	-	
	28S/9435912	A31. B44	-	-	-	
	28S/1009109	A32. A6	-	-	-	
	28S/1006979	A32. A. 10	-	-	-	
	28S/1006948	A32. A12	-	-	-	
	28S/1017747	A32. A14	-	-	-	
	28S/9995324	A32. A16	-	-	-	
	28S/2888	A32. A32	-	-	-	
	28S/1200080	A32. B8	-	-	-	
	28S/12887	A32. B10	-	-	-	
	28S/9992525	A32. B12	-	-	-	
	28S/14005	A32. B14	-	-	-	
	28S/9992522	A32. B16	-	-	-	
	28S/9995376	A32. B20	-	-	-	
	28S/2875	A32. B24	-	-	-	
	28S/1011488	A32. B28	-	-	-	
	28S/14627	A32. B36	-	-	-	
	28S/5694	A32. B40	-	-	-	
	28S/14269	A32. C10	-	-	-	
	28S/2856	A32. C12	-	-	-	
	28S/13742	A32. C14	-	-	-	
	28S/1011490	A32. C16	-	-	-	
	28S/9992533	A32. C20	-	-	-	
	28S/1001491	A32. C24	-	-	-	

ELECTRICAL EQUIPMENT — FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
28S/2816	A33.A16	Screw,	6	B.A.						
28S/1200061	A33.A18	Screw,	6	B.A.						
28S/3420	A33.B8	Screw,	4	B.A.						
28S/13720	A33.B10	Screw,	4	B.A.						
28S/2809	A33.B12	Screw,	4	B.A.						
28S/2833	A33.B28	Screw,	4	B.A.						
28S/9140929	A33.C12	Screw,	2	B.A.						
28S/14302	A33.C14	Screw,	2	B.A.						
28S/13882	A43.A10	Screw,	6	B.A.						
28S/2066	A43.C12	Screw,	2	B.A.						
28S/8057	A44.B6	Screw,	4	B.A.						
28S/2407	A44.B12	Screw,	4	B.A.						
28S/13814	A44.B14	Screw,	4	B.A.						
28S/2425	A44.B24	Screw,	4	B.A.						
28S/3509	A44.C8	Screw,	2	B.A.						
28S/2115	A45.B8	Screw,	4	B.A.						
28W/9419401	SP.10.B	Washer								
3 28W/9419465	SP.13.B	Washer,	4	B.A.						
3 28W/9419402	SP.13.C	Washer,	2	B.A.						
3 28W/9418921	SP.13.E	Washer,	1/4"	B.S.F.						
28W/9419473	SP.15A	Washer,	6	B.A.						
28W/9419474	SP.15B	Washer,	4	B.A.						
28W/9419475	SP.15C	Washer,	2	B.A.						
28W/9419405	SP.15E	Washer,	1/4"	B.S.F.						
28W/9419485	SP.16A	Washer,	6	B.A.						
28W/9419486	SP.16B	Washer,	4	B.A.						
28W/9419404	SP.16C	Washer,	2	B.A.						
28W/9419487	SP.16E	Washer,	1/4"	B.S.F.						
28W/14034	SP.25B	Washer,	4	B.A.						
28W/9416642	SP.47B	Washer,	4	B.A.						
3 28W/9416644	SP.47E	Washer,	1/4"	B.S.F.						
3 29C/1206040	AGS.2035A	Washer								
29C/1206041	AGS.2035B	Washer,	4	B.A.						
29C/1200328	AGS.2037B	Washer								



This file was downloaded from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms, and more aircraft documents.

