

Hunter Two Seater
Issued with A/L No.3

ELECTRICAL EQUIPMENT — REAR FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		ELECTRICAL EQUIPMENT IN REAR FUSELAGE, ASSEMBLY	-	-		
5W/2317	E. 315209 Western Manfg. EA. 25461	Actuator, EJ.25 Mk.1D	1	-	A.	
5W/5449	Rotax A.1612 A.212367	Actuator, tailplane (Mod.1145)	1	-	A.	
		BLOCK, TERMINAL No.41, AT FRAME 40B, PORT ASSEMBLY	-	-		
3	5CZ/430 Rotax N5. BN A.212457	Block, terminal, 2-way, No.1	1	-	B.	
		BLOCK, TERMINAL, No.42, AT FRAME 52, ASSEMBLY (Mod.2583)	-	-		
	5X/3276 703/1/00226	Block, terminal, 2-way	1	-	B.	
	5X/3272 703/1/00262	Cover	1	-	B.	
3	4177 F.216256/1 F.197297 A.206250	Label (Mod.2583)	1	-		
		Pillar	2	BSS.249	C.	
		BLOCK, TERMINAL, No.45, FOR TAILPLANE DESYNN, ASSEMBLY	-	-		
	5X/1002694 703/1/00238	Block, terminal, 5-way	1	-	B.	
	5X/9149641 703/1/00264	Cover	1	-	B.	
	5X/9450403 703/2/00267 A.216488	Pillar	2	-	C.	
		BLOCK, TERMINAL, No.87, ASSEMBLY	-	-		
	5X/1002694 703/1/00238	Block, terminal, 5-way	1	-	B.	
	5X/9149641 703/1/00264	Cover	1	-	B.	
	5X/9450403 703/2/00267 A.222784	Pillar, mounting	2	-	C.	
		BLOCK, TERMINAL No.44, FOR TAILPLANE ACTUATOR, ASSEMBLY	-	-		
	5X/1004088 703/2/00244	Block, terminal, 10-way	1	-	B.	
	5X/3275 703/1/00265	Cover	1	-	B.	
3	4177 F.318012/1	Label, TB.44 (Mod.2583)	1	-		
	5X/1004082 703/2/00251	Link, commoning	3	-	C.	
	4177 F.197297 B.206440	Pillar	2	BSS.249	C.	
		BLOCK, TERMINAL, No.43, BETWEEN FRAMES 54 AND 55, ASSEMBLY	-	-		
	5X/1004088 703/2/00244	Block, terminal, 10-way	2	-	B.	
	5X/3275 703/1/00265	Cover	1	-	B.	
	5X/9450403 703/2/00267 B.206675	Pillar	2	-	C.	
		BLOCK, TERMINAL, Nos. 47 and 48, AT FRAME 45 ASSEMBLY	-	-		
	5X/1002695 703/1/00249	Block, terminal, 20-way	1	-	B.	
	5X/1004088 703/2/00244	Block, terminal, 10-way	1	-	B.	
	5X/9149643 703/1/00266	Cover	1	-	B.	
	5X/3275 703/1/00265	Cover	1	-	B.	
	5X/1012122 703/2/00259	Label, TB.47 (Mod.960)	1	-		
	5X/9450403 703/2/00267	Link, commoning, 10-way	1	-	C.	
	4177 F.197297	Pillar	2	-	C.	
	3767 Std.915/B20 A.206673	Pillar	2	BSS.249	C.	
		Washer	1	-	C.	
		BLOCK, TERMINAL, No.57, AT FRAME 40B STARBOARD, ASSEMBLY	-	-		
	5CZ/430 Rotax N5. BN A.222373	Block, terminal, 2-way, No.1	1	-	B.	
		BLOCK, TERMINAL, No.79, ASSEMBLY	-	-		
	5X/1002694 703/1/00238	Block, terminal, 5-way	1	-	B.	
	5X/9149641 703/1/00264	Cover	1	-	B.	
	5X/9450403 703/2/00267 B.222374	Pillar	2	-	C.	
		BLOCK, TERMINAL, No.97 ASSEMBLY	-	-		
	5X/1004088 703/2/00244	Block, terminal, 10-way	1	-	B.	
	5X/3275 703/1/00265	Cover	1	-	B.	
	5X/9450403 703/2/00267 A.210747	Pillar	2	-	C.	
		BLOCK, TERMINAL, No.58, BETWEEN FRAMES 56 AND 57, ASSEMBLY	-	-		
	7056 A.210157	Block, terminal	1	-	B.	
	A.210713	Bracket, mounting	1	L.72		
	2146 A.189842	Bolt, special, bottom, for actuator	1	S.99B.	C.	

RESTRICTED

ELECTRICAL EQUIPMENT — REAR FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	+ B.216032	Cable, PC.15, group	1	-		
	+ A.226147	Cable, PC.16, group	1	-		
	+ A.226148	Cable, PC.18, group	1	-		
	+ C.205503	Cable, R.1, group	1	-		
	+ C.257958	Cable, R.2, group	1	-		
	+ C.249755	Cable, R.3, group	1	-		
	+ C.257960	Cable, R.12, group	1	-		
	+ B.257961	Cable, R.13, group	1	-		
	+ C.257962	Cable, R.14, group	1	-		
	+ C.258480	Cable, R.16, group	1	-		
	+ C.257963	Cable, R.18, group	1	-		
	+ B.205545	Cable, R.20, group	1	-		
	+ B.205699	Cable, R.21, group	1	-		
	+ B.208717	Cable, R.24, group	1	-		
	+ C.212485	Cable, R.26, group	1	-		
	+ B.214428	Cable, R.33, group	1	-		
	+ C.254676	Cable, R.36, group	1	-		
	+ B.222724	Cable, R.37, group (Mod.2583)	1	-		
	+ B.221201	Cable, R.38, group (Mod.2583)	1	-		
	+ B.318011	Cable, R.41, group (Mod.2583)	1	-		
3	11227	Std.2045/21/24	Clip	-	C.	6
		Std.2045/25/24	Clip	-		6
	11209	Std.2045/34/22	Clip	-		6
		Std.2045/38/22	Clip	-	C.	6
		Std.2046/31/22	Clip	-		6
	9664	Std.2045/22/24	Clip, sleeved	S.510	C.	6
		Std.2045/27/22	Clip	-		6
		Std.2045/42/22	Clip	-		6
		Std.2045/31/22	Clip	-		6
3	# 805013E	Contactor, reversing (Mod.2583)	1	-		
	5CZ/8913	Rotax D.19501/2	Contactor, reversing (Mod.1359)	2	A.	
	6A/4383	Smiths CJC.65	Contactor, type P.T.E.E.	2	B.	
		D.299485	ELECTRICAL EQUIPMENT, ADDITIONAL DETAILS	-		
		ASSEMBLY				
	F.216456	Bracket, for cable coupler at frame 40B starboard	1	L.72		
	B.258481	Cable, E.11A, assembly (See Cable Chart)	1	-		
	5X/1965	508/4/11182	Cap, "B" size plug screening	2	C.	
	10250	Std.2045/27/22	Clip, sleeved	5	S.510	6
	11792	Std.2045/22/24	Clip, sleeved	2	S.510	6
	11209	Std.2045/22/38	Clip, sleeved	2	S.510	6
		Std.2045/31/22	Clip, sleeved	1	S.510	6
		Std.2045/42/22	Clip, sleeved	1		6
	A.198113	EARTHING POINT, No.11, FRAME 45, PORT SIDE ONLY, ASSEMBLY	-	-		
	4613	Std.1335/C18	Washer, under terminal	1	L.4	C. 4
	4659	Std.1335/C22	Washer, under nut	1	L.4	C. 4
	5F/9454141	NY.18007A	Strapping	QR	-	C.
	5F/9138822	NY.3342	Stud	QR	-	C.
		B.231138	ELECTRICAL EQUIPMENT, ADDITIONAL DETAILS, ASSEMBLY	-		
	5CZ/430	Rotax N5.BN	Block, terminal, 2-way	1	-	B.
		A.234149	Bracket, securing actuator cable (Mod.853)	1	-	
	9963	Std.2045/19/24	Clip, securing cables	1	S.510	6
		Std.2046/16/24	Clip, securing cables	3	S.510	6
		Std.2046/19/24	Clip, securing cables	1	S.510	6
	11304	Std.2046/21/24	Clip, securing cables	2	S.510	6
		Std.2046/23/24	Clip, securing cables	1	S.510	6
		B.239483	Fuse, test, tail chute, group	1	-	
	10H/9138305	L.562-0-500	Fuse, 0.5 amp.	1	-	C.
	10H/9590170	Belling Lee	Holder, fuse	1	-	

+ See Cable Chart
Swiss supply, Swiss fit.

Hunter Two Seater
Issued with A/L No.3

ELECTRICAL EQUIPMENT — REAR FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	F.221261 D.249098	Label, for T.B.98 FIREWIRE, INSTALLATION, ASSEMBLY (Mod.960)	1 -	- -		
	F.193853	Angle, at clip supporting firewire at frame 55	2	DTD.610		
10757	F.238617	Angle, at clip supporting firewire at frame 45	11	-	C.	
	B.238482	Bracket, mounting termination fitting at frame 45	1	-	C.	
5CZ/7597 10758	Graviner D.3893 F.249121	Bush, mounting Cleat, at frame 45	49 4	- -	C. C.	
5CZ/6354 10756	Graviner D.3004 F.238693	Clip, camloc, supporting firewire Clip, supporting coupling unit at frame 48	47 3	- S.510	C. C.	
5CZ/5837	Graviner D.2370/120	Element, firewire, 10 feet	4	-	C.	
5CZ/6658 5X/9400384 5X/9400385	Graviner D.3170 Erma 12104 Erma 12105 Std.1509/12/060	Fitting, terminal Lug, cable Lug, cable Tube, distance, 1/4" o/d x 20 S.W.G. x 0.60" long	2 2 2 1	- - - T.4	C. C. C.	4
	Std.1509/13/020	Tube, distance	3	-		4
5CZ/5927	Graviner D.2475 A.234601 A.231081	Unit, coupling, at frame 48 Gasket Panel, tank access	3 2 2	- - -	C.	
7937 7938 10232	Std.1211Z/B45 Std.1221Z/B70 F.221180	Pin Pin Plate, locking, securing contactor to release housing	1 1 1	S.80 S.80 S.3	C. C. C.	4 4
5CW/6452 + 5887	-	Relay, magnetic (Mod.2583) Sleeving, "Symel" silicone elastomer QS.167, 3/8" i/d x 1 mm. thick x 58" approx	1 8	- -	C. C.	
5F/9454141 5F/9138822 5CW/9438275	NY.18007A NY.3342 -	Strapping Stud Switch, micro, type 1A	QR QR 2	- - -	C. C. B.	
6A/3578	C.1831Y -	Switch, micro, type E, NK.102C Thermocouple, type B9	1 8	- -	B. B.	
9535 7843 5X/6630 7844 5K/5867	C.213491 A.220339 A.207745 703/1/00190 F.207746 RC.01	TRANSMITTER, DESYNN, ASSEMBLY Box, junction group Box, junction Block, terminal, 5-way Lid Tag	- 1 1 4 1 4 1	- - - - - -	B. B. B. C. C. -	
1679 10222	B.205509 A.189774 F.226228 B.191439	Cable, R.15, group (See Cable Chart) Clip, attachment to actuator ram Fork-end Mounting, group	1 1 2 1	- S.3 S.1B -	C. C. C.	
	A.189772 A.189773 B.189771	Consisting of:- Angle Angle Bracket	1 1 1	- - DTD.610		
28Q/1650 6851 6A/2085 5CZ/5425	AS.156/404 F.189775 Smiths 227/FL Electronic Components No.22515	Rivet Rod, connecting Transmitter, position indicator Unit, resistor, 1/2 ohm	4 1 1 1	- S.1 - -	C. MR/C A. B.	
10893	Std.1509/12/050	Tube, distance, at cable clip, between frames 48-49 and 50-51	2	T.4	C.	4
5F/-	-	Tube, 3/8" i/d spec. E and 1 659	11"	P.V.C.		

ELECTRICAL EQUIPMENT — REAR FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R.	Plate No.
					Class of Store	
		1	2	3	4	5
28D/1007971	A25. 1B	Bolt, 4 B.A.	-	-	-	
28D/1010658	A25. 1B	Bolt, 4 B.A.	-	-	-	
28D/1008149	A25. 2B	Bolt, 4 B.A.	-	-	-	
28D/1011006	A25. 5B	Bolt, 4 B.A.	-	-	-	
28D/1010029	A25. 6B	Bolt, 4 B.A.	-	-	-	
28D/1011011	A25. 8B	Bolt, 4 B.A.	-	-	-	
28D/1010142	A25. 9B	Bolt, 4 B.A.	-	-	-	
28D/1011015	A. 25. 28B	Bolt, 4 B.A.	-	-	-	
28D/9138768	A25. 1C	Bolt, 2 B.A.	-	-	-	
28D/9436920	A25. 1C	Bolt, 2 B.A.	-	-	-	
28D/9133011	A25. 2C	Bolt, 2 B.A.	-	-	-	
28D/9133012	A25. 3C	Bolt, 2 B.A.	-	-	-	
28D/1011238	A25. 3E	Bolt, 1/4" B.S.F.	-	-	-	
28D/1013284	AS. 1248/2C	Bolt, 2 B.A.	-	-	-	
28N/9451836	SP. 58C	Burr, 1/8" Dia.	-	-	-	
28N/254	AGS. 191B	Burr	-	-	-	
28E/9130685	AS. 5419/6	Clip	-	-	-	
28K/551	SP. 3/413	Fork-end	-	-	-	
5K/1009086	SP. 40/A6	Grommet	-	-	-	
5K/9128569	SP. 40/A14	Grommet	-	-	-	
5K/2938	SP. 40/B24	Grommet	-	-	-	
5K/-	SP. 48/D18	Grommet	-	-	-	
28N/9156370	SP. 21	Nipple, lubricating	-	-	-	
28M/10287	AGS. 2001. B1	Nut, 4 B.A.	-	-	-	
28M/10288	AGS. 2001. C1	Nut, 2 B.A.	-	-	-	
28M/10327	AGS. 2002. B1	Nut, 4 B.A.	-	-	-	
28M/10328	AGS. 2002. C1	Nut, 2 B.A.	-	-	-	
28M/1006473	A27. CT	Nut, 2 B.A.	-	-	-	
28M/14833	A58. JS	Nut	-	-	-	
28FP/9485292	A. 405	Pip-pin	-	-	-	
28P/1021104	SP. 90. C3	Pin, split	-	-	-	
28P/19154	SP. 90. C7	Pin, split	-	-	-	
28S/9419435	A31. B12	Screw, 4 B.A.	-	-	-	
28S/9419453	A31. B14	Screw, 4 B.A.	-	-	-	
28S/1200040	A31. B20	Screw, 4 B.A.	-	-	-	
28S/1200047	A31. C24	Screw, 2 B.A.	-	-	-	
28S/9992525	A32. B12	Screw, 4 B.A.	-	-	-	
28S/1200062	A33. A20	Screw, 6 B.A.	-	-	-	
28S/9435716	A33. B12	Screw, 4 B.A.	-	-	-	
28S/1200065	A33. B28	Screw, 4 B.A.	-	-	-	
5K/	AS. 3360. C3B	Strip, bonding	-	-	-	
28W/9419454	SP. 10C	Washer, 2 B.A.	-	-	-	
28W/9419402	SP. 13C	Washer	-	-	-	
28W/9418921	SP. 13E	Washer	-	-	-	
28W/9419474	SP. 15B	Washer, 4 B.A.	-	-	-	
28W/9419475	SP. 15C	Washer, 2 B.A.	-	-	-	
28W/9419405	SP. 15E	Washer, 1/4" B.S.F.	-	-	-	
28W/9419477	SP. 15J	Washer, 3/8" B.S.F.	-	-	-	
28W/9419404	SP. 16C	Washer, 2 B.A.	-	-	-	
28W/9128188	SP. 55E	Washer, spring	-	-	-	

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.



LIGHTNING MK. 1
COVER PITOT HEAD
EB2-88-5111