

Hunter Two Seater
Issued with A/L No.3

EQUIPMENT AIRCRAFT — INSTRUMENT PANELS

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	D.314705	INSTRUMENT PANELS, ASSEMBLY	-	-	-	
	Negretti & Zambra M.2444	Altimeter, cabin	1			
	Smiths KAA/1304K	Altimeter, cabin	1			
	A.231150	Bracket, mounting for bomb and R.P. panel	1	L.72		
	A.221827	Bracket, mounting for bomb and R.P. panel	1	L.72		
	B.314719	Bracket, mounting	1			
	A.318429	Clip (Alternative to AS1163/16)	1			
	AS.1163/16	Clip (Alternative to A318429)	1			
11303	Std.2046/17/26	Clip, sleeved	1	-		6
	E.233875	Cover, windscreen reflection, group	1			
	F.231555	Hook	2	SPR.STL.		
29G/2098	Carr N.608	Socket, "Lift-the-dot"	9	-		
29G/2096	Carr 708A	Washer, back	9	-		
6A/4246		Flange, Altimeter	1			
8543	F.218495	Mounting, port instrument panel	6	Rubber	C	
	D.314513	MOUNTING, PANEL, ASSEMBLY	-	-		
8718	A.208746	Bracket, for anti-vibration mounting	3	-	C	
5373	A.203162	Bracket, for anti-vibration mounting	2	-	C	FC.1
	A.318916	Bracket, for anti-vibration mounting	2			
3	+ Minox	Clamp, hose, 47-67mm. (Mod.2583)	2	-		
3	Std.1285/3/BB	Connection, earth (Mod.2583)	8	-		
3	+ B.318009	Holder, cable (Mod.2583)	1	-		
	27H/3248	Mounting, anti-vibration	8	-	C	
	27H/3219	Mounting, anti-vibration, non-magnetic	8	-	C	
	3868	Washer, at anti-vibration mounting	24	DTD.610	C	
3	+ C.315567	Panel, radio complete (Mod.2583)	-	-		
3	B.315629	Cable, form 1 (See Cable Chart)	1	-		
3	B.315630	Cable, form 2 (See Cable Chart)	1	-		
3	VN472	Clip, HP-3N	2	-		
3	VN472	Clip, HP-4N	1	-		
3	B.315695	Diagram, wiring	1	-		
3	C.315568	Panel, radio (Mod.2583)	1	-		
3	KAA.1304K	Altimeter, cabin (C/W flange 6A/4246)	1	-		
3	F&W 805024E	Box, radio selector, SARAM	1	-		
3	22202	Connector, SARAM	1	-		
3	SGE14-3100	Dimmer	1	-		
3	Philips	Knob	2	-		
	F111AA/22x6					
3	SGE2296-22	Knob	1	-		
3	511437	Label	1	-		
3	C.315569	Panel and bracket assy.	1	-		
3	C.315571	Bracket	1	-		
3	B.315570	Panel	1	-		
3	A.315578	Piece, distance	2	-		
3	Socapex	Plug	1	-		
	PT00-SE10-6P					
3	Socapex	Plug	1	-		
	PT00-SE12-10P					
3	Philips	Potentiometer, V.H.F., 1000Ω	2	-		
	199AA/A25A					
3	Std.1606/45/B20	Screw	4	-		
		+ Swiss supply, Swiss fit				

EQUIPMENT AIRCRAFT — INSTRUMENT PANELS

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
3	F.315681	Screw	4	-		
3	A.31576	Support	1	-		
3	Honeywell 1TLI-3	Switch	1	-		
3	White VE 60620	Switch,emergency	1	-		
3	Honeywell 1TLI-7	Switch, muting	1	-		
3	C.315568/10	Tube, distance	2	-		
3	F & W 516340E Ref. 1	Tube, distance	2	-		
3	F & W 516340E Ref. 2	Tube, distance	2	-		
3	22754S	Unit, control, UHF, SARAM	1	-		
3	LRU 119G	Unit, control, VHF	1	-		
3	F & W 516339E	Washer, locking	2	-		
3	Ross Courtney RNF.100	Sleeve, 1/4" x ca.3"	1	-		
	B.314569	Panel	1	-		
3	C.314717	Panel, control, for bomb and R.P. group	1	-		
	C.315710	Cable, A.13 (Modified by C.315635) (See cable chart)	1	-		
5K/2724	F.232798	Cover, spring, inboard, group	1	-	C	
	-	Cover, spring	1	-	C	
5K/2724	F.232799	Cover, spring, outboard, group	1	-	C	
	-	Cover, spring	1	-	C	
	F.233386	Flap, switch, group	1	-	B	
	F.228684	Guard, tail chute switch	1	L.72		
5CW/5765	-	Guard, switch	2	-	C	
	Std.1231/1	Lug, locking	1	-		
	B.314718	Panel, switch mounting	1	L.72		
5830	Std.1606/45/A14	Screw, retaining switch	8	Brass	C	5
1178	Std.1606/44/B12	Screw, retaining switch	6	Brass	C	5
5829	Std.1606/45/A16	Screw, retaining switch	4	Brass	C	5
	AN-526-632-6	Screw	2	Brass	C	5
5CW/540	Rotax D.0701	Switch, D.P. push	2	-	C	
5CW/936	-	Switch, 3-way rotary type "B"	1	-	C	
	Honeywell	Switch, bomb R.P.	1	-		
	2TLI-1A					
	1TLI-3D	Switch	1	-		
	11AT-30	Switch, pylon selection	1	-		
	1TLI-2	Switch, radar	1	-		
751	Std.915/A20	Washer	4	DTD.610	C	4
	E.314706	PANEL, FLYING, ASSEMBLY	-	-		
5CZ/432	+ 22566	Altimeter, A.R.15M.1L	1	-	A	
	-	Block, terminal, 3-way	1	-		
	F.222196	Bracket, mounting for terminal block	1	L.72		FC.1
	D.316381	Cable, F.12, assembly (See Cable Chart)	1	-		
	B.316389	Cable, F.60, group (See Cable Chart)	1	-		6
	Std.2044/6/052	Ferrule	1	-		
6A/6563	Std.1503	Clamp, flap position indicator	1	-		
6A/2089	-	Clock, Mk.5, ACA	2	-	A	
6A/2519	-	Connector, static and pressure	2	-	C	
	Std.1512/1	Disc, ident, 'GEN'				
	Rotax N.65290	Grommet	19	-		
3	5CW/4222	+ Guard, locking (Mod.2583)	1	-		
3	+ VE 60711/11	+ Indicator (Mod.2583)	1	-		
	+ Thommens	+ Indicator, rate of climb	1	-	A	
	N.513-009					
	Sperry 18846-0	Indicator, artificial horizon, Mk.3C.HL7	1	-	A	

+ Swiss supply, Swiss fit.

EQUIPMENT AIRCRAFT — INSTRUMENT PANELS

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	KTD.08.11K	Indicator, Engine speed	1	-	A	
	# VE.60711/06	Indicator	1	-	A	
	+ Thommens	Indicator, air speed	1	-	A	
	N.512-060					
	Smiths 587/FL	Indicator, tail plane position	1	-	A	
	Smiths SF.87/	Indicator, flap position	1	-	A	
	HSD					
3	5CZ/6001	Dowty C5165Y	1	-	A	
	Mk.2B	Indicator, magnetic				
	6A/5546	-	1	-	A	
		Indicator, turn and slip, Mk.3				
3	+ F.315697	Label	1			
3	+ F.318006	Label, convertisseur	1			
3	+ A.315653	Label	1			
	# 516017E	Label, "CH-PITOT"	1			
3	+ 519919	Label, engine speed indicator (Mod.2583)	1	-		
	+ D.12073/1	Label, machmeter	1			
	5CW/1553	Lamp warning, type 'B', with night screen	3			
	5L/9959118	-	22	-	B	
	5CX/5360	Thorn	1	-	C	
		80/10/1236				
	5CX/5351	Thorn	1	-	C	
		80/10/1193				
	5CX/5352	Thorn	5	-	C	
		80/10/1192				
	5CX/5355	Thorn	2	-	C	
		80/10/1191				
	5CX/5356	Thorn	1	-	C	
		80/10/1189				
	6A/3300	Mechanisms Ltd.	1	-	A	
		M.1691				
	+ 518096	Mounting	1			
	D.314707	PANEL, FLYING, GROUP	1	-		
	D.314707/1	Panel	1	-		FC.1
	+ A.314722/11	Pipe pressure, machmeter to joint	1	T.9	C	
	+ A.314722/10	Pipe static, R.O.C. to A.S.1	1	L.54	C	
	+ A.314722/7	Pipe static, union to A.S.1.	1	L.54		
	+ A.314722/8	Pipe static, altimeter to machmeter	1	L.54		
	+ A.314722/9	Pipe pressure, tee union to altimeter	1	L.54		
	+ A.314722/12	Pipe static, machmeter to pitot connection	1	L.54		
	+ 515279	Pipe	1			
	+ 518097	Ring, locking	1	-		
3	Std.1606/44/A14	Screw, roundhead, 6 B.A.	2	Brass		5
3	Std.1606/44/B14	Screw, roundhead, 4 B.A.	3	Brass		5
3	1720	Std.1606/44/B24	10	Brass	C	5
3	Std.1606/44/B32	Screw, roundhead, 4 B.A.	6	Brass		5
3	Std.1606/44/B40	Screw, roundhead, 4 B.A.	2	Brass		5
3	Std.1606/44/C26	Screw, roundhead, 2 B.A.	2	Brass		5
3	9447	Std.1606/44/C28	2	Brass	C	5
3	Std.1606/44/C32	Screw, roundhead, 2 B.A.	4	Brass		5
3	Std.1606/45/A18	Screw, countersunk, 6 B.A.	2	Brass		5
3	3895	Std.1606/45/B10	2	Brass	C	5
3	Std.1606/45/B20	Screw, countersunk, 4 B.A.	4	Brass		5
3	Std.1606/45/B28	Screw, countersunk, 4 B.A.	5	Brass		5
3	4114	Std.1606/45/B32	1	Brass	C	5
3	4115	Std.1606/45/C20	1	Brass	C	5
3	3863	Std.1606/45/C24	2	Brass	C	5

+ Swiss supply, Swiss fit
Swiss supply, HSA fit.

EQUIPMENT AIRCRAFT — INSTRUMENT PANELS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				

Hunter Two Seater
Issued with A/L No.3

EQUIPMENT AIRCRAFT — INSTRUMENT PANELS

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
5CW/7540	+ NB.1006	Screw	2	-		
	C.W.C. XD.788	Switch, S.P., C/O	1	-	C	
	+ Honeywell 1TL1-3	Switch (Mod.2583)	1	-		
6B/563	Sangamo Weston S.64.5.266	Thermometer, exhaust gas	1	-	A	
		Unit, gyro, type "B"	1	-	A	
5CZ/432	+ D.12029	Washer, AMF	1	-	C	
	D.314708	PANEL, CENTRE, ASSEMBLY	-	-		
	+ N518-020	Accelerometer, Mk.2	1	-	A	
5CY/9992777		Block, terminal, type "B" 3-way	1	-	C	
	+ B.230511	Bracket, mounting	1	L.72		
3	+ F.319949	Bracket	1	L.72		
	B.T.H. or Thorn F.222196	Breaker, circuit, type "A" 25 amps	2	-	C	
3	+ D.315689	Bracket, mounting	1	-		
		Cable assy., centre instrument panel (Mod.2583)	1	-		
3	D.315665	Cable assy., F.40, F.62, F.65, F.66 (See Cable Chart)	1	-		
3	B.315667	Cable assy., F.166 (See Cable Chart)	1	-		
3	B.315668	Cable assy., F.167 (See Cable Chart)	1	-		
3	B.315669	Cable assy., F.170 (See Cable Chart)	1	-		
3	A.261148	Cable assy., F.204 (See Cable Chart)	1	-		
3	B.315666	Cable assy., F.216 (See Cable Chart)	1	-		
3	B.317469	Cable assy., RR.5 (See Cable Chart)	1	-		
3	Std.2045/31/22	Clip	1	-		
3	10250 Std.2045/27/22	Clip	1	-	C	
3	9664 Std.2045/22/24	Clip	1	-	C	
3	D.315688	Diagram, wiring	1	-		
	Ross Courtney TY-23M	Strap, cable	60	-		
3	TY-25M	Strap, cable	60	-		
3	TY-28M	Strap, cable	10	-		
5CX/5001	F.231035	Cap, luminous	2	-		
	F.257143	Cover, dolly	1	-		
5L/9959118	+ 516473	Cover	1	-		
	Std.1512/29	Disc. identification warning lamp	1	-	C	4
5L/9951273	-	Filament, 28V, 04 amp	12	-	B	
5L/9951272	Rotax N.56091	Filament, 28V, 3.5 watt	9	-	B	
6A/4310	-	Filament, 28V, 3.5 watt	1	-	C	
5CW/5045	Smiths A0.26	Gauge, fuel contents	2	-	A	
10490	Rotax N.65290	Grommet	3	-	C	
	F.240266	Guard, switch	1	-	C	
5CZ/5210	F.200057	Handle, switch	1	-		
	Smiths Waymouth A0.26	Indicator, fuel contents	2	-		
5CZ/6001	Dowty C5165Y Mk.7 or Plessey CZ.62161/2	Indicator, magnetic	2	-	B	
	Dowty C5165Y Mk.2	Indicator, magnetic	2	-	A	

+ Swiss supply, Swiss fit

EQUIPMENT AIRCRAFT - INSTRUMENT PANELS

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.		
							1	2
5CZ/5123	CZ.74109/2	Indicator, magnetic	2	-	B			
	Thorn K.119/1	Knob	3					
	F.318922	Label	1					
	F.318811	Label for parachute switch	1	-				
	D.12073/2/2	Label	1					
	5CX/5154	Rotax H.2805	Lamp, warning, "Amber"	4			-	
	5CX/1635	Rotax H.2703	Lamp, warning, type "A"	1			-	C
	5CX/1069	Rotax H.2702	Lamp, warning, type "A"	1			-	C
	5CX/1553	Rotax H.1104	Lamp, warning, type "B" (Red)	1			-	C
	5CX/5352	Thorn	Lamp, bridge, type "C"	2			-	C
5CX/5364	80/10/1192							
	Thorn	Light, pillar, "Red"	8	-	C			
4490	80/10/0855							
	F.199451	Nut, securing guard plate at tank selector switches	2	L.65.C	C			
	C.314709	Panel	1	-		FC.1		
	F.234734	Mounting, indicator	2	-				
	F.230514	Mounting, indicator	1	-				
	C.314709/1	Panel	1	LA.72				
	Std.1509/1/020	Tube, distance	1	-		4		
	Std.1606/45/A14	Screw	8					
4707	Std.915/A14	Washer	6	-		4		
	F.318159	Piece, bridging (Alt. to 80/10/0835)	6					
	Thorn 80/10/0835	Piece, bridging (Alt. to F.318159)	6					
	519925	Piece, distance	2					
2	C.314710	Plate, label	1	-				
	5CZ/4520	Cover, button	2					
	7966	Plate, guard, at tank selector switches	2	L.72				
	Thorn	Resistor, miniature, dimmer .2x100 0	1					
	01-0091							
	Thorn	Resistor, miniature, dimmer .2x150 0	2					
	01-0089							
	F.232409	Screen, night	1	-		FC.1		
2	3838	Screw, roundhead, 4 B.A.	1	Brass	C	5		
	3737	Screw, roundhead, 4 B.A.	4	Brass	C	5		
	8717	Screw, roundhead, 4 B.A.	5	Brass	C	5		
	7970	Screw, roundhead, 4 B.A.	2	Brass	C	5		
	Std.1606/44/B4	Screw	4					
	Std.1606/45/A18	Screw, roundhead, 6 B.A.	4	Brass	C	5		
2	4661	Screw, countersunk, 4 B.A.	12	Brass	C	5		
	Std.1606/45/B12	Screw, countersunk, 4 B.A.	4	Brass	C	5		
	3861	Screw, countersunk, 4 B.A.	4	Brass	C	5		
	Std.1606/44/B24	Screw, countersunk, 4 B.A.	4	Brass	C	5		
2	3859	Screw, countersunk, 4 B.A.	4	Brass	C	5		
	Std.1606/45/B10	Screw, roundhead, 4 B.A.	1	Brass	C	5		
	3860	Spacer, at circuit-breaker studs	4	S.1				
	F.230726	Stud, for guard plate at tank selector switches	2	S.95.B	C			
	F.214771							
5CW/6332	Rotax D.10007	Switch, D.P. parachute dolly	1	-	C			
5CW/7542	C.W.C. Ltd.	Switch, S.P. change over, centre "OFF"	2	-	C			
	XD.776							
5CW/6311	-	Switch, fire warning, push	1	-	C			
5CW/7541	C.W.C. XD.779	Switch, S.P., "On-Off"	2	-	C			
	Honeywell	Switch, S.P.	1					
	1TLI/7							
	1TLI/3	Switch, S.P.	1					
	Honeywell	Switch, S.P., pull to unlock	1					
	1TLI/5/N							
	Honeywell	Switch, S.P., pull to unlock	1					
	2TLI/1/N							
	Honeywell	Switch, S.P. pull to unlock	1					
	2TLI/3/D							
	Honeywell	Switch, D.P.	2					
	2TLI/3							
	Honeywell	Switch D.P.	1					
	2TLI/7							
	Honeywell	Switch, D.P.	1					
	2TLI/1							

+ Swiss supply, Swiss fit

Hunter Two Seater
Issued with A/L No.3

EQUIPMENT AIRCRAFT — INSTRUMENT PANELS

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
5CW/6689	B.232755/3	Transfer, 'ENCL'	2	-		
	B.232755/4	Transfer, 'DECL'	2	-		
	B.232755/12	Transfer, 'AUTO'	2	-		
	Rotax	Transfer, "JETTISON"	1	-	C	
5CW/6690	N.147415/1	Transfer, "STREAM"	1	-	C	
	Rotax					
5CW/4528	N.147415/2					
	+ BT.97	Unit, control	1			
	+ 516462	Wedge	1			
5CW/4528	+ 516463	Wedge	1			
	-	Window, red	1	-	C	
3 5CZ/432	D.314711	PANEL, STARBOARD, ASSEMBLY	-	-	-	
	+ N.514-028	Altimeter, AR-15-M-1L (Mod.2583)	1	-		
3 5CZ/432		Block, terminal, 3-way	1		C	
	F.222196	Bracket, for terminal block	1	L.72		FC.1
	C.315715	Cable, F.11, group (See Cable Chart)	1	-		
	B.316386	Cable, G.C.20	1			
	Std.2045/15/26	Clip				
	254-1E	Compass, Gyro AIM 400EL	1	-		
	5A/2519	Connector, pressure and static	2		C	
	5L/9959118	Filament, 28V .04 amp	12		C	
	5CW/5045	Grommet	8		C	
	+ Thommens	Indicator, air-speed	1	-		
3 5CZ/4335566	N512-060					
	Sperry HL.7	Indicator, artificial horizon, Mk.3C	1	-		
3 5CZ/4335566	+ Thommens	Indicator, rate of climb	1			
	N513-009					
3 5CZ/4335566	Dowty	Indicator, magnetic (Mod.2583)	1	-	C	
	C.5165Y Mk.1					
5CZ/6001	Dowty	Indicator, magnetic	2		C	
	254-147	Indicator, slaving AIM	1			
5CX/5355	+ 519997	Knob (Mod.2583)	1	-		
	Thorn	Light, bridge, type "F"	2		B	
5CX/5352	80/10/1191					
	Thorn	Light, bridge, type "C"	3	-	B	
6A/3300	80/10/1192					
	Smiths	Machmeter, Mk.3A	1	-	A	
+ 5CZ/4335566	KMA/0201K					
	C.314712	Panel	1	-		FC.1
+ 5CZ/4335566	F.319950	Support	1	L.72		
	A.314722/1	Pipe, static, pitot connection to tee union on ROC	1	T.9		
+ 5CZ/4335566	A.314722/6	Pipe, static, pitot connection to tee union on machmeter	1	T.9		
	A.314722/2	Pipe, static, tee union on R.O.C. to tee union, machmeter	1	T.9		
		+ Swiss supply, Swiss fit.				

EQUIPMENT AIRCRAFT — INSTRUMENT PANELS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	+ A.314722/5					Pipe, pressure, tee union on machmeter to elbow on airspeed indicator	1	T.9		
	+ A.314722/3					Pipe, pressure, tee union to elbow on air speed indicator	1	T.9		
	+ A.314722/4					Pipe, static, tee union on ASI to straight on altimeter	1	T.9		
3	Std. 1606/44/A18					Screw, securing single pole switch	4	Brass	C	5
3	Std. 1606/44/B32					Screw, securing compass repeater	8	Brass	C	5
	Std. 1606/44/C26					Screw, securing altimeter	2	Brass	C	5
	Std. 1606/44/B40					Screw, countersunk, 2 B.A.	4	Brass	C	5
	Std. 1606/45/B14					Screw	1			
	Std. 1606/45/B24					Screw	4			
3	Std. 1606/45/B28					Screw	4			
3	4115 Std. 1606/45/C20					Screw, countersunk, 2 B.A.	1	Brass	C	5
3	9953 Std. 1606/44/C40					Screw, countersunk, 2 B.A.	1	Brass	C	5
3	Std. 2095/208/B28					Screw, unified thread,) To be used only if	1	-		
3	Std. 2095/209/B32					Screw, unified thread) instruments have	2	-		
3	Std. 2095/208/B28					Screw, unified thread) unified threads	1	-		
	Honeywell 1TL1-1					Switch	2			
						+ Swiss supply, Swiss fit				

Hunter Two Seater
Issued with A/L No.3

EQUIPMENT AIRCRAFT - INSTRUMENT PANELS

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.	
							1
5CZ/5003	B.314715	PANEL, SIDE, STARBOARD ASSEMBLY	-	-			
	D.315713	Cable, F.36, assembly (See Cable Chart)	1	-			
	Dowty Mk.14	Indicator, magnetic	1	-			
	B.314716	Panel, group	1	L.72		FC.1	
	F.315239	Plate, stop	1	L.72			
	4179	Std.1606/44/B20	Screw, roundhead, 4 B.A.	2	Brass	C	5
	1720	Std.1606/44/B24	Screw, roundhead, 4 B.A.	1	Brass	C	5
	3839	Std.1606/44/B16	Screw, roundhead, 4 B.A.	1	Brass	C	5
		Std.1606/44/B36	Screw, roundhead, 4 B.A.	1	Brass		5
		Dowty C5183Y Mk.14D	Selector, undercarriage Mk.14D	1	-		
	Dowty C5148Y Mk.62	Selector, flaps	1	-			
5CX/5000	B.314713	PANEL, SIDE, PORT ASSEMBLY	-	-			
	A.209888	Bracket, u/c position indicator	1	-			
	B.192562	Bracket, u/c mounting switch	4	-			
	D.231451	Cable, F.13 assembly (See Cable Chart)	1	-			
	C.314721	Cable, F.68, assembly (See Cable Chart)	1	-			
	5L/9951286	Std.1512/28	Disc, for hydraulic warning lamp	1	-	B	
	5L/9951273	-	Filament, 28V., 2.5W	9	-	B	
		-	Filament, 28V., 3.5W	2	-	B	
		707983	Guard	1	-		
	5CX/5164	-	Indicator, undercarriage, position, type "D1"	1	-	B	
5CZ/5074	-	Indicator, magnetic, elevator power	1	-	B		
5CZ/5073	-	Indicator, magnetic, air brake	1	-	B		
3	A.315652	Label (Mod.2583)	1	L.72			
	5CX/4013	Lamp, undercarriage warning, iris type	1	-	C		
	5CX/1553	Lamp, hydraulic pressure warning, type "B"	1	-	C		
3839	B.315714	Panel, group	1	L.72		FC.1	
	Std.1606/45/B24	Screw, roundhead, 4 B.A. (AS.920/85)	4	Brass		5	
	Std.1606/45/B20	Screw, roundhead, 4 B.A.	4	Brass	C	5	
3	Dowty C1223Y Mk.25N	Switch, flap lever	1	-			
	Honeywell 2TL1	Switch, aileron control (Mod.2583)	1	-			
	Dowty C5182Y Mk.10D	Switch, undercarriage	1	-			
1178	Std.1606/44/B12	Screw, roundhead, 4 B.A.	1	Brass	C	5	
4614	Std.1606/44/C16	Screw, roundhead, 2 B.A., securing aileron neutral position indicator (Mod.782)	2	Brass	C	5	
3856	Std.1606/44/C20	Screw, roundhead, 2 B.A.	4	Brass	C	5	
	D.314723	Shield, glare, centre, group	1	-			
	Wallington Weston	Beading	16"	-			
29G/2180	182/H/11 Carr 882	Stud, 2 B.A.	2	-	C		
6656	C.232477	Shield, glare, port, group	1	-			
	C.232477/2	Strip, retaining (Local Manufacture)	16"	L.72			
	Std.2088/2	Strip, sealing	16"	Rubber	C		
29G/2180	Carr 882	Stud, 2 B.A.	2	-			
6656	C.314724	Shield, glare, starboard, group	1	-			
	C.232478/2	Strip, sealing (Local Manufacture)	17"	L.72			
	Std.2088/2	Strip, sealing	17"	Rubber	C		
29G/2180	Carr 882	Stud, 2 B.A.	2	-			
9777	A.223946	Shield, glare, side	1	-			
	A.221853	Strut, support, for bomb and R.P. panel	1	L.72			
	Std.1509/2/060	Tube, distance, standard panel	1	T.4		4	
	Std.1509/3/026	Tube, distance, port panel mounting	3	T.4		4	
	Std.1509/3/076	Tube, distance, port panel mounting	3	T.4		4	
	F.231121	Washer, port panel mounting	3	DTD.5509		FC.1	
	Std.1285/3DE	Wire, bonding	1	Copper		4	


+ Swiss supply, Swiss fit

EQUIPMENT AIRCRAFT — INSTRUMENT PANELS

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
SUMMARY OF STOCK ITEMS						
	28D/1007971	A25. 1B	Bolt, 4 B.A.	-	-	-
	28D/1010658	A25. 1B	Bolt, 4 B.A.	-	-	-
	28D/1008149	A25. 2B	Bolt, 4 B.A.	-	-	-
	28D/9419452	A25. 3B	Bolt, 4 B.A.	-	-	-
	28D/1011006	A25. 5B	Bolt, 4 B.A.	-	-	-
	28D/1010142	A25. 9B	Bolt, 4 B.A.	-	-	-
	28D/1007972	A25. 1C	Bolt, 2 B.A.	-	-	-
	28D/9436820	A25. 1C	Bolt, 2 B.A.	-	-	-
	28D/9133011	A25. 2C	Bolt, 2 B.A.	-	-	-
	28D/9133013	A25. 5C	Bolt, 2 B.A.	-	-	-
	28D/1010030	A25. 7C	Bolt, 2 B.A.	-	-	-
	28D/1011247	A25. 13E	Bolt, 1/4" B.S.F.	-	-	-
	28D/8300	AS. 1242. 1B	Bolt, 4 B.A.	-	-	-
	28D/9131782	AS. 1242. 2B	Bolt, 4 B.A.	-	-	-
	28D/12119	AS. 1242. 19B	Bolt, 4 B.A.	-	-	-
3	28D/1007975	AS. 1242. 1C	Bolt, 2 B.A.	-	-	-
	28D/1215094	AS. 1246. 21C	Bolt, 2 B.A.	-	-	-
	28D/9128739	AS. 1248. 1B	Bolt, 4 B.A.	-	-	-
	28D/8337	AS. 1248. 1B	Bolt, 4 B.A.	-	-	-
	28D/1007981	AS. 1248. 1C	Bolt, 2 B.A.	-	-	-
	28D/11981	AS. 1248. 12E	Bolt, 1/4" B.S.F.	-	-	-
	28N/258	SP. 58.G	Burr	-	-	-
	28F/13603	AGS. 838/8	Bush	-	-	-
	28E/5452	AGS. 895/1	Clip, spring	-	-	-
	28E/18865	AGS. 1163/16	Clip	-	-	-
	28F/19985	AGS. 3095	Connection, static	-	-	-
	28F/5107	AGS. 838/8	Connection, elbow	-	-	-
	5K/9518404	SP. 93. B10	Grommet	-	-	-
	5K/1097196	SP. 93. D6	Grommet	-	-	-
	5K/3404	AS. 3360. E4. E	Lead, bonding	-	-	-
	5K/3355	AS. 3360. B4. B	Lead, bonding	-	-	-
	28M/5236	A. 14. E. B.	Nut, 1/4" B.S.F.	-	-	-
	28M/13734	A54. B	Nut, 4 B.A.	-	-	-
	28M/14534	A54. C	Nut, 2 B.A.	-	-	-
	28F/5108	AGS. 838. 4	Nut, union	-	-	-
	28F/1037653	AGS. 838. 13	Nut, union	-	-	-
	28M/10286	AGS. 2001. A1	Nut, 6 B.A.	-	-	-
	28M/10287	AGS. 2001. B1	Nut, 4 B.A.	-	-	-
	28M/10290	AGS. 2001. E1	Nut, 1/4" B.S.F.	-	-	-
	28M/10326	AGS. 2002. A1	Nut	-	-	-
	28M/10327	AGS. 2002. B1	Nut, 4 B.A.	-	-	-
	28M/10309	AGS. 2002. B4	Nut, 4 B.A.	-	-	-
	28M/10328	AGS. 2002. C1	Nut, 2 B.A.	-	-	-
	28M/10310	AGS. 2002. C4	Nut, 2 B.A.	-	-	-
	28M/7002430	AGS. 2002. E. 1	Nut, 1/4" B.S.F.	-	-	-
	28M/12344	AGS. 2002. E4	Nut, 1/4" B.S.F.	-	-	-
3	28M/11957	AGS. 2007. C1	Nut, 2 B.A.	-	-	-
	28S/1200040	A31. B20	Screw, 4 B.A.	-	-	-
3	28S/9992524	A32. A8	Screw, 6 B.A.	-	-	-
3	28S/1017747	A32. A14	Screw, 6 B.A.	-	-	-
	28S/13887	A32. B10	Screw, 4 B.A.	-	-	-
3	28S/1008327	A32. B14	Screw, 4 B.A.	-	-	-
3	28S/9995376	A32. B20	Screw, 4 B.A.	-	-	-
	28S/5694	A32. B40	Screw, 4 B.A.	-	-	-
	28S/2856	A32. C12	Screw, 2 B.A.	-	-	-
3	28S/1200056	A33. A10	Screw, 6 B.A.	-	-	-
3	28S/1007469	A33. B14	Screw, 4 B.A.	-	-	-
	28S/16885	A208. 832	Screw, 4 B.A.	-	-	-
	28F/1046307	AGS. 838. 1	Union, straight	-	-	-
	28F/1045308	AGS. 838. 2	Union, tee	-	-	-
	28F/1046309	AGS. 838. 3	Union, elbow	-	-	-
	28F/18958	AGS. 6712	Union, elbow	-	-	-
	28F/18961	AGS. 8599	Union, nut and bush	-	-	-

EQUIPMENT AIRCRAFT — INSTRUMENT PANELS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.	
		1	2	3	4	5					
3	28W/9418920	SP. 10. E	Washer, 1/4" B.S.F.					-	-	-	
3	28W/9419465	SP. 13. B	Washer, 4 B.A.					-	-	-	
3	28W/9419402	SP. 13. C	Washer, 2 B.A.					-	-	-	
	28W/9419473	SP. 15. A	Washer, 6 B.A.					-	-	-	
	28W/9419474	SP. 15. B	Washer, 2 B.A.					-	-	-	
	28W/9419475	SP. 15. C	Washer, 2 B.A.					-	-	-	
	28W/9419405	SP. 15. E	Washer, 1/4" dia.					-	-	-	
	28W/9419486	SP. 16. B	Washer, 4 B.A.					-	-	-	
	28W/9419404	SP. 16. C	Washer, 2 B.A.					-	-	-	
	28W/9419487	SP. 16. E	Washer, 1/4" dia. B.S.F.					-	-	-	
	28W/3090	AGS. 163. D	Washer, spring					-	-	-	
3	29C/1206040	AGS. 2035. A	Washer					-	-	-	
	28W/9416622	SP. 47. B	Washer, spring					-	-	-	
	28W/7002438	SP. 55. G	Washer, spring					-	-	-	





This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.