

EQUIPMENT - ANCILLARY

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		ANCILLARY EQUIPMENT, ASSEMBLY	-	-		
95424	E.229665					
2726	D.203762	Adaptor, cradle, for engine removal trolley ...	1	-	B.	GA.9
4Q/2655	A.195020	Adaptor, union for pressure gauge pipe ...	1	DTD.364	MR/C	GA.3
4Q/2594	-	Adaptor, head, Mk. 102	3	-	B.	
105G/11	-	Adaptor, head, Mk. 42	2	-	B.	
4G/	-	Adaptor,	1	-	B.	
	Rolls Royce	Adaptor, for engine stand	1	-	B.	
	GE.6004 Sht.2					
95527	A.208035	Adaptor, for external air supply group ...	1	-	C.	GA.4
	A.208029	Adaptor	1	Brass		
95723	BEN SA.48 or SA.179	Plug, half, ferrule, "Instantair", 3/8"	1	-		
1731	F.193381	Ring, sealing	1	Rubber	C.	GA.4
4G/4174	-	Arm, towing, unit Mk. 11	1	-	B.	
95612	D.218657	Arm, towing, adaptor group	1	-	B.	
6133	Std.1996/7	Chain	2	-	C.	5
	F.218535	Collar	2	M.S.		
	F.218534	Drawbolt	2	S.S.4.		
	B.218532	Hook	2	H.T.S.Bar		
28FP/9433677	Aviation Dev. A.619 or Aerolex F48/7/618	Pin	2	-	C.	
	F.218536	Pin	2	-		
4G/3867	F.218536	Spring	2	Sp. St.		
4G/3071	Dunlop	Wheel (10 x 3 pneumatic tyred)	2	-	A.	
95220	A.201222	Arm, forward steering	1	-	A.	
95736	D.231154	Bar, levelling, longitudinal	1	S.1	B.	GA.8
	D.228419	Base, clinometer, for tailplane	1	-		
4Q/2617	-	Board, for checking elevator movement ...	1	-		
	D.219659	Body, jack, 5 ton, hydraulic	3	-	A.	
95604	B.213633	Container, for gun barrel alignment tool ...	1	-		
	C.213621	Covers, blanking, for air intake, group ...	1 pr.	-	B.	GA.5
	C.213622	Cover, blanking, for intake, port, group	1	-		
	C.200079	Cover, blanking, for intake, starboard group	1	-		
	C.200080	Bung, top, port	1	-		
	C.200081	Bung, top, starboard	1	-		
	C.200082	Bung, bottom, port	1	-		
95782	A.192941	Bung, bottom, starboard	1	-		
95783	A.192942	Catch, port	1	-	C.	
26AQ/5983	F.193287	Catch, starboard	1	-	C.	
	F.193287	Eye-bolt	2	Comm.	C.	
	F.193285	Lever	2	M.S.B.		
	F.193286	Link	2	Comm.	C.	
	F.193288	Plunger	2	M.S.B.		
	A.194620	Spindle	2	Comm.	C.	
95789	F.184342	Spring	2	M.S.B.		
				Sp. St.	C.	

RESTRICTED

EQUIPMENT - ANCILLARY

Hunter Two Seater

Ref. No.	Part No.	Description	No. Off					Material Specification	M.R. Class of Store	Plate No.	
			1	2	3	4	5				
9138	-	Key ring, 1 1/4" dia.						1	Steel	C.	
95065	A.164139 or S60/18	Pennant						1	-	C.	GA.2
95422	B.214194/2	Strap, complete with eyelets						1	Webbing		
	C.209810	Cover, sealing, for jet pipe, group						1	-	B.	GA.5
	Std.1996/12	Chain						1	Brass		5
95065	A.164139 or S60/18	Pennant						1	-	C.	GA.2
9371		Ring, split type, 3/8" o/d x 1/2" i/d						2	Steel	C.	
95727	C.230908	Cover, protective, for trunking J.B., starboard						1	-	B.	GA.6
95726	C.230909	Cover, protective, for trunking J.B., port						1	-	B.	GA.6
270/3130	B.227411	Cover, weather, for centre fuselage ducts						1	-	B.	GA.7
	A.226665	Bung, for starter vent						1	-		
95022	D.194044	Cradle, inboard, for wing trestling, group						2	-	B.	GA.6
6133	Std.1996/7	Chain, 7' long						2	Brass	C.	5
	A.180683	Lever						2	S.1		
	Aerolex F48/7/513	Pin, quick release (Use 28FP/18)						2	Steel	-	
95023	D.194045	Cradle, outboard, for wing trestling, group						2	-	B.	GA.6
6133	Std.1996/7	Chain, 7' long						2	Brass	C.	5
	A.180683	Lever						2	S.1		
	Aerolex F48/7/513	Pin, quick release (Use 28FP/18)						2	Steel	-	
95729	E.230827	Equipment, gun alignment (Complete with box) group						1	-	B.	GA.9
95730	C.215354	Bearer, port						1	-	C.	GA.9
95731	C.215355	Bearer, starboard						1	-	C.	GA.9
	E.230828	Box						1	-		GA.9
95732	A.215371	Cross-tube						1	T.26	C.	GA.9
	E.229683	EQUIPMENT, GUN HANDLING, ASSEMBLY						-	-		
95678	D.224222	Cradle, gun, group						1	-	B.	GA.5
95679	F.224221	Spigot						2	H.T.S.Bar	C.	GA.5
	C.214838	Fitting, gun handling						1	-		
	-	Hoist, type, "C"						2	-	A.	
	B.212170	Spigot						2	-		
	C.214831	Tube, handling						1	T.45		
	D.229684	EQUIPMENT, HOISTING, FOR AMMUNITION BOX, ASSEMBLY						-	-		
	E.214090	Cradle, for ammunition box, group						1	-		
	A.215191	Bar, steady, for box						1	-		
	F.215192	Bolt, special						2	S.96.B		
	B.228766	Bracket						4	M.S.P.		
	C.228771	Bracket, wheel						2	M.S.P.		
	C.228772	Bracket, wheel						2	M.S.P.		
	Flexello Ltd. 833.RT	Castor						4			
	F.215186	Knob						2	M.S. Bar or S.1.B		

EQUIPMENT - ANCILLARY

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	B.215181						1	M.S.P.		
	B.215182						1	M.S.P.		
	A.314334						2			
	F.215444						1	M.S.		
	Std.1507/24/100/ N						4			
	Std.1507/26/110/ N						2			
	Std.1507/26/110/ N						2			
	F.215187						2	M.S.		
	F.208066						2	H.T.S. wire		
95609	B.205914						1	-	B.	GA.2
	F.192139						1	S.1		
	F.176122						1	S.1		
	F.176124						1	DTD.239		
95058	A.191552						1	-	B.	GA.3
95059	A.191655						1	-	B.	GA.3
95303	Dunlop A.10054						1	-	B.	
95032	Dunlop A.5826						1	-	B.	
95140	B.198963						1	-	B.	GA.3
95141	C.198962						1	-	B.	GA.3
27G/5062	Dunlop A.10039						1	-	B.	
	D.232208						-	-		
	A.232215						2	M.S.		
	A.232214						1	M.S.		
	A.232212						1	M.S.		
	A.232213						1	M.S.		
	Std.1996/8						1			5
	F.232216						1	M.S. Bar		
	F.232217						2	M.S. Bar		
9137	-						4	Steel	C.	
	C.232209						1	M.S.		
	C.232210						1	M.S.		
95644	C.224263						1	-	B.	GA.4
	F.192067						1	BSS.251		
95007	B.201624						1	-	B.	GA.4
95006	A.192534						1	-	B.	GA.4
	A.23118						1	-		
	A.231119						1	-		
95860	A.249091						1	-	B.	GA.4
95861	A.249092						1	-	B.	GA.4
95508	A.210921						1	-	B.	GA.4
95513	B.214835						1	-	B.	
95793	C.235557						1	-	B.	
	C.221206						-			
95137	C.182963						2	-	B.	GA.7
6133	Std.1996/7						1	Brass	C.	5
95155	A.111811						2	F.16	C.	GA.7
	A.208394						1	-	C.	
	C.206419						1	S.3		

RESTRICTED

EQUIPMENT - ANCILLARY

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
9136	-					Ring, split type, ¾" dia	2	Steel	C	
9137	-					Ring, split type, 1" dia	1	Steel	C	
95514	A.189264					Strap	1	F.52	C	GA.7
95138	C.192836					Ground locking gear, for elevator, group	2	-	B	GA.7
95068	A.192835					Cord, tension	2	F.16	C	GA.7
95139	B.189267					Ground locking gear, for rudder, group	1	-	B	GA.7
95069	A.193038					Bolt, wing	1	S.92B & S3	C	GA.7
6133	Std.1996/7					Chain, 7" long	2	Brass	C	5
	A.208394					Pennant	1	-	-	
9136	-					Ring, split type ¾" dia	4	-	C	
95605	B.219222					Ground locking gear, for cockpit controls, group	1	-	B	GA.7
	A.88468					Bolt	2	S1	-	
	A.192829					Bracket	1	S.3 Rubber	-	
	A.200724					Bracket, for aileron locking	1	-	-	
	B.219222/1					Cable, front (Complete with hooks and thimbles)	2	W.2	-	
	B.219222/2					Cable, rear (Complete with hooks, thimbles and bracket)	2	W.2	-	
	A.188484					Cap	1	S.3	-	
	A.200718					Cap, for aileron locking	1	-	-	
	F.186679					Eye-bolt	1	S.1	-	
	A.208393					Pennant	1	-	-	
	F.318145					Plate (Alternative to SP.1960B, 2 off)	4	-	-	
	SP.1960B					Shackle (Alternative to F.318145, 4 off)	2	-	-	
95616	B.214206					Ground lock, for nose wheel, group	1	-	B	GA.7
	A.214436					Adjuster	1	-	-	
	B.214435					Bar, clamping, group	1	-	-	
	B.214435/1					Seating	2	LFB.82	-	
6133	Std.1996/7					Chain, 7" long	2	Brass	C	5
95072	A.193720					Pennant	1	-	C	GA.7
	Aerolex F48/7/508					Pin, quick release (Use 28FP/15)	1	-	-	
9136	A.204974					Guard, for spigot in wheel bay	1	-	-	
95617	A.218961					Guard, safety, for air intake, port, group	1	-	B	GA.5
95618	A.218962					Guard, safety, for air intake, starboard group	1	-	B	GA.5
95782	A.192941					Catch, assembly, port	1	-	C	
95783	A.192942					Catch, assembly, starboard	1	-	C	
26AQ/5983	F.193287					Eye-bolt	2	Comml. M.S.B.	-	
95786	F.193285					Lever	2	Comml. M.S.B.	C	
95787	F.193286					Link	2	Comml. M.S.B.	C	
95788	F.193288					Plunger	2	Comml. M.S.B.	C	
95785	A.194621					Spindle	2	Comml. M.S.B.	C	
95789	F.184342					Spring	1	Sp.St.	C	
	C.218224					Strut, bracing	2	-	-	

EQUIPMENT - ANCILLARY

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
95086	A.194464	Guide, for fuel tanks vent connector	1	-	B.	GA.3
95421	A.214536	Indicator, position, for aileron booster unit adjustment	1	EN.33 & S.3	B.	GA.4
4Q/2604	-	Jack, pillar type, 4 ton, hydraulic	1	-	A.	
95728	D.227026	Jig, setting, up micro switch, nose under-carriage	1	-	B.	
95733	B.227016	Jig, setting, nosewheel door sequence valve	1	-	B.	
	F.223909	Key, armament ground test switch	1	-		
	A.215979	Key, for I.P.N. tank filler cap	1	-		GA.9
95390	A.212332	Key, for hydraulic reservoir	1	T.26 & S.3	B.	GA.3
95603	D.213985	Ladder, for pilot, group	2	-	B.	GA.5
95306	A.201030	Lock, rigging, elevator control tube	1	-	C.	
95307	A.201031	Lock, rigging, aileron and rudder control tubes	2	-	C.	
4G/3966	-	Mats, for main plane	2	-	B.	
95607	B.208925	Pad, jacking, at frame 11, group	1	-	B.	GA.2
6133	Std.1996/7	Chain, 7" long	2	Brass	C.	5
	Aerolex	Pin, quick release (Use 28FP/15)	2	-	-	
	F48/7/508					
9136	-	Ring, split type, 2" dia.	4	Steel	C.	
95606	B.205909	Pad, jacking, for main plane group	2	-	B.	GA.2
6133	Std.1996/7	Chain	2	-	C.	5
	Aerolex	Pin, quick release (Use 28FP/15)	2	-	-	
	F48/7/508					
9138	-	Ring, split type, 1 1/4" dia.	4	Steel	C.	
95608	A.205912	Pad, jacking, for nose undercarriage, group	1	-	B.	GA.2
6133	Std.1996/7	Chain, 7" long	1	-	C.	5
	B.205911	Pad, jacking	2	Casting		
95065	A.164139 or S60/18	Pennant	1	-	C.	GA.2
	Aerolex	Pin, quick release (Use 28FP/638)	1	-	-	
	F48/7/830					
	D.193482	PICKETING AND REARWARD TOWING, ASSEMBLY ...	-	-		
95203	F.159908	Bolt, picketing, for rear fuselage, group	1	-	C.	GA.5
6133	Std.1996/7	Chain, 7" long	1	Brass	C.	5
95632	F.159909	Eyebolt	1	S.95.B	C.	
95065	A.164139 or S60/18	Pennant	1	-	C.	GA.2
	Aerolex					
	F48/7/830					
9137	-	Ring, split type, 1" dia....	2	-	C.	
4G/4137	-	Bridle, towing, 50 ft. long	1	-	A.	
95205	A.176437	Shackle, picketing, for main undercarriage group	2	-	C.	GA.5
6133	Std.1996/7	Chain, 7" long	3	Brass	C.	5
95071	F.176436	Collar, locking	1	T.45 & S.3	C.	GA.5
95065	A.164139 or S60/18	Pennant... ..	1	-	C.	GA.2
	Aerolex	Pin, quick release (Use 28FP/17)	1	-	-	
	F48/7/512					
9136	-	Ring, split type, 2" dia.	4	Steel	C.	
95204	A.176434	Shackle, picketing, for nose undercarriage group	1	-	C.	GA.5
6133	Std.1996/7	Chain, 7" long	2	Brass	C.	5
95065	A.164139 or S60/18	Pennant... ..	1	-	C.	GA.2
	Aerolex	Pin, quick release (Use 28FP/638)	1	-	-	
	F48/7/830					
9136	-	Ring, split type, 2" dia.	3	Steel	C.	

RESTRICTED

EQUIPMENT - ANCILLARY

Hunter Two Seater

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	D.191909	PICKETING AND REARWARD TOWING, ASSEMBLY (S.O.O. for embalmed aircraft only)					-	-		
95203	F.159908	Bolt, picketing, for rear fuselage, group					1	-	C.	GA.5
6133	Std.1996/7	Chain, 7" long					1	Brass	C.	5
95632	F.159909	Eyebolt					1	S.95.B	C.	
95065	A.164139 or S60/18	Pennant					1	-	C.	GA.2
9137	-	Ring, split type, 1" dia....					2	-	C.	
4GB/4409986	-	Bridle, rearward towing, 35 ft. long ...					1	-	A.	
	B.191910	Fitting, picketing and rearward towing, at main undercarriage, group					2	-		GA.5
		Chain, 7" long					3	Brass	C.	5
6133	Std.1996/7	Collar					1	MSP & T	C.	GA.5
95071	F.176436	Pennant					1	-	C.	GA.2
95065	A.164139 or S60/18	Pin, quick release (Use 28FP/17) ...					1	-	-	
	Aerolex F48/7/512	Ring, split type, 1" dia....					5	Comml.	C.	
9137	-	Fitting, picketing, at nose undercarriage, group					1	-		GA.5
	A.191716	Chain, 7" long					2	Brass	C.	5
6133	Std.1996/7	Pennant					1	-	C.	GA.2
95065	A.164139 or S60/18	Pin, quick release (Use 28FP/638) ...					1	-	-	
	Aerolex F48/7/830	Ring, split type, 1" dia....					2	Comml.	C.	
9137	-	Piece, distance, for use at front fuselage attachment nuts					1	M.S.B.	C.	GA.8
95309	A.204865	PIPE, DE-FUELLING EQUIPMENT, FOR "WHEELS-UP", ASSEMBLY					-	-		
	C.231753	Pipe, group					1	-	A.	GA.7
	C.231754	Chain, 6" long					1	Brass	C.	5
	Std.1996/6	Handle, for coupling					1	Comml.		
	B.207509	Nut, special					4	M.S.		
	F.209903	Pipe					1	S.92.B		
	A.231679	Pipe, defuelling					1	-		
	C.207508	Pipe, flexible, 1½" (Alternative to Dunlop 24/W2/121/8/8/72)					1	-		
	Avica 1/12/72/AA	Pipe, flexible, 1½" (Alternative to Avica 1/12/72/AA)					1	-		
	Dunlop 24/W2/121/8/8/72	Valve, coupling, refuelling (Alternative to FC.110)					1	-		
	Flight Refuelling C.0724000/1	Valve, coupling, refuelling, group (Alternative to C.0724000/1)					1	-	A.	
27F/2227	Avery Hardoll FC.110	Cover, dust, group					1	-	C.	
27F/2228	FC.109	Ring, sealing					1	-	C.	
27F/2599	TR539/866	Rail, for engine, between frames 34 and 37, group					1	-	B.	GA.6
95423	B.202832	Chain, 7" long					1	Brass	C.	5
		Chain					1	Brass	C.	5
6133	Std.1996/7	Label					1	-		
	Std.1996/14	Pin, quick release (Use 28FP/19) ...					1	-	-	
	F.201826	Plate, indicator					1	Comml. M.S.B.		
	Aerolex F48/7/514									
	B.191737/3									

EQUIPMENT - ANCILLARY

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
9137	B.191737/1						1	Comml.		
	-						3	M.S. Wire	C.	
	B.203904						1	S.95.B & S.1	B.	GA.6
5P/2908	-						1	-	A.	
95029	C.191636						2	-	B.	GA.7
6133	Std.1996/7						1	Brass	C.	5
	F.191640						2	Comml. M.S.B.		
	F.191638						1	Comml. M.S.B.		
95072	A.193720						1	-	C.	GA.7
9136	-						2	Steel	C.	
	F.191639						4	Comml. M.S.B.		
95011	D.188575						1	-	B.	GA.2
95070	F.188573						4	S.95.B	C.	GA.2
95074	A.188570						4	S.95.B	C.	GA.2
	D.188575/1						4	BS,302		
	B.188566						4	Stpg.		
	A.188726						1	-		
	F.187729						2	S.94.B or S.95.B		
	F.187728						1	S.1		
	A.188572						4	Stpg.		
	B.188565						2	Stpg.		
	B.188567						2	-		
6133	Std.1996/7						2	Brass	C.	5
	Aerolex						2	-		
	F48/7/813						2	-		
9136	-						4	-	C.	
	B.188568						2	-		
95877	E.248990						1	-	B.	GA.6
95070	F.188573						2	S.95.B	C.	GA.2
	D.206951/1						2	B.S. 302		
	E.248990/1						2	B.S. 302		
	F.200603						1	Brass		
	B.248992						2	-		
	B.253320						2	-		
	A.207187						1	-		
	F.187729						2	S.94.B or S.95.B		
	F.187728						1	S.1		
9138	F.200668						4	-		
	-						2	-	C.	
	B.194418						2	Stpg.		
	B.250173						1	Stpg.		
	B.250174						1	Stpg.		

EQUIPMENT - ANCILLARY

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
95052	A.189921	Clip, at nosewheel leg	2	S3 & L.16	C.	GA.1
95613	C.220364	Cradle, front, group	1	-	B.	GA.1
6133	Std.1996/7	Chain, 7" long	5	Brass	C.	5
	F.220356	Eye-bolt	2	S.2		
	A.230751	Lever	4	S.1		
	Aerolex F48/7/513	Pin, quick release (Use 28FP/18)	4	-	-	
	Aerolex F48/7/609	Pin, quick release (Use 28FP/24)	1	-	-	
9136	-	Ring, split type, 2" dia.	5	Steel	C.	
95611	A.230750	Link, at nosewheel leg	1	S.1 & S.3	C.	GA.1
	C.220365	Sling, lifting, group	1	-	B.	GA.1
	C.220365/1	Cable, forward, top portion, 110-120 ton	2	BS.302		
	C.220365/2	Cable, rear, top portion	2	BS.302		
	C.220365/3	Cable, forward, bottom portion, 110-120 ton	2	BS.302		
	C.220365/4	Cable, rear, bottom portion, 110-120 ton	2	BS.302		
	F.220357	Plate, link	8	S.3		
	B.220359	Ring, lifting	1	S.92.B		
	B.220360	Strut, forward, group	2	-		
95615	B.220361	Strut, bracing, between front and rear trestle, group	2	-	B.	GA.1
	Std.1996/6	Chain	2	Brass		5
	Aerolex F48/7/1023	Pin, quick release (Use 28FP/640)	2	-	-	
9136	-	Ring, split type, 2" dia.	2	Steel	C.	
4G/	-	Trestle, U.J. No.1	2	-	A.	
	B.190381	SLINGING AND TRESTLING, CENTRE FUSELAGE, ASSEMBLY	-	-		
95020	C.190377	Cradle, group	2	-	B.	GA.1
6133	Std.1996/7	Chain, 7" long	4	Brass	C.	5
	A.180683	Lever	4	S.1		
	Aerolex F48/7/513	Pin, quick release (Use 28FP/18)	4	-	-	
9136	-	Ring, split type, 2" dia.	4	Steel	C.	
95049	C.190378	Sling, lifting, group	1	-	B.	GA.1
	C.190378/1	Cable, aft, 100-110 ton	1	BS.302		
	C.190378/2	Cable, forward, 100-110 ton	1	BS.302		
	F.190386	Plate, link	4	Comm. M.S.		
	B.190380	Plate, link, group	4	-		
6133	Std.1996/7	Chain, 7" long	1	Brass	C.	5
	Aerolex F48/7/813	Pin, quick release (Use 28FP/625)	1	-	-	
9136	-	Ring, split type, 2" dia.	1	Steel	C.	
	F.190384	Pin, forked	2	S.1		
	F.186238	Ring, lifting	1	S.92.B		
	B.190379	Strut, upper, group	1	-		
	A.190383	Strut, lower, group	2	-		
4G/	-	Trestle, U.J. No.1	2	-	A.	
	C.207184	SLINGING AND TRESTLING, REAR FUSELAGE (WITHOUT TAIL UNIT, ASSEMBLY)	-	-		
95041	C.190878	Cradle, front, group	1	-	B.	GA.1
6133	Std.1996/7	Chain, 7" long	4	Brass	C.	5
95512	F.180694	Eye-bolt	2	S.1	C.	
	A.180683	Lever	4	S.1		
	Aerolex F48/7/513	Pin, quick release (Use 28FP/18)	4	-	-	

EQUIPMENT - ANCILLARY

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
9136	-									
95042	C.190877						4	Steel	C.	GA.1
6133	Std.1996/7						1	-	B.	
95512	F.180694						4	Brass	C.	5
	A.180683						2	S.1	C.	
	B.190881						4	S.1		
6133	Std.1996/7						1	-		
95632	F.159909						1	Brass	C.	5
	Aerolex						1	S.95.B	C.	
	F48/7/615						1	Steel	-	
9136	-						1	Steel	C.	
	Aerolex						4	-	-	
	F48/7/513									
9136	-						4	Steel	C.	
95366	C.206953						1	-	B.	GA.1
	B.189219						1	S.92.B		
	C.206953/2						4	BS.825		
95368	B.206954						2	-	B.	GA.1
6133	Std.1996/7						2	Brass	C.	5
	Aerolex						2	-	-	
	F48/7/1023									
9136	-						2	Steel	C.	
4G/	-						2	-	A.	
	C.207184						-	-		
95367	C.207188						1	-	B.	GA.1
	C.189220						1	T.6 & S.3		
	C.207226						1	-		
	B.189219						1	S.92.B		
	B.189217						2	-		
	B.189217/1						1	BS.302		
6133	Std.1996/7						1	Brass	C.	5
95075	F.188901						1	S.95.B	C.	GA.1
	Aerolex						1	-	-	
	F48/7/1017									
9138	-						1	Steel	C.	
	B.189218						2	-		
	B.189218/1						1	BS.302		
6133	Std.1996/7						1	Brass	C.	5
95075	F.188901						1	S.95.B	C.	GA.1
	Aerolex						1	-	-	
	F48/7/1017									
9138	-						1	Steel	C.	
	Std.1676						1	-		5
95215	C.200058						1	-	A.	GA.1
	B.200212						1	-		
	D.200062						1	-		
	D.200062/12						2	Bronze		
	C.189645						2	-		
	C.189645/2						1	BSS.369		
	C.189645/7						1	M.S.B.		
	C.189645/5						1	M.S.B.		
95076	C.189645/1						1	M.S.B.	C.	GA.1
	D.200062/12						4	M.S.		
	D.189637						4	S.21.B		
95077	D.189638						2	S.21.B	C.	GA.1
95078	Dunlop						2	-	B.	GA.1
	WDM.564									

Hunter Two Seater
Issued with A/L No. 1

EQUIPMENT - ANCILLARY

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.	
		1	2	3	4	5					
27S/	D.200062/11						2	M.S.B.			
	C.200058/1						6	M.S.			
	C.200058/2						2	M.S.			
	C.200060						1	-			
	B.200059						2	-			
	D.200061						1	-			
	SKEFCO 08						2	-	B		
	D.189642						2	Bronze			
	D.200062/12						2	Bronze			
	C.189645						2	-			
	C.189645/2						1	BSS.369			
	C.189645/7						1	M.S.B.			
	C.189645/5						1	M.S.B.			
	C.189645/1						1	M.S.B.	C	GA.1	
95076	D.200061/16						4	M.S.B.			
	D.189637						4	S.21.B			
95077	D.189638						2	S.21.B	C	GA.1	
	Dunlop						2	-	B	GA.1	
95014	WDM.564						2	M.S.B.			
	D.200062/11						2	M.S.B.			
	F.200236						4	M.S.			
	C.190463						1	-			
	A.179741						1	-			
	F.179739						1	S.1, S.3			
	F.179741/1						1	S.1			
	A.200232						2	-			
	C.188900						1	-	B	GA.2	
	C.188900/1						1	BS.302			
	C.188900/2						1	BS.302			
	6133	Std.1996/7						3	Brass	C	5
	95075	F.188901						3	S.95.B	C	GA.1
		Aerolex						3	-	-	
9138	F48/7/1017						3	Steel	C		
	F.186238						1	S.92.B			
95222	C.199388						1	-	B	GA.2	
	C.199388/1						4	BS.302			
95016	C.199388/2						4	-			
	A.199389						4	-			
	F.199390						4	-			
	B.190526						1	-	B	GA.2	
	B.190526/1						2	BS.302			
	6133	Std.1996/7						4	Brass	C	5
	95520	F.190527						1	H.T.S.	C	
	95519	F.199873						1	-	C	
	Aerolex							2	-	-	
	9138	F48/7/612						1	S.92.B		
		F.180478						1	-		
		F.313999						2	Steel	C	
	46/4783	-						1	-	A	
		Rolls Royce						1	-		
95720	J.47623						1	-	B	GA.9	
	B.229927						1	-	B	GA.3	
95087	A.194634						1	Comm1.	B	GA.8	
95311	A.209612						1	-	B		
95228	Britool						1	-	B		
	Z.4948						1	-	B		

EQUIPMENT - ANCILLARY

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
95085	A.194578						1	EN.33	B.	GA.3
95081	B.194717						1	T.26 & S.3	B.	GA.3
95645	B.224080						1	-	B.	GA.3
95226	A.201955						1	EN.33	B.	GA.8
95163	A.197766						1	S.21 & S.3	B.	GA.3
95165	A.197767						1	S.21 & S.3	B.	GA.3
95166	A.197768						1	S.21 & S.3	B.	GA.3
95706	A.222402						1	S.3	B.	GA.3
95715	A.227530						1	-	B.	GA.4
95164	F.199124						1	-	B.	GA.3
95304	F.199406						1	M.S. or EN.351	B.	GA.8
95305	F.199407						1	M.S.	B.	GA.8
95308	B.204866						1	Steel	B.	GA.8
	A.95425						1	Comml.	B.	GA.8
	B.212978						1			
	C.214603						1			
95503	B.209815						1	EN.33 or S.15	B.	GA.8
95504	B.209816						1	EN.33 or S.15	B.	GA.8
95143	F.261598						2	M.S.		
6133	F.198704						2	-	B.	GA.3
95065	Std.1996/7						1	Brass	C.	5
	A.164139 or S60/18						1	-	C.	GA.2
9136	-						1	Steel	C.	
4G/4231	Rolls Royce GE.6004 Sht.1						1	-	A.	
95234	B.199253						1	-	B.	GA.8
	F.199257						1	S.1		
	F.199255						1	M.S.B.		
	A.199254						1	S.1.B.		
	F.199256						1	M.S.B.		
95725	B.230207						1	-	B.	GA.9
	F.230212						1	M.S.		
	Std.1551/1/145						1			5
	F.230210						1	M.S.		
	A.230211						1	M.S.		
	F.230209						1	M.S.		
	A.515						1	-		
	A.230208						1	T.45		
	F.261597						8	H.T.S.		
95427	C.208502						1	-	B.	GA.2
	A.211191						1	-		
1731	F.193381						1	Rubber	C.	
	C.212514						1	-		
	B.207700						1	-		

Hunter Two Seater
Issued with A/L No.1

EQUIPMENT - ANCILLARY

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	I.V. Pressure Controllers SK.342/1	Controller (Alt. to CU.345)	1	-		
	I.V. Pressure Controllers CU.345	Controller (Alt. to SK.342/1)	1	-		
	Std.1371C	Coupling	1	DTD.423		
	B.207700/1	Hose, 3/4" i/d x 12 ft. long	1	-		
	F.207701	Nipple, special	1	L.65.C		
	BEN SA.48 or SA.179	Plug, 'Instantair'	1	-		
6074	A.207899	Bung, for forward vent pipe, group ...	1	-	C.	
	A.194466	Bolt	1	-		
95665	A.194464/1	Gland	1	-	C.	
	F.194467	Ring, locking	1	-		
	A.207818	Cover, blanking, for refuelling pressure relief valve, group	2	-		
	A.207800	Clamp	1	M.S.		
	A.207817	Nut, wing	1	-		
	F.207793	Plunger, group	1	-		
27QA/5	Dowty S.P.597/9	Ring, seal	1	-	C.	
5269	Fairey Aviation Co.	Ring, retaining	2	-	C.	
95734	A.230916	Tool, engagement, braking parachute shackle	1	S.510	B.	GA.9
95080	B.191654	Tool, for undercarriage up-lock	1	-	B.	GA.3
95223	B.200521	Tool, for assembly of transport joint spigot	1	-	B.	GA.8
95516	C.215976	Tool, for alignment of gun and barrel support, group	1	-	A.	GA.9
	C.215999	Barrel	1	M.S.		
	F.216000	Screw, special	3	EN.33		
	B.215997	Sleeve	1	EN.33		
	A.215998	Spigot	1	EN.33		
95557	B.215975	Tool, bearing rotation	1	M.S.	B.	GA.9
4Q/2618	-	Trestle, Mk.1	1	-	A.	
4Q/2620	-	Trestle, Mk.3	2	-	A.	
4G/	-	Trestle, U.J. No.6	4	-	A.	
95216	C.200213	Trolley, removal, for engine unit, group (Mod. GE.51)	1	-	A.	GA.6
	B.200212	Arm, towing	1	-		
	D.200198	Aft-end, group	1	-		
	D.189644	Collar, wheel attachment	2	M.S.		
	C.189645	Jack, screw, group	2	-		
	C.189645/2	Bush	1	BSS.369		
	C.189645/7	Grub-Screw	1	M.S.B.		
	C.189645/5	Nut	1	M.S.B.		
95076	C.189645/1	Shaft, screwed	1	M.S.B.	C.	GA.1
	D.200198/16	Nut, wheel attachment	4	M.S.		
95079	D.189643	Spindle, for wheel	2	S.21.B	B.	GA.6
95078	Dunlop WDM.564	Wheel, complete with solid tyre ...	2	-	B.	GA.1
	C.200058/1	Bolt, attaching side frames	6	M.S.		
	C.200058/2	Bolt, attaching side frames	2	M.S.		
	B.200191	Frame, centre	1	-		
	B.200188	Frame, side	2	-		
	D.200197	Forward end, group	1	-		
27S/	SKO/06/08	Bearing, thrust race	2	-	B.	

RESTRICTED

EQUIPMENT - ANCILLARY


Hunter Two Seater
Issued with A/L No.3

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.	
							1
95076	D.189642	Bush, for castor fork spindle	2	Bronze			
	C.189645	Jack; screw, group	2	-			
	C.189645/2	Bush	1	BSS.369			
	C.189645/7	Grub-screw	1	M.S.B.			
	C.189645/5	Nut	1	M.S.B.			
	C.189645/1	Shaft, screwed	1	M.S.B.	C		
	D.200197/12	Nut, wheel attachment	4	M.S.			
	D.189637	Piece, distance, for wheel spindle	4	S.21.B			
	95077	D.189638	Spindle	2	S.21.B	B	GA.1
	95078	Dunlop WDM.564	Wheel, complete with solid tyre	2	-	B	
F48/	F.200238	Lug, for tie bar	2	M.S.			
	F.200237	Lug, for tie bar	1	M.S.			
	D.200210	Rail; group	1	-			
	F.196530	Bolt, at lower rail	1	S.95.B			
	D.200210/16	Bolt; special	2	M.S.			
	F.196531	Nut, at lower rail	1	S.95.B			
	Aerolex F48/7/817	Pin, pip (Use 28FP/42)	1	-	-		
	D.200210/19	Tommy-bar	2	M.S.			
	A.200233	Tie-bar	2	-			
	95770	E.229359	Trolley; drop tank handling, group (Mod.894)	1	-	A	
95813	B.231705	Arm, towing	1	-	B		
95818	A.236313	Bar, tow	1	M.S.P.	C		
2A/9500507	S.F.L. 1 1/2"	Bearing, thrust	2	-	B		
	E.229359/1	Bolt, tie	4	M.S.Bar			
95824	C.236263	Cradle, inboard (For use with 100 gallon drop tanks)	2	Hardwood & DTD.590			
	C.236264	Cradle, outboard (For use with 100 gallon drop tanks)	2	Hardwood & DTD.590			
	C.231702	Fork, forward	2	M.S.P. & M.S. Bar	C		
	95815	C.236626	Handle, jack operating, forward	2	-	B	
	95816	C.236627	Handle, jack operating, aft	1	-	B	
	95817	B.233333	Jack (Make from Lake & Elliott Jack type S414-20428) (Alt. to B.311857)	3	-	A	
	B.311857	Jack (Make from Lake & Elliott Jack type S411 (Alt. to B.233333)	3	-			
	D.189641	Link, towing	1	MS.Plates M.S.Bar & BSC.103A			
	95814	E.231700	MAIN FRAME, ASSEMBLY	-	-		
		F.231715	Bush, at forward end of frame	4	BSS.369	C	
F.249007		Roller, (Mod.1008)	2	M.S.			
95819		A.235425	Strap, with buckle	2	-	C	
95820		A.235426	Strap	2	-	C	
95812		F.233326	Trunnion, at jacks	3	M.S.		
		F.235690	Washer	2	MS.Plates	C	
3 95822		F.235291	Washer, taper (Used with B.233333)	12	-		
		F.311858	Washer, taper (Used with B.311857)	12	-		
3		Flexello KV.8RXB.SP	Wheel, castor, assembly (Alternative to Flexello KV.8RXB.SP Wheel, castor, assy., fitted with Timken taper roller bearings and swivel lock, without wheel lock)	2		B	
	Flexello VSU.8TM	Wheel	1				
95823	Flexello KV.8RXB.SP	Wheel, castor, assembly, fitted with Timken taper roller bearings and swivel lock (wheel lock not fitted) (Alt. to 26FX/95822)	2				
	Flexello	Wheel, fitted with Timken taper roller bearings complete with bolt	2		B		
4F/1714	-	Trolley, pressure, cabin testing, Mk.1C	1	-	A		
4F/1685	-	Trolley, hydraulic, MK.2	1	-	A		


EQUIPMENT - ANCILLARY

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
4F/1690	-	Trolley, electrical servicing and testing, Mk.1A					1	-	A.	
4G/4220	-	Trolley, oxygen charging, Mk.2					1	-	A.	
4G/4221	-	Trolley, charging H.P. air, Mk.2					1	-	A.	
4G/	-	Trolley, for radar, cooling and testing ...					1	-	A.	
	B.214055	Weather covers, assembly (Refer to AP.1086, Section 27D)					-	-	A.	

































ANCILLARY EQUIPMENT













This file was downloaded
from the RTFM Library.
Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

