

EQUIPMENT S.O.O. - PYLONS - INBOARD

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	E.233584	PYLON, INBOARD, PORT, GROUP (if required without Sole Plate adaptor and fixings, demand as E.233584/C) (Mod.2402)	1	-		HB.1
	E.233585	PYLON, INBOARD, STARBOARD, GROUP (if required without Sole Plate adaptor and fixings, demand as E.233585/C) (Mod. 2402)	1	-		HB.1
7993	F.203800	Bolt, special	22	S.99.B.	C.	HB.1
9536	B.223230	Pipes, fuel and air, port	1	-	C.	HB.1
9537	B.223231	Pipes, fuel and air, starboard	1	-	C.	HB.1
	E.233588	Pylon, inboard, port, group (Mod.2402)	1	-		
	E.233559	Pylon, inboard, starboard, group (Mod.2402)	1	-		
	D.234172	Adaptor, sole plate (Mod. 2402)	2	Casting		
	F.237180	Bar, security for transporting	2	S.1.B		
	F.235362	Block, (Mod. 2402)	2	DTD.622		
5X/3181	Plessey	Block, terminal 20-way	2	-	B.	
	CZ.23212/1					
5X/2863	Plessey	Block, terminal, 10 way	2	-	B.	
	CZ.24285					
8011	F.205519	Bolt, special	4	S.99.B	C	HB.1
	F.235639	Bolt, special for attaching adaptor	24	S.94.B		
10249	A.225520	Bracket, for forward fusing unit (Mod.695)	2	L.72		
	A.209895	Bracket, for aft fusing unit, port	1	L.72		
	A.209896	Bracket, for aft fusing unit, starboard	1	L.72		
	F.231413	Bracket, for switch (Mod. 2402)	2	L.72		
	A.229226	Bracket, mounting relay	2	S.510		
	F.229227	Buffer, relay, anti-vibration	8	Rubazote Meoprene		
	A.234297	Bush, spigot locating (Mod. 2402)	2	-		
	-	Cables, electrical (See Cable Chart)	-	-		
9522	B.208408	Cable, PY.1, group	2	-	B.	
8012	F.208578	Adaptor	3	Brass	C.	
7990	A.209704	Ferrule	1	-	C.	
9545	B.234400	Cable, PY.2 group (Mod. 2402)	2	-		
8012	F.208578	Adaptor	2	Brass	C.	
	B.232398	Cable, PY.4 group (See Cable Chart) (Mod. 2402)	2	-		
5D/1937	-	Relay, series, type B	1	-		
	B.208413	Cable, PY.6 group (See Cable Chart)	2	-		
5D/1896	Arm 93597	Connector	1	-		
5CY/457	-	Socket, 2-pin, flat, type 'R'	1	-		
	B.208414	Cable, PY.7 group (See Cable Chart)	2	-		
5D/1896	Arm 93597	Connector (c/w cable)	1	-		
	B.234393	Cable, PY.8, group (See Cable Chart) (Mod. 2402)	2	-		
5CW/7540	CWC. XD.778	Switch, S.P.C.O.	1	-		
5CW/4485	Rotax N.100397/37	Transfer, "NORMAL"	1	-		
	F.234294	Channel, locating (Mod. 2402)	4	S.1		
3736	Std.840/17	Clip, cable	4	DTD.610		
	F.209901	Clip, support for cable	4	S.3	L.M.	
	F.208710	Cover	2	L.72		
	A.229902	Cover, for cables	2	-		
	F.203746	Duct, for PY.6, cable	2	L.54		

RESTRICTED

EQUIPMENT S.O.O. - PYLONS - INBOARD

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5K/	B.203826					Fairlead	2	S.3		
	or									
	A.221508					Grommet	2	-		
	Hellerman R.2032									
	or									
	SP40-B32					Guard, switch (Mod. 2402)	2	Nylon Moulding		
	F.229598									
	A.234262					Jettison and reset mechanism, group (Mod. 2402)	2	-	B.	HB.1
	B.234300					Bracket	1	S.3		
	F.200782					Collar	2	T.26		
F.200779					Lever	1	Casting			
F.240268					Rod, push (Mod. 2449)	2	S.1.B.			
F.234263					Spring, (Mod. 2404)	2	Sp.St.	C.	HB.1	
5X/6172	Plessey Z.50212				Link, commoning, 4 way	2	-	C.		
8017	F.205520				Nut, special	4	S.11B	C.	HB.1	
8018	C.202992				Panel, access, front, port, group	1	-	B.	HB.1	
	or									
8019	C.221725									
	C.202993				Panel, access, front, starboard, group	1	-	B.	HB.1	
	or									
	C.221726									
8020	A.203044				Catch	2	-			
8021	C.202999				Panel, access to cable, port, group	1	L.72	B.	HB.1	
	C.203000				Panel, access to cable, starboard, group	1	L.72	B.	HB.1	
	F.163773				Pillar, for terminal block	4	Plastic			
9528	F.229903				Pillar, at cable cover	4	S.96B			
	Chekaleke No.10				Plug	4	-	C.		
	Chekaleke No.12				Plug	4	-	C.		
	F.22276				Spigot, at release housing	2	S.96B			
	F.222277				Spigot, at release housing	2	S.96B			
	F.234299				Spigot, stores, anti-swing	2	S.80			
	F.137371				Spring lock, for cable	2	Sp.St.			
	D.205992				Member, top, port, group	1	-	-		
	D.205993				Member, top, starboard, group	1	-	-		
	F.206037				Bolt, special	56	S.99B			
	C.234459				SUPPORT, RELEASE HOUSING, ASSEMBLY (For delivery of Aircraft) (Mod. 2402)	-	-	-		
5D/1957	B.228591				Housing, release, group	1	-			
5D/1954	-				Block, econnector	1	-			
					Connector	1	-			
	C.234458				SUPPORT, RELEASE HOUSING, ASSEMBLY (Complete with Swiss release housing) (Mod. 2402)	-	-	-		
8022	A.223544				Block, truunion (Mod. 658)	2	Stamping			
8023	F.218649				Block, packing (Mod. 520)	2	S.1.B.			
9538	A.202419				Bolt, hanger	2	Stamping	B.	HB.1	
	F.202492				Bolt, special	4	S.99.B.	C.	HB.1	
	B.232399				Cable, P.Y.3 group (Mod. 2402)	2	-			
7989	A.218537				Cover (Mod. 520)	1	-			
	A.209702				Ferrule	1	-	C.	HB.1	
	F.218555				Plate, mounting (Mod. 520)	1	L.72		HB.1	
	A.216578				Channel (Mod. 520)	2	L.72			
	F.236698				Clip, securing cable	2	L.72			


EQUIPMENT S.O.O. - PYLONS - INBOARD

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
9729	F.234364					Collar	1	S.1		
	F.214788					Collar, stop, hanger bolt	2	S.1		
	F.222153					Fitting, stowage	2	I.C.I. Alkathene		
9551	A.234825					Housing, release, group (Mod. 2402)	2	-		
	822357E					Housing release (Swiss supply)	1	-		
	A.234758					Plunger, assembly	1	-		
9552	A.223545					Housing, screw for hanger bolt (Mod.658)	2	DTD.197		HB.1
	F.220017					Packing	4	L.72		
11A/3669	A.223906					Pawl (Mod. 658)	4	Casting		HB.1
	F.234282					Pin, (Mod. 2402)	2	S.99B	C.	
	F.216694					Pin, special (Mod. 520)	2	DTD.215		
	F.235962					Pin	2	S.96B		
	A.234215					Plate, side (Mod. 2402)	4	-		
8 69	F.220075					Release, electro-magnetic No.1 Mk.1 (Mod. Arm 17)	2	-	A.	
8027	F.204205					Sleeve (Mod. 606)	2	Alkathene	C.	HB.1
	F.235961					Spring	4	Sp.St.	C.	HB.1
						Spring	1	Sp.St.		
2141	Std.915/J.14					Washer (Mod. 520)	4	DTD.610	C.	
	50/2050					Unit, fusing No.3 Mk.1	4	-	B.	
5407	Std.1335/F.18					Washer, for release housing spigot	2	L.4		
	Std.915.T.18					Washer, for relay mounting bolts	4	DTD.364		
	Std.1509-23-082					Tube, distance 5/16" o/d x 17 S.W.G. x 0.82 long	4	T.4		
27QA/380	Dowty					Ring, "0"	4	-	C.	HB.1
9107	GD.1309/27					Valve, fuel and air, group	2	-	B.	HB.1
	B.215283					Guide	1	S.1.B		
	F.211845					Nut, barrel	2	S.95		
8005	A.215381					Pin, dowel, 3/32" dia. x 5/8" long	1	Silver		
	B.215283/1					Plate, sealing	1	DTD.166 & rubber		
	A.215290					Plug, blanking	2	Brass	C.	HB.1
27QA/363	GD.1308/5					Ring "0"	2	-	C.	HB.1
	A.215286					Sleeve	2	L.65.C		
	F.219598					Spring	1	Sp.Steel		
	F.215295					Spring	1	Sp.Steel		
	A.218673					VALVE, FLAP, AND SEALING PLATE ASSEMBLY	-	-		
	F.215296					Pin, hinge	1	L.65		
	F.225421					Sleeve	1	L.65		
	F.225420					Spring	1	DTD.215		
	A.215287					Valve, flap	1	-		
	A.219054					Valve, group	1	L.65.C		
	F.219592					Spring	1	Sp.Steel		
	F.221179					Valve	1	L.65.C		
	or									
	F.220472									


RESTRICTED

EQUIPMENT S.O.O. - PYLONS - INBOARD

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28D/12528	A25.1B	Bolt					-	-	-	
28D/12512	A25.1C	Bolt					-	-	-	
28D/12531	A25.3C	Bolt					-	-	-	
28D/12629	A25.8C	Bolt					-	-	-	
28D/12516	A25.11C	Bolt					-	-	-	
28D/12536	A25.13C	Bolt					-	-	-	
28D/8300	AS.1242.1B	Bolt					-	-	-	
28D/9294	AS.1242.5B	Bolt					-	-	-	
28D/12282	AS.1242.10B	Bolt					-	-	-	
28D/8306	AS.1242.1C	Bolt					-	-	-	
28D/8307	AS.1242.2C	Bolt					-	-	-	
28D/8308	AS.1242.3C	Bolt					-	-	-	
28D/8309	AS.1242.4C	Bolt					-	-	-	
28D/8311	AS.1242.7C	Bolt					-	-	-	
28D/8313	AS.1242.9C	Bolt					-	-	-	
28D/8317	AS.1242.15C	Bolt					-	-	-	
28D/10764	AS.1248.1B	Bolt					-	-	-	
28D/9353	AS.1248.1C	Bolt					-	-	-	
28N/9796	SP.21	Nipple					-	-	-	
28M/12929	A.27.CP	Nut					-	-	-	
28L/13124	A27.CT	Nut					-	-	-	
28M/14833	A.58.JS	Nut					-	-	-	
28M/10287	AGS.2001.B1	Nut					-	-	-	
28M/10288	AGS.2001.C1	Nut					-	-	-	
28M/10326	AGS.2002.A1	Nut					-	-	-	
28M/10327	AGS.2002.B1	Nut					-	-	-	
28M/10328	AGS.2002.C1	Nut					-	-	-	
28M/13729	AGS.2019.C1	Nut					-	-	-	
28P/835	SP.4.Y.B9	Pin, joint					-	-	-	
28P/840	Sp.4.Y.B14	Pin, joint					-	-	-	
28P/874	SP.4.Y.D16	Pin					-	-	-	
28P/12587	SP.9.C4	Pin, split					-	-	-	
28P/9429619	SP.9.C5	Pin, split					-	-	-	
28P/9429528	SP.4.Y.D16	Pin, split					-	-	-	
28P/12365	SP.9.G16	Pin, split					-	-	-	
28S/2888	A32.A32	Screw					-	-	-	
28S/6287	A32.B6	Screw					-	-	-	
28S/13633	A33.A18	Screw					-	-	-	
28S/2822	A33.A20	Screw					-	-	-	
28S/12828	A33.A24	Screw					-	-	-	
28W/9419475	SP.15.C	Washer					-	-	-	
28W/9419479	SP.15.N	Washer					-	-	-	



PYLONS - INBOARD



This file was downloaded  
from the RTFM Library.

Link: [www.scottbouch.com/rtfm](http://www.scottbouch.com/rtfm)

Please see site for usage terms,  
and more aircraft documents.

