

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	D.314308	CENTRE FUSELAGE STRUCTURE, ASSEMBLY	-	-		
	D.179303	ATTACHMENT OF STRINGERS FROM NOSE SPAR TO FRAME 20, ASSEMBLY	-	-		
960	F.184105	Bolt, special, at stringers "C" and "H"	2	S.95.B	C	JB.3
	Std.1551/3/125	Bolt, special, at stringers "C" and "H"	8	S.99.B		5
3825	Std.1551/3/105	Bolt, special, at stringers "C" and "H"	4	S.99.B	MR/C	5
	A.178936	Fitting attachment, at stringers "C" and "H"	4	S.99.B		
963	F.170740	Nut, special, at stringer "H"	2	S.99.B	C	
7262	Std.1718/3	Nut, special	12	S.95.B	MR/C	5
10607	F.240458	Nut, special, for spigot at stringer "C" (Mod.1032)	2	S.99	C	JB.3
10606	A.240442	Spigot, at stringer "C" (Mod.1032)	2	S.99	C	JB.3
962	A.178929	Spigot, at stringer "H"	2	S.96.B	C	
961	F.184104	Tab, locking at stringers "C" and "H"	4	S.3	C.	JB.3
	F.178931	Tube, distance at stringers "C" and "H"	2	DTD.364		
7263	Std.1208/62/24/20	Washer, shim	QR	-	MR/C	4
	D.179304	ATTACHMENT OF STRINGERS AT FRAME 21 TO MAIN SPAR, ASSEMBLY	-	-		
2418	F.178919	Angle, fitting, at stringer "K"	4	Stamping	MR/C	JB.4
2419	F.178920	Angle, fitting, at stringer "K"	4	Stamping	MR/C	JB.4
3832	Std.1553/E65	Bolt, special, at stringer "K"	8	S.99.B	MR/C	JB.4
3833	Std.1553/E55	Bolt, special, at stringer "K"	4	S.99.B	MR/C	JB.4
2420	B.182214	Fitting, for aircraft slinging bolt	2	Stamping	MR/C	JB.2
	D.200910	ATTACHMENT OF STRINGERS AT MAIN SPAR TO FRAME 26, ASSEMBLY	-	-		
2421	A.179650	Angle, fitting, at stringer "K", main spar	4	Stamping	MR/C	JB.4
2422	A.178809	Angle, fitting, at stringer "K" main spar	4	Stamping	MR/C	JB.4
4447	Std.1553/J390	Bolt, at stringer "K" main spar	4	S.99.B	MR/C	JB.4
2423	F.179742	Tube, distance, at stringer "K" main spar	4	DTD.364	MR/C	JB.4
4691	Std.1547/26/12	Washer, profile, at stringer "J" main spar	4	DTD.610	MR/C	4
	D.200912	ATTACHMENT OF STRINGERS AT REAR SPAR TO FRAME 31, ASSEMBLY	-	-		
3834	Std.1553/L320	Bolt, at stringer "K" rear spar	4	S.99.B	MR/C	JB.4
3824	Std.1551/2/85	Bolt, at stringer "K" rear spar	8	S.99.B	MR/C	JB.4
3825	Std.1551/3/105	Bolt, at stringer "K" rear spar	8	S.99.B	MR/C	JB.4
3835	Std.1553/J300	Bolt, at stringer "J" rear spar	4	S.99.B	MR/C	JB.4
2424	A.178816	Fitting, attachment at stringer "K" rear spar	4	Stamping	MR/C	JB.4
2425	A.168436	Fitting, attachment, at stringer "J" rear spar	4	Stamping	MR/C	JB.4
7261	Std.1718/2	Nut, special, at stringer "K" rear spar	8	S.95.B	MR/C	JB.4
7262	Std.1718/3	Nut, special, at stringer "K" rear spar	8	S.95.B	MR/C	JB.4
2427	F.178881	Tube, distance at stringer "K" rear spar	4	DTD.364	MR/C	JB.4
2426	F.178865	Tube, distance, at stringer "J" rear spar	4	DTD.364	MR/C	JB.4
7264	Std.1208/52/24/20	Washer, shim, at stringer "K", rear spar	QR	-	MR/C	JB.4
7265	Std.1208/62/28/20	Washer, shim at stringer "K", rear spar	QR	-	MR/C	JB.4
	D.200727	ATTACHMENT OF STRINGERS AT FRAME 22, 24,33 AND 35 to 36 ASSEMBLY	-	-		
7266	F.200577	Bracket, support, at stringer "K" port, frame 35	1	DTD.610	MR/C	
7267	F.200578	Bracket, support, at stringer "K" starboard, frame 35	1	DTD.610	MR/C	
4619	Std.1335/E18	Washer	4	L.4	C	4
	D.200628	BRACKET, FOR FLYING CONTROLS, FRAMES 27 TO 29, ASSEMBLY	-	-		
	B.200630	Bracket, port, group	1	L.72		
	B.200631	Bracket, starboard, group	1	L.72		
	F.200632	Packing, port	1	L.72		
	G.200633	Packing, starboard	1	L.72		
	F.200636	Packing, port	1	L.72		
	F.200637	Packing, starboard	1	L.72		
7268	F.200634	Plate, nut, port	1	S.3	MR/C	
7269	F.200635	Plate, nut, starboard	1	S.3	MR/C	
	A.227757	Plate, reinforcing	2	-		

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	D.184002	BRACKET, FOR FLYING CONTROLS, FRAMES 23 to 24 ASSEMBLY	-	-		
2430	B.184003	Bracket, port	1	DTD.610		
	B.184004	Bracket, starboard	1	DTD.610		
	F.184005	Plate, nut	2	DTD.610	MR/C	
	C.203456-7	BRACKET, FOR FORWARD ENGINE MOUNTING ASSEMBLY	-	-		
	B.203458	Diaphragm, outboard, port	1	L.72		
	B.203459	Diaphragm, outboard, starboard	1	L.72		
	B.203460	Diaphragm, inboard, port	1	L.72		
	B.203461	Diaphragm, inboard, starboard	1	L.72		
	B.201604	BRACKET, MOUNTING, FOR AIR SUPPLY VALVE ASSEMBLY	-	-		
	7270	B.201603	Bracket	1	L.72	MR/C
	A.203695	BRACKET, MOUNTING, FOR ROTOL FLOW PROPORTIONER, ASSEMBLY	-	-		
7271	A.203394	Bracket	1	L.72	MR/C	JB.6
7272	A.203395	Bracket	1	L.72	MR/C	JB.6
	C.210539	BRACKET, MOUNTING, FOR THROTTLE CONTROL LINKAGE, ASSEMBLY	-	-		
7273	F.210881	Angle, at upper mounting bracket	1	L.72	MR/C	
7274	F.210800	Bracket, mounting, lower, group	1	-	MR/C	KB.6
7275	F.209977	Spigot	1	S.95.B	MR/C	JB.6
7276	B.210540	Bracket, mounting, upper, for lever, group	1	L.72	MR/B	JB.6
	A.209978	Spigot	1	DTD.364 & S.95.B	MR/B	
	Std.1509/2/086	Tube, distance 1/4" o/d x 22 S.W.G. x 0.86" long	2	T.4		4
	E.314307	Conversion assy., aft of hood	-	-		
	Std.2045/23/24	Clip	12	-		
	Std.2045/31/22	Clip (15 off Alt. to Std.2046/31/22)	20	-		
	Std.2045/32/22	Clip	2	-		
	Std.2046/23/24	Clip	2	-		
	Std.2046/31/22	Clip (Alternative to Std.2045/31/22)	15	-		
	Avdel	Jo-bolt	10	-		
	PH/190-2					
	Avdel	Jo-bolt	4	-		
	100FH/190-2					
5F/9454141	Std.19933/C14	Packing	2	-		
	Hellermann	Strapping	QR	-	C	
5F/9138822	NY.18007A					
	Hellermann	Stud	QR	-	C	
	NY.3342					
7270	C.200827	Diaphragm, sealing port, between frames 29 and 30, at lower portion of fuselage	1	DTD.610	MR/C	JB.6
7280	C.200828	Diaphragm, sealing, starboard, between frames 29 and 30 at lower portion of fuselage	1	DTD.610	MR/C	JB.6
	D.232479	DOORS AND ACCESS PANELS, ASSEMBLY	-	-		
4633	F.197909	Bolt, for access panels	54	S.95	C	
7835	Std.1700/4E	Bolt, attaching fuel system access panel	12	-	C	5
8341	D.217495	Door, access to gear box, group	1	-	B	JB.1
	D.217495/3	Hinge	1	DTD.166		
965	KAC.C.3099	Toggle	2	-	C	JB.5
	D.235527	Door, access to engine starter with Slot aerial, group (Make from C.234628)	1	-	A	JB.5
4844	F.203030	Angle, for spring clip	1	LA	MR/C	JB.5
	F.201721	Channel	1	L.72		
981	A.188500	Hinge	1	DTD.166	C	JB.5
	B.235599	Lid	1	-	B	JB.5
	A.236622	Stay, support	1	L.72	C	JB.5

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
965	KAC.C.3099					Toggle, housing	2	-	C.	JB.5
28FP/594	C.232274/136					Transfer	1			
	Oddie No.219					Washer	2	-	C.	
	D.217495					Door, access to gearbox turret, group	1	DTD.610A	A.	JB.1
	D.217495/3					Hinge	1	DTD.166 or S.521 DTD.610		
965	F.217480				Plat	1				
KAC.C.3099					Toggle, housing	2	-	C.	JB.5	
6671	B.200546				Panel, access to cold air unit	2	-	B.	JB.1	
6672	B.201114				Panel, access to gear box drive	1	L.72	B.	JB.1	
6673	B.201332				Panel, access to air supply	2	L.72	B.	JB.1	
	C.213475				Panel, access to fuel pump	1	DTD.610	A.	JB.1	
	C.221459				Panel, access to fuel system, group	1	L.72	A.	JB.1	
4448	F.199061				Cover, for pitot drain valve	3	-	MR/C	JB.1	
6674	A.205589				Panel, access to R.P.M. adjustment and fuel pump governor bleed	1	L.72	B.	JB.5	
6675	A.201229				Panel, access to slow running adjustment	1	DTD.610	B.	JB.1	
8185	A.216185				Panel, access to fuel filter cover	1	L.72	B.	JB.5	
6677	B.200823				Panel, access to front engine mounting	2	L.72	B.	JB.1	
969	B.179779				Panel, access to fuel vent connections	2	DTD.610	C.	JB.1	
970	B.179777				Panel, access to fuel level switches	2	DTD.610	C.	JB.1	
6678	B.200462				Panel, access to gearbox filter	1	L.72	B.	JB.1	
6679	B.201069				Panel, access to hydraulic reservoir, group	1	-	B.	JB.5	
28FP/617	Dzus EF5/45B				Fastener	3	-	C.		
6680	A.200259				Panel, access to igniter plug	2	DTD.610	B.	JB.1	
6681	A201707				Panel, access to liquid starter filler group	1	L.72	B.	JB.1	
28FP/617	Dzus EF5/45B				Fastener	1	-	C.		
6682	A.203667				Panel, access to oil lever sighting, group	1	L.72	B.	JB.5	
28FP/617	Dzus EF5/45B				Fastener	1	-	C.		
6683	E.232346				Panel, access to starter equipment	2	L.72	B.	JB.1	
	E.232364				Panel, access to engine, group	1	-	A.	JB.5	
28E/10031	Terry 80X/2				Clip, for hand stowage	2	-	C.		
984	B.188540				Hook, securing panel to fuselage	2	Stamping	c	JB.5	
9362	B.222506				Lid, for aerial box	1	DTD.610	C.	JB.5	
4737	F.197737				Plate, retaining "Terry" clips	2	DTD.610	C.	JB.5	
965	KAC.C.3099				Toggle, housing	2	-	C.	JB.5	
4026	Std.1507/23/080				Tube, distance 5/16" o/d x 17 S.W.G. x 0.8" long (Make from 30A/975)	4	T.26	MR/C	4	
4027	Std.1507/23/060				Tube, distance 5/16" o/d x 17 S.W.G. x 0.6" long (Make from 30A/975)	2	T.26	MR/C	4	
5269	Fairey FS.553				Ring, retaining, screws	48	-	C.		
	C.188170				DUCTS, FOR ENGINE CONTROLS, ASSEMBLY	-	-			
3741	Std.840/20				Clip, securing	21	DTD.610	C.	4	
2440	C.188170/1				Duct, forward, 1/2" o/d x 22 S.W.G. x 31.8" long	3	T.4	MR/C	JB.3	
2441	C.188170/2				Duct, centre, 1/2" o/d x 22 S.W.G. x 6" long	3	T.4	MR/C		
2442	C.188170/3				Duct, aft, 1/2" o/d x 22 S.W.G. x 12" long	3	T.4	MR/C		
	D.202624				DUCTS, SERVICE, BETWEEN FRAMES 38-40A ASSEMBLY	-	-			
7281	A.204845				Duct, for electrical cables, port	1	T.26	MR/C	JB.3	
7282	A.204846				Duct, for electrical cables, starboard	1	T.26	MR/C	JB.3	
7283	A.202625				Duct, for electrical cables	4	T.26	MR/C	JB.4	
7284	B.203191				Duct, for fuel pipes	2	T.26	MR/C	JB.4	
7285	B.202626				Socket, attachment, port, for fuel pipe duct	1	S3 & T.26	MR/C	JB.4	
7286	B.202627				Socket, attachment, starboard, for fuel pipe duct	1	S3 & T.26	MR/C	JB.4	

RESTRICTED

FUSELAGE - CENTRE PORTION

Hunter Two Seater

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R.	Plate No.
					Class of Store	
		1	2	3	4	5
	B.195155-6	DUCT, FOR FUEL LEVEL SWITCH CABLE, ASSEMBLY	-	-		
	F.195157	Duct	2	T.9		
	B.203819	DUCTS, SEALING, FOR FUEL PIPES, BETWEEN FRAME 29 AND FRAME 30, ASSEMBLY	-	-		
7287	A.203081	Duct	1	T.4	MR/C	JB.6
7288	A.203082	Duct	3	T.4	MR/C	JB.6
	D.221399	FAIRINGS, AFT OF HOOD, ASSEMBLY	-	-		
	D.221399/1	Angle, attachment, port	1	L.72		JB.2
	D.221399/2	Angle, attachment, starboard	1	L.72		JB.2
	D.221399/3	Angle, attachment, port	1	L.72		JB.2
	D.221399/4	Angle, attachment, starboard	1	L.72		JB.2
	D.221399/5	Angle, attachment, port	1	L.72		JB.2
	D.221399/6	Angle, attachment, starboard	1	L.72		JB.2
	E.217482	Fairing, aft of hood, frame 18 to 24, group	1	-	MR	JB.1
	C.219530	Bracket, mounting, for aerial, port	1	L.72		
	C.219531	Bracket, mounting, for aerial, starboard	1	L.72		
8898	E.217482/43	Panel, access, port	1	L.72	C.	JB.1
8899	E.217482/44	Panel, access, starboard	1	L.72	C.	JB.1
2438	B.184977	Landing, rear, port, group	1	DTD.610	MR/C	JB.2
2439	B.184978	Landing, rear, starboard, group	1	DTD.610	MR/C	JB.2
28FP/341	Dzus S5.325	Spring	3	-	C.	
1754	B.193293	Panel, access, for flying controls, port	1	DTD.610	C.	JB.1
	F.231975	Plate, blanking for aerial aperture	2	L.72		
8615	D.217722	Spine, forward portion, frame 24 to 26	1	L.72	B.	JB.1
	C.217484	Spine, 1st intermediate, frame 26 to 33	1	L.72	-	JB.1
8617	C.217755	Spine 2nd intermediate, frame 33 to 38	1	L.72	B.	JB.1
7845	C.213452	Spine, 3rd intermediate, frame 38 to 40 group (0.10" trimming allowance)	1	L.72	B.	JB.1
28FP/617	Dzus EF5/45B	Fastener	12	-	C.	
	D.248996	Frame, 18B, top portion	1	DTD.364		
2443	D.176275	Frame, 18B, lower portion, port	1	DTD.364	MR/B	JB.3
2444	D.176276	Frame, 18B, lower portion, starboard	1	DTD.364	MR/B	JB.3
	E.179358	Frame 19, nose spar, group	1	-		
2446	A.181165	Angle, support, at bottom, diaphragm, port	1	DTD.610	MR/C	JB.7
2445	A.181166	Angle, support, at bottom, diaphragm starboard	1	DTD.610	MR/C	JB.7
7289	A.202682	Angle, support, for junction box mounting	1	L.72	MR/C	JB.7
	A.181153	Angle, bottom, for skin attachment, port	1	DTD.610		
	A.181154	Angle, bottom, for skin attachment, starboard	1	DTD.610		
4694	A.195545	Angle, support, at bottom diaphragm	1	DTD.610	MR/C	JB.7
	B.181157	Angle, front, at bottom boom attachment, port	1	DTD.610	MR/C	
	B.181158	Angle, front, at bottom boom attachment, starboard	1	DTD.610		
2447	C.181163	Angle, lower, for tank skin attachment port	1	DTD.610	MR/C	JB.7
2448	C.181164	Angle, lower, for tank skin attachment starboard;	1	DTD.610	MR/C	JB.7
2449	F.182169	Angle, for stringer attachment, port	3	DTD.610	MR/C	JB.7
2450	F.182170	Angle, for stringer attachment, starboard	3	DTD.610	MR/C	JB.7
4695	F.197436	Angle, bracket, securing gun heating pipe	1	DTD.610	MR/C	JB.7
2451	F.182166	Bolt, at bottom boom joint	10	S.2	MR/C	JB.3
2452	F.187392	Bracket, at bottom diaphragm	1	DTD.610	MR/C	JB.3
2453	F.187393	Bracket, at bottom diaphragm	1	DTD.610	MR/C	JB.3
	B.211968	Bracket, for V.H.F. aerial	1	S.3	MR/C	JB.3
	A.221112	Bracket, mounting for inertia switch	1	L.72		
2455	F.187397	Bracket, at bottom diaphragm	1	DTD.610	MR/C	JB.3

RESTRICTED

RESTRICTED

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R.	Plate No.
					Class of Store	
		1	2	3	4	5
2456	F.187396	Channel, at bottom stiffener	1	DTD.610	MR/C	
2457	A.181119	Channel, at bottom diaphragm	1	DTD.610	MR/C	JB.7
2459	A.181145	Channel, reinforcing, bottom, port	1	DTD.610	MR/C	JB.7
2460	A.181146	Channel, reinforcing, bottom, starboard	1	DTD.610	MR/C	JB.7
2461	B.181112	Channel, cross, at bottom diaphragm	1	DTD.610	MR/C	JB.7
2462	A.181120	Channel, at bottom diaphragm	1	DTD.610	MR/C	JB.7
2463	B.181115	Channel, lower, inner, port	1	DTD.610	MR/C	JB.7
2464	B.181116	Channel, lower, inner, starboard	1	DTD.610	MR/C	JB.7
2458	A.181121	Channel, lower, outer	2	DTD.610	MR/C	JB.7
8230	D.216907	Diaphragm, bottom, front	1	DTD.610	MR/C	JB.7
2467	D.181102	Diaphragm, bottom, rear	1	DTD.610	MR/C	JB.7
	B.181141	Finisher, bottom, at tank door landing port	1	DTD.364		
	B.181142	Finisher, bottom, at tank door landing starboard	1	DTD.364		
2468	B.181167	Landing, for fuel pump access door	1	DTD.610	MR/C	JB.7
	B.181133	Landing, bottom, for tank door	2	DTD.264		
10626	F.181159	Packing	1	DTD.610	-	
	C.181123	Plate, reinforcing front, at lower boom joint, port	1	DTD.166		
	C.181124	Plate, reinforcing front, at lower boom joint, starboard	1	DTD.166		
	C.181125	Plate, reinforcing, rear, at lower boom joint, port	1	DTD.166		
	C.181126	Plate, reinforcing, rear, at lower boom joint, starboard	1	DTD.166		
2469	B.181106	Stiffener, bottom	1	DTD.610	MR/C	JB.7
	C.181198	Spigot, fitting, port (Pre. Mod. 1327)	1	Stamping		
	C.181199	Spigot, fitting, starboard (Pre.Mod.1327)	1	Stamping		
	C.289511	Spigot, fitting, port (Mod.1327)	1	Stamping		
	C.289512	Spigot, fitting, starboard (Mod.1327)	1	Stamping		
2473	B.181160	Strap, at bottom diaphragm	2	DTD.610	MR/C	JB.7
2471	A.182167	Strip, fairing, at bottom boom attachment port	1	DTD.364	MR/C	JB.7
2472	A.182168	Strip, fairing, at bottom boom attachment port	1	DTD.364	MR/C	JB.7
2470	F.178982	Stud, for fairlead	4	S1 & S3	MR/C	JB.7
	Std.1509/24/098	Tube, distance, 3/4" x 17 S.W.G. x .98" long (Make from 30B/557)	2	T.4	-	4
	Std.1509/24/104	Tube, distance, 3/4" x 17 S.W.G. x 1.04" long (Make from 30B/557)	1	T.4	-	4
	Std.1549/2810	Washer, packing	2	DTD.610		4
	D.178147	Frame 20, group	1	-		
	A.177464	Angle, port	2	DTD.364		
	A.177465	Angle, starboard	2	DTD.364		
2474	F.177466	Block, distance	2	L.F.S.	MR/C	JB.7
2475	D.178147/4	Bottom, portion	1	DTD.610	MR/C	JB.7
2476	D.178147/5	Bottom, portion	1	DTD.610	MR/C	JB.7
2477	D.178147/6	Channel	2	DTD.610	MR/C	JB.7
2478	D.178147/7	Plate, doubling	2	DTD.610	MR/C	JB.7
7290	C.204274	Frame, 21, group	1	-	MR/C	JB.7
2479	D.177457/4	Angle, port	1	DTD.610	MR/C	JB.7
2480	D.177457/5	Angle, starboard	1	DTD.610	MR/C	JB.7
2481	D.177457/7	Angle, bottom (Supplied as D.177457/6 for spares)	1	DTD.610	MR/C	JB.7
2482	D.177457/8	Angle	2	DTD.610	MR/C	JB.7
	F.179022	Angle, forward, starboard	1	DTD.610		
	F.179023	Angle, forward, port	1	DTD.610		
	F.179024	Angle, aft	2	DTD.610		
	F.194337	Angle, support	1	DTD.610		
	F.181825	Angle, support, at bottom centre of frame	1	DTD.610		

RESTRICTED

FUSELAGE - CENTRE PORTION

Hunter Two Seater

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
7291	F.203391						1	L.72	MR/C	
2484	D.177457/2						1	DTD.610	MR/C	JB.7
2485	D.177457/3						1	DTD.610	MR/C	JB.7
4696	C.186837						1	DTD.166	MR/C	JB.7
2486	B.178914						1	DTD.610	MR/C	JB.7
2487	B.178915						1	DTD.610	MR/C	JB.7
	E.199350						1	-		
4699	F.195550						1	DTD.610	MR/C	JB.7
7292	F.203390						1	DTD.610	MR/C	JB.7
4901	B.177902						2	DTD.610	MR/C	JB.7
7293	E.199350/1						1	DTD.610	MR/C	JB.7
	B.213359						1	S.96		
	B.212948						1	DTD.166		
	B.212949						1	DTD.166		
2489	A.178505						2	LFS	MR/C	JB.7
	F.199348						1	DTD.166		
	F.199349						1	DTD.166		
7294	C.199351						1	DTD.610	MR/C	JB.7
	C.204275						1	-		
4700	F.195241						1	DTD.610	MR/C	JB.7
7295	F.203388						1	L.65.C	MR/C	
7296	F.214242						1	L.72	MR/C	JB.7
2491	B.177903						2	DTD.610	MR/C	JB.7
2492	E.177459/4						1	DTD.610	MR/C	JB.7
2493	A.178546						2	LFS	MR/C	JB.7
7297	B.211291						1	L.72	MR/C	JB.7
	E.177460						1	-		
2495	E.177460/4						1	DTD.610	MR/C	JB.7
2496	E.177460/5						1	DTD.610	MR/C	JB.7
	D.201499						1	-		
2497	D.177970						1	DTD.610	MR/C	JB.8
2498	D.177971						1	DTD.610	MR/C	JB.8
	D.177968						1	DTD.610		
	D.177969						1	DTD.610		
2499	D.177961						1	DTD.610	MR/C	JB.8
2500	D.177959						1	DTD.610	MR/C	JB.8
7298	B.203168						1	DTD.610	MR/C	JB.8
2501	D.177960						1	DTD.610	MR/C	JB.8
4703	F.195554						1	DTD.610	MR/C	
7299	F.202234						1	DTD.364	MR/C	JB.8
2502	D.177182						1	DTD.364	MR/C	JB.8
2503	D.177188						1	DTD.364	MR/C	JB.8
7300	Std.1551/8/310						8	S.99.B	MR/C	5
3826	Std.1551/8/315						4	D.99.B	MR/C	5
3842	Std.1639/7N						8	S2 or S11	MR/C	5
6684	A.206824						1	L.72	C.	JB.8
7301	F.203167						1	L.72	MR/C	
5723	F.177893						4	DTD.610	MR/C	JB.8
5724	F.177894						4	DTD.610	MR/C	JB.8
2504	A.177433						2	DTD.610	MR/C	JB.8
4704	F.193326						1	DTD.610	MR/C	JB.8
2505	A.177432						2	DTD.610	MR/C	JB.8
4705	A.193327						1	DTD.610	MR/C	JB.8
2506	A.177434						1	DTD.610	MR/C	JB.8
2507	B.177191						2	DTD.610	MR/C	JB.8

RESTRICTED

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R.	Plate No.		
					Class of Store			
		1	2	3	4	5		
28E/10027	Terry 80/000	Clip, for cable	1	-	C.			
28E/10031	Terry 80X/4	Clip, for cable	3	-	C.			
28E/10036	Terry 80/4	Clip, for cable	2	-	C.			
28E/10037	Terry 80/5	Clip, for cable						
	C.202974	Crate, mounting, for fire extinguisher	1	L.72 & 1/16" Felt				
	D.177178	Fork, fitting, top port, bottom starboard	2	Stamping				
	D.177179	Fork, fitting, top starboard, bottom port	2	Stamping				
	E.177177	Member, cross, for hinge fitting attachment	2	Stamping				
7302	Std.1718/8	Nut, for fork fitting	12	S.1	MR/C	5		
4706	F.193436	Packing, at mounting channel for JB.1	1	DTD.610	MR/C			
	A.177710	Piece, packing, at lower portion of frame	2	DTD.610				
4437	B.198018	Plate, reinforcing, at bottom rear of frame	2	DTD.610	MR/C	JB.8		
4033	B.177184	Plate, reinforcing, at bottom forward of frame	1	DTD.546	MR/C	JB.8		
2509	B.177185	Plate, reinforcing, at bottom forward of frame, port	1	DTD.546	MR/C	JB.8		
	F.197529	Plate, retaining, for cable clip	1	L.72				
	F.197530	Plate, retaining, for cable clip	3	L.72				
	F.200190	Plate, retaining, for cable clip	6	L.72				
4211	Std.1687/2	Saddle	1	-	C.	5		
2510	D.177180	Web, forward	1	DTD.610	MR/C	JB.8		
7303	D.203045	Web, rear	1	DTD.610	MR/C	JB.8		
	D.200376	Frame 26, group	1	-				
7304	F.209994	Angle, support, at port side of bottom diaphragm	1	L.72	MR/C			
2512	B.178772	Angle, at bottom diaphragm	1	DTD.610	MR/C	JB.8		
	C.200383	Angle, for air intake, port	1	DTD.610				
	C.200384	Angle, for air intake, starboard	1	DTD.610				
7305	F.207221	Bracket, support, for cable, port side of bottom diaphragm	1	L.72	MR/C	JB.8		
7306	D.200376/2	Diaphragm, bottom	1	DTD.610	MR/C	JB.8		
7307	F.210693	Plate, reinforcing, at bottom diaphragm port	1	L.72	MR/C			
	F.214323	Spool	6	S.1				
7308	B.200377	Stiffener, at bottom diaphragm, port	1	DTD.610	MR/C	JB.8		
7309	B.200378	Stiffener, at bottom diaphragm, starboard	1	DTD.610	MR/C	JB.8		
	E.200196	Frame 27, group	1	-				
7310	E.200196/11	Angle, stiffening, at frame centre piece	1	DTD.610				
	E.200196/12	Angle, stiffening, at bottom portion of frame	1	DTD.166	MR/C	JB.8		
	F.193853	Angle, for hydraulic pipes	1	DTD.610				
	F.201346	Angle, hydraulic pipes	1	L.72				
7499	F.201606	Block, mounting, for nut plate at top of frame	2	L.65.C	MR/C			
7011	F.209301	Catch, at bottom portion of frame	1	L.72	MR/C			
7312	F.200196/4	Diaphragm, bottom	1	L.72	MR/C	JB.8		
7500	E.200196/5	Diaphragm, centre	1	L.72	MR/C	JB.8		
7313	F.202660	Packing, for anchor nuts at bottom portion of frame	2	L.72	MR/C			
7498	F.209344	Plate, nut, at top of frame	1	S.3	MR/C			
7501	E.200196/6	Ring, air intake, port	1	L.72	MR/C	JB.8		
7502	E.200196/7	Ring, air intake, starboard	1	L.72	MR/C	JB.8		
7503	A.202588	Ring, retaining, for sealing, at centre piece	1	L.72	MR/C			
6685	A.202586	Sealing, at centre piece, for engine	1	Linatex	C.	JB.8		

RESTRICTED

FUSELAGE - CENTRE PORTION

Hunter Two Seater

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	D.200085	Frame 29, front portion, group	1	-		
	D.200086	Frame 29, rear portion, group	1	-		
7314	D.200086/7	Angle, port, at bottom portion of frame	1	DTD.610	MR/C	
7315	D.200086/8	Angle, starboard, at bottom portion of frame	1	DTD.610	MR/C	
7316	D.200086/11	Angle, at bottom of frame	1	DTD.610	MR/C	JB.8
7317	D.200085/2	Diaphragm, bottom portion, port	1	DTD.610	MR/C	JB.8
7318	D.200085/3	Diaphragm, bottom portion, starboard	1	DTD.610	MR/C	
7319	D.200086/6	Diaphragm, bottom portion	1	DTD.610	MR/C	JB.8
	E.200087	Frame 30, group	1	-		
7320	A.200714	Angle, support, at bottom portion of frame	1	DTD.610	MR/C	
7321	A.200715	Angle, support, at bottom portion of frame	1	DTD.610	MR/C	
7322	A.200558	Bracket, channel, at bottom portion of frame	1	DTD.610	MR/C	JB.8
7323	A.200559	Bracket, channel, at bottom portion of frame	1	DTD.166	MR/C	
7324	A.200560	Bracket, channel, at bottom portion of frame	1	DTD.610	MR/C	JB.8
7325	A.202034	Bracket, top, for low pressure cock at bottom portion of frame	1	DTD.610	MR/C	
7326	A.202035	Bracket, bottom, for low pressure cock at bottom portion of frame	1	DTD.610	MR/C	
7327	A.202454	Bracket, mounting, for hydraulic filter	1	DTD.610	MR/C	
	E.200087/7	Diaphragm, bottom	1	DTD.610	MR/C	JB.8
6049	F.197018	Mounting, for terminal block	1	DTD.610	MR/C	
7329	F.200553	Packing, at bottom portion of frame	3	DTD.364	MR/C	
7330	F.200554	Packing, at bottom portion of frame	1	DTD.364	MR/C	
7331	F.200556	Packing, at bottom portion of frame	1	DTD.364	MR/C	
7332	F.200557	Packing, at bottom portion of frame	1	DTD.364	MR/C	
7333	A.203086	Ring, reinforcing, at bottom portion of frame	1	L.72	MR/C	
4211	Std.1687/2	Saddle, at bottom portion of frame	1	DTD.610	C.	5
7334	B.200551	Stiffener, port side, at bottom portion of frame	1	DTD.610	MR/C	
7335	B.200552	Stiffener, starboard side, at bottom portion of frame	1	DTD.610	MR/C	
3802	Std.1509/23/085	Tube, distance, at stiffener for hydraulic filter mounting bracket	1	T.4	MR/C	4
	D.200847	Frame 31, group	1	-		
4710	F.177681	Angle	2	DTD.610	C.	JB.8
7336	D.200847/2	Diaphragm, bottom, port	1	L.72	MR/C	JB.8
7337	D.200847/3	Diaphragm, bottom, starboard	1	L.72	MR/C	JB.8
7338	D.200847/4	Stiffener, bottom, port	1	DTD.610	MR/C	
7339	D.200847/5	Stiffener, bottom, starboard	1	DTD.610	MR/C	
	E.200089	Frame 32, rear spar, group	1	-		
	F.226691	Angle, outboard	1	S.3	MR	
	F.226692	Angle, inboard	1	S.3	MR	
	F.193853	Angle, at lower portion of frame	1	DTD.610		
3827	Std.1551/7/265	Bolt, at top fork fitting	2	S.99.8	MR/C	5
3830	Std.1551/7/260	Bolt, at top and bottom fork fittings	4	S.99.8	MR/C	5
3831	Std.1551/7/205	Bolt, at top and bottom fork fittings	8	S.99.8	MR/C	5
2547	F.180826	Bolt, special, at bottom fork fittings	2	S.99.8	MR/C	JB.8
2548	B.178955	Boom, forward, bottom, outer	1	DTD.364	MR/C	JB.8
2549	B.178956	Boom, rear, bottom, outer	1	DTD.364	MR/C	JB.8
2550	D.178943	Boom, rear, outer, port	1	DTD.364	MR/C	JB.8
2551	D.178944	Boom, rear, outer, starboard	1	DTD.364	MR/C	JB.8
2552	D.178945	Boom, forward, outer, port	1	DTD.364	MR/C	JB.8
2553	D.178946	Boom, forward, outer, starboard	1	DTD.364	MR/C	JB.8
	C.200139	Boom, forward, inner, port	1	DTD.364		
	C.200140	Boom, rear, inner, port	1	D TD.364		
	C.200141	Boom, forward, inner, starboard	1	DTD.364		
	C.200142	Boom, rear, inner, starboard	1	DTD.364		

RESTRICTED

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
7340	B.201363						-	-		
	C.201354						1	L.72	MR/C	
	A.212233						1	L.72		
7342	C.201356						1	L.72	MR/C	JB.8
7343	C.201355						1	L.72	MR/C	JB.8
	Std.1509/23/182						4	T.4		4
26AQ/1441	Std.1547/40/12						2	DTD.610	MR/C	4
7345	Std.1547/40/8						1	DTD.610	MR/C	4
	Std.1547/34/16						1	DTD.610		4
7346	A.200350						1	L.72	MR/C	JB.8
7347	A.204955						1	L.72	MR/C	JB.8
7348	A.200344						1	L.72	MR/C	JB.8
7349	A.200345						1	L.72	MR/C	JB.8
7350	A.200352						1	L.72	MR/C	JB.8
2559	A.179990						1	DTD.610	MR/C	JB.8
7351	A.200348						1	L.72	MR/C	JB.8
2561	A.179991						1	DTD.610	MR/C	JB.8
7352	B.208152						1	DTD.364	MR/C	JB.8
7353	A.200347						2	L.72	MR/C	JB.8
7354	A.200354						1	L.72	MR/C	JB.8
7355	A.200351						1	S.3	MR/C	JB.8
7356	A.200353						1	L.72	MR/C	JB.8
	C.180497						1		Stamping	
	C.180498						1		Stamping	
	C.180495						1		Stamping	
	C.180496						1		Stamping	
7357	Std.1718/7						16	S.95.B	MR/C	5
2566	F.180092						2	-	MR/C	JB.8
9897	Std.1549/28/12						1	-		4
9898	F.226701						1	L.65.B	MR	
	F.196907						4	S3 & T.26		
2567	A.178971						2			
2568	A.178972						2	DTD.166	MR/C	JB.8
2569	A.178973						4	DTD.166	MR/C	JB.8
7358	C.203331						1	DTD.166	MR/C	JB.8
7359	C.203332						1	DTD.166	MR/C	JB.8
7360	A.200096						2	L.72	MR/C	JB.8
	C.227266						-	-	-	
	F.226909						4	-	MR	
	B.226906						1	S.520	MR	
	B.226907						1	S.520	MR	
7361	B.200386						1	L.73	MR/C	JB.8
	A.200874						2		Stamping	
	Std.1208/100/44/20						QR	Shim Steel		4
	Std.1208/112/44/20						QR	Shim Steel		4
7362	Std.1208/60/16/5						QR	Steel	MR/C	4
7363	D.201002						1	L.73	MR/C	JB.8
7364	D.201003						1	L.73	MR/C	JB.8
7365	D.201007						1	L.73	MR/C	JB.8
7366	D.201008						1	L.73	MR/C	JB.8

RESTRICTED

FUSELAGE - CENTRE PORTION

Hunter Two Seater

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R.	Plate No.
					Class of Store	
		1	2	3	4	5
4874	D.200055	Frame 33, group	1	-		
7369	F.195549	Angle, supporting hydraulic pipe clipping	2	DTD.610	MR/C	JB.9
7370	D.200055/2	Diaphragm, port	1	L.72	MR/C	JB.9
7371	D.200055/3	Diaphragm, starboard	1	L.72	MR/C	JB.9
7367	B.201060	Plate, reinforcing	1	L.72	MR/C	
	F.205740	Plate, reinforcing	2	L.72	MR/C	JB.9
	D.200098	Frame 34, group	1	-		
7372	F.203956	Angle, mounting, at bottom portion of frame	1	L.72	MR/C	JB.9
4874	F.195549	Angle, supporting hydraulic pipe clipping	2	DTD.610	MR/C	JB.9
7373	A.205742	Bracket, mounting, for flame switch	1	L.72	MR/C	
7374	A.209855	Bracket, mounting for pressure switch	1	L.72	MR/C	JB.9
7375	F.204071	Bracket, support, for fire extinguisher spray tube	9	L.72	MR/C	JB.9
7376	F.200765	Bracket, attachment, port	1	DTD.610	MR/C	
7377	A.202907	Bracket, mounting, for flame switch at top of frame	1	L.72	MR/C	JB.9
2582	A.177104	Butt-strap, outer	2	DTD.546	MR/C	JB.9
2581	A.177105	Butt-strap	2	DTD.546	MR/C	
	A.203462-3	CHANNEL, BEARING AND ANGLES, FOR FORWARD ENGINE MOUNTING, SUB-ASSEMBLY	-	-		
7504	A.203468	Angle, bearing, inboard, port	1	DTD.166	MR/C	JB.6
7505	A.203469	Angle, bearing, inboard, starboard	1	DTD.166	MR/C	JB.6
7506	A.203466	Angle, bearing, outboard, port	1	DTD.166	MR/C	JB.6
7507	A.203467	Angle, bearing, outboard, starboard	1	DTD.166	MR/C	JB.6
7508	B.203464	Channel, bearing, port	1	DTD.166	MR/C	JB.6
7509	B.203465	Channel, bearing, starboard	1	DTD.166	MR/C	JB.6
7378	D.200098/7	Channel, bottom	1	DTD.364	MR/C	JB.9
7379	D.200098/1	Diaphragm, forward, port	1	L.72	MR/C	JB.9
7380	D.200098/2	Diaphragm, forward, starboard	1	L.72	MR/C	JB.9
7381	D.200098/3	Diaphragm, aft, port	1	L.72	MR/C	JB.9
7382	D.200098/4	Diaphragm, aft, starboard	1	L.72	MR/C	JB.9
7383	A.201738	Guide, for adjusting bolt	1	S.3	MR/C	
7384	F.202092	Indicator, levelling, for engine jury rail	1	DTD.364	MR/C	JB.9
2596	A.177100	Plate, joint, at bottom frame joint	2	DTD.610	MR/C	JB.9
4211	Std.1687/2	Saddle, securing electrical cables	10	DTD.610	C.	5
7385	A.200221	Support, for engine rail	1	S.1	MR/C	JB.9
	Std.1509/23/084	Tube, distance, 5/16" o/d x 17 S.W.G. x 0.84" long (Make from 30B/556)	4	T.4	-	4
4035	Std.1509/23/112	Tube, distance, 5/16" o/d x 17 S.W.G. x 1.12" long (Make from 30B/556)	1	T.4	MR/C	4
7386	Std.915/A16	Washer, at support plate	3	DTD.610	MR/C	4
	D.221336	Frame 35, group	1	-		
7510	A.203528	Angle, reinforcing, port	1	L.72	MR/C	
7511	A.203259	Angle, reinforcing, starboard	1	L.72	MR/C	
7512	F.207778	Angle, attachment, port	1	L.72	MR/C	
	F.207779	Angle, attachment, port	1	L.72	MR/C	
7513	A.205304	Bracket, support, for pipe at top of frame	1	S.3	MR/C	JB.9
	D.221336/2	Diaphragm, side, port	1	DTD.610	MR/C	JB.9
	D.221336/3	Diaphragm, side, starboard	1	DTD.610	MR/C	JB.9
	D.221336/4	Diaphragm, bottom, forward	1	DTD.610	MR/C	JB.9
	D.221336/5	Diaphragm, bottom, aft	1	DTD.610	MR/C	JB.9
	C.221337	Plate, reinforcing	1	L.72	MR	
	D.202599	Frame 36, group	1	-		
7389	D.202599/4	Bottom, portion of frame, port	1	DTD.610	MR/C	JB.9
7390	D.202599/5	Bottom, portion of frame, starboard	1	DTD.610	MR/C	JB.9
7391	F.204793	Bracket, support, for pipe	1	S.3	MR/C	JB.9
	F.196984	Bracket, for clip attachment	1	-		
4211	Std.1687/2	Saddle, securing electrical cables	3	DTD.610	C.	5

RESTRICTED

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	D.200102	Frame 37, group	1	-		
	F.17166	Angle, support, bottom, starboard	1	DTD.610		
	F.171767	Angle, support, bottom, port	1	DTD.610		
	F.196985	Angle, support, for pipe clip	2	-		
7392	A.204794	Bracket, support, for fuel pipe	1	S.3	MR/C	JB.9
7393	D.200102/3	Diaphragm, bottom	1	DTD.610	MR/C	JB.9
7394	C.200337	Plate, reinforcing, at bottom of frame	1	DTD.166	MR/C	JB.9
4211	Std.1687/2	Saddle, securing cables	1	DTD.610	C.	5
	F.197056	Saddle, special for cable clip	1	DTD.610		
	D.203011	Frame 38, group	1	-		
7395	D.203011/5	Angle, lower portion of frame	1	L.72	MR/C	
7516	D.203011/6	Angle, port	1	DTD.364	MR/C	JB.9
7517	D.203011/7	Angle, starboard	1	DTD.364	MR/C	JB.9
7377	A.202907	Bracket, mounting, for flame switch	1	L.72	MR/C	
7396	F.204070	Bracket, support, for fire extinguisher spray tube	8	L.72	MR/C	
7397	D.203011/3	Diaphragm, bottom	1	DTD.166	MR/C	JB.9
7398	B.203109	Plate, joint, port	1	DTD.166	MR/C	
9399	B.203110	Plate, joint, starboard	1	DTD.166	MR/C	
4211	Std.1678/2	Saddle	1		C.	5
8333	A.210243	Union, flagged, for bulkhead	2	S.62.B	C.	JB.9
	E.200364	Frame 39, top portion	1	DTD.610		
	E.200365	Frame 39, bottom portion, group	1	-		
7400	E.200362/2	Angle, lower, port	1	DTD.610	MR/C	JB.9
7401	E.200365/3	Angle, lower, starboard	1	DTD.610	MR/C	JB.9
7402	B.200313	Bracket, bottom, port for thrust member	1	DTD.610	MR/C	JB.9
7403	B.200314	Bracket, bottom, starboard, for thrust member	1	DTD.610	MR/C	JB.9
7404	A.2-0226	Bracket, support, at bottom of frame	2	L.72	MR/C	JB.9
7405	E.200365/1	Diaphragm, lower	1	DTD.610	MR/C	JB.9
2810	B.176254	Plate, reinforcing	1	DTD.610	MR/C	JB.9
7519	B.202236	Plate, reinforcing, port	1	L.72	MR/C	
7520	B.202237	Plate, reinforcing, starboard	1	L.72	MR/C	
4211	Std.1687/2	Saddle, securing cables	4	DTD.610	C.	5
	E.200679	Frame 40A, group	1	-		
	A.200908	Angle, attachment, at engine mounting brackets, bottom port, top starboard	2	DTD.610		
	A.200909	Angle, attachment, at engine mounting brackets, top port, bottom starboard	2	DTD.610		
1264 #	F.163972	Angle, at transport joint fittings	8	DTD.364	C.	JB.9
1765	F.191864	Angle, at transport joint fittings	22	DTD.364	C.	JB.9
7521	A.200266	Bracket, lower hinge, for engine mounting, port	1	Stamping	MR/C	
7522	A.200267	Bracket, lower hinge, for engine mounting starboard	1	Stamping	MR/C	
7523	A.200268	Bracket, top hinge, for engine mounting, port	1	Stamping	MR/C	
7524	A.200269	Bracket, top hinge, for engine mounting starboard	1	Stamping	MR/C	
7406	A.200800	Channel, reinforcing, at bottom portion of frame	2	DTD.610	MR/C	
7407	E.200679/3	Diaphragm, forward, starboard	1	DTD.610	MR/C	JB.9
7408	E.200679/4	Diaphragm, rear, starboard	1	DTD.610	MR/C	
7409	E.200679/5	Diaphragm, forward, port	1	DTD.610	MR/C	JB.9
7410	E.200679/6	Diaphragm, rear, port	1	DTD.610	MR/C	
1003	B.177308	Fitting, for rear transport joint	4	Stamping	C.	JB.9
1004 #	B.177306	Fitting, for rear transport joint	7	Stamping	V.	JB.3
1005 #	B.177307	Fitting, for rear transport joint	4	Stamping	C.	JB.9

RESTRICTED

FUSELAGE - CENTRE PORTION

Hunter Two Seater

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R.	Plate No.
					Class of Store	
		1	2	3	4	5
7413	F.201768	Shim, for engine mounting hinge brackets	8	Brass Sheet	MR/C	
7411	E.200679/9	Strap, inside, at lower joint	1	DTD.610	MR/C	JB.9
7412	E.200804	Strap, butt, at lower joint	2	DTD.610	MR/C	
7414	E.200679/8	Strap, inside, bottom	1	DTD.610	MR/C	JB.9
	Std. 1509/24/150	Tube, distance, $\frac{3}{8}$ " o/d x 17 S.W.G. x 1.5" long (Make from 30B/557)	56	T.4	-	4
	C.201447-7	MOUNTING, FOR CABIN COOLER, ASSEMBLY	-	-		
7417	B.201449	Bracket, mounting, port	1	S.3	MR/C	JB.3
7418	B.201450	Bracket, mounting, starboard	1	S.3	MR/C	JB.3
7419	Std.1509/23/104	Tube, distance	2	T.4	MR/C	4
	D.200522	MOUNTING, FOR GEARBOX, ASSEMBLY	-	-		
7572	F.194514	Bracket, attachment, at frame 30, port	1	DTD.364	MR/C	JB.6
7573	A.200764	Bracket, attachment, at frame 30, port	1	Stamping	MR/C	JB.6
7574	A.200527	Bracket, for lug	2	DTD.364	MR/C	JB.6
7575	A.200528	Bracket, for lug	2	DTD.364	MR/C	JB.6
7576	C.200523	Diaphragm, between frames 29 and 30, port	1	DTD.610	MR/C	JB.6
7577	C.200524	Diaphragm, between frames 29 and 30, port	1	DTD.610	MR/C	JB.6
-578	C.200525	Diaphragm, between frames 29 and 30, starboard	1	DTD.610	MR/C	JB.6
7579	C.200526	Diaphragm, between frames 29 and 30, starboard	1	DTD.610	MR/C	JB.6
7580	F.194512	Lug, attachment, at frame 29	2	DTD.364	MR/C	JB.6
	F.194513	Tube, distance, at lug attachment	2	L.65.C		
1392	Std.1547/28/12	Washer, special	4	-	C.	4
310	Std.1547/30/12	Washer, special	4	-	C.	4
7581	Std.1549/28/16	Washer, special	1	-	MR/C	4
	D.218049	Panel, access, for main fuel tank, port, group	1	-	-	JB.1
	C.233399	Panel, access, for main fuel tank, starboard, group	1	-	A.	JB.1
	F.200150	Bracket, support, for strap	4	L.72		
	F.207759	Guard, cable, port	1	-		
	A.200153	Strap	2	DTD.5506		
	C.202380	PLATE, SEALING, FOR STRINGERS AT FRAMES 29 & 30, ASSEMBLY	-	-		
7420	F.202381	Sealing, at stringer "A", frame 29	1	Plastic	MR/C	JB.8
7421	F.202382	Sealing, at stringer "B", frame 29	2	Plastic	MR/C	JB.8
7422	F.202383	Sealing, at stringer "C", frame 29	2	Plastic	MR/C	JB.8
7423	F.202384	Sealing, at stringer "C", frame 29	2	Plastic	MR/C	JB.8
7424	F.202385	Sealing, at stringer, "D", frame 29	2	Plastic	MR/C	JB.8
7425	F.202386	Sealing, at stringers "E" and "H", frame 29	8	Plastic	MR/C	JB.8
7426	F.202388	Sealing, at stringers "E" and "H", frame 29	4	Plastic	MR/C	JB.8
4456	F.189604	Sealing, at stringer "J" frame 29	2	Plastic	MR/C	JB.9
7427	F.202389	Sealing, at stringer "K" frame 30	1	Plastic	MR/C	JB.8
7428	F.202390	Sealing, at stringer "K", frame 30	1	Plastic	MR/C	JB.8
7429	F.202391	Sealing, at stringer "K" frame 30	1	Plastic	MR/C	JB.8
	C.200502	PLATE, SEALING, FOR STRINGERS AT FRAME 38, ASSEMBLY	-	-		
7430	F.200505	Sealing, at stringers "A","B","C" and "J"	7	Plastic	MR/C	JB.9;
4456	F.189604	Sealing, at stringers "D" and "H"	4	Plastic	MR/C	JB.9
4465	F.189602	Sealing, at stringers "E" and "G"	4	Plastic	MR/C	JB.9
4463	F.189600	Sealing, at stringer "F"	2	Plastic	MR/C	JB.9
4464	F.189601	Sealing, at stringer "F"	2	Plastic	MR/C	JB.9
7431	F.200503	Sealing, at stringer "K"	2	Plastic	MR/C	JB.9
7432	F.200504	Sealing, at stringer "L"	2	Plastic	MR/C	JB.9

RESTRICTED

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		RAIL, FOR ENGINE, ASSEMBLY	-	-		
7525	B.202112	Angle, support	2	DTD.610	MR/C	JB.6
7526	F.202121	Angle, port	1	L.72	MR/C	JB.6
7527	F.202122	Angle, starboard	1	L.72	MR/C	JB.6
7568	F.202119	Angle, port	1	DTD.364	MR/C	JB.6
7569	A.202120	Angle, starboard	1	DTD.364	MR/C	JB.6
7570	A.200228	Bracket, mounting, port	1	L.72	MR/C	JB.6
7571	A.200229	Bracket, mounting, starboard	1	L.72	MR/C	JB.6
7433	B.202113	Diaphragm, forward, port, frame 37 to 38	1	L.72	MR/C	JB.6
7434	B.202114	Diaphragm, forward, starboard, frame 37 to 38	1	L.72	MR/C	JB.6
7435	B.202115	Diaphragm, centre, port, frame 38 to 39	1	L.72	MR/C	JB.6
7436	B.202116	Diaphragm, centre, starboard, frame 38 to 39	1	L.72	MR/C	JB.6
7437	B.202117	Diaphragm, aft, port, frame 39 to 40A	1	L.72	MR/C	JB.6
7438	B.202118	Diaphragm, aft, starboard, frame 39 to 40A	1	L.72	MR/C	JB.6
2815	B.177323	Lug, for rail	1	Stamping	MR/C	JB.6
7439	B.200283	Mounting, for rail	1	Stamping	MR/C	JB.6
7440	B.200225	Rail	1	-	MR/C	JB.6
	Std.1507/2/134	Tube, distance 1/4" o/d x 22 S.W.G. x 1.34" long	8	T.26		4
	F.233668	SKIN, COVERING, FRAME 25 TO FRAME 32, ASSEMBLY	-	-		
	A.206000	Angle, reinforcing, frame 27 to 29, port	1	DTD.464		
	A.206001	Angle, reinforcing, frame 27 to 29, starboard	1	DTD.364		
7441	Std.1551/5/270	Bolt, special, for attachment of diaphragm "M" to lower drag members	4	S.99.B	MR/C	5
	C.205772	BRACKET, CRADLE, FOR FUEL FILTER DE-ICING ALCOHOL TANK, ASSEMBLY	-	-		
	A.205145	Bracket, cradle	1	L.72	MR	
	A.215836	Bracket, cradle	1	L.72	MR	
	A.215837	Bracket, cradle	1	L.72	MR	
	A.215838	Bracket, cradle	1	L.72	MR	
	C.205772/1	Felt 2" wide x 5" long	2	DTD.509		
6047	A.201094	Bracket, mounting at frame 31	2	L.72	MR/C	JB.2
7528	A.206929	Bracket, for hydraulic pipe cleat, port	1	L.72	MR/C	JB.2
7529	A.206930	Bracket, for hydraulic pipe cleat, starboard	1	L.72	MR/C	JB.2
	F.217660	Bracket, mounting	8	L.72		
	B.202153	BRACKET, FOR STARTER FUEL TANK, PORT ONLY ASSEMBLY	-	-		
7442	A.202152	Bracket	1	L.72	MR/C	JB.3
	B.201705	LANDING, FOR ACCESS DOOR TO STARTER TANK, PORT ONLY, ASSEMBLY	-	-		
	B.201706	Landing, group	1	L.73	MR/C	JB.2
7553	Dzus S5.325	Spring, fastener	1	-	C.	
28FP/341	B.200515	LEVELLING, POINTS, SUB-ASSEMBLY	1	-		
	F.184598	Bearing, forward and aft levelling points, port	2	Stamping		
	A.200516	Bracket, bearing C of G datum point, port	1	S.3		
	A.200517	Bracket, bearing C of G datum point, starboard	1	S.3		
	Std.1718/5	Nut, special	2	S.95.B		5
6148	F.206361	Plate, attachment, for weather covers	2	S.3	C.	
7534	F.203845	Plate, reinforcing at fuel starter drain outlet, port	1	L.72	MR/C	

RESTRICTED

FUSELAGE - CENTRE PORTION

Hunter Two Seater

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R.	Plate No.
					Class of Store	
		1	2	3	4	5
7530	D.201050/1	Skin, top, main spar to rear spar, port	1	DTD.546	MR/B	JB.2
7531	D.201050/2	Skin, top, main spar to rear spar, starboard	1	DTD.546	MR/B	JB.2
7532	D.201050/3	Skin, side, main spar to rear spar, port	1	DTD.546	MR/B	JB.2
7533	D.201050/4	Skin, side, main spar to rear spar, starboard	1	DTD.546	MR/B	JB.2
	C.205998-9	STOP, FOR UNDERCARRIAGE FAIRING DOOR AND SEQUENCE VALVE MOUNTING, SUB-ASSEMBLY	-	-		
5177 #	B.201691	Bracket, forward, port (8 morse No.21 holes omitted)	1	L.72	C.	JB.2
5178 #	B.201692	Bracket, forward, starboard (8 morse No. 21 holes omitted)	1	L.72	C.	JB.2
5179 #	B.201693	Bracket, aft, port (8 morse No. 21 holes omitted)	1	L.72	C.	JB.2
5180 #	B.201694	Bracket, aft, starboard (8 morse No. 21 holes omitted)	1	L.72	C.	JB.2
5815	A.189625	Bracket, mounting, for sequence valve, port	1	DTD.610	V	JB.2
5816	A.189626	Bracket, mounting, for sequence valve, starboard	1	DTD.610	C.	JB.2
5732	A.201677	Bracket, reinforcing, port	1	S.3	MR/C	JB.2
5733	A.201678	Bracket, reinforcing, starboard	1	S.3	MR/C	JB.2
7443	C.205994	Bracket, lower, forward, port	1	L.72	MR/C	JB.2
7444	C.205995	Bracket, lower, forward, starboard	1	L.72	MR/C	JB.2
7445	C.205996	Bracket, lower, aft, port	1	L.72	MR/C	JB.2
7446	C.205997	Bracket, lower, aft, starboard	1	L.72	MR/C	JB.2
5738	A.202891	Bracket, guide, port	1	DTD.364 & St.St.	MR/C	JB.2
5739	A.202892	Bracket, guide, starboard	1	DTD.364 & St.St.	MR/C	JB.2
8402	F.209988	Bush, for operating lever	2	BSS.369	C.	
7855	A.209986	Lever, operating, sequence valve, port	1	Casting	B.	JB.2
7856	A.209987	Lever, operating, sequence valve, starboard	1	Casting	B.	JB.2
1014	F.189628	Rod, operating	2	S.96.B	C.	JB.2
1013	F.189627	Screw, special	2	S.95.B	C.	JB.2
4550	F.198997	Screw, special, for stop adjustment	2	S.96.B	C.	JB.2
1015	F.189629	Stop, at top of operating rod	2	S.95.B	C.	JB.2
4651	F.196854	Stud, special	2	S3 & S21	C.	JB.2
1016	F.187086	Trunnion	2	S.94.B	C.	JB.2
	C.205785/1	Tube, distance (May be made from Std. 1567/23/060)	2	T.26	-	
310	Std.1547/30/12	Washer, special	6	DTD.610	C.	4
26AQ/1479	Std.1547/30/14	Washer, special	4	DTD.610	MR/C	4
2181	C.182631	Strap, reinforcing, at main spar, bottom portion, port	1	DTD.546	MR/C	JB.4
2182	C.182632	Strap, reinforcing, at main spar, bottom portion, starboard	1	DTD.546	MR/C	JB.4
6688	F.203844	Stub, outlet, at fuel starter drain, port	1	-	B.	
7537	Std.1208/82/36/20	Washer, shim, at attachment of diaphragm "M" to lower drag member	QR	-	MR/C	4
	E.201049	SKIN, COVERING, FRAME 32, TO FRAME 40A ASSEMBLY	-	-		
	D.203353	BRACKET, MOUNTING, FOR EXTRACTOR DUCTS, ASSEMBLY	-	-		
7538	B.203354	Bracket, mounting, top	2	L.72	MR/C	
7539	B.203356	Bracket, mounting, port	1	L.72	MR/C	
7540	B.203357	Bracket, mounting, starboard	1	L.72	MR/C	

RESTRICTED

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	D.222689	BRACKETS, MOUNTING, HYDRAULIC RESERVOIR ASSEMBLY	-	-	-	
	A.221296	Bracket, mounting, aft, bottom	1	L.72		JB.6
	A.221310	Bracket, mounting, aft, top	1	S.510		JB.6
	B.221291	Mounting, forward	1	DTD.364		JB.6
	C.203730-1	BRACKET, MOUNTING, FOR HIGH ENERGY IGNITER UNIT, ASSEMBLY	-	-		
7447	C.203732	Bracket, mounting, port	1	L.72	MR/C	JB.3
7448	C.203733	Bracket, mounting, starboard	1	L.72	MR/C	JB.3
7449	A.204499	Bracket, mounting for Hymatic valve, starboard	1	S.3	MR/C	JB.3
	F.220188	Connection, and fuel drain, between frames 35 and 36	1	-		
	D.203565	DUCT, FOR BLEED VALVE, STARBOARD ONLY, ASSEMBLY	-	-		
9821	D.233587	Duct, (Mod. 817)	1	S.510	MR/C	JB.5
7451	C.203373	Flange, sealing	1	-	MR/C	JB.5
6689	A.203713	Spindle	1	S.80	C	JB.5
6690	F.203714	Spring	1	DTD.215	C.	JB.5
-691	F.203715	Spring	1	DTD.215	C.	JB.5
7463	F.204220	Guide, for pipe	2	BSS.265 & DTD.253	MR/C	
	F.197441	Guide, for pipes, between frames 35 and 36	2	S3 & T26		
	C.201328	INTAKE, AIR, UPPER, PORT AND STARBOARD FOR ZONE 2 COOLING, ASSEMBLY	-	-		
	F.209716	Bracket	2	L.72		
7452	F.209715	Door	2	L.72	MR/C	JB.6
7567	C.201327	Intake, air	2	S3 & L72	MR/B	JB.6
7545	Std.1221Y/B182	Pin, special	2	Steel	MR/C	4
	F.211457	Plate, support	2	DTD.610		
7453	F.209713	Spring	2	Sp.St. Wire	MR/C	JB.6
7546	Std.1509/23/162	Tube, distance, 3/4" o/d x 17 S.W.G. x 1.62" long	2	T.4	MR/C	4
	C.203475	INTAKE, AIR, LOWER, PORT AND STARBOARD FOR ZONE 2 COLLING, ASSEMBLY	-	-		
	F.209716	Bracket	2	L.72		
7452	F.209715	Door	2	L.72	MR/C	JB.6
	C.203476	Intake, air	2	S.3		
	Std.1221Y/B182	Pin, special	2	Steel	MR/C	4
7454	F.201299	Plate, support	2	DTD.610		
7546	F.209714	Spring	2	Sp.St. Wire	MR/C	
7546	Std.1509/23/162	Tube, distance 5/16" o/d x 17 S.W.G. 1.62" long	2	T.4	MR/C	4
	C.200544	LANDING, FOR ACCESS PANEL TO GEAR BOX DRIVE, PORT, ASSEMBLY	-	-		
7548	C.200544/1	Landing	1	DTD.610	MR/C	JB.4
	Std.1231/7B	Lug, locking	1	S.3		4
	B.205543	LANDING, FOR ACCESS PANEL TO SLOW RUNNING ADJUSTMENT, PORT ONLY, ASSEMBLY	-	-		
7549	B.205543/1	Landing	1	L.72	MR/C	JB.4
4751	Std.1231/8	Lug, locking	1	S.3	MR/C	4
7550	B.200821	Landing, for front engine mounting access panel, port	1	L.72	MR/C	JB.2
7551	B.200822	Landing, for front engine mountings access panel, starboard	1	L.72	MR/C	JB.2
	c.200258	LA DING, FOR IGNITER PLUG ACCESS PANEL, PORT AND STARBOARD, ASSEMBLY	-	-		
7552	C.200258/1	Landing	2	DTD.610	MR/C	JB.4
	Std.1231/7B	Lug, locking	2	S.3		4

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	C.203730-1	BRACKET, MOUNTING, FOR HIGH ENERGY IGNITER UNIT, ASSEMBLY					-	-		
7447	C.203732	Bracket, mounting, port					1	L.72	MR/C	JB.3
7448	C.203733	Bracket, mounting, starboard					1	L.72	MR/C	JB.3
7449	A.204499	Bracket, mounting, for Hymatic valve, starboard					1	S.3	MR/C	JB.3
	F.220188	Connection, and fuel drain, between frames 35 and 36					1	-		
	D.203565	DUCT, FOR BLEED VALVE, STARBOARD ONLY, ASSEMBLY					-	-		
9821	D.233587	Duct, (Mod.817)					1	S.510	MR/C	JB.5
7451	C.203373	Flange, sealing					1	-	MR/C	JB.5
6689	A.203713	Spindle					1	S.80	C.	JB.5
6690	F.203714	Spring					1	DTD.215	C.	JB.5
6691	F.203715	Spring					1	DTD.215	C.	JB.5
7463	F.204220	Guide, for pipe					2	BSS.265	MR/C	
	F.197441	Guide, for pipes, between frames 35 and 36					2	8 DTD.253		
	C.201328	INTAKE, AIR, UPPER, PORT AND STARBOARD, FOR ZONE 2 COOLING, ASSEMBLY					-	-		
	F.209716	Bracket					2	L.72		
7452	F.209715	Door					2	L.72	MR/C	JB.6
7567	C.201327	Intake, air					2	S3 & L72	MR/B	JB.6
7545	Std.1221Y/B182	Pin, special					2	Steel	MR/C	4
	F.211457	Plate, support					2	DTD.610		
7453	F.209713	Spring					2	Sp. St. Wire	MR/C	JB.6
7546	Std.1509/23/162	Tube, distance, 5/8" o/d x 17 S.W.G. x 1.62" long					2	T.4	MR/C	4
	C.203475	INTAKE, AIR, LOWER, PORT AND STARBOARD, FOR ZONE 2 COOLING, ASSEMBLY					-	-		
	F.209716	Bracket					2	L.72		
7452	F.209715	Door					2	L.72	MR/C	JB.6
	C.203476	Intake, air					2	S.3		
7545	Std.1221Y/B182	Pin, special					2	Steel	MR/C	4
	F.201299	Plate, support					2	DTD.610		
7454	F.209714	Spring					2	Sp. St. Wire	MR/C	
7546	Std.1509/23/162	Tube, distance, 5/16" o/d x 17 S.W.G. x 1.62" long					2	T.4	MR/C	4
	C.200544	LANDING, FOR ACCESS PANEL TO GEAR BOX DRIVE, PORT, ASSEMBLY					-	-		
7548	C.200544/1	Landing					1	DTD.610	MR/C	JB.4
	Std.1231/7B	Lug, locking					1	S.3		4
	B.205543	LANDING, FOR ACCESS PANEL TO SLOW RUNNING ADJUSTMENT, PORT ONLY, ASSEMBLY					-	-		
	B.205543/1	Landing					1	L.72	MR/C	JB.4
4751	Std.1231/8	Lug, locking					1	S.3	MR/C	4
7550	B.200821	Landing, for front engine mountings access panel, port					1	L.72	MR/C	JB.2
7551	B.200822	Landing, for front engine mountings access panel, starboard					1	L.72	MR/C	JB.2
	C.200258	LANDING, FOR IGNITER PLUG ACCESS PANEL, PORT AND STARBOARD, ASSEMBLY					-	-		
7552	C.200258/1	Landing					2	DTD.610	MR/C	JB.4
	Std.1231/7B	Lug, locking					2	S.3		4

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	C.202248									
7553	B.201706									
	B.201706/1									
28FP/341	Dzus S5.325									
4751	Std.1231/8									
	C.205588									
7554	C.205588/1									
4751	Std.1231/8									
	C.205809									
6692	A.202068/3									
6049	F.197018									
2751	C.184586									
2752	C.184587									
	F.216515									
	C.202099									
7566	D.202755									
	C.202099/1									
	C.202100									
	D.202756									
	C.202100/1									
7541	E.201049/1									
7542	E.201049/2									
7543	E.201049/3									
7544	E.201049/4									
4498	A.203670									
	F.184234									
	C.200501									
28FP/620	Dzus SFLA.5/200									
7458	C.200501/1									
7459	E.201049/6									
	C.200409									
1009	F.184599									

RESTRICTED

FUSELAGE - CENTRE PORTION

Hunter Two Seater

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
9384	A.222093 B.197868 D.201054	Sealing Tray, drip SKIN, COVERING, BOTTOM, MAIN SPAR TO REAR SPAR, ASSEMBLY	1 2 -	Rubber L69 & L54 -	C.	JB.5
7460	A.201246	Angle, support, for external supply sockets mounting	1	DTD.610	MR/C	JB.4
7461	A.201247	Angle, support, for external supply sockets mounting	1	DTD.610	MR/C	JB.4
7462	F.203174	Bracket, for attachment of pipe clip ...	1	L.72	MR/C	
6693	F.205158	Clip, for pipe, on rear spar	1	S84 or S3	C.	
3843	KAC C.3903/1	Fitting, attachment	3	-	C.	JB.5
3844	KAC C.3903/2	Fitting, attachment	1	-	C.	JB.5
7463	F.204220	Guide, for pipe, at frame 30	1	BSS.265 & DTD.253	MR/C	
10257	F.226643	Guide, for pipe, between frames 27 and 29	1	DTD.283 & DTD.253		
7464	D.201054/3	Landing, for engine starter and gearbox access doors, port	1	DTD.610	MR/C	JB.4
7465	C.200461	Landing, for gearbox filler access panel, group	1	-	MR/C	JB.5
28FP/620 1024	Dzus SFLA.5/200 KAC C.3100/H C.201752	Spring Lever and catch pin MOUNTING, FOR EXTERNAL SUPPLY SOCKETS, ASSEMBLY	8 4 -	- - -	C. C.	JB.5
7466	A.201754	Bracket	1	DTD.610	MR/C	JB.4
7467	A.201755	Bracket	1	DTD.610	MR/C	
7468	B.201753	Plate, mounting	1	DTD.610	MR/C	JB.4
7469	B.205148	Mounting, for self-sealing couplings ...	1	L.72	MR/C	JB.4
	D.201054/11	Packing	1	DTD.610		
7470	D.201054/7	Plate, at frame 27	1	DTD.171	MR/C	
7471	D.201054/4	Plate, reinforcing, at starboard side of access doors	1	DTD.610	MR/C	
7472	D.201054/1	Skin, bottom, between frame 30 and rear spar	1	DTD.610	MR/C	JB.1
7473	D.201054/2	Skin, bottom, at frame 27	1	DTD.610	MR/C	JB.1
2162	E.183421/3 or D.201054/9	Skin, bottom, at main spar	1	DTD.610	MR/B	JB.1
7474	B.201244	Stiffener, starboard side of gearbox access door	1	L.72	MR/C	
7475	A.201245	Stiffener, starboard side of engine starter access door	1	DTD.610	MR/C	
4150	Std.915/C22 E.201053	Washer, between stringer "K" and attach- ment fittings SKIN, COVERING, BOTTOM, REAR SPAR TO FRAME 40A, ASSEMBLY	9 -	DTD.610 -	C.	4
5855	A.205075	Cable, retaining, engine access panel ...	2	-	C.	JB.5
8513	F.216608	Drain, extension, at frames 58 and 59 ...	4	L.65	C.	
3843	KAC C.3903/1	Fitting, attachment	3	-	C.	JB.5
3845	KAC C.3903/3	Fitting, attachment	1	-	C.	
	A.183429	Landing, for gearbox access door	1	DTD.610		
	A.183430	Landing, for gearbox access door	1	DTD.610		
2759	A.183418	Landing, for engine access door, frame 34, starboard	1	L.72	MR/C	JB.5
2760	A.183419	Landing, for engine access door, frame 34, port	1	L.72	MR/C	JB.5
4275	B.183416	Landing, for engine access door, frame 34 to 37, port	1	DTD.610	MR/C	JB.5

RESTRICTED

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
2762	B.183417					Landing, for engine access door, frame 34 to 37, starboard	1	DTD.610	MR/C	JB.5
2761	A.183428					Landing, for engine access door, frame 37	1	L.72	MR/C	JB.5
1024	KAC C.3100/H					Lever and catch pin	4	-	C.	JB.5
2157	C.182692					Plate, reinforcing, at frames 37 and 40, port	1	DTD.546	MR/C	JB.5
2158	C.182693					Plate, reinforcing, at frames 37 and 40, starboard	1	DTD.546	MR/C	JB.5
1834	E.183421/2					Skin, bottom, frame 37 to 40A	1	DTD.610	MR/B	JB.1
7478	E.201053/2					Skin, bottom, at frame 34	1	DTD.610	MR/B	JB.1
2147	Std.915/C20					Washer, packing, at "King Aircraft" attachment fittings	3	DTD.610	C.	4
	D.203701					SKIN, PLATING, TOP, FRAME 18B TO MAIN SPAR, ASSEMBLY	-	-		
2755	C.181728					Landing, for fuel lever switch access panel	2	DTD.610	MR/C	JB.2
1023	F.173505					Nut, retaining, for fuel tank	10	S3 & S21	C.	JB.2
	F.205515					Sealing, at transport joint, frame 18	2	Rubber		
	D.201052					SKIN, PLATING, TOP, BETWEEN MAIN SPAR AND REAR SPAR, ASSEMBLY	-	-		
	B.201602					BRACKET, MOUNTING, FOR COLD AIR UNIT, ASSEMBLY	-	-		
	B.201601					Bracket, mounting	1	L.72		
	C.201301					Outlet, for cooler duct, port and starboard, assembly	2	-		
7555	D.201238					Outlet, for cooler duct	2	S.3	MR/C	JB.2
	E.201051					SKIN, PLATING, TOP, REAR SPAR TO FRAME 40A, ASSEMBLY	-	-		
	A.254790					Bracket, mounting, for cable joint at frame 40 (Mod.1148)	1	L.72		
2756	A.192906					Bracket, mounting, for tank pressurising connection	1	DTD.610	MR/C	JB.2
7956	B.211432					Bracket, mounting, for cable joint	1	-	B.	JB.2
7556	B.202106					Landing, for air supply access panel, port	1	DTD.610	MR/C	JB.2
7557	B.202107					Landing, for air supply access panel, starboard	1	DTD.610	MR/C	JB.2
	D.203702					SKIN, PLATING, SIDE, FRAME 18B TO MAIN SPAR, ASSEMBLY	-	-		
1480	Std.218/8					Nut, special	8	S2 or S62	C.	4
7558	D.203702/1					Skin, top, nose spar to main spar, port (Supplied as Ref. No. 26FX/2173, Part No. E.183420/1, for Spares)	1	DTD.546	MR/B	JB.2
7559	D.203702/2					Skin, top, nose spar to main spar, starboard (Supplied as Ref. No. 26FX/2174, Part No. E.183420/2, for Spares)	1	DTD.546	MR/B	JB.2
7560	D.203702/3					Skin, side, nose spar to frame 21, port (Supplied as Ref.No. 26FX/1825, Part No. E.183420/3, for Spares)	1	DTD.546	MR/B	JB.2
7561	D.203702/4					Skin, side, nose spar to frame 21, starboard (Supplied as Ref. No. 26FX/1826, Part No. E.183420/4, for Spares)	1	DTD.546	MR/B	JB.2
7562	D.203702/5					Skin, side, frame 21 to main spar, port (Supplied as Ref. No. 26FX/1827, Part No. E.183420/5, for Spares)	1	DTD.546	MR/B	JB.2

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
7563	D.203702/6					Skin, side, frame 21 to main spar, starboard	1	DTD.546	MR/B	JB.2
2180	D.182826					Strap, reinforcing, at frame 21, bottom portion	1	DTD.546	MR/C	JB.4
	D.233395					SKIN, PLATING, BOTTOM, FRAME 18B TO MAIN SPAR, ASSEMBLY	-	-		
3370	F.184563					Landing, for fuel pump access panel, port	1	DTD.610	MR/C	JB.5
3371	F.184564					Landing, for fuel pump access panel, starboard	1	DTD.610	MR/C	JB.5
2765	F.194029					Plate, nut, at main spar	2	S.3	MR/C	
	C.199377					Plate, reinforcing, frame 22 to 24, port	1	DTD.610		
2156	C.182824					Plate, reinforcing, frame 22 to 24, starboard	1	DTD.610	MR/C	JB.5
	D.204310-1					SKIN, SUPPORTING FORWARD FUEL TANK, ASSEMBLY	-	-		
	D.203402					Skin, supporting centre wall, for front fuel tank, port, group	1	-		
	D.203403					Skin, supporting centre wall, for front fuel tank, starboard, group	1	-		
4721	F.195551					Angle, attaching hydraulic pipes	1	DTD.610	MR/C	
7479	D.203402/1					Angle, for diaphragm, port	1	L.72	MR/C	JB.6
7480	D.203403/1					Angle, for diaphragm, starboard	1	L.72	MR/C	JB.6
2618	D.180855					Channel, supporting diaphragm	1	Rolled Section	MR/C	
7481	B.203666					Diaphragm, bottom, aft	1	L.72	MR/C	JB.6
7482	B.199798					Diaphragm, bottom, forward, port	1	L.72	MR/C	JB.6
7483	B.199799					Diaphragm, bottom, forward, starboard	1	L.72	MR/C	JB.6
2622	F.182567					Plate, reinforcing, bottom portion	2	DTD.610	MR/C	JB.6
2623	A.193269					Plate, reinforcing, bottom portion	1	DTD.610	MR/C	JB.6
2624	F.192312					Plate, reinforcing, bottom portion, port	1	DTD.610	MR/C	JB.6
2625	F.192313					Plate, reinforcing, bottom portion, starboard	1	DTD.610	MR/C	JB.6
	D.265547					SKIN, AIR INTAKE, FRAMES 25 TO 30, ASSEMBLY (Mod.1252)	-	-		
	B.215643					PANEL, FOR ACCESS TO STARTER EXHAUST, ASSEMBLY	-	-		
	A.215827					Landing	1	-	-	
8355	A.215826					Panel, access	1	-	B.	JB.3
	C.215508					PANEL, FOR ACCESS TO SAFETY DISC, ASSEMBLY	-	-		
	B.215510					Landing	1	-		
8354	B.215509					Panel, access	1	-	B.	JB.3
	F.224372					Pipe, drain, top	1	-		
8179	A.202754					Seal, air intake to engine	1	Rubber	C.	JB.3
2626	B.178521					Stringer "J", nose spar to frame 21, port ...	1	DTD.364	MR/C	JB.4
2627	B.178522					Stringer "J", nose spar to frame 21, starboard	1	DTD.364	MR/C	JB.4
2628	C.178523					Stringer "J", frame 21 to main spar, port	1	DTD.364	MR/C	JB.4
2629	C.178524					Stringer "J", frame 21 to main spar, starboard	1	DTD.364	MR/C	JB.4
7484	C.200919					Stringer "J", main spar to rear spar, port	1	DTD.364	MR/C	JB.4
7485	C.200920					Stringer "J", main spar to rear spar, starboard	1	DTD.364	MR/C	JB.4
	D.200866					Stringer "J", rear spar to frame 40A, port	1	DTD.364	MR	JB.4
7487	C.205585					Stringer "J", rear spar to frame 40A, starboard	1	DTD.364	MR/C	JB.4
7488	D.200586					Stringer "K", between rear spar and frame 40A, port	1	DTD.364	MR/C	JB.4
7489	D.200587					Stringer "K", between rear spar and frame 40A, starboard	1	DTD.364	MR/C	JB.4

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R.	Plate No.
					Class of Store	
		1	2	3	4	5
2636	B.178525	Stringer "K", between nose spar and frame 21, port	1	DTD.364	MR/C	JB.4
2637	B.178526	Stringer "K", between nose spar and frame 21, starboard	1	DTD.364	MR/C	JB.4
2638	C.178527-8	Stringer "K", between frame 21 and main spar	2 prs	DTD.364	MR/C	JB.4
7490	C.200785	stringer "K", main spar to rear spar, port, group	1	DTD.364	MR/C	JB.4
5721	F.197126	Stud, earthing	1	S.94.B	MR/C	
7491	C.200786	Stringer "K", main spar to rear spar, starboard, group	1	DTD.364	MR/C	JB.4
5721	F.197126	Stud, earthing	1	S.94.B	MR/C	
7492	D.200588	Stringer "L", between frames 37 and 40A, port	1	DTD.364	MR/C	JB.4
7493	D.200589	Stringer "L", between frames 37 and 40A, starboard	1	DTD.364	MR/C	JB.4
	D.180831	STRUCTURE, SUPPORTING, FUEL TANKS, ASSEMBLY	-	-		
4675	F.180854	Bracket	2	DTD.364	MR/C	
4676	C.180832	Channel	1	DTD.610	MR/C	
4677	C.180833	Channel	1	DTD.610	MR/C	
4678	C.180834	Channel	1	DTD.610	MR/C	
4679	C.180835	Channel	1	DTD.610	MR/C	
4680	B.180846	Member, inter-costal, port	1	-	MR/C	
4681	B.180847	Member, inter-costal, starboard	1	-	MR/C	
4682	A.180848	Member, inter-costal, frames 21-22, port	1	DTD.610	MR/C	
4683	A.180849	Member, inter-costal, frames 21-22, starboard	1	DTD.610	MR/C	
4684	A.180850	Member, inter-costal, frames 22-23, port	1	DTD.610	MR/C	
4685	A.180851	Member, inter-costal, frames 22-23, starboard	1	DTD.610	MR/C	
4686	A.180852	Member, inter-costal, frames 23-25, port	1	DTD.610	MR/C	
4687	A.180853	Member, inter-costal, frames 23-25, starboard	1	DTD.610	MR/C	
4688	C.180840	Plate, fuel pump mounting	2	DTD.610	MR/C	
4689	C.180841	Plate, recuperator mounting, port	1	DTD.610	MR/C	
4690	C.180842	Plate, recuperator mounting, starboard	1	DTD.610	MR/C	
	Chekaleke No.5 or No.6	Plug	16	-		
	A.220709	Strut, for wireless bay cross member	1	L.72		
9061	F.219800	Stud, at fuel tank access panels	2	S.1	C.	
4652	Std.1299/3	Stud, securing guard and clips, for attaching electrical cables and fuel tank access panels	39	S.95.B	C.	4
	C.211874-5	STUB-WING, ASSEMBLY	-	-		
	D.182684-5	BOUNDARY LAYER DUCT, SUB-ASSEMBLY	-	-		
2643	B.183782	Leading edge section, forward of nose spar, port	1	DTD.364	MR/C	JB.4
2644	B.183783	Leading edge section, forward of nose spar, starboard	1	DTD.364	MR/C	JB.4
5712	A.183784	Spacer, at forward end of duct	4	DTD.364	MR/C	JB.4
	A.235346	Bracket, for refuelling switch, at port inter-spar rib (Mod.2464)	1	L.72	MR	
	D.230215	Diaphragm "A", port	1	-	MR	
	D.230216	Diaphragm "A", starboard	1	-	MR	
	D.230217	Diaphragm "B", port	1	-	MR	
	D.230218	Diaphragm "B", starboard	1	-	MR	
	D.230219	Diaphragm "C", port	1	-	MR	
	D.230220	Diaphragm "C", starboard	1	-	MR	
10744	D.200976/A	Diaphragm "E"	1	-		

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	C.222754-5						-	-		
	F.216328						1	L.72	MR	
	F.216329						1	L.72	MR	
	A.216330						1	L.72	MR	
	A.216331						1	L.72	MR	
	Std.841/39						1	L.72	MR	
	Std.1188/1						2	DTD.610	MR	4
	F.216332						2	DTD.610	MR	4
	C.209976						2	L.67	MR	
							1	L.59 & L.57	MR	
	B.209980						1	S.3	MR	
	D.200841						1	-		
	D.200842						1	-		
7494	B.200840						1	L.72	MR/C	JB.2
7495	B.200839						1	L.72	MR/C	JB.2
2647	B.181499						1	DTD.610	MR/C	JB.2
2648	B.181500						1	DTD.610	MR/C	JB.2
2649	A.188212						1	DTD.610	MR/C	JB.2
2650	A.188213						1	DTD.610	MR/C	JB.2
2651	A.188214						1	DTD.610	MR/C	JB.2
2652	A.188215						1	DTD.610	MR/C	JB.2
1027	D.179488/A						1	L.72	B.	JB.1
1029	D.179488/C						1	L.72	B.	JB.1
6694	D.200841/A						1	L.72	B.	JB.1
6695	D.200841/B						1	L.72	B.	JB.1
1030	D.179489/A						1	L.72	B.	JB.1
1032	D.179489/C						1	L.72	B.	JB.1
6696	D.200842/A						1	L.72	B.	JB.1
6697	D.200842/B						1	L.72	B.	JB.1
	C.200408									
7564	B.201068						1	L.72	MR/C	
28FP/341	Dzus S5.325						1	-	C.	
3762	Std.915/A18						2	DTD.610	MR/C	4
2653	F.181992						2	S.3	MR/C	
	C.222371						1	L.72		
	C.222372						1	L.72		
7565	F.201120						1	S.3 & T.6	MR/C	
2654	A.182036						2	L.33,L.51 or L.1	MR/C	JB.1
	A.209237						1	L.72		

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	C.180004					Member, top, at leading edge, port ...	1	-	-	JB.2
	C.180005					Member, top, at leading edge, starboard ...	1	-	-	JB.2
	C.180006					Member, bottom, at leading edge, port ...	1	-	-	JB.2
	C.180007					Member, bottom, at leading edge, starboard	1	-	-	JB.2
2659	C.178820					Mounting, for undercarriage wheel door hinge, port	1	-	MR/C	JB.2
2660	C.178821					Mounting, for undercarriage wheel door hinge, starboard	1	-	MR/C	JB.2
	C.180008					Rib, No.1, at leading edge, top, port ...	1	-	-	JB.2
	C.180009					Rib, No.1, at leading edge, top, starboard	1	-	-	JB.2
	B.222750					Rib, No.2, at leading edge, top, port ...	1	DTD.610	MR/B	JB.2
	B.222751					Rib, No.2, at leading edge, top, starboard	1	DTD.610	MR/B	JB.2
2665	B.180012					Rib, No.3, at leading edge, top, port ...	1	DTD.610	MR/B	JB.2
2666	B.180013					Rib, No.3, at leading edge, top, starboard	1	DTD.610	MR/B	JB.2
2667	B.180014					Rib, No.1, at leading edge, bottom, port	1	DTD.610	MR/B	JB.2
2668	B.180015					Rib, No.1, at leading edge, bottom, starboard	1	DTD.610	MR/B	JB.2
2669	B.180016					Rib, No.2, at leading edge, bottom, port	1	DTD.610	MR/B	JB.2
2670	B.180017					Rib, No.2, at leading edge, bottom, starboard	1	DTD.610	MR/B	JB.2
2671	B.180018					Rib, No.3, at leading edge, bottom, port	1	DTD.610	MR/B	
2672	B.180019					Rib, No.3, at leading edge, bottom, starboard	1	DTD.610	MR/B	
	B.180020					Rib, outboard, at leading edge ...	1	DTD.610	MR/B	JB.2
2674	B.180021					Rib, outboard, at leading edge ...	2	DTD.610	MR/B	JB.2
	D.204877-8					SEALING, BETWEEN STUB WING AND WING, SUB-ASSEMBLY	-	-	-	
3847	A.196439					Pad, sealing, at trailing edge ...	2	Volcrepe	C.	JB.2
3848	A.196438					Strip, sealing, at leading edge ...	2	Volcrepe	C.	JB.2
								T.L.S.		
32C/660	-					Strip, sealing, 1" wide x 3/16" thick (D.196440/1, 4 and 5. D.196441/1 and D.204878/1 and 2)	30 ft	Volcrepe	C.	
4023	Std.1509/12/018					Tube, distance, 1/4" i/d. x 20 S.W.G. x 0.18" long (Make from 30B/619)	6	T.4	MR/C	5
	D.201497-8					SKIN, COVERING, ASSEMBLY ...	-	-	-	
7875 #	C.216760					Fairing, outboard, port (undrilled) ...	1	DTD.610	B.	JB.1
7876 #	C.216761					Fairing, outboard, starboard (undrilled)	1	DTD.610	B.	JB.1
7496	A.205205					Landing, for fuel pipe access panel ...	2	L.72	MR/C	
2676	B.192636					Landing, forward, for stub-wing access panel, port	1	DTD.610	MR/C	JB.4
2677	B.192637					Landing, forward, for stub-wing access panel, starboard	1	DTD.610	MR/C	JB.4
2678	B.192640					Landing, aft, for stub-wing access panel, port	1	DTD.610	MR/C	JB.4
2679	B.192641					Landing, aft, for stub-wing access panel, starboard	1	DTD.610	MR/C	JB.4
2680	B.192638					Landing, inboard, for stub-wing access panel, port	1	DTD.610	MR/C	JB.4
2681	B.192639					Landing, inboard, for stub-wing access panel, starboard	1	DTD.610	MR/C	JB.4
7497	A.209626					Landing, for hydraulic connection access door	2	L.72	MR/C	
	C.182596					Nosing, top, port ...	1	-	B.	JB.1
	C.182597					Nosing, top, starboard ...	1	-	B.	JB.1
1823	C.182598					Nosing, bottom, port ...	1	-	B.	JB.1
1824	C.182599					Nosing, bottom, starboard ...	1	-	B.	JB.1

RESTRICTED**FUSELAGE - CENTRE PORTION**

Hunter Two Seater

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	C.222752						-	-		
	C.222753						-	-		
9418	B.216139						1	-	C.	JB.1
9419	B.216140						1	-	C.	JB.1
6698	A.205206						2	L.72	C.	JB.1
1038	D.188722						1	DTD.610	B.	JB.1
1039	D.188723						1	DTD.610	B.	JB.1
5818	C.200861						1	L.72	C.	JB.1
5819	C.200862						1	L.72	C.	JB.1
4723	F.199630						2	-	MR/C	JB.1
1040	D.188724						1	DTD.610	B.	JB.1
1041	D.188725						1	DTD.610	B.	JB.1
7839	D.211964						1	DTD.610	B.	JB.1
7988	B.211962						1	-	B.	JB.1
	Fairey FS.430E						1	-		
	F.211961						2	L.72		
1781	D.192980						1	DTD.610	B.	JB.5
6699	A.209625						2	L.72	C.	JB.1
4724	A.199629						2	DTD.610	MR/C	JB.2
4725	F.196550						2	DTD.610	MR/C	
4726	F.196551						2	DTD.610	MR/C	
1807	D.182688/1						1	DTD.610	B.	JB.1
	D.201497/1						1	L.72	B.	JB.1
1809	D.182688/3						1	DTD.610	C.	JB.1
11136	D.200965/2						1	DTD.610	C.	JB.1
1811	D.182688/5						1	DTD.610	C.	JB.1
1812 #	D.201497/3						1	L.72	B.	JB.1
2682	D.182688/9						1	DTD.610	MR/B	JB.1
2683	D.182688/10						1	DTD.610	MR/B	JB.1
2684	D.182688/11						1	DTD.610	MR/B	JB.1
1813 #	D.182688/15						1	DTD.610	B.	JB.1
1807	D.182689/1						1	DTD.610	B.	JB.1
	D.201498/1						1	L.72	B.	JB.1
1816	D.182689/3						1	DTD.610	C.	JB.1
	D.200966/2						1	DTD.610		JB.1
1818	D.182689/5						1	DTD.610	C.	JB.1

RESTRICTED

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
1819	D.201498/3					Skin, top, aft of main spar, starboard	1	L.72	B.	JB.1
2685	D.182689/9					Skin, forward of nose spar, bottom, starboard	1	DTD.610	MR/B	JB.1
2686	D.182689/10					Skin, forward of nose spar, bottom, starboard	1	DTD.610	MR/B	JB.1
2687	D.182689/11					Skin, forward of nose spar, bottom, starboard	1	DTD.610	MR/B	JB.1
1820	D.182689/15					Skin, bottom, inboard of wheel door, starboard	1	DTD.610	C.	JB.1
	D.202637-8					SLOTS, FOR AIR INTAKE, TOP, ASSEMBLY	-	-		
10503	F.231548					Bracket, reinforcing	4	S.510	MR	
11126	C.260929					Diaphragm, aft, port	1	S.521		
11127	C.260930					Diaphragm, aft, starboard	1	S.521		
9770	C.229884					Door, port, group	1	L.72	B.	JB.1
	-					Pin, for hinge (AS.1880)	1	-		
1035	A.187071					Spring	3	Sp. St.	C.	JB.4
9771	C.229885					Door, starboard, group	1	L.72	B.	JB.1
	-					Pin, for hinge (AS.1880)	1	-		
1035	A.187071					Spring	3	Sp. St.	C.	JB.4
	D.201942-3					SLOTS, FOR AIR INTAKE, BOTTOM, ASSEMBLY	-	-		
10503	F.231548					Bracket, reinforcing	4	S.510	MR	
11128	C.260956					Diaphragm, aft, port	1	S.521		
11129	C.260957					Diaphragm, aft, starboard	1	S.521		
9772	C.229886					Door, port, group	1	L.72	B.	JB.1
9773	C.229887					Door, starboard, group	1	L.72	B.	JB.1
	-					Pin, for hinge (AS.1880)	1	-		
1035	A.187071					Spring	3	Sp. St.	C.	JB.4
	A.226244					Stiffener, skin, outboard, port ...	1	L.72	MR	
	A.226245					Stiffener, skin, outboard, starboard	1	L.72	MR	
	A.226246					Stiffener, skin, outboard, port ...	1	L.72	MR	
	A.226247					Stiffener, skin, outboard, starboard	1	L.72	MR	
	A.226248					Stiffener, skin, port	1	L.72	MR	
	A.226249					Stiffener, skin, starboard	1	L.72	MR	
	A.226250					Stiffener, skin, port	1	L.72	MR	
	A.226251					Stiffener, skin, starboard	1	L.72	MR	
	A.215361					Stiffener, skin, port	1	L.72	MR	
	A.215362					Stiffener, skin, starboard	1	L.72	MR	
	A.215363					Stiffener, skin, port	1	L.72	MR	
	A.215364					Stiffener, skin, starboard	1	L.72	MR	
	A.231616					Stiffener, skin, port (Make from Std. 1772/W18)	1	-	MR	
	A.231617					Stiffener, skin, starboard (Make from Std.1772/W18)	1	-	MR	
	A.231618					Stiffener, skin, port (Make from Std. 1772/W18)	1	-	MR	
	A.231619					Stiffener, skin, starboard (Make from Std.1772/W18)	1	-	MR	
	E.204277-8					SKIN, COVERING, AIR INTAKE, ASSEMBLY	-	-		
	C.222756-7					MOUNTING, FOR D.M.E. AERIAL, ASSEMBLY	-	-		
	F.216141					Bracket, for eye bolt	4	S.95.B		
	F.217474					Bracket	2	L.72		
	F.216142					Eyebolt	4	S.96.B		

RESTRICTED


FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28D/1007971	A25.1B	Bolt,	4	B.A.		-	-	-		
28D/1010658	A25.1B	Bolt,	4	B.A.		-	-	-		
28D/9138768	A25.1C	Bolt,	2	B.A.		-	-	-		
28D/9436920	A25.1C	Bolt,	2	B.A.		-	-	-		
28D/9133011	A25.2C	Bolt,	2	B.A.		-	-	-		
28D/9133012	A25.3C	Bolt,	2	B.A.		-	-	-		
28D/1200119	A25.4C	Bolt,	2	B.A.		-	-	-		
28D/9133013	A25.5C	Bolt,	2	B.A.		-	-	-		
28D/7002428	A25.6C	Bolt,	2	B.A.		-	-	-		
28D/1010030	A25.7C	Bolt,	2	B.A.		-	-	-		
28D/1011019	A25.8C	Bolt,	2	B.A.		-	-	-		
28D/9133014	A25.13C	Bolt,	2	B.A.		-	-	-		
28D/9140647	A25.14C	Bolt,	2	B.A.		-	-	-		
28D/9453970	A25.15C	Bolt,	2	B.A.		-	-	-		
28D/9140648	A25.19C	Bolt,	2	B.A.		-	-	-		
28D/9140649	A25.23C	Bolt,	2	B.A.		-	-	-		
28D/1011238	A25.3E	Bolt,	1/4"	B.S.F.		-	-	-		
28D/1008151	A25.4E	Bolt,	1/4"	B.S.F.		-	-	-		
28D/1011242	A25.7E	Bolt,	1/4"	B.S.F.		-	-	-		
28D/1010031	A25.8E	Bolt,	1/4"	B.S.F.		-	-	-		
28D/1010132	A25.12E	Bolt,	1/4"	B.S.F.		-	-	-		
28D/1011248	A25.16E	Bolt,	1/4"	B.S.F.		-	-	-		
28D/9706306	A25.17E	Bolt,	1/4"	B.S.F.		-	-	-		
28D/7002440	A25.18E	Bolt,	1/4"	B.S.F.		-	-	-		
28D/13046	A25.19E	Bolt,	1/4"	B.S.F.		-	-	-		
28D/1011257	A25.7G	Bolt,	5/16"	B.S.F.		-	-	-		
28D/1011258	A25.8G	Bolt,	5/16"	B.S.F.		-	-	-		
28D/1212389	A25.17G	Bolt,	5/16"	B.S.F.		-	-	-		
28D/1212394	A25.31G	Bolt,	5/16"	B.S.F.		-	-	-		
28D/1212642	A25.38G	Bolt,	5/16"	B.S.F.		-	-	-		
28D/1214806	A30.4C	Bolt,	2	B.A.		-	-	-		
28D/1213763	A30.4E	Bolt,	1/4"	B.S.F.		-	-	-		
28D/1213762	A30.5E	Bolt,	1/4"	B.S.F.		-	-	-		
28D/1213764	A30.6E	Bolt,	1/4"	B.S.F.		-	-	-		
28D/14127	A30.7G	Bolt,	5/16"	B.S.F.		-	-	-		
28D/13473	A30.8J	Bolt,	3/8"	B.S.F.		-	-	-		
28D/1213767	A30.9J	Bolt,	3/8"	B.S.F.		-	-	-		
28D/1213769	A30.11J	Bolt,	3/8"	B.S.F.		-	-	-		
28D/1213770	A30.12J	Bolt,	3/8"	B.S.F.		-	-	-		
28D/15068	A57.2E	Bolt,	1/4"	B.S.F.		-	-	-		
28D/15069	A57.18G	Bolt,	5/16"	B.S.F.		-	-	-		
28D/15070	A57.25G	Bolt,	5/16"	B.S.F.		-	-	-		
28D/12179	AGS.571/505	Bolt,	5/16"	B.S.F.		-	-	-		
28D/1007285	AS.1242.1B	Bolt,	4	B.A.		-	-	-		
28D/1007468	AS.1242.3B	Bolt,	4	B.A.		-	-	-		
28D/1007319	AS.1242.4B	Bolt,	4	B.A.		-	-	-		
28D/9133031	AS.1242.6B	Bolt,	4	B.A.		-	-	-		
28D/1007975	AS.1242.1C	Bolt,	2	B.A.		-	-	-		
28D/1214091	AS.1242.2C	Bolt,	2	B.A.		-	-	-		
28D/9709461	AS.1242.3C	Bolt,	2	B.A.		-	-	-		
28D/1007976	AS.1242.4C	Bolt,	2	B.A.		-	-	-		
28D/1007978	AS.1242.7C	Bolt,	2	B.A.		-	-	-		
28D/1214034	AS.1242.12C	Bolt,	2	B.A.		-	-	-		
28D/1214044	AS.1242.23C	Bolt,	2	B.A.		-	-	-		
28D/1202334	AS.1242.3E	Bolt,	1/4"	B.S.F.		-	-	-		
28D/1212836	AS.1242.19E	Bolt,	1/4"	B.S.F.		-	-	-		
28D/1212837	AS.1242.20E	Bolt,	1/4"	B.S.F.		-	-	-		
28D/1007981	AS.1248.1/2C	Bolt,	2	B.A.		-	-	-		
28D/1007982	AS.1248.1C	Bolt,	2	B.A.		-	-	-		
28D/1013284	AS.1248.2C	Bolt,	2	B.A.		-	-	-		
28D/1212356	AS.1248.23C	Bolt,	2	B.A.		-	-	-		


FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
SUMMARY OF STOCK ITEMS						
28M/13271	A24.EP	Nut, 1/4" B.S.F.	-	-	-	-
28M/13273	A24.JP	Nut, 3/8" B.S.F.	-	-	-	-
28M/1011000	A24.LP	Nut, 7/16" B.S.F.	-	-	-	-
28M/1006504	A27.BT	Nut, 4 B.A.	-	-	-	-
28M/9403520	A27.CP	Nut, 2 B.A.	-	-	-	-
28M/1006473	A27.CT	Nut, 2 B.A.	-	-	-	-
28M/1011475	A27.EP	Nut, 1/4" B.S.F.	-	-	-	-
28M/1007403	A27.ET	Nut, 1/4" B.S.F.	-	-	-	-
28M/1006939	A27.GP	Nut, 5/16" B.S.F.	-	-	-	-
28M/1011477	A27.NP	Nut, 1/2" B.S.F.	-	-	-	-
28M/13244	A27.PT	Nut, 9/16" B.S.F.	-	-	-	-
28M/13403	AGS.572.AP	Nut, 1/4" B.S.F.	-	-	-	-
28M/13439	AGS.572.CP	Nut, 5/16" B.S.F.	-	-	-	-
28M/14440	A58.JT	Nut, 3/8" B.S.F.	-	-	-	-
28M/10287	AGS.2001/B1	Nut, 4 B.A.	-	-	-	-
28M/10288	AGS.2001/C1	Nut, 2 B.A.	-	-	-	-
28M/10290	AGS.2001/E1	Nut, 1/4" B.S.F.	-	-	-	-
28M/10291	AGS.2001/G1	Nut, 5/16" B.S.F.	-	-	-	-
28M/10327	AGS.2002/B1	Nut, 4 B.A.	-	-	-	-
28M/10328	AGS.2002/C1	Nut, 2 B.A.	-	-	-	-
28M/11957	AGS.2007/C1	Nut, 2 B.A.	-	-	-	-
28M/9434251	AGS.2008/B1	Nut, 4 B.A.	-	-	-	-
28M/9435067	AGS.2008/C1	Nut, 2 B.A.	-	-	-	-
28M/9419400	AGS.2013/C11	Nut, 2 B.A.	-	-	-	-
28M/12421	AGS.2018/C1	Nut, 2 B.A.	-	-	-	-
28M/13774	AGS.2019/B1	Nut, 2 B.A.	-	-	-	-
28M/9144673	AGS.2019/C1	Nut, 2 B.A.	-	-	-	-
28M/14347	AGS.2019/E1	Nut, 1/4" B.S.F.	-	-	-	-
28M/802	AGS.113/C	Nut, wing, 2 B.A.	-	-	-	-
28R/17665	AS.4573/1	Ring, 2 B.A.	-	-	-	-
28S/13887	A32.B10	Screw, 4 B.A.	-	-	-	-
28S/9992525	A32.B12	Screw, 4 B.A.	-	-	-	-
28S/14005	A32.B14	Screw, 4 B.A.	-	-	-	-
28S/13742	A32.C14	Screw, 2 B.A.	-	-	-	-
28S/1011490	A32.C16	Screw, 2 B.A.	-	-	-	-
28S/15552	A32.C18	Screw, 2 B.A.	-	-	-	-
28W/9419402	SP.13C	Washer, 2 B.A.	-	-	-	-
28W/9419474	SP.15B	Washer, 2 B.A.	-	-	-	-
28W/9419425	SP.15C	Washer, 2 B.A.	-	-	-	-
28W/9419405	SP.15E	Washer, 1/4" dia.	-	-	-	-
28W/9419476	SP.15G	Washer, 5/16" dia.	-	-	-	-
28W/9419477	SP.15J	Washer, 3/8" dia.	-	-	-	-
28W/9419478	SP.15L	Washer, 7/16" dia.	-	-	-	-
28W/9419479	SP.15N	Washer, 1/2" dia.	-	-	-	-
28W/9419486	SP.16B	Washer, 2 B.A.	-	-	-	-
28W/9419404	SP.16C	Washer, 2 B.A.	-	-	-	-
28W/9419487	SP.16E	Washer, 1/4" dia.	-	-	-	-
28W/9419488	SP.16G	Washer, 5/16" dia.	-	-	-	-
28W/9419489	SP.16J	Washer, 3/8" dia.	-	-	-	-
28W/9419493	SP.16Q	Washer, 3/8" dia.	-	-	-	-
28W/3097	AGS.162/B	Washer, 4 B.A.	-	-	-	-




























CENTRE FUSELAGE






CENTRE FUSELAGE









CENTRE FUSELAGE



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

