

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	E.219019	HOOD LOCKING AND JETTISON GEAR, ASSEMBLY ...	-	-	-	
	A.229403	Angle, for micro switch mounting, at front centre lock	1	L.65.B		
10219	F.235439	Bearing, for link, at front centre lock (for use only with bracket D.219595) (Issue 5 and subsequent)	1	BSS.369		JE.2
8843	F.212202	Bearing, special, at bell crank, aft of frame 6, for front centre lock control	1	BSS.369	C.	JE.2
8844	F.212203	Bearing, special, for control rod attachment to front centre lock	1	BSS.369	C.	JE.2
	F.212037	Bell-crank, aft of frame 6, for front centre lock control	1	Stamping		
8847	F.212223	Bolt, lubricating, at bell-crank, for front centre lock control	1	S.95.B	C.	
8849	F.210333	Bolt, special, attaching connecting rod to firing pin, sub-assembly	2	S.96.B	C.	
8850	Std.323/42	Bolt, shoulder, for control rod attachment, forward lock	1	S.2	C.	4
8851	Std.323/46	Bolt, shoulder, at hood jettison release unit attachment	1	S.2	C.	4
5664	Std.1639/4CX	Bolt, for front centre lock attachment ...	4	S.95.B	C.	5
10220	F.235400	Bolt, special, for hook attachment to link, front centre lock (AS.840/77)	1	DTD.498	C.	
9757	F.229423	Bolt, for attachment of control rod to front centre lock	1	DTD.487	C.	JE.2
9758	Std.1697/3B	Bolt, for attachment of micro switch mounting, front centre lock	1	DTD.487	C.	
26AQ/3098	Std.1697/1B	Bolt, for attachment of standby compass mounting bracket	2	DTD.487	C.	
10434	F.240792	Bolt, at front centre lock ...	1	-		
	F.219966	Bracket, for front centre lock ...	1	DTD.498	MR	JE.2
9850	A.229427	Bracket, mounting, for EB.2 standby compass	1	-		JE.2
8854	F.211016	Bush, at hook attachment, front centre lock	1	BSS.369	C.	JE.2
	B/MBCJ/11	CANOPY JETTISON SYSTEM, ASSEMBLY ...	-	-	-	
27L/5053	B/MBCJ/174	Gun ...	2	-		
	B/MBCJ/171	Body ...	1	-		
27L/5067	A/MBCJ/41	Fitting, bottom ...	1	-		
27L/5083	O/MBCJ/31	Nut ...	1	-	C.	
27L/5117	A/MBCJ/175	Piston, assembly ...	1	-		
27L/5072	O/MBCJ/43	Ring, locking, for bottom fitting ...	1	-	C.	
27L/5085	O/MBCJ/32	Seal, rubber ...	1	-	C.	
27L/5118	O/MBCJ/199	Washer ...	1	-		
27L/2177	O/MBEU/18553	Pin, Q.R., and identification disc ...	1	-		
27L/5054	B/MBCJ/186	Pipe, port ...	1	-		
27L/5055	B/MBCJ/187	Pipe, starboard ...	1	-		
27L/5056	B/MBCJ/191	Unit, firing, assembly ...	1	-		
	B/MBCJ/196	Body, firing, assembly ...	1	-		
	A/MBCJ/23	Body ...	1	-		
27L/260	B/MBEU/1358	Unit, firing pin, sub-assembly ...	1	-		
27L/2053	A/MBEU/1308	Collar, retaining ...	1	-	C.	
27L/136	B/MBEU/1304	Pin, firing ...	1	-		
27L/137	O/MBEU/1305	Roller ...	1	-	C.	
27L/138	O/MBEU/1306	Spindle ...	1	-		
27L/261	O/MBEU/1386	Spring, firing ...	1	-	C.	
27L/238	O/MBEU/1310	Washer ...	1	-	C.	
27L/148	O/MBEU/1416	Washer, tab ...	1	-	C.	
	B/MBCJ/193	Body, for firing unit ...	1	-		

FUSELAGE - HOOD LOCKING AND JETTISON GEAR

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
27L/5122	A/MBCJ/188	Piece, tee	1	-		
27L/5119	O/MBCJ/154	Ring, locking	1	-	C.	
12K/1405	O/MBCJ/215	Sear	1	-		
11054	B.259996	Cartridge, canopy jettison	2	-	C.	
11053	B.259992	CASING, OVER HOOD LOCKING GEAR, AND SAFETY PIN STOWAGE, PORT, GROUP (Mod.1177)	1	-	-	JE.2
11055	B.259997	Stowage, for seat safety pins	1	-	-	
	B.259997	CASING, OVER HOOD LOCKING GEAR AND SAFETY PIN STOWAGE, STARBOARD, GROUP (Mod.1177)	1	-	-	JE.2
	B.259993	Stowage, for seat safety pins	1	-	-	
8857	B.221137	Control, between forward lock and bell-crank, frame 6, for front centre lock, group	1	-	B.	JE.2
27K/	Teleflex DS.377	Conduit, length (Hawker No.B.221137/1)	1	-	C.	
27K/	Teleflex DS.377	Conduit, length (Hawker No.B.221137/2)	1	-	C.	
27K/	Teleflex B.44665	Connector, No.4, assembly	1	-	C.	
	F.221138	Fork-end	1	S.96.B	MR	
28K/	SP7Y.E	Fork-end (Alternative to SP7Z.E)	1	-	C.	
28K/	SP7Z.E	Fork-end (Alternative to SP7Y.E)	1	-	C.	
28M/12931	A27.ET	Nut, lock	2	-	C.	
27K/	Teleflex C.44637/56"/C.44637	Rod and cable, assembly	1	-	C.	
27K/	Teleflex C.44661	Swivel, No.4, assembly	2	-	C.	
	D.218777	DETAILS OF HOOD LOCKING AND JETTISON GEAR, ASSEMBLY	-	-		
9978	F.232125	Adaptor (Mod.816)	2	BSS.251		JE.3
9979	F.233564	Angle (Make from Std.1338) (Mod.816)	2	-		JE.3
8843	F.212202	Bearing, for jack release lever	1	BSS.369	C.	
8844	F.212203	Bearing, for jack release lever	1	BSS.369	C.	
9980	F.233563	Block (Mod.816)	2	L.65.C		JE.3
	Std.1988/42	Bolt, shouldered	2	-		
	Std.1988/62	Bolt, shouldered	2	-	MR	
8858	F.213495	Bolt, greaser, attaching latch to support brackets	2	S.95.B	C.	JE.2
9981	F.233562	Clip, securing adaptor (Mod.816)	2	L.72		JE.3
8859	A.210150	Latch, at forward hood attachment, group	2	S.95.B	C.	JE.2
	F.210151	Bush	2	BSS.369	MR	JE.2
8860	F.212719	Lever, jack release	1	Stamping	C.	JE.3
8861	F.212720	Lever, jack release	1	Stamping	C.	JE.3
8862	F.212750	Lever, jack release	1	Stamping	C.	JE.3
8863	F.213494	Piece, distance, for latch	2	S.95.B	C.	JE.2
8864	Std.499/1	Piece, locking	1	L.3	C.	4
8865	A.218069	Rod, connecting, hood jettison shaft to jack release levers, group	1	-	C.	JE.2
8866	A.218129	Rod, connecting, between hood jettison shaft and latch, group	2	-	C.	JE.2
	F.212721	Shaft, for release jack levers	1	T.45	MR	JE.3
4117	Std.1283/G	Shim, at torque shaft mounting	8	Laminum	C.	4
9982	A.232126	Stem, for adaptor, group (Mod.816)	2	-		JE.3
28N/9156370	SP.21	Nipple, lubrication	2	-		
	A.232126/1	Stem	2	S.1.B		
	Std.1507/24/100	Tube, distance, at jack release lever	1	T.26	MR	4
	Std.1507/26/096	Tube, distance, at jack release lever	1	T.26	-	4
9983	Std.1335/F16	Washer (Mod.816)	2	-		4

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R.	Plate No.
					Class of Store	
		1	2	3	4	5
		HOOD JETTISON GEAR, ASSEMBLY	-	-		
8867	E.218993 F.214136	Block, clamp, securing gas pipe, between firing unit and jettison gun	2	LFS.21	C.	JE.1
8868	F.214137	Block, clamp, securing gas pipe, between firing unit and jettison gun	2	LFS.21	C.	JE.1
1935	F.196363	Bush, for emergency release	1	Rubber	C.	
8870	A.213166	Cable, control, hood release, group	1	-	B.	JE.1
	Std.1920	Adjuster	2	-		5
	A.213166/1	Cable, 5 cwt.	1	W.11		
29H/	Bowdenex T3	Conduit, size T3, 34.7 inches long (A.213166/2)	1	-	C.	
28U/15288	SP.38A	Fork-end	2	-	C.	
8871	A.213076	Cable, control, for hood external release, group	1	-	B.	JE.1
	Std.1920	Adjuster	1	-		5
	A.213076/1	Cable, 5 cwt.	1	W.11		
	F.213077	Collet	1	L.65.C		
29H/	Bowdenex T3	Conduit, size T3, 29.0 inches long (A.213076/2)	1	-	C.	
28U/15288	SP.38A	Fork-end	1	-	C.	
4761	Std.1920/2	Sleeve, outer	1	-		5
2145	Std.840/13	Clip, securing control cables	3	DTD.610	MR/C	4
4821	Std.841/13	Clip, securing spray supply pipe	1	DTD.610	C.	4
4165	Std.841/22	Clip, securing gas pipe	4	DTD.610	MR/C	4
	Std.850/35	Clip, covering redundant holes in cross-shaft (Mod.2414)	2	-		4
	C.213112	Cross-shaft, for jettison gun, group ...	1	-		
	B.212980	Bracket, bearing, port, group	1	-	MR	JE.1
	F.212982	Bush	1	BSS.369	MR	JE.1
	B.212981	Bracket, bearing, starboard, group ...	1	-	MR	JE.1
	F.212982	Bush	1	BSS.369		JE.1
	A.213103	Bracket, bearing, group	1	-	MR	JE.1
	F.213104	Bush	1	BSS.369	MR	JE.1
	Std.165/4	Ferrule, securing lever	8	S.2		
	A.212996	Lever	2	Stamping	MR	JE.1
	F.212995	Lever	1	S3 & T26	MR	JE.1
	A.213099	Lever, for control cable	1	Stamping	MR	JE.1
	A.214342	Lever, for release unit	1	Stamping	MR	JE.1
	Std.1510/2/087	Tube, distance	2	T.4	MR	4
	Std.1507/2/010	Tube, distance	2	T.26	MR	4
	Std.1507/23/050	Tube, distance	1	T.26	MR	4
	C.213280	DETAILS OF HOOD JETTISON GEAR, ASSEMBLY	-	-		
	F.214337	Bracket, bearing, for cross-shaft ...	2	-	MR	JE.1
	F.214339	Bush, spherical, at link operating hood jettison release unit	2	BSS.369	MR	JE.1
	A.219015	Chain, brass, for Pip Pin	4"	-		
	A.221340	Cross-shaft, at flying control casing, group	1	-		JE.1
	Std.1509/2/062	Lever	1	Stamping		
	F.213078	Tube, distance	1	T.4		
	F.214336	Lever, for hood de-sealing valve control	1	S.21B & S.3	MR	JE.1
	F.213050	Lever, operating, at release unit ...	1	L.65.C	MR	JE.1
	F.212424	Lever, for hood de-sealing valve control	1	S3 & T26	MR	JE.1
	F.214338	Link, attaching cable, at release unit (Make from 20B/1726)	1	L.72		
27L/2177	O/MBEU/18553	Link, operating, for hood jettison release unit	1	L.65.C		
		Pin, safety, for canopy (Mod.913) ...	1	-		

FUSELAGE-HOOD LOCKING AND JETTISON GEAR

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
28FP/825	Aviation Dev. A.405					Pin, pip	1	-	C	
	A.213058					Ring, key, 1" dia, for pip pin	2	-		
	F.213095					Rod, control, for hood de-sealing valve	1	-	MR	JE.1
						Rod, control, between cross shaft and control rod operating de-sealing valve	1	L.65.C	MR	JE.1
10050	F.215738					Rod, connecting, between firing unit and cross shaft lever, group	1	-		JE.1
362	F.187712					Fork-end	2	S.95.B	C	JE.1
27QA/370	Dowty GD.1309/7					Seal, "O" ring	1	-	C	JE.1
	Std.1507/2/010					Tube, distance	1	T.26	-	4
3783	Std.1509/2/062					Tube, distance	1	T.26	MR/C	4
	Std.1507/3/020					Tube, distance	1	T.26	MR	4
	Std.1507/23/008					Tube, distance	4	T.26	MR	4
3763	Std.915/B24					Washer	4	DTD.364	C	4
5781	Std.915/E20					Washer	1	DTD.364	C	4
8873	C.214166					Guard, for hood jettison cable	1	L.59	C	JE.1
	B.215031					GUARD, FOR EMERGENCY RELEASE HANDLE, ASSEMBLY	-	-		
8875	B.215031/A					Angle, mounting, and guard plate, group	1	-	C	JE.1
	A.215033					Angle, mounting	1	-		
	A.318407					Plate, guard	1	L.72		
28Q/1650	AS.156/404					Rivet	5	-	C	
590	F.188534					Spring	1	Spr. Stl.	C	JE.1
	-					Ring, key, split type, 1.5" i/d	1	-	C	
9667	F.226850					Shim, at cross-shaft bearing	QR	-	C	
8876	F.136453					Spring, return, for cross-shaft levers	1	Sp.Wire	C	JE.1
4162	Std.915/B22					Washer, at control cable attachment to cross-shaft lever and release handle	2	DTD.610	C	4
						Washer, at gas pipe attachment, starboard	1	DTD.610	MR/C	4
7169	Std.915/C18					Window, for hood external emergency release	1	Perspex	C	JE.1
912	F.176949									
	A.210978					Hook, for front centre lock	1	Stamping	MR	JE.2
10212	B.235482					Latch, hood, port, forward, group (Mod.813)	1	-	B	JE.2
10213	B.235483					Latch, hood, starboard, forward, group	1	-		JE.2
8848	F.210332					Bolt	1	S.99.B	MR	JE.2
	F.220562					Pipe, drain	1	-		JE.2
	F.209861					Roller, latch	1	S.80.B	MR	JE.2
9985	B.235382					Latch, hood, port, aft, group (AS.840/77)	1	-	B	JE.2
9986	B.235383					Latch, hood, starboard, group (AS.840/77)	1	-	B.	JE.2
8848	F.210332					Bolt	1	S.99.B	MR	JE.2
	F.220562					Pipe, drain	1	-		JE.2
	F.209861					Roller, latch	1	S.80.B	MR	JE.2
	A.211698					Lever, assembly, between torque shaft and connecting rod, port, group	1	-		
	A.210165					Bracket, bearing, group	1	-	MR	JE.3
	F.210167					Bush	1	BSS.369	MR	JE.3
	A.210163					Coupling, half	1	L.65.C	MR	JE.3
	A.210269					Lever	1	Stamping	MR	JE.3
27QA/374	Dowty GD.1309/14					Seal, "O" ring	1	-	C	JE.3
	A.211699					Lever, assembly, between torque shaft and connecting rod, starboard, group	1	-		
	A.210165					Bracket, bearing, group	1	-	MR	JE.3
	F.210167					Bush	1	BSS.369	MR	JE.3
	A.210163					Coupling, half	1	L.65.C	MR	JE.3
	A.210270					Lever	1	Stamping	MR	JE.3
8878	Dowty GD.1309/14					Seal, "O" ring	1	-	C	JE.3

FUSELAGE - HOOD LOCKING AND JETTISON GEAR

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
10166	C.218120	LEVERS, HOOD JETTISON, GROUP	1	-		JE.3
	B.210173	Block, bearing, group	1	Stamping	MR	JE.3
	F.210009	Bush	2	BSS.369	MR	JE.3
	A.210122	Bracket, bearing, group	1	L.65.C	MR	JE.3
	F.210123	Bush	1	BSS.369	MR	JE.3
	B.218109	Lever, group	1	-	MR	JE.3
	F.212661	Bush	1	BSS.369	MR	JE.3
	Std.608/7	Bush	1	B.8	MR	JE.3
	A.218058	Lever, group	1	-	MR	JE.3
	Std.608/7	Bush	1	B.8	MR	JE.3
	A.210174	Lever, group	1	Stamping	MR	JE.3
	Std.608/7	Bush	1	-	MR	JE.3
	F.212718	Lever	1	Stamping	MR	JE.3
27QA/375	Dowty	Seal, "O" ring	2	-	C.	JE.3
	GD.1309/15					
	F.228638	Lever, micro switch operating	1	-		JF.2
9760	F.229422	Lever, at centre lock	1	-	C.	JE.2
	A.210209	Link, for rear lock, group	2	Stamping	MR	JE.2
	F.210259	Bearing	1	BSS.369	MR	JE.2
	F.210261	Bearing	2	BSS.369	MR	JE.2
8881	F.213315	Link, for forward and rear lock, group	4	Stamping	C.	JE.2
	F.210258	Bearing	1	BSS.369	MR	JE.2
8882	F.210211	Link, for forward lock, port, group	1	S.96.B	C.	JE.2
	F.210259	Bearing	1	BSS.369		JE.2
	F.210261	Bearing	2	BSS.369		JE.2
8883	F.210461	Link, for forward lock, starboard, group	1	S.96.B	C.	JE.2
	F.210259	Bearing	1	BSS.369		JE.2
	F.210261	Bearing	2	BSS.369		JE.2
8884	F.210966	Link, at front centre lock	1	DTD.498	C.	JE.2
8885	F.213285	Link, at front centre lock	1	DTD.498	C.	JE.2
	A.219534	Mounting, for front centre lock	1	Stamping		
9761	F.229424	Pin, special, for lever at centre lock	1	DTD.487	C.	
	B.221236	PIPES, DRAIN, AT HOOD LOCKS, ASSEMBLY	-	-		
	Bestobell	Clip, hose, Minox (Alt. to AGS.606B)	8	-		
	BAS.243.C1					
	B.221236/1	Hose, drain pipe to outlet pipe, front	4	DTD. 5509/D	MR	JE.2
8886	F.210402	Rod, connecting, between torque shaft and rear lock, group	2	-	C.	JE.2
	F.210067	Bush, spherical	2	BSS.369	MR	JE.2
	F.210403	Eye-end, screwed	1	S.96.B	MR	JE.2
8887	A.210041	Rod, connecting, between forward and rear lock, group	2	-	C.	JE.2
	F.210067	Bush, spherical	2	BSS.369	MR	JE.2
	F.210062	Eye-end, screwed	1	S.96.C	MR	JE.2
8888	A.211173	Rod, connecting, between bell-crank, frame 6, and front centre lock, group	1	-	C.	JE.2
	F.211174	Fork-end, adjustable	1	DTD.498	MR	
8890	F.209864	Shim, at bearing block, for forward and rear locks	4	Laminated Brass	C.	JE.2
8891	F.211139	Shim, at trunnion attachment, forward and rear lock	4	Laminated Alum.	C.	JE.2
8892	F.219967	Shim, for front centre lock	QR	Laminated Brass	C.	JE.2
8893	F.219760	Shim, for front centre lock mounting	QR	Laminated Brass	C.	JE.2
8894	F.219968	Shim, for bracket, front centre lock	QR	Laminated Brass	C.	JE.2

RESTRICTED

FUSELAGE - HOOD LOCKING AND JETTISON GEAR


Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
8895	F.216574	Shim, for front centre lock mounting ...	QR	Laminated Brass	C.	JE.2
10044	F.227545	Shim, at torque-shaft assembly ...	2	-		
	F.231519	Stop, at front centre lock (Mod.2292)...	1	L.65.C	MR	
	B.210168	Torque-shaft, group ...	1	-	MR	JE.3
	A.210170	Block, bearing, group ...	1	-		JE.3
	F.210171	Bush ...	2	BSS.369	MR	JE.3
26FH/2996	Std.165/4	Ferrule ...	16	-	C.	
	A.210169	Lever, group ...	1	L.65.C	MR	JE.3
	F.212662	Bush ...	2	BSS.369	MR	JE.3
	A.210001	Lever ...	1	S3 & S1	MR	JE.3
	A.234642	Lever, (Mod.813)...	1	-		
	Std.1510/24/125	Tube, distance ...	4	T.4	MR	4
	Std.1510/24/144	Tube, distance ...	4	T.4	MR	4
	F.211138	Trunnion, at forward and rear lock ...	4	S.95.B	MR	JE.2
	B.318411	Unit, release, group ...	1	-	A.	JE.3
897	F.189118	Bolt, special ...	2	S.95.B	C.	JE.3
898	A.127278	Bolt, special ...	4	S.1	C.	JE.3
899	F.189074	Bolt, special ...	2	S.95.B	C.	JE.3
	F.212258	Bolt, special ...	2	S.96.B	MR	JE.3
	F.212257	Bearing ...	1	S.96.B	MR	JE.3
	F.228234	Bearing ...	1	S.1		JE.3
2A/9500491	BSS. FE ³	Bearing ...	1	-	B.	
	A.189071	Casing ...	1	-		
900	F.189069	Coupling ...	1	S.96.B	C.	JE.3
	F.212237	Eye-end ...	1	S.95.B	MR	JE.3
	F.318409	Label, for checking of switches ...	1	-		
	A.318408	Lever, group ...	1	-	MR	JE.3
	F.318410	Handle ...	1	L.65.C	MR	JE.3
904	A.126610	Nut, special ...	1	S.20	C.	JE.3
	A.127030	Packing ...	1	L.1		
906	F.189067	Plug ...	1	DTD.364	C.	JE.3
	A.215724	Plug, slotted ...	1	S.1	MR	JE.3
907	F.169854	Plunger ...	1	DTD.364	C.	JE.3
8182	F.210867	Rod ...	1	S.95.B	C.	JE.3
909	F.189070	Sleeve ...	2	S.1	C.	JE.3
	F.210655	Spool, bearing ...	1	L.65.C	MR	JE.3
	A.126828	Spring ...	1	DTD.239		JE.3
	F.212423	Stud, special, for handle ...	1	S.96.B	MR	JE.3
910	A.127031	Washer ...	2	Rubber	C.	JE.3

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28D/1010658	A25.1B	Bolt,	4	B.A.	-	-
28D/9140638	A25.4B	Bolt,	4	B.A.	-	-
28D/1010029	A25.6B	Bolt,	4	B.A.	-	-
28D/1011013	A25.13B	Bolt,	4	B.A.	-	-
28D/9133011	A25.2C	Bolt,	2	B.A.	-	-
28D/9133012	A25.3C	Bolt,	2	B.A.	-	-
28D/1200119	A25.4C	Bolt,	2	B.A.	-	-
28D/9133013	A25.5C	Bolt,	2	B.A.	-	-
28D/7002428	A25.6C	Bolt,	2	B.A.	-	-
28D/1011019	A25.8C	Bolt,	2	B.A.	-	-
28D/9140644	A25.9C	Bolt,	2	B.A.	-	-
28D/9140645	A25.10C	Bolt,	2	B.A.	-	-
28D/9419397	A25.12C	Bolt,	2	B.A.	-	-
28D/9133014	A25.13C	Bolt,	2	B.A.	-	-
28D/9140647	A25.14C	Bolt,	2	B.A.	-	-
28D/9453970	A25.15C	Bolt,	2	B.A.	-	-
28D/1011021	A25.16C	Bolt,	2	B.A.	-	-
28D/1008145	A25.6E	Bolt,	1/4"	B.S.F.	-	-
28D/1011247	A25.13E	Bolt,	1/4"	B.S.F.	-	-
28D/1007468	AS.1242.3B	Bolt,	4	B.A.	-	-
28D/1214091	AS.1242.2C	Bolt,	2	B.A.	-	-
28D/9709461	AS.1242.3C	Bolt,	2	B.A.	-	-
28D/1218387	AS.1248.4B	Bolt,	4	B.A.	-	-
28D/1007982	AS.1248.1C	Bolt,	2	B.A.	-	-
28D/1212806	AS.1248.6C	Bolt,	2	B.A.	-	-
28D/1212204	A57.4E	Bolt,	1/4"	B.S.F.	-	-
28D/1212206	A57.6E	Bolt,	1/4"	B.S.F.	-	-
28D/1212208	A57.8E	Bolt,	1/4"	B.S.F.	-	-
28D/1212229	A57.6G	Bolt,	5/16"	B.S.F.	-	-
28D/1212231	A57.8G	Bolt,	5/16"	B.S.F.	-	-
28D/13789	AS.2920.1B	Bolt,	countersunk,	4 B.A.	-	-
28E/14147	AS.487/2	Clip			-	-
28E/3319	AGS.606/B	Clip, for hose			-	-
28U/16264	SP.37A	Eye-end			-	-
28U/15288	SP.38A	Fork-end			-	-
28N/9156370	SP.21	Nipple lubricating			-	-
28M/9455059	A14.EB	Nut,	1/4"	B.S.F.	-	-
28M/5238	A14.GB	Nut,	5/16"	B.S.F.	-	-
28M/9403520	A27.CP	Nut,	2	B.A.	-	-
28M/1006473	A27.CT	Nut,	thin,	2 B.A.	-	-
28M/1007403	A27.ET	Nut,	thin,	1/4" B.S.F.	-	-
28M/1011470	A27.GT	Nut,	thin,	5/16" B.S.F.	-	-
28M/5808573	A27.CS	Nut,	slotted,	2 B.A.	-	-
28M/1011467	A27.ES	Nut,	slotted,	1/4" B.S.F.	-	-
28M/5808571	A27.GS	Nut,	slotted,	5/16" B.S.F.	-	-
28M/9995181	A53.B	Nut,	4	B.A.	-	-
28M/9129527	A53.C	Nut,	2	B.A.	-	-
28M/	A53.E	Nut			-	-
28M/9129528	A54.C	Nut,	2	B.A.	-	-
28M/13935	A58.ES	Nut,	slotted,	1/4" B.S.F.	-	-
28M/14537	A58.GS	Nut,	slotted,	5/16" B.S.F.	-	-
28M/14833	A58.JS	Nut,	slotted,	3/8" B.S.F.	-	-
28M/14440	A58.JT	Nut,	thin,	3/8" B.S.F.	-	-
28M/10288	AGS.2001.C1	Nut,	2	B.A.	-	-
28M/10327	AGS.2002.B1	Nut,	4	B.A.	-	-


FUSELAGE-HOOD LOCKING AND JETTISON GEAR


Issued with A/L No. 1


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
28M/10309	AGS.2002.B4	Nut,	4	B.A.			-	-	-	
28M/10328	AGS.2002.C1	Nut,	2	B.A.			-	-	-	
28M/16231	AGS.2007.B4	Nut,	4	B.A.			-	-	-	
28P/19225	SP90.C3	Pin,	split				-	-	-	
28P/19152	SP90.C4	Pin,	split				-	-	-	
28P/19154	SP90.C7	Pin,	split				-	-	-	
28P/812	SP4Y.A2	Pin					-	-	-	
28P/813	SP4Y.A3	Pin					-	-	-	
28P/863	SP4Y.D5	Pin					-	-	-	
28R/13515	AS.104	Pulley					-	-	-	
28D/1214806	A30.4C	Bolt,	2	B.A.			-	-	-	
28D/1213764	A30.6E	Bolt,	1/4"	B.S.F.			-	-	-	
28S/1200080	A32.B8	Screw					-	-	-	
28W/941455	SP.10G	Washer,	5/16"				-	-	-	
28W/9419474	SP.15B	Washer,	4	B.A.			-	-	-	
28W/9419475	SP.15C	Washer,	2	B.A.			-	-	-	
28W/9419405	SP.15E	Washer,	1/4"	dia			-	-	-	
28W/9419476	SP.15G	Washer,	5/16"	dia			-	-	-	
28W/9419486	SP.16B	Washer,	4	B.A.			-	-	-	
28W/9419404	SP.16C	Washer,	2	B.A.			-	-	-	
28W/9419489	SP.16J	Washer,	3/8"	dia			-	-	-	
28W/9416642	SP.47B	Washer,	spring				-	-	-	
28W/9416643	SP.47C	Washer,	spring,	2	B.A.		-	-	-	
28W/9416644	SP.47E	Washer,	spring,	1/4"	dia		-	-	-	




HOOD JETTISON GEAR










HOOD LOCKING GEAR



This file was downloaded
from the RTFM Library.
Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

