



POWER INSTALLATION—GEARBOX AND ACCESSORIES

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No
	E.204660	ACCESSORY DRIVE, FOR GEARBOX AND EQUIPMENT, ASSEMBLY	-	-		
37L/322	-	Arm, drive, type GA.7/2 ... ..	1	-	A.	
6391	F.194529	Bolt, special, for generator attachment ...	4	S.99.B	C.	LA.1
6392	F.194530	Bolt, special, for generator attachment ...	2	S.99.B	C.	LA.1
6393	F.200766	Bolt, "U", for safety bracket, at frame 34 ...	1	S.1	C.	LA.1
6394	B.203089	Box, sealing, for drive shaft ... ..	1	-	B.	LA.1
6395	F.188685	Channel, stop, for safety bracket "U" bolt at frame 34	1	DTD.610	C.	LA.1
	Std.2046/17/26	Clip, sleeved ... ..	1	S.510 or S.511		6
37L/196	-	Gearbox, type TG.5/5, group ... ..	1	-	A.	
37L/2940	Rotol G.16095	Washer, for dipstick ... ..	1	-	C.	
5UA/6088	-	Generator, type 517 ... ..	2	-	A.	
	C.212052	GENERATOR COOLING AIR OUTLET, ASSEMBLY (Mod.425)	-	-		
8342	C.212054	Cover, bottom ... ..	1	S.3	B.	LA.1
8343	B.212053	Cover, top ... ..	1	S.3	B.	LA.1
8346	F.212146	Eye-bolt, securing covers ... ..	2	S.1	C.	LA.1
8344	B.212055	Strap, inboard generator ... ..	1	S.3	B.	LA.1
8345	B.212056	Strap, outboard generator ... ..	1	S.3	B.	LA.1
8347	F.217098	Washer, profile, at strap ... ..	4	L.72	C.	LA.1
2192	Std.915/C14	Washer, for eyebolt pin ... ..	1	DTD.610	C.	4
-	Std.1306/D20	Hose, 1 1/4" i/d x 2" long (Make from 32C/455)	2	DTD.625A	-	4
	A.226908	Piece, packing, for drive arm ... ..	1	L.72		LA.1
7171	+ F.205196	Pipe, breather, for generator ... ..	1	DTD.253	MR/C	LA.1
9944	F.230731	Pipe, vent (Mod.751) ... ..	1	-	C.	LA.1
7173	+ F.206188	Pipe, drain, for drive arm ... ..	1	DTD.253	MR/C	LA.1
7174	+ F.213362	Pipe, drain, for oil filler ... ..	1	DTD.253	MR/C	LA.1
6398	A.204659	Plate, sealing, for oil filler ... ..	2	LFS.21	C.	LA.1
37J/8006	Dowty	Pump, "Vardel", type A8003Y/RH/300 ...	1	-	A.	
37L/325	-	Shaft, drive, type GD.9/100 ... ..	1	-	A.	
37L/369	-	Shaft, drive, type GD.9/37 ... ..	1	-	A.	
6396	B.205290	Spout, inlet cooling, for outboard generator	1	L.54 & L.59	C.	LA.
6397	B.205291	Spout, inlet cooling, for inboard generator	1	L.54 & L.59	C.	LA.1
7175	Std.1509/23/028	Tube, distance, for oil filler sealing plate	6	T.4	MR/C	4
7176	Std.1509/23/052	Tube, distance, for safety bracket 'U' bolt	2	T.4	MR/C	4
	Std.1509/23/060	Tube, distance, for clipping of pipe drain	1	T.4		4

+ For details see Piping Chart.

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28D/9436920	A25.1C	Bolt, 2	B.A.	...	...	...	...	...	-	-
28D/9133012	A25.3C	Bolt, 2	B.A.	...	...	...	...	...	-	-
28D/1200119	A25.4C	Bolt, 2	B.A.	...	...	...	...	...	-	-
28D/7002428	A25.6C	Bolt, 2	B.A.	...	...	...	...	...	-	-
28D/1011238	A25.3E	Bolt, 1/4"	B.S.F.	...	...	...	...	...	-	-
28D/12814	A25.29E	Bolt, 1/4"	B.S.F.	...	...	...	...	...	-	-
28E/9871	AGS.606/T	Clip, hose	...	...	...	...	...	...	-	-
28F/9501	AGS.1142/B	Nipple	...	...	...	...	...	...	-	-
28M/13121	A27.CS	Nut, 2	B.A.	...	...	...	...	...	-	-
28M/1011467	A27.ES	Nut, 1/4"	B.S.F.	...	...	...	...	...	-	-
28M/1011476	A27.JS	Nut, 3/8"	B.S.F.	...	...	...	...	...	-	-
28M/10328	AGS.2002/C1	Nut, 2	B.A.	...	...	...	...	...	-	-
28P/1007741	SP9.C8	Pin, split	...	...	...	...	...	...	-	-
28P/1021	SP4Y.B19	Pin	...	...	...	...	...	...	-	-
28P/1019	SP4Y.B17	Pin	...	...	...	...	...	...	-	-
3 28P/9486478	SP.90.C5	Pin	...	...	...	...	...	...	-	-
28W/9419475	SP.15C	Washer, 2	B.A.	...	...	...	...	...	-	-
28W/9419477	SP.15J	Washer, 3/8"	B.S.F.	...	...	...	...	...	-	-
28W/9419405	SP.15E	Washer, 1/4"	dia.	...	...	...	...	...	-	-
28W/9419487	SP.16E	Washer, 1/4"	dia.	...	...	...	...	...	-	-







This file was downloaded  
from the RTFM Library.

Link: [www.scottbouch.com/rtfm](http://www.scottbouch.com/rtfm)

Please see site for usage terms,  
and more aircraft documents.