

SERVICES - FUEL SYSTEM REAR FUSELAGE


Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		FUEL SYSTEM, REAR FUSELAGE, ASSEMBLY	-	-		
2727	D.202256	Block, clamp, for pressure pipe	3	LFS.21	MR/C	NB.1
421	F.195128	Clamp, for twin gate and suction relief valves, group	3	-	C.	NB.1
	A.185593	Bolt, eye	1	S.94.B	C.	NB.1
2723	F.184931	Nut, special	1	S.96	C.	
6526	F.213079	Washer	1	DTD.364	C.	NB.1
2724	F.185592	Clip, support, 7/16" wide x 22 S.W.G....	1	DTD.610	MR/C	4
4764	Std.840/21	Clip, support, 7/16" wide x 22 S.W.G....	3	DTD.610		4
	Std.851/38	Clip, vent pipe seat	3	S.3		4
	Std.853/51	Clip, support, for pressure pipe	2	-		NB.1
	F.210152	Collar, at vent pipe connection	1	DTD.364	C.	
1385	F.190242	Connection, bonding(Alt. to AS.3360.C7C)	1	-		4
422	A.186347	Extension, for twin gate valve	2	DTD.364	C.	NB.1
2095	F.194603	Fairlead, for pressure pipes	4	LFS.21	C.	NB.1
3895	A.189935	Fairlead, for pressure pipes	4	LFS.21	C.	NB.1
2725	F.195096	Fairlead, for pressure pipes	2	LFS.21	MR/C	NB.1
2028	B.195140/1	Pipe, fuel, valve to connection, port	1	DTD.253	C.	NB.1
2029	B.195140/2	Pipe, fuel, valve to connection, starboard ...	1	DTD.253	C.	NB.1
437	B.184767/4	Pipe, fuel, pressure reducing valve to diaphragm, port	1	DTD.253	C.	NB.1
438	B.184767/5	Pipe, fuel, pressure reducing valve to diaphragm, starboard	1	DTD.253	C.	NB.1
1879	B.184767/6	Pipe, fuel, diaphragm to filter	2	DTD.253	C.	NB.1
6261	B.202258/1	Pipe, fuel, coupling to coupling, port	1	DTD.253	B.	NB.1
6262	B.202258/2	Pipe, fuel, coupling to coupling, starboard ...	1	DTD.253	B.	NB.1
6263	B.202258/3	Pipe, fuel, relief valve to coupling, port ...	1	DTD.253	B.	NB.1
6264	B.202258/4	Pipe, fuel, relief valve to coupling, starboard	1	DTD.253	B.	NB.1
6266	B.202258/6	Pipe, pressure, coupling to coupling	2	DTD.253	B.	NB.1
6267	C.213400	Pipe, vent, branch	1	DTD.253	B.	NB.1
8515	A.216508	Pipe, vent	1	DTD.253	C.	NB.1
9587	B.228306	Pipe, vent, extension	1	T.26	C.	NB.1
9083	A.217436	Pipe, vent, between frames 46 and 51	1	DTD.253	C.	NB.1
27QA/361	Dowty Seals GD.1308/2	Ring, sealing, "O" type, at twin gate valve	4	-	C.	
8519	F.217013	Seat, pipe, vent, at frames 47, 50 and 52 ...	3	LFS.21	C.	NB.1
1659	Std.1744/10	Sleeve, at vent pipe connection, frames 50 and 51	1	Rubber	C.	5
	D.201057	TANK, INSTALLATION, ASSEMBLY	-	-		
6A/4315	Smiths JM.14	Box, terminal	2	-	B.	
	A.219025	Connector	2	L.65		NB.1
425	A.186493	Connector	1	DTD.364	C.	NB.1
8478	D.218734	Pipe, outlet, port	1	-	C.	NB.1
8479	D.218735	Pipe, outlet, starboard	1	-	C.	NB.1
8471	F.217756	Seal, "U", at float switch	2	Rubber	C.	
8476	B.218973	Support, outlet pipe, port	1	-	C.	
8477	B.218974	Support, outlet pipe, starboard	1	-	C.	
5CW/6159	Flight Refuelling C.3504100/38	Switch, float Mk.4	2	-	A.	
5CW/4642	Smiths 1696.FG	Switch, fluid level	2	-	A.	
	-	TANKS, (SEE SECTION Q)	-	-		
9647	F.226366	Washer, sealing	2	DTD.1177 & L.72	C.	
9648	F.226367	Washer, sealing	2	DTD.1177 & L.72	C.	
8474	F.218936	Washer, sealing, at outlet pipe	4	E.75	C.	


SERVICES - FUEL SYSTEM REAR FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
8475	F.218937	Washer, sealing, float switch	2	E.75	C.	
9712	F.226374	Washer, sealing	4	DTD.1177 & L.72	C.	
4601	F.203207	Tube, spacer, at vent pipe connection ...	1	DTD.253	C.	
27F/2242	Saunders 812.BR.03	Valve, gate	1	-	A.	
7049	B.215824	Valve, suction and pressure relief, group ...	2	-	B.	NB.1
2726	A.195020	Adaptor, union	1	DTD.364	MR/C	NB.1
428	F.184477	Adjuster, valve	1	DTD.364	C.	NA.2
429	A.184476	Cap, valve	1	DTD.364	C.	NA.2
430	F.184480	Collar, valve	1	-	C.	NA.2
6200	F.209640	Collar, valve	2	DTD.364	C.	NB.1
1882	F.195019	Plug	1	DTD.364	C.	NA.2
27QA/365	Dowty Seals GD.1308/8	Ring, sealing, "O" type	1	-	C.	NB.1
431	A.184478	Ring, cap	1	DTD.264	C.	NA.2
432	F.184482	Screw, adaptor, attachment to body ...	4	-	C.	NB.1
433	F.186042	Screw, adaptor, attachment to body ...	2	-	C.	NB.1
27QA/143	Dowty Seals BD.1307/23	Seal, bonded, between cap and ring ...	1	-	C.	NA.2
27QA/149	Dowty Seals GD.1307/G	Seal, bonded, between plug and adaptor ...	1	-	C.	NB.1
27QA/141	Dowty Seals GD.1307/6	Seal, bonded	2	-	C.	NB.1
434	F.184473	Seat, valve	2	DTD.364	C.	NB.1
8127	F.217607	Spring, (Mod.504)	1	DTD.239	C.	NB.1
6199	F.209155	Spring, at valve seat	2	Phos. Br.	C.	NB.1
441	A.184484	Valve	1	DTD.364	C.	NA.2
7050	F.215727	Valve	2	DTD.364	C.	NB.1
27QA/120	Dowty Seals GD.1288	Washer, between body and cap ring ...	1	-	C.	NB.1
4666	F.201931	Washer, between main spring and adjuster	1	DTD.610	C.	NA.2
7051	F.215989	Washer	2	-	C.	
4124	Std.821/35	Washer, for twin gate valve extension ...	2	L.4	C.	4
9855	F.233552	Washer, sealing, at vent pipe extension ...	2	DTD.762	C.	NB.1
	Std.1547/16/12	Washer, at vent pipe attachment clips ...	3	-		4
3812	Std.1547/22/14	Washer, at vent pipe attachment clips ...	3	-	MR/C	4


SERVICES - FUEL SYSTEM REAR FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28D/1008149	A25.2B	Bolt,	4	B.A.	-
28D/9436920	A25.1C	Bolt,	2	B.A.	-
28D/9133011	A25.2C	Bolt,	2	B.A.	-
28D/9133012	A25.3C	Bolt,	2	B.A.	-
28D/8307	AS.1242.2C	Bolt,	2	B.A.	-
28D/12965	AS.2923/1C	Bolt,	2	B.A.	-
5K/3389	AS.3360/C4C	Lead,		bonding	-
5K/3403	AS.3360/C6C	Lead,		bonding	-
5K/3412	AS.3360/C7C	Lead,		bonding	-
28F/8235	AGS.1142/F	Nipple			-
28F/11777	AGS.1142/K	Nipple			-
28F/14528	AGS.1170/A	Nipple			-
28F/10772	AGS.1170/E	Nipple			-
28F/12071	AGS.1170/K	Nipple			-
28M/10287	AGS.2001/B1	Nut,	4	B.A.	-
28M/10298	AGS.2001/C2	Nut,	2	B.A.	-
28M/10328	AGS.2002/C1	Nut,	2	B.A.	-
28M/10330	AGS.2002/E1	Nut,	1/4"	B.S.F.	-
28P/19228	SP90.C8	Pin,		split	-
28F/11884	AGS.1143/A	Plug,		cone	-
28F/11931	AGS.904/K	Sleeve,		outer	-
28W/9419454	SP.10C	Washer,	2	B.A.	-
28W/9418920	SP.10E	Washer,	1/4"	B.S.F.	-
28W/9419474	SP.15B	Washer,	4	B.A.	-
28W/9419475	SP.15C	Washer,	2	B.A.	-
28W/9419404	SP.16C	Washer,	2	B.A.	-





FUEL SYSTEM





This file was downloaded from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms, and more aircraft documents.

