

SERVICES - HYDRAULICS REAR FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	D.317054	HYDRAULIC INSTALLATION IN REAR FUSELAGE, ASSEMBLY	-	-		
27Q/1884	Dowty 1.00597.002	Accumulator, unit	1	-	A	
2052	F.194338	Block, clamp	7	LFS.21	C	NG.1
2053	F.194339	Block, clamp	8	LFS.21	C	NG.1
2081	F.195583	Block, clamp	6	LFS.21	C	NG.1
	# 516264	Block, clamp	1	LFS.21	C	
	# 516265	Block, clamp	1	LFS.21	C	
	# 516266	Block, clamp	2	LFS.21	C	
4950	F.204723	Block, clamp	8	LFS.21	C	NG.1
2093	F.196103	Block, clamp	1	S.3	C	NG.1
	# 803498/1	Block, clamp	1			
8511	F.220531	Block, saddle, at pressure regulator valve	1	LFB.72	C	NG.1
7231	B.200875	Bracket, mounting, for pressure gauge	1	L.72	MR/C	
10156	A.215212	Bracket, mounting, for micronic filter	1	-	C	
27BA/8775	Auto. Prod. AVA.64.7C	Cap, blanking	2	-	C	
1182	A.189669	Clamp, top	1	S.3	C	NG.1
4952	F.204102	Clamp, plate	4	LFS.21	C	NG.1
	F.221095	Clip, securing cable duct, in dorsal fin	2	S.3-		
	F.218875	Clip	1	S.3		
	Std.2045/36/22	Clip, sleeved	2	S.510 or S.511		6
5789	Std.851/35	Clip, 7/16" wide x 22 S.W.G. x 3.5" long	2	DTD.610	C	4
9421	F.215214	Clip, half, securing micronic filter	1	-	C	NG.1
	Std.853/81	Clip, securing at pressure at regulator valve	1	S.3		4
9092	F.221834	Clip, saddle, securing pipes above frame 51	1	S.510	C	NG.1
27BA/11415	Auto Prod. AVA.1150C	Coupling, flanged	2	-	B	
	FHS.1211/2	Filter, unit	1			
6A/2693	-	Gauge, pressure, Mk.14LL, 0-4000 lbs.	1	-	A	
	B.317049	Guard, for flexible pipes	1	-	C	NG.1
	A.317046	Hose, flexible, for airbrake jack	1	-	C	NG.1
	A.317047	Hose, flexible, for airbrake jack	1	-	C	
	Auto Prod. AVA.322A/16.0	Hose, flexible, 16.0"	1	-	C	
	Auto Prod. AVA.322A/13.5	Hose, flexible, 26.5"	1	-	C	
	Auto Prod. AVA.322X/16.0	Hose, flexible, 16.0"	1	-	C	
6A/2771	-	Lable, air	1	-	C	
2144	Std.1231/3	Lug, locking	7	S.3	C	4
27BA/8798	Auto. Prod. AVA.62A	Nut, union	1	-	C	
27BA/8766	Auto Prod. AVA.62B	Nut, union	1	-	C	
	+ B.187926/1	Pipe, pressure, flexible hose to non-return valve	1	DTD.323		

+ For details see Piping Chart
 # Swiss supply, HSA fit

RESTRICTED

SERVICES - HYDRAULICS REAR FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	+ B.187926/4	Pipe, pressure, tee-piece to valve					1	DTD.323		
	+ B.187926/6	Pipe, pressure, valve to tee-piece					1	DTD.323		
	+ B.187926/7	Pipe, pressure, tee-piece to flexible hose					1	DTD.323		
	+ B.187926/8	Pipe, return, flexible hose to non-return valve					1	DTD.323		
	+ B.187926/10	Pipe, return, tee-piece to valve					1	DTD.323		
	+ B.187926/11	Pipe, return, valve to flexible hose					1	DTD.323		
	+ B.187926/12	Pipe, return, tee-piece to thermal relief valve					1	DTD.323		
	+ B.187926/13	Pipe, return, thermal relief valve to tee-piece					1	DTD.323		
4603	B.187926/16	Pipe, tee-piece to charging connection					1	DTD.323	C.	
4604	B.187926/17	Pipe, tee-piece to pressure gauge					1	DTD.323	C.	
4605	B.187926/18	Pipe, charging, accumulator to tee-piece					1	DTD.323	C.	
4606	B.187926/19	Pipe, pressure, tee-piece to accumulator					1	DTD.323	C.	
5935	B.187926/23	Pipe, pressure, regulator valve to non-return valve					1	DTD.323	C.	
	B.187926/24	Pipe, pressure, non-return valve to tee-piece					1	DTD.323	C.	
	B.187926/25	Pipe, pressure, tee-piece to lower selector valve					1	DTD.323	C.	
5938	B.187926/26	Pipe, pressure, tee-piece to upper selector valve					1	DTD.323	C.	
	+ B.187926/29	Pipe, return, 4-way piece to upper selector valve					1	DTD.323		
5942	B.187926/30	Pipe, return, 4-way piece to lower selector valve					1	DTD.323	C.	
5943	B.187926/31	Pipe, return, 4-way piece to tee-piece					1	DTD.323	C.	
	+ B.187926/32	Pipe, return, tee-piece to relief valve					1	DTD.323		
	+ B.187926/33	Pipe, return, upper selector to valve non-return					1	DTD.323		
5946	B.187926/34	Pipe, return, thermal relief valve to tee-piece					1	DTD.323	C.	
5947	B.187926/35	Pipe, airbrake, "up", upper selector valve to 4-way piece					1	DTD.323	C.	
5948	B.187926/36	Pipe, airbrake, "up", 4-way piece to flexible hose					1	DTD.323	C.	
	+ B.187926/37	Pipe, airbrake "up", 4-way piece to non-return valve					1	DTD.323		
	+ B.187926/38	Pipe, airbrake "up", 4-way piece to thermal relief valve					1	DTD.323		
	B.187926/39	Pipe					1			
	B.187926/40	Pipe, airbrake "down", relief valve to tee-piece					1	DTD.323	C.	
5953	B.187926/41	Pipe, airbrake "down", tee-piece to flexible hose					1	DTD.323	C.	
	+ B.187926/42	Pipe, airbrake "down", tee-piece to pressure switch					1	DTD.323		
6514	B.187926/45	Pipe, pressure, union to union (Mod. 343)					1	DTD.743	C.	
6515	B.187926/46	Pipe, pressure, union to regulator valve (Mod. 343)					1	DTD.743	C.	
6516	B.187926/47	Pipe, return, union to 4-way piece (Mod. 343)					1	DTD.743	C.	
6517	B.187926/48	Pipe, pressure, S.S. coupling to union (Mod. 343)					1	DTD.743	C.	
6518	B.187926/49	Pipe, return, S.S. coupling to union (Mod. 343)					1	DTD.743	C.	
6333	B.187926/50	Pipe, airbrake "down", lower selector valve to pressure relief valve					1	DTD.323	C.	
7860	B.187926/51	Pipe, pressure, tee-piece to tee-piece					1	DTD.323	C.	
7861	B.187926/52	Pipe, return, non-return valve to tee-piece					1	DTD.323	C.	

+ For details see Piping Chart


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	+ B.187926/53	Pipe, pressure, non-return valve to filter (inlet) (Mod. 487)					1	DTD.323		
	+ B.187926/54	Pipe, pressure, filter (outlet) to tee-piece (Mod. 487)					1	DTD.323		
9873	B.187926/73	Pipe, pressure, tee-piece to pressure switch (Mod. 687)					1	DTD.323	C.	
	F.217369	Plate, sealing, at frame 50 (Mod. 545)					1	LFS.21		
	F.217370	Plate, sealing, at frame 51 (Mod. 545)					1	LFS.21		
27QA/251	SP.900/22	Ring, "0"					2	-	C.	
	# 804353 RUBR.	Schlauchlste, 1/4" B.S.P.					1			
	# 804352 RUBR.	Schlauchlste, 1/4" B.S.P.					1			
7822	Dowty Seals GD.1576	Shroud, 3/8" B.S.P. union connection					1	-	C.	
5704	A.206611	Shroud, aft of frame 46 connection (Alternative to Dowty GD.1576)					2	-	C.	
7821	Dowty Seals GD.1579	Shroud, 3/8" B.S.P. bulkhead connection					4	-	C.	
5703	A.206610	Shroud, bulkhead connection (Alternative to Dowty GD.1579)					8	-	C.	
5F/9506025	NY.18067	Strapping, 5/16" wide					6	-	C.	
5F/9138823	NY.3255	Stud					2	-	C.	
5CW/6015	Thermal Control TP.5300/2	Switch, pressure (Mod.477) (Alternative to TP.1300)					1	-	A.	
5CW/5981	Thermal Control TP.1300	Switch, pressure (Mod.477) (Alternative to TP.5300/2)					1	-	A.	
5CW/6733	Thermal Control TP.5566	Switch, pressure (Mod. 687)					1	-	A.	
	Std.1507/2/026	Tube, distance					1	T.26		4
	Std.1507/2/082	Tube, distance					1	T.26		4
	Std.1507/2/080	Tube, distance					1	T.26		4
8334	A.210242	Union, flanged, at bulkhead					2	-	C.	NG.1
27Q/926	Dowty D.5220.Y	Valve, non-return					3	-	A.	
27Q/15170	Dowty D.5230.Y	Valve, non-return					1	-	A.	
27Q/71103	Dowty 1.00051.035	Valve, pressure relief (Mod. 1202)					1	-	A.	
27Q/70052	Dowty 04862.Y.B08	Valve, pressure maintaining					1	-	A.	
	Dowty 08808.Y.B07	Valve, selector					1	-	A.	
27Q/1933	Dowty 08816.Y.A03	Valve, selector					1	-	A.	
27Q/1936	Dowty 08818.Y.A02	Valve, selector					1	-	A.	
27Q/927	Dowty C.4603.Y.Mk.A	Valve, thermal relief					2	-	A.	
7100	Std.915/B10	Washer					1	DTD.610	C.	4
	Std.1547/28/18	Washer					1	DTD.610		4

+ For details See Piping Chart
Swiss supply, HSA fit


SERVICES - HYDRAULICS REAR FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28Y/12849	AGS.1212	Block, adaptor	-	-	-	-
28D/1007971	A25.1B	Bolt, 4 B.A.	-	-	-	-
28D/1010658	A25.1B	Bolt, 4 B.A.	-	-	-	-
28D/9419452	A25.3B	Bolt, 4 B.A.	-	-	-	-
28D/1011006	A25.5B	Bolt, 4 B.A.	-	-	-	-
28D/1010029	A25.6B	Bolt, 4 B.A.	-	-	-	-
28D/1009984	A27.7B	Bolt, 4 B.A.	-	-	-	-
28D/9436920	A25.1C	Bolt, 2 B.A.	-	-	-	-
28D/9133011	A25.2C	Bolt, 2 B.A.	-	-	-	-
28D/9133012	A25.3C	Bolt, 2 B.A.	-	-	-	-
28D/1200119	A25.4C	Bolt, 2 B.A.	-	-	-	-
28D/7002428	A25.6C	Bolt, 2 B.A.	-	-	-	-
28D/9140644	A25.9C	Bolt, 2 B.A.	-	-	-	-
28D/1011022	A25.18C	Bolt, 2 B.A.	-	-	-	-
28D/12536	A25.13C	Bolt, 2 B.A.	-	-	-	-
28D/9140647	A25.14C	Bolt, 2 B.A.	-	-	-	-
28D/1011021	A25.16C	Bolt, 2 B.A.	-	-	-	-
28D/12517	A25.17C	Bolt, 2 B.A.	-	-	-	-
28D/9744	AGS.1248-2B	Bolt, 4 B.A.	-	-	-	-
28F/9423226	AGS.1135A	Bolt, banjo	-	-	-	-
28F/9423227	AGS.1335B	Bolt, banjo	-	-	-	-
28E/9130685	AS.5419/6	Clip	-	-	-	-
28F/1014970	AGS.1104A	Cone, adaptor	-	-	-	-
28F/9714	AGS.1111C	Cone, union	-	-	-	-
28F/10782	AGS.1118A	Cone, tee	-	-	-	-
28F/8011811	AGS.1118B	Cone, tee	-	-	-	-
28F/9463543	AGS.1120.1	Cone, tee	-	-	-	-
28F/9721	AGS.1120.5	Cone, tee	-	-	-	-
28F/13290	AGS.1120.11	Cone, tee	-	-	-	-
28F/1011799	AGS.1120.13	Cone, tee	-	-	-	-
28F/9726	AGS.1123C	Cone, 4-way piece	-	-	-	-
28F/8011896	AGS.1142C	Nipple, adaptor	-	-	-	-
28F/14529	AGS.1170C	Nipple	-	-	-	-
28M/1006473	A27.CT	Nut, 2 B.A.	-	-	-	-
28M/10287	AGS.2001.B1	Nut, 4 B.A.	-	-	-	-
28M/10327	AGS.2002.B1	Nut, 4 B.A.	-	-	-	-
28M/10288	AGS.2001.C1	Nut, 2 B.A.	-	-	-	-
28M/10328	AGS.2002.C1	Nut, 2 B.A.	-	-	-	-
28S/9992525	A32.B12	Screw, 4 B.A.	-	-	-	-
28S/14005	A32.B14	Screw, 4 B.A.	-	-	-	-
28S/2875	A32.B24	Screw, 4 B.A.	-	-	-	-
28S/9131095	A31.C14	Screw, 2 B.A.	-	-	-	-
28F/9428452	AGS.1186A	Seal, bonded	-	-	-	-
28F/9428453	AGS.1186B	Seal, bonded	-	-	-	-
28F/11080	AGS.1106B	Union	-	-	-	-
28F/10508	AGS.1106D	Union	-	-	-	-
28F/14532	AGS.1125B	Union, piece, 4-way	-	-	-	-
28F/9423236	AGS.1132A	Union, banjo	-	-	-	-
28F/9423237	AGS.1132B	Union, banjo	-	-	-	-
28Y/9429623	AGS.1200	Valve, charging	-	-	-	-
28W/9419474	SP.15B	Washer, 4 B.A.	-	-	-	-
28W/9419475	SP.15C	Washer, 2 B.A.	-	-	-	-
28W/9419404	SP.16C	Washer, 2 B.A.	-	-	-	-
28W/1200071	SP.23C	Washer, 2 B.A.	-	-	-	-
28W/9416642	SP.47B	Washer, 4 B.A.	-	-	-	-
28F/9128929	AGS.1115/4	Washer, plate	-	-	-	-

A
210242



F
204102




F
220531




F
204723




F
221834



F
196103



F
194339




F
195583



F
194338




F
215214



F
217299


F
217298




A
189669




F
210417
& B




B
209709



A
204708





This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

