

RESTRICTED
TAIL UNIT-RUDDER

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	D.314208	RUDDER, GROUP (Complementary parts, e.g., intercomponent attachments are listed on Page PE.1 and will not be supplied with the assembly spare)	1	-	A.	PC.1
1596	- A.177979 A.177978	Bearing, top, group Block, bearing) Not supplied separately Cap, bearing)	1 1 1	- Stamping Stamping	C.	PC.1
1597	- A.177977 A.177976 F.183594	Bearing, bottom, group Block, bearing) Not supplied separately Cap, bearing) Block, spacer	1 1 1	- Stamping	C.	PC.1
1598	Std.1553/C30	Bolt, attachment of lever	4	S.99.B	C.	5
1599	F.186349	Bolt, attachment of top bearing cap	2	S.1	C.	PC.1
1600	F.186350	Bolt, attachment of lower bearing cap	2	S.1	C.	PC.1
1601	Std.1639/3CX	Bolt, attachment of bearing blocks to spar	4	S.95.B	C.	5
5664	Std.1639/4CX	Bolt, attachment of bearing blocks to spar	4	S.95.B	C.	5
9411	F.213724 B.214414	Bolt, special, correction of trim tab shaft Channel, sub-spar	1 1	S.96.B L.72	C.	PC.1
2863	A.183335	Diaphragm, at rib No.4, between main and sub-spars	1	DTD.610	MR/C	PC.2
2864	F.183758	Diaphragm, at rib No.3, between main and sub-spars	1	DTD.610	MR/C	PC.2
2865	A.183759	Diaphragm, upper, aft of lever, between main and sub-spars	1	DTD.610	MR/C	PC.2
2866	A.183760	Diaphragm, lower, aft of lever, between main and sub-spars	1	DTD.610	C.	PC.2
	A.185826	Duct, cable	1	L.54		
	A.177975	Lever, operating	1	Stamping		
	B.183591	Member, top edge	1	L.53		
	C.226221	Nosing, assembly	1	-		
	A.226214	Bracket, mounting, lower, for lower channel	1	S.510		PC.1
	A.226213	Bracket, mounting, upper, for lower channel	1	S.510		PC.1
	A.226212	Bracket, mounting, lower, for channel between ribs No.4 and 5	1	S.510		PC.1
	A.226211	Bracket, mounting, upper, for channel between ribs No.4 and 5	1	S.510		PC.1
	A.226216	Bracket, mounting, lower, for channel between ribs No. 5 and 6	1	S.510		PC.1
	A.226215	Bracket, mounting, upper, for channel between ribs No. 5 and 6	1	S.510		PC.1
2869	F.184187	Bracket, mounting, lower, for channel between ribs No. 8 and 9	1	S.3	MR/C	PC.1
2879	B.184423	Channel, mounting, for balance weight between ribs No. 1 and 2	1	DTD.610	MR/C	PC.1
2880	B.184422	Channel, mounting, for balance weight, between ribs No. 4 and 5	1	DTD.610	MR/C	PC.1
2881	B.184421	Channel, mounting, for balance weight, between ribs No. 5 and 6	1	DTD.610	MR/C	PC.1
2883	B.184419	Channel, mounting, for balance weight, between ribs No. 8 and 9	1	DTD.610	MR/C	PC.1
	F.217958	Channel	1	L.72		PC.1
	F.225603	Packing, at balance weight, between ribs No. 4 and 5	1	S.512		

RESTRICTED

TAIL UNIT-RUDDER

Hunter Two Seater


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	F.225604					Packing, at balance weight, between ribs No. 1 and 2	1	S.521		
	F.225605					Packing, at balance weight, between ribs No. 5 and 6	1	S.521		
2884	B.184080/2					Skin, bottom	1	DTD.610	MR/B	PC.1
2885	D.184080/1					Skin, top	1	DTD.610	MR/B	PC.1
4283	F.183706					Stop	1	DTD.364	MR/C	PC.1
	A.226285					Weight, mass balance	1	Lead		PC.1
	or									
	A.226284					Weight, mass balance	1	Lead		PC.1
9409	B.203279					Panel, nosing	1	L.72	C.	PC.1
9410	Std.1221Z/A25					Pin	1	St.Steel	C.	PC.1
2867	F.148758					Plate, locating, on lower hinge bearing cap	2	DTD.610	MR/C	PC.1
2868	F.165348					Plate, locating, on lower hinge bearing	2	L.40 or DTD.364	MR/C	PC.1
	F.213585					Plate, reinforcing	1			
2887	C.183466					Rib, No.1	1	DTD.610	MR/C	PC.2
2888	C.183467					Rib, No.2	1	DTD.610	MR/C	PC.2
2889	B.183468					Rib, No.3 (Angle F.188811 wired on)	1	DTD.610	MR/C	PC.2
2890	B.183469					Rib, No.4 (Angle F.188811 wired on)	1	DTD.610	MR/C	PC.2
2891	C.183470					Rib, No.5	1	DTD.610	MR/C	PC.2
2892	C.183471					Rib, No.6	1	DTD.610	MR/C	PC.2
2893	B.183472					Rib, No.7	1	DTD.610	MR/C	PC.2
2894	C.183473					Rib, No.8 (Angle F.183480 wired on)	1	DTD.610	MR/C	PC.2
2895	B.183474					Rib, No.9	1	DTD.610	MR/C	PC.2
2896	B.183475					Rib, No.10	1	DTD.610	MR/C	PC.2
2897	F.183691					Rib, nose, bottom	1	DTD.610	MR/C	PC.2
2898	F.183692					Rib, nose, below, lower hinge	1	DTD.610	MR/C	PC.2
2899	F.183693					Rib, nose, at lower hinge	1	DTD.610	MR/C	PC.2
2900	A.183694					Rib, nose, above lever	1	S.3	MR/C	PC.2
	A.203277					Rib, nose, above trim tab shaft attachment	1	L.72		PC.2
	A.203278					Rib, nose, below trim tab shaft attachment	1	L.72		PC.2
2901	A.183695					Rib, nose, at rib No.4	1	S.3 and DTD.610	MR/C	PC.2
2902	F.183696					Rib, nose, between ribs No. 4 and 5	1	DTD.610	MR/C	PC.2
2903	F.183697					Rib, nose, at rib No.5	1	DTD.610	MR/C	PC.2
2904	F.183698					Rib, nose, lower, at rib No. 6	1	DTD.610	MR/C	PC.2
2905	F.183699					Rib, nose, upper, at rib No. 6	1	DTD.610	MR/C	PC.2
2906	F.183700					Rib, nose, between ribs No. 6 and 7	1	DTD.610	MR/C	PC.2
2907	F.183701					Rib, nose, below upper hinge	1	DTD.610	MR/C	PC.2
2908	F.183702					Rib, nose, at rib No.8	1	DTD.610	MR/C	PC.2
2909	F.183703					Rib, nose, at rib No.9	1	DTD.610	MR/C	PC.2
2910	F.183704					Rib, nose, at rib No.10	1	DTD.610	MR/C	PC.2
2911	A.183568					Section, trailing edge, between ribs No.1 and 2	1	-	MR/C	PC.2
2912	B.183569					Section, trailing edge, between rib No.5 and top edge member	1	-	MR/C	PC.1
	B.203272					Shaft, operating trim tab, group	1	-		PC.1
28R/13507	Hoffmann CF.2A					End, rod	1	-	B.	
	D.314208/1					Skin, port	1	L.72		PC.1
	D.314208/2					Skin, starboard	1	L.72		PC.1
	D.214411					Spar, main	1	DTD.610	MR/C	PC.2
2915	A.183757					Spar, sub, forward, between ribs No.1 and 2	1	DTD.610	MR/C	PC.2
2916	C.183756					Spar, sub, forward, between ribs No.2 and 5	1	DTD.610	MR/C	PC.2
2917	A.183571					Spar, sub, forward, between ribs No.7 and 8	1	DTD.610	MR/C	PC.2
2918	A.183570					Spar, sub, forward, between ribs No.8 and 9	1	DTD.610	MR/C	PC.2
2919	A.183511					Spar, sub, aft, between ribs No.1 and 2	1	DTD.610	MR/C	PC.2

RESTRICTED


TAIL UNIT-RUDDER


Ref. No.	Part No.	Description	No. Off	Material Specification	M.R.	Plate No.
					Class of Store	
		1	2	3	4	5
	C.214410	Spar, sub, aft, between ribs No.2 and 5, at trim tab (Angle F.188812 wired on)	1	DTD.610		PC.2
2921	A.183509	Spar, sub, aft, between ribs No.5 and 6	1	DTD.610	MR/C	PC.2
2922	A.183508	Spar, sub, aft, between ribs No.6 and 7	1	DTD.610	MR/C	PC.2
2923	A.183507	Spar, sub, aft, between ribs No.7 and 8	1	DTD.610	MR/C	PC.2
2924	A.183506	Spar, sub, aft, between ribs No.8 and 9	1	DTD.610	MR/C	PC.2
2925	A.183505	Spar, sub, aft, between ribs No. 9 and 10	1	DTD.610	MR/C	PC.2
	C.273299	SPOILERS, ASSEMBLY	-	-		
	A.273300	Spoiler, top, port	1	L.72		PC.1
	A.273301	Spoiler, top, starboard	1	L.72		PC.1
	A.273302	Spoiler, bottom, port	1	L.72		PC.1
	A.273303	Spoiler, bottom, starboard	1	L.72		PC.1
2926	C.183884	Stiffener, port	1	DTD.610	MR/C	PC.2
2927	C.183885	Stiffener, starboard	1	DTD.610	MR/C	PC.2
2928	F.183572	Strap, butt, at nosing assembly to skin joints	2	DTD.610	MR/C	PC.1
	C.248710	Tab, trim	1	-	B.	PC.1
3814	Std.1547/26/18	Washer, for operating lever fixings	4	DTD.610	MR/C	4
4254	F.184538	Washer, tab, for balance weight fixings	8	DTD.171	MR/C	PC.1
4255	A.184130	Weight, balance, between ribs No.1 and 2	1	-	MR/B	PC.1
	A.202802	Weight, balance, between ribs No.4 and 5	1	-		PC.1
	A.202803	Weight, balance, between ribs No.5 and 6	1	-		PC.1
4258	C.198285	Weight, balance, between ribs No.6 and 7	1	-	MR/B	PC.1
4259	A.184125	Weight, balance, between ribs No.8 and 9	1	-	MR/B	PC.1


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28D/9436920	A25.1C	Bolt,	2	B.A.		-	-	-		
28D/9133011	A25.2C	Bolt,	2	B.A.		-	-	-		
28D/9140644	A25.9C	Bolt,	2	B.A.		-	-	-		
28D/9453970	A25.15C	Bolt,	2	B.A.		-	-	-		
28D/1011021	A25.16C	Bolt,	2	B.A.		-	-	-		
28D/9140648	A25.19C	Bolt,	2	B.A.		-	-	-		
28D/1007975	AS.1242/1C	Bolt,	2	B.A.		-	-	-		
28D/1214091	AS.1242/2C	Bolt,	2	B.A.		-	-	-		
28D/9709461	AS.1242/3C	Bolt,	2	B.A.		-	-	-		
28N/13435	AGS.2030/43	Cl:rc:lip				-	-	-		
28M/10327	AGS.2002/B1	Nut,	4	B.A.		-	-	-		
28M/9403520	A27.CP	Nut,	2	B.A.		-	-	-		
28M/1011467	A23.ES	Nut,	1/4"	B.S.F.		-	-	-		
28P/19225	SP90.C3	Pin,	split			-	-	-		
28P/1247	AGS.213/3	Pin,	taper			-	-	-		
28R/13507	Hoffmann CF.2A	Rod-end				-	-	-		
28W/9419404	SP.16C	Washer,	2	B.A.		-	-	-		



RUDDER







This file was downloaded from the RTFM Library.
Link: www.scottbouch.com/rtfm

Please see site for usage terms, and more aircraft documents.

