

UNDERCARRIAGE — MAIN

| Ref. No. | Part No. | Description | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|------------|------------------|---|---------|------------------------|---------------------|-----------|
| | | | | | | |
| | D.187474-5 | UNDERCARRIAGE, MAIN, ASSEMBLY | - | - | | |
| 479 | A.187624 | Bolt, attachment of jack shackle to fuselage | 2 | S.95.B | C. | RB.1 |
| 480 | A.187625 | Bolt, jack attachment to shackle | 2 | - | C. | RB.1 |
| 8304 | F.216722 | Bolt, special, for swivel bracket | 4 | - | C. | |
| | B.228156 | BRAKE UNIT AND LEG, PORT, ASSEMBLY (Mod.516) | - | - | | |
| 27G/- | Dunlop AH.50247 | Brake, unit | 1 | - | A. | |
| 9663 | Std.2045/19/24 | Clip, sleeved | 1 | - | C. | 6 |
| 27G/- | Dunlop AH.50720 | Equipment, maxaret | 1 | - | A. | |
| 3 27Q/- | Dowty 200046007 | Leg, port (Mod.2595) | 1 | - | A. | |
| - | C.189160/226 | Pipe, wheel brake, torque link to maxaret unit, port (Use 27Q/17897) | 1 | - | | |
| 3 27G/2779 | Dunlop AC.14130 | Unit, maxaret (Pre Mod.1243) | 1 | - | A. | |
| 27G/3411 | Dunlop AC.61712 | Unit, maxaret (Alternative to AC.62910) | 1 | - | A. | |
| 3 27G/- | Dunlop AC.62910 | Unit, maxaret (Alternative to 27G/3411) | 1 | - | A. | |
| | B.228157 | BRAKE UNIT AND LEG, STARBOARD, ASSEMBLY (Mod.516) | - | - | | |
| 27G/- | Dunlop AH.50248 | Brake, unit | 1 | - | A. | |
| 9663 | Std.2045/19/24 | Clip, sleeved | 1 | S.570 | C. | 6 |
| 27G/- | Dunlop AH.50721 | Equipment, maxaret | 1 | - | A. | |
| 3 27Q/- | Dowty 200046008 | Leg, stbd., (Mod.2595) | 1 | - | A. | |
| | C.189161/283 | Pipe, wheel brake, torque link to maxaret unit, starboard (Use 27Q/17898) | 1 | - | | |
| 3 27G/2789 | Dunlop AC.14128 | Unit, maxaret (Pre Mod.1243) | 1 | - | A. | |
| 3 27G/3410 | Dunlop AC.61710 | Unit, maxaret (Alternative to AC.62908) | 1 | - | A. | |
| 3 27G/- | Dunlop AC.62908 | Unit, maxaret (Alternative to 27G/3410) | 1 | - | A. | |
| 27A/4657 | Dunlop DR.10295 | Cover, wheel (narrow section) Alternative to DR10296) | 2 | - | B. | |
| | Dunlop DR.10296 | Cover, wheel (Alternative to DR.10295) | 2 | - | | |
| 1568 | F.192323 | Nut, jack attachment to shackle | 2 | S.95.B | C. | RB.1 |
| 8303 | F.206712 | Nut, special, for forward swivel bracket bolts | 2 | S.1 | C. | |
| 482 | A.187623 | Shackle, jack attachment | 2 | Stamping | C. | RB.1 |
| 27A/3921 | DT.10200 | Tube (narrow section) | 2 | - | B. | |
| 27A/3877 | Dunlop AEM.1815 | Tube, base support | 2 | - | B. | |
| 3953 | Std.915/E22 | Washer, for greaser | 2 | DTD.610 | C. | 4 |
| 27A/3902 | Dunlop AH.50701 | Wheel (Mod.776) | 2 | - | A. | |
| | or | | | | | |
| 27A/- | Dunlop AH.51338 | Wheel (Mod.776) (Preferred Alternative) | 2 | - | A. | |
| 27A/3371 | Dunlop AH.50207 | Wheel (Pre Mod.776) | 2 | - | A. | |
| | B.227812 | RECUPERATOR, UNDERCARRIAGE (Mod.197) RENDERED INOPERATIVE, ASSEMBLY | - | - | | |
| 27Q/13685 | D4501.Y/139 | Bolt, banjo and extension | 1 | - | C. | |
| 27Q/13686 | D4501.Y.144 | Bolt, banjo | 1 | - | C. | |
| 27Q/10933 | 553.Y/54 | Seal | 1 | - | C. | |
| 27Q/12001 | SP.815/3 | Seal, bonded (or 28F/14253) | 2 | - | C. | |
| 27Q/12346 | Dowty D5423.Y | Valve, charging | 1 | - | B. | |
| | or | | | | | |
| | Dowty 1009V.0000 | | | | | |

UNDERCARRIAGE - MAIN

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|------------------------|-------------|-------------|--------|------------|-----|-----|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| SUMMARY OF STOCK ITEMS | | | | | | | | | | |
| 28D/1010658 | A25.1B | Bolt, | 4 | B.A. | ... | ... | ... | - | - | - |
| 28F/9735 | AGS.1142/A | Nipple, | | adaptor | ... | ... | ... | - | - | - |
| 28N/9156370 | SP.21 | Nipple, | | greaser | ... | ... | ... | - | - | - |
| 28M/7161 | A16Y.SS | Nut, | 2" | B.S.F. | ... | ... | ... | - | - | - |
| 28M/13590 | A27.SS | Nut, | 2" | B.S.F. | ... | ... | ... | - | - | - |
| 28M/10327 | AGS.2002/B1 | Nut, | 4 | B.A. | ... | ... | ... | - | - | - |
| 28M/7002430 | AGS.2002/E1 | Nut, | 2" | B.S.F. | ... | ... | ... | - | - | - |
| 28P/19242 | SP90.H13 | Pin, | sp | Fit: 5/32" | ... | ... | ... | - | - | - |
| 28P/14544 | SP31.H12 | Pin, | taper, | split | ... | ... | ... | - | - | - |
| 28W/9418921 | SP.13E | Washer, | 1/4" | B.S.F. | ... | ... | ... | - | - | - |
| 28W/9419474 | SP.15B | Washer, | 4 | B.A. | ... | ... | ... | - | - | - |
| 28W/9419405 | SP.15E | Washer, | 1/4" | B.S.F. | ... | ... | ... | - | - | - |
| 28W/9419494 | SP.16S | Washer, | 2" | B.S.F. | ... | ... | ... | - | - | - |

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

