

ARMAMENT-GUN INSTALLATION

Ref. No.	Part No.	Description	1 2 3 4 5					No. Off	Material Specification	M.R. Class of Score	Plate No.
			1	2	3	4	5				
	E.207768	GUN INSTALLATION, ASSEMBLY						—			
7R/3	—	Barrel, gun, Mk. 1 (for low velocity ammunition) ... (Alternative to 7R/308)					2	—	A.		
7R/308	—	Barrel, gun, Mk. 2 (for high velocity ammunition) ... (Alternative to 7R/3)					2	—	A.		
10183	F.227967	Bolt, special, for blast deflectors (Make from AS.2920/2/C)					30	—	C.		
10187	F.232313	Bolt, at gun front fairings					8	S.80.B	C.		
10192	F.235620	Bolt, special, for eccentric bridge piece					2	S.95-S.96.B	C.		
10602	F.245074	Bolt, special, for blast deflectors					12	—	C.		
	E.208826	Box, ammunition, group					1	—	A.	CA.1	
	F.210668	Angle, slotted, port, for link chute attachment ...					1	—	C.		
9475	F.210669	Angle, slotted, starboard, for link chute attachment					1	—	C.	CA.1	
9477	F.210695	Bolt, special, for link chute attachment					2	S.94.B	C.	CA.1	
	C.208844	Chute, internal feed, port					1	DTD.171	C.	CA.1	
9478	C.208845	Chute, internal feed, starboard					1	DTD.171	C.	CA.1	
9479	C.210712	Chute, link, top portion					2	—	C.	CA.1	
9480	F.210696	Ferrule, for link chute attachment					4	B.8	C.	CA.1	
	F.228997	Lid, ammunition box, port, group					1	—		CA.1	
	F.228998	Lid, ammunition box, starboard, group					1	—		CA.1	
	B.208968	Bolt, pinch, group					1	—			
808	F.176633	Knob, bolt					2	S.94.B	C.	CA.2	
809	F.176635	Spring					1	Sp. St.	C.	CA.2	
	A.208966	Fitting, hinge					2	L.65.C	MR		
792	F.183848	Fitting, hook					2	S.94.B	C.		
	D.208835/9	Strip, sealing, $\frac{1}{16}$ " thick					2	Felt RS.7	MR		
	D.208835/10	Strip, sealing, $\frac{1}{16}$ " thick					1	Felt RS.7	MR		
	D.208835/12	Strip, sealing, $\frac{1}{16}$ " thick					1	Felt RS.7	MR		
	D.208835/13	Strip, sealing, $\frac{1}{16}$ " thick					2	Felt RS.7	MR		
	Std.1509/23/018	Tube, distance, $\frac{5}{16}$ " o/d x 17 S.W.G. x 0-18" long					4	T.4			
3996	Std.1547/20/16	Washer, packing					16	DTD.364	MR/C	4	
28FP/798	Aviation	Pin, pin					2	—	C.		
	Development										
	5134/510										
9483	F.222734	Pin, sling					2	—	C.		
1548	A.188823	Roller, internal feed					2	—	C.	CA.1	
9486	B.208846	Sling, group					2	—	C.	CA.1	
	B.208846/4	Spindle					2	T.26			
	Std.1507/24/100	Tube, distance, $\frac{3}{8}$ " o/d x 17 S.W.G. x 1-0" long (Make from 30B/557)					4	T.4			
	F.215382	Spigot					2	L.65.C			
9487	F.208877	Spindle, for roller					2	T.26	C.	CA.1	
	Std.1509/5/838	Tube, distance, at bottom bearings, $\frac{7}{16}$ " o/d x 22 S.W.G. x 8-38" long (Make from 30B/636)					2	T.4			
	C.208836	Wall, front, group					1	—			
	B.209025	Angle, support, front, group					1	—			
	F.209031	Bearing, for pin					2	BSS.369	MR		
	F.209032	Pin, group					2	—	MR		
	F.209042	Handle					1	S.1.B			
	F.209041	Nut					1	S.1.B			
	F.209040	Pin					1	S.80			
	F.210257	Bearing, for pin					2	—	MR		
	F.210566	Bearing, at bottom of wall					2	BSS.369	MR		

ARMAMENT—GUN INSTALLATION

Ref. No.	Part No.	Description	No. Off					Material Specification	M.R. Class of Store	Place No.
			1	2	3	4	5			
	A.209024	Roller, group						MR		
795	F.175253	Roller					LFB.82	C.	CA.1	
3789	Std.1509/24/076	Tube, distance, $\frac{3}{8}$ " o/d x 17 S.W.G. x 0-76" long (Make from 30B/557)					T.4	MR/C		
3953	Std.915/E/22	Washer, for roller attachment					DTD.610	MR/C	4	
	A.213653	Roller, group								
795	F.175253	Roller					LFB.82	C.		
3789	Std.1509/24/076	Tube, distance, $\frac{3}{8}$ " o/d x 17 S.W.G. x 0-76" long					T.4	MR/C		
3953	Std.915/E/22	Washer, for roller attachment					DTD.610	MR/C		
	C.208837	Wall, rear, group								
	B.209388	Angle, support, rear, group								
	F.215650	Bush, guide					BSS.369	MR		
	F.215651	Bush, guide					BSS.369	MR		
10045	F.215658	Nut, special, for bush					S.95.B	MR		
	F.210257	Bearing, for pin								
	F.220575	Bearing, at bottom of wall					BSS.369	MR		
	C.229264	Wall, side, port, group								
	C.229265	Wall, side, starboard, group								
	A.213343	Bracket, port, group								
	A.213344	Bracket, starboard, group								
	F.213342	Roller					LFB.82 or 89			
	Std.1509/24/036	Tube, distance, $\frac{3}{8}$ " o/d x 17 S.W.G. x 0-36" long					T.4	MR/C		
3953	Std.915/E/22	Washer, for roller attachment					DTD.610	MR/C		
	A.210845/2	Channel, for sealing strip								
	A.210845	Seal, port, group								
	A.210846	Seal, starboard, group								
6656	Std.2088/2	Strip, sealing (For manufacture of A.210845/3)					Rubber	C.		
	Std.1509/2/030	Tube, distance, $\frac{1}{4}$ " o/d x 22 S.W.G. x 0-3" long (Make from 30B/555)					T.4			
10188	A.232316	Bush, eccentric, inner, at blast deflectors					S.61.B or S.62.B			
10189	A.232317	Bush, eccentric, outer, at blast deflectors					S.61.B or S.62.B			
	B.212510	Chute, empty case, forward portion, port, group						B.	CA.1	
8796	B.212511	Chute, empty case, forward portion, starboard, group						B.	CA.1	
6630	F.206709	Catch, spring, group						C.	CA.1	
10190	F.232314	Clip, half, at eccentric bush						C.		
	E.230324	Deflector, blast, port								
10253	E.230325	Deflector, blast, starboard						C.		
	B.230576	Fairing, gun, front portion, port						A.	CA.2	
10186	B.230577	Fairing, gun, front portion, starboard						A.	CA.2	
	E.230595	Fairing, gun, centre portion, port						A.	CA.2	
10185	E.230596	Fairing, gun, centre portion, starboard						A.	CA.2	
9809	K.A.C. C.7810	Fastener, custodian stud, lower body						C.	CA.1	
	C.209004	Former "B," port, group								
	C.209005	Former "B," starboard, group								

ARMAMENT—GUN INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
8800	A.209063					Fitting, spigot, inboard, port, group ...	1	—	C.	
	A.209064					Fitting, spigot, inboard, starboard, group ...	1	—	C.	CA.2
	F.209065					Spigot ...	2	S.95.B		
8801	A.209059					Fitting, spigot, outboard, port, group ...	1	—	C.	
	A.209060					Fitting, spigot, outboard, starboard ...	1	—	MR/C	CA.2
	F.209065					Spigot ...	2	S.95.B		
4827	Std.1509/23/080					Tube, distance, $\frac{5}{16}$ " o/d x 17 S.W.G. x 0-8" long (Make from 30B/556)	6	T.4	MR/C	4
8802	C.209033					Former "D," port, group ...	1	—		
	C.209034					Former "D," starboard, group ...	1	—		
	A.209061					Fitting, spigot, inboard, port, group ...	1	—	C.	
8801	A.209062					Fitting, spigot, inboard, starboard, group ...	1	—	C.	
	F.209065					Spigot ...	2	S.95.B		
	A.209059					Fitting, spigot, outboard, port, group ...	1	—	C.	
8801	A.209060					Fitting, spigot, outboard, starboard, group ...	1	—	MR/C	CA.2
	F.209065					Spigot ...	2	S.95.B		
	4827	Std.1509/23/080				Tube, distance, $\frac{5}{16}$ " o/d x 17 S.W.G. x 0-8" long (Make from 30B/556)	14	T.4	MR/C	4
8803	‡F.209440					Housing, fastener ...	2	L.65.C and L.72	MR/C	CA.1
	F.214732					Plate, joint, at stud fastener ...	1	L.72		
	F.214733					Plate, joint, at stud fastener ...	1	L.72		
	E.230595/27					Strip, sealing attachment, inboard, port ...	1	L.72		
	E.230596/27					Strip, sealing attachment, inboard, starboard ...	1	L.72		
	E.230595/28					Strip, sealing attachment, outboard, port ...	1	L.72		
	E.230596/28					Strip, sealing attachment, outboard, starboard ...	1	L.72		
6656	Std.2088/2					Strip, sealing, inboard, starboard ... (For the manufacture of E.230596/29)	2 ft.	Rubber	C.	
6656	Std.2088/2					Strip, sealing, outboard, starboard ... (For the manufacture of E.230596/30)	4 ft.	Rubber	C.	
8804	E.210791					Feed neck, port, group (Supplied less panel) ...	1	—		CA.2
	E.210792					Feed neck, starboard, group (Supplied less panel) ...	1	—	A.	CA.2
	E.210791/14					Panel, access, port, group ...	1	—		CA.2
8805	E.210792/8					Panel, access, starboard, group ... Consisting of :—	1	—	B.	CA.2
	E.210791/6					Angle ...	1	DTD.171		
	E.210791/12					Angle ...	4	DTD.171		
	E.210792/6					Angle ...	1	DTD.171		
807	F.185768					Bolt ...	4	S.94.B	C.	CA.2
808	F.176633					Knob ...	4	S.94.B	C.	CA.2
	E.210791/7					Panel, port ...	1	DTD.171		
	E.210792/7					Panel, starboard ...	1	DTD.171		
809	F.176635					Spring ...	2	Sp. St.	C.	CA.2
	F.185766					Tongue ...	4	—		
	F.185767					Tube ...	2	—		
28FP/881	Aviation Dev. 5134/421					Pin, pip ...	2	—	C.	
7R/407	—					Gun, "Aden," 30 m/m, Mk. 4 (R.H.), port, less barrel	1	—	A.	
7R/406	—					Gun, "Aden," 30 m/m, Mk. 4 (L.H.), starboard, less barrel	1	—	A.	

ARMAMENT-GUN INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	C.234302-3	Housing, assembly					—	—		
	F.232309	Bolt, special					6	S.80.B		
	F.232310	Nut, special					8	—		
8798	D.212602	Lid, collector tank, group					2	—	B.	CA.1
	B.212605	Bolt, pinch, group					2	—		
808	F.176633	Knob					4	S.95.B	C.	
	F.212634	Spring					2	Sp. St.		
	F.212604	Fitting, hinge					4	L.65.C		
	F.212603	Fitting, hook					4	L.65.C		
	D.212602/7	Strip, sealing, $\frac{3}{32}$ " thick					4	Rubber		
	D.212602/8	Strip, sealing, $\frac{3}{32}$ " thick					4	Rubber		
	B.210870	Link-chute, port, group					1	—		CA.2
8806	B.210871	Link-chute, starboard, group					1	—	B.	CA.2
8807	B.210869	Door, link-chute, group					1	—	C.	CA.2
	A.210863	Bolt, pinch, group					1	—		
808	F.176633	Knob					2	S.95.B	C.	CA.2
	F.210866	Spring					1	Sp. St.		
	C.210722	Link-chute, port, bottom portion					1	—		CA.2
8808	B.210723	Link-chute, starboard, bottom portion					1	—	B.	CA.2
8809	C.210803	Link-chute, centre portion, group					2	—	B.	CA.2
	A.216499	Bolt, pinch, group					2	—		
808	F.176633	Knob					4	S.95.B	C.	CA.2
	F.210866	Spring					2	Sp. St.		
	B.210870/1	Pin, hinge					2	S.1.B		
	F.220587	Washer, special					4	L.65.C or L.72		
	D.229964 & 5	MOUNTINGS, GUN, ASSEMBLY					—	—		
	D.229257	Attachments to Aden Gun, port, group					1 set	—		CA.4
	D.229258	Attachments to Aden Gun, starboard, group					1 set	—		CA.4
	A.214834	Adaptor					2	—		CA.4
7R/641	Dunlop ACO.26079	Adaptor, cocking (Alternative F.230941)					2	—	C.	CA.4
7R/	F.230941	Adaptor, cocking (Alternative to ACO.26079)					2	—	C.	
768	F.187866	Bar, locking, link-chute attachment					4	S.94.B	C.	CA.4
770	F.175964	Bolt, special, attaching gun mounting brackets					10	S.94.B	C.	CA.4
769	F.177014	Bolt, special, feed neck					6	S.94.B	C.	CA.4
	A.228887	Bracket, feed neck attachment, port					1	—		
9936	A.226007	Bracket, feed neck attachment, starboard					1	S.510	C.	CA.4
	C.208405	Bracket, gun mounting, port					1	—		CA.4
9749	C.208404	Bracket, gun mounting, starboard					1	Stamping	C.	
	B.244465	Contact, cradle, group (7R/8 modified) (Mod. 2454)					2	—	—	
780	F.187874	Head, slotted, link chute					2	S.94.B	C.	CA.4
781	F.187868	Lever, link-chute attachment					2	—	C.	CA.4
782	F.187873	Pad, locking, link-chute attachment					2	Steel	C.	CA.4
7R/436	Dunlop ACO.7739	Plate, attachment, at cocking adaptor					2	—	B.	
	F.229182	Plate, locking, feed neck attachment, port					1	S.510	C.	
9938	F.226005	Plate, locking, feed neck attachment, starboard					1	S.510	C.	CA.4
783	A.187870	Plate, locking, link-chute attachment, port					1	S.80	C.	
784	A.187871	Plate, locking, link-chute attachment, starboard					1	S.80	C.	CA.4

ARMAMENT-GUN INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
7R/437	Dunlop ACO.7738						2	Rubber	C.	CA.4
785	F.183105						2	Brass	C.	CA.4
5780	F.206705						2	DTD.215	C.	CA.4
5F/2281	AS.2508						AR	—	C.	
5F/2282	Hellermann HV.3342						AR	—	C.	
	B.244464						2	—		
787	F.184270						4	S.3	C.	CA.4
	F.230766						2	—		CA.3
6975	A.213709						2	S.97.B	C.	CA.3
816	B.183106						2	Stamping	C.	CA.3
6781	B.214161						1	—	B.	CA.3
6782	B.214162						1	—	B.	CA.3
8814	F.208083						4	S.95.B	C.	CA.3
8815	B.208567						2	S.97.B	C.	CA.3
8816	B.208507						2	Stamping	C.	CA.3
7R/556	—						2	—	C.	
8817	B.208932						2	—	C.	CA.3
	F.212243						2	S.95.B		
	F.211790						2	L.65.C		
	F.211788						2	S.96.B		
	F.211791						2	S.1		
	F.211549						2	Sp. St.		
	F.211789						2	—		
3791	Std.1509/2/026						2	T.4	MR/C	4
8818	F.212929						2	DTD.166	C.	CA.3
817	B.172423						2	Stamping	C.	CA.3
851	A.190699						2	S.95.B	C.	CA.3
8819‡	A.208930						2	S.99.B	C.	CA.3
8820	F.208931						2	S.1.B	C.	CA.3
826	F.180624						2	S.97.B	C.	CA.3
8821	F.208099						4	S.97.B	C.	CA.3
	A.208082						2	L.65.C		CA.3
	Std.1507/23/020						4	T.26		
8822	F.208898						4	S.95.B	C.	CA.3
	F.208085						4	L.16		CA.3
8823	F.208419						2	S.1.B	C.	CA.3
8824	F.208084						4	S.95.B	C.	CA.3
10193	F.235737						2	S.80	C.	
	E.209610						1	—	A.	CA.1
	F.214505						2	—		
9858	K.A.C. C.5331						2	—	C.	
	E.209610/11						2	Neoprene Sponge		
	E.209610/12						2	Neoprene Sponge		
	E.209610/13						4	Neoprene Sponge		
	G.207964						1	—		CA.1
	A.233424						1	—	A.	CA.1
	F.220945						1	—		

ARMAMENT-GUN INSTALLATION

Ref. No.	Part No.	Description	1 2 3 4 5					No. Off	Material Specification	M.R. Class of Store	Place No.
808	F.221144	Bolt						1	S.95.B or S.96.B	C.	CA.2
	F.176633	Knob						1	S.94.B		
	F.211516	Spring						1	Sp. St.		
	A.233425	Landing, for starboard, door						1	L.72		
	C.222229	DOOR, ACCESS TO EXTERNAL SUPPLY SOCKET, SUB-ASSEMBLY						-	-		
8797	B.222228	Door, access, group						1	-	C.	CA.1
	Fairey FS.430/D	Fastener						2	-		
	A.222226	Landing						1	L.72		
	A.222227	Landing						1	L.72		
9641	K.A.C. D.4798	Fitting, attachment, for toggle fastener						2	-		CA.1
	A.228959	Hook						4	Stamping		CA.1
9640	K.A.C. C.7057	Housing, toggle fastener						2	-	C.	CA.1
9474	K.A.C. C.7032	Lever and male link, for toggle fastener						2	-	C.	CA.1
	G.207964/17	Ring, sealing, 1/8" thick						2	Felt		
	F.226994	Tube, distance						2	-		
4034	Std.1509/23/088	Tube, distance, at hook						8	T.4	MR/C	4
26FH/3474	Std.1547/20/12	Washer, at hook						8	DTD.610	MR/C	4
1327	Std.1547/24/12	Washer, at hook						4	DTD.610	C.	4
	Std.1548/26/12	Washer, at distance tube						2	-	C.	
	C.211500	Panel, access to feed neck, port, group						1	-		CA.1
8622	C.211501	Panel, access to feed neck, starboard, group						1	-	A.	CA.1
	F.211517	Bolt, pinch, group						2	-		
	F.210865	Bolt						1	S.96.B or S.95.B		
808	F.176633	Knob						1	S.94.B	C.	CA.2
	F.211516	Spring						1	Sp. St.		
	A.211508	Bracket						4	L.72		
9874	D.229967	Panel, gun bay, access, group (less actuator)...						1	-	A.	CA.2
	C.213844	ACTUATOR AND VENTILATING GEAR, ASSEMBLY						-	-		
5W/329	Plessey CZ.72257	Actuator, Jaguar						1	-	A.	
4768	Std.841/14	Clip, securing hinge pin						1	DTD.610	MR/C	4
1486‡	F.191862	Lever, actuator shaft						1	Stamping	C.	CA.2
1487‡	F.191861	Lever, door						1	Stamping	C.	CA.2
	F.216294	Link, door lever (Local manufacture)						2	L.72		CA.2
8826	F.218778	Pin, hinge						1	S.96.B	C.	CA.2
1492‡	F.191863	Shaft, actuator						1	T.45	C.	CA.2
8827	C.213659	Scoop						1	-	C.	CA.2
2147	Std.915/C20	Washer, at attachment of bracket						1	DTD.610	C.	4
	A.213330	Bracket, bearing, group						1	-		CA.2
1482	F.191727	Bush						2	B.8	C.	CA.2
	A.213331	Bracket, hinge						1	S.3		CA.2
	C.230986	Door, access, assembly						-	-		
10184	B.230930	Door, access						1	-	C.	

ARMAMENT—GUN INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
	D.229966	DUCT, GUN VENTILATION TO ACCESS PANEL, ASSEMBLY					1	—		
	D.229823	Duct					1	L.59 & L.72		CA.2
	C.229766	Support, duct					1	L.72		CA.2
	F.213336	Landing, for duct, port					1	L.72		
	F.213337	Landing, for duct, starboard					1	L.72		
	B.213329	Mounting, actuator, group					1	—		CA.2
1490	A.191726	Bearing, group					2	—	B.	CA.2
1482	F.191727	Bush					1	B.8	C.	CA.2
3029	Std.1509/23/050	Tube, distance, for hinge bracket, $\frac{5}{16}$ " o/d x 17 S.W.G. x 0-5" long (Make from 30B/1784)					2	T.4		
	Std.1509/23/054	Tube, distance, for bearing bracket, $\frac{5}{16}$ " o/d x 17 S.W.G. x 0-54" long (Make from 30B/1784)					2	T.4		
10191	F.234320	Piece, bridge					2	S.96.B	C.	
	E.234848	Tank, empty case collector, port, group					1	—		
	E.234849	Tank, empty case collector, starboard, group					1	—		
9987	F.212647	Bracket, support, inboard, port and starboard, group					4	—	C.	
9988	F.212648	Bracket, support, outboard, group					4	—	C.	
	F.212945	Ferrule					1	S.96.B or S.95.B		
	Std.377/3B	Washer					1	S.94		
	C.212686	Chute, empty case, rear portion, port					1	S.3		CA.1
8799	C.212687	Chute, empty case, rear portion, starboard					1	S.3	B.	CA.1
	A.213864	Duct, ventilating					2	—		
	F.212649	Piece, distance, at inboard support bracket, port and starboard					4	L.56.C		
	F.212892	Spigot, fitting					4	—		
	Std.914/B/20	Washer					2	—		
	Std.1509/24/042	Tube, distance					2	T.4		
10157	F.222336	Washer, tab, at gun front fairing					8	S.511	C.	
8456	F.219942	Washer, tab, for bolts at blast deflector					30	S.84	C.	

ARMAMENT-GUN INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28D/1008149	A25.2.B	Bolt,	4	B.A.	---
28D/9436920	A25.1.C	Bolt,	2	B.A.	---
28D/9133011	A25.2.C	Bolt,	2	B.A.	---
28D/1200119	A25.4.C	Bolt,	2	B.A.	---
28D/12533	A25.5.C	Bolt,	2	B.A.	---
28D/1010030	A25.7.C	Bolt,	2	B.A.	---
28D/9435710	A25.11.C	Bolt,	2	B.A.	---
28D/9140647	A25.14.C	Bolt,	2	B.A.	---
28D/12517	A25.17.C	Bolt,	2	B.A.	---
28D/1011030	A25.2.E	Bolt,	1/2"	B.S.F.	---
28D/1011242	A.25.7.E	Bolt,	1/2"	B.S.F.	---
28D/1011245	A25.10.E	Bolt,	1/2"	B.S.F.	---
28D/12812	A25.12.E	Bolt,	1/2"	B.S.F.	---
28D/12547	A25.15.E	Bolt,	1/2"	B.S.F.	---
28D/7002426	A25.1.G	Bolt,	3/8"	B.S.F.	---
28D/8300	AS.1242.1B	Bolt,	4	B.A.	---
28D/1007468	AS.1242.3B	Bolt,	4	B.A.	---
28D/1007975	AS.1242/1C	Bolt,	2	B.A.	---
28D/1007976	AS.1242/4C	Bolt,	2	B.A.	---
28D/8312	AS.1242/8C	Bolt,	2	B.A.	---
28D/1013177	AS.1242/2E	Bolt,	1/2"	B.S.F.	---
28D/12125	AS.1242/22E	Bolt,	1/2"	B.S.F.	---
28D/1007982	AS.1248/1C	Bolt,	2	B.A.	---
28D/1013284	AS.1248/2C	Bolt,	2	B.A.	---
28D/8345	AS.1248/7C	Bolt,	2	B.A.	---
28D/12266	AS.1248/13C	Bolt,	2	B.A.	---
28D/9357	AS.1248/14C	Bolt,	2	B.A.	---
28D/12762	AS.2920/7E	Bolt,	1/2"	B.S.F.	---
28N/10786	AS.1878/45	Hinge	---
28M/9403519	A27.BP	Nut,	4	B.A.	---
28M/9403520	A27.CP	Nut,	2	B.A.	---
28M/1006473	A27.CT	Nut,	2	B.A.	---
28M/12931	A27.ET	Nut,	1/2"	B.S.F.	---
28M/1011476	A27.JS	Nut,	3/8"	B.S.F.	---
28M/13935	A58.ES	Nut,	1/2"	B.S.F.	---
28M/14833	A58.JS	Nut,	3/8"	B.S.F.	---
28M/10287	AGS.2001/B1	Nut,	4	B.A.	---
28M/10288	AGS.2001/C1	Nut,	2	B.A.	---
28M/10328	AGS.2002/C1	Nut,	2	B.A.	---
28M/9435067	AGS.2008/C1	Nut,	2	B.A.	---
28M/9993193	AGS.2009/C1	Nut,	2	B.A.	---
28M/14931	AGS.2009/G1	Nut,	1/2"	B.S.F.	---
28P/829	SP.4Y.B3	Pin	---
28P/831	SP.4Y.B5	Pin	---
28P/839	SP.4Y/B13	Pin	---
28P/864	SP.4Y.D6	Pin	---
28P/872	SP.4Y/D14	Pin	---
28P/19225	SP.90.C3	Pin	---
28P/19153	SP.90.C5	Pin	---
28P/19154	SP.90.C7	Pin, split	---
28P/19128	SP.90.E4	Pin, split	---


ARMAMENT-GUN INSTALLATION


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
28P/19233	SP.90.E6	Pin, split.	-	-	-
28P/19156	SP.90.E14	Pin, split.	-	-	-
28P/19240	SP.90.G8	Pin, split.	-	-	-
28P/1253	AGS.213/22	Pin, taper	-	-	-
28P/5210	AGS.1551/1	Pin, safety	-	-	-
28R/	AS.4570/66	Ring, retaining	-	-	-
28W/9419466	SP.13J	Washer, $\frac{3}{8}$ " B.S.F.	-	-	-
28W/9419474	SP.15B	Washer, 4 B.A.	-	-	-
28W/9419475	SP.15C	Washer, 2 B.A.	-	-	-
28W/9419405	SP.15E	Washer, $\frac{1}{4}$ " B.S.F.	-	-	-
28W/9419477	SP.15J	Washer, $\frac{3}{8}$ " dia.	-	-	-
28W/9419404	SP.16C	Washer, 2 B.A.	-	-	-
28W/9419492	SP.16P	Washer, $\frac{9}{16}$ " dia.	-	-	-
28W/9419456	SP.10G	Washer, $\frac{5}{16}$ " dia.	-	-	-
28W/9419403	SP.13G	Washer, $\frac{5}{16}$ " dia.	-	-	-

RESTRICTED


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				


RESTRICTED





ARMAMENT INSTALLATION





This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

