

FLYING CONTROLS—FRONT FUSELAGE

| Ref. No.   | Part No.          | Description  | No. Off | Material Specification | M.R. Class of Spore | Place No. |
|------------|-------------------|--|---------|------------------------|---------------------|-----------|
|            |                   |  |         |                        |                     |           |
|            | E.217039          | <b>FLYING CONTROLS, FRONT FUSELAGE, ASSEMBLY</b>                     | -       | -                      |                     |           |
| 2A/9500154 | BAL.025           | <b>Bearing</b> , for aileron control ... ..                          | 1       | -                      | B.                  |           |
| 6757       | F.213777          | <b>Block</b> , at attachment of torque tube to control column        | 2       | S.96.B or S.95.B       | C.                  | DD.2      |
| 205        | Std.1553/E/120    | <b>Bolt</b> , for control column crank ... ..                        | 4       | S.99                   | C.                  |           |
| 206        | Std.1553/E/150    | <b>Bolt</b> , for control column crank ... ..                        | 8       | S.99                   | C.                  | DD.2      |
| 10172      | Std.1553/E/170    | <b>Bolt</b> , for attachment of levers to torque shaft ... ..        | 7       | S.99                   | C.                  |           |
| 8661       | Std.1553/N/330    | <b>Bolt</b> , pivot, for rudder control lever ... ..                 | 1       | S.99                   | C.                  |           |
| 5803       | F.205015          | <b>Bolt</b> , attachment of torque tube to control column, group     | 2       | -                      | C.                  | DD.2      |
|            | F.166254          | <b>Bolt</b> ... ..   | 1       | S.95.B                 |                     |           |
|            | A.53057/2         | <b>Plug</b> ... ..   | 1       | S.2                    |                     |           |
|            | B.253529          | <b>Bracket</b> , mounting, for oxygen contents gauge ... (Mod. 2489) | 1       | L.72                   |                     |           |
| 2137       | A.53067           | <b>Bush</b> , at attachment of torque tube to control column         | 4       | S.2                    | C.                  | DD.2      |
| 248        | B.177650/3        | <b>Cable</b> , rudder arm adjusting, group ... .. Consisting of:—    | 2       | -                      | B.                  | DD.1      |
|            | A.177657          | <b>Body</b> , union ... ..   | 1       | -                      |                     |           |
|            | B.177650/2        | <b>Cable</b> , Bowdenex 19/2 ... ..                                  | 1       | -                      |                     |           |
|            | B.177650/1        | <b>Conduit</b> , Bowdenex T.2.H. ... ..                              | 1       | -                      |                     |           |
| 28N/       | AS.2903           | <b>Nipple</b> ... ..   | 1       | -                      | C.                  |           |
| 28L/12931  | A.27.ET           | <b>Nut</b> ... ..  | 1       | -                      | C.                  |           |
|            | A.177653          | <b>Pin</b> ... ..  | 1       | -                      |                     |           |
|            | Std.1522/2        | <b>Sleeve</b> ... ..   | 2       | -                      |                     |           |
|            | F.177655          | <b>Spring</b> ... ..   | 1       | Sp. St.                |                     |           |
|            | Std.1522/1        | <b>Stop</b> , adjusting ... ..                                       | 1       | -                      |                     |           |
|            | D.227983          | <b>Column</b> , control, port, group ... ..                          | 1       | -                      |                     |           |
| 207        | F.180779          | <b>Adjuster</b> ... ..   | 2       | S.95.B                 | C.                  |           |
| 2A/9501177 | BRE 1/2"          | <b>Bearing</b> , at universal fork ... ..                            | 2       | -                      | B.                  |           |
| 2A/9501178 | BRE 5/8"          | <b>Bearing</b> , at control column head ... ..                       | 2       | -                      | B.                  |           |
| 1494       | F.191314          | <b>Block</b> , stop ... ..   | 1       | DTD.364                | C.                  | DD.2      |
| 208        | F.177528          | <b>Bolt</b> , attachment of control column tube to socket            | 1       | S.95.B                 | C.                  | DD.2      |
| 209        | F.177527          | <b>Bolt</b> , attachment of control column tube to socket            | 1       | S.95.B                 | C.                  | DD.2      |
| 220        | F.166596          | <b>Bolt</b> , chain guard attachment ... ..                          | 2       | S.95.B                 | C.                  | DD.2      |
|            | Std.1553/E/130    | <b>Bolt</b> , for control column crank ... ..                        | 4       | S.99                   |                     |           |
| 8089       | F.204430          | <b>Block</b> , profile ... ..  | 1       | L.65.C                 | C.                  | DD.2      |
|            | B.220655          | <b>Cable</b> , F.26A, group (See cable chart) ... ..                 | 1       | -                      |                     |           |
| 7833       | A.213425          | <b>Chain</b> , top aileron control, complete with eye ends           | 1       | -                      | C.                  | DD.2      |
| 211        | A.182743          | <b>Chain</b> , bottom aileron control, complete with eye ends        | 1       | -                      | C.                  | DD.2      |
| 8662       | F.221603          | <b>Clip</b> , securing cable ... ..                                  | 1       | -                      | C.                  | DD.2      |
|            | A.178531          | <b>Crank</b> , control column ... ..                                 | 2       | Stpg.                  |                     | DD.2      |
| 9091       | B.221990          | <b>Feel unit</b> , group ... ..                                      | 1       | -                      | B.                  | DD.2      |
| 8095       | F.204424          | <b>Nut</b> , adjusting ... ..  | 1       | S.1                    | C.                  | DD.2      |
| 8091       | A.212862          | <b>Spindle</b> ... ..  | 1       | S.95.B                 | C.                  | DD.2      |
| 8092       | F.204420          | <b>Spring</b> ... ..   | 1       | DTD.215                | C.                  | DD.2      |
| 8093       | F.208510          | <b>Washer</b> , stop ... ..  | 1       | S.95.B                 | C.                  | DD.2      |
| 8094       | F.204426          | <b>Washer</b> , locking ... ..                                       | 1       | -                      | C.                  | DD.2      |
| 8096       | Std.1356/9        | <b>Washer</b> , shim ... ..  | 1       | -                      | C.                  | 4         |
| 8097       | Std.1208/90/40/48 | <b>Washer</b> , shim ... ..  | QR      | Shim Steel             | C.                  | 4         |
| 212        | F.180736          | <b>Ferrule</b> , at attachment of control column tube to socket      | 2       | S.95.B                 | C.                  | DD.2      |

FLYING CONTROLS—FRONT FUSELAGE

| Ref. No.    | Part No.           | Description |   |   |   |   | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|-------------|--------------------|-------------|---|---|---|---|---------|------------------------|---------------------|-----------|
|             |                    | 1           | 2 | 3 | 4 | 5 |         |                        |                     |           |
| 2138        | A.61599            |             |   |   |   |   | 2       | —                      | C.                  | DD.2      |
| 9876        | A.231571           |             |   |   |   |   | 1       | —                      | C.                  | DD.2      |
| 7831        | D.206792/3         |             |   |   |   |   | 1       | —                      | B.                  | DD.2      |
|             |                    |             |   |   |   |   |         |                        |                     |           |
|             | D.206792/1         |             |   |   |   |   | 1       | DTD.610                |                     |           |
|             | C.206794           |             |   |   |   |   | 1       | L.59                   |                     |           |
| 28M/9434251 | AGS.2008/B1        |             |   |   |   |   | 2       | —                      | C.                  |           |
|             | F.191313           |             |   |   |   |   | 1       | DTD.610                |                     |           |
| 28Q/7656    | AS.164/405         |             |   |   |   |   | 2       | —                      | C.                  |           |
| 28Q/7943    | AS.164/304         |             |   |   |   |   | 2       | —                      | C.                  |           |
| 28Q/7655    | AS.163/404         |             |   |   |   |   | 10      | —                      | C.                  |           |
|             |                    |             |   |   |   |   |         |                        |                     |           |
| 7832        | D.206792/4         |             |   |   |   |   | 1       | —                      | B.                  | DD.2      |
|             |                    |             |   |   |   |   |         |                        |                     |           |
|             | F.191312           |             |   |   |   |   | 1       | LFS.21                 |                     | DD.2      |
|             | F.177444           |             |   |   |   |   | 1       | LFS.21                 |                     | DD.2      |
|             | F.191311           |             |   |   |   |   | 1       | LFS.21                 |                     |           |
|             | F.177443           |             |   |   |   |   | 2       | LFS.21                 |                     |           |
|             | F.177441           |             |   |   |   |   | 1       | LFS.21                 |                     | DD.2      |
|             | F.177445           |             |   |   |   |   | 1       | LFS.21                 |                     | DD.2      |
| 9126        | F.204692           |             |   |   |   |   | 1       | Fibre                  |                     |           |
| 28D/8311    | AS.1242/7C         |             |   |   |   |   | 2       | —                      | C.                  |           |
|             | A.177395           |             |   |   |   |   | 1       | S.3                    |                     |           |
|             | D.206792/2         |             |   |   |   |   | 1       | DTD.610                |                     |           |
|             | C.206793           |             |   |   |   |   | 1       | L.59                   |                     |           |
| 28M/9435067 | AGS.2008/C1        |             |   |   |   |   | 1       | —                      | C.                  |           |
|             | F.177518           |             |   |   |   |   | 1       | DTD.610                |                     |           |
| 28Q/10098   | AS.164/409         |             |   |   |   |   | 2       | —                      | C.                  |           |
| 28Q/8147    | AS.164/406         |             |   |   |   |   | 4       | —                      | C.                  |           |
| 28Q/8148    | AS.164/407         |             |   |   |   |   | 2       | —                      | C.                  |           |
| 28Q/9038    | AS.164/414         |             |   |   |   |   | 2       | —                      | C.                  |           |
| 28Q/10012   | AS.164/415         |             |   |   |   |   | 2       | —                      | C.                  |           |
| 28Q/7943    | AS.164/304         |             |   |   |   |   | 2       | —                      | C.                  |           |
| 28Q/8394    | AS.163/304         |             |   |   |   |   | 2       | —                      | C.                  |           |
| 28Q/8882    | AS.163/404         |             |   |   |   |   | 10      | —                      | C.                  |           |
|             |                    |             |   |   |   |   |         |                        |                     |           |
| 27J/539     | Dunlop AC.61044    |             |   |   |   |   | 1       | —                      | A.                  |           |
| 6974        | F.180734           |             |   |   |   |   | 1       | DTD.610                | C.                  | DD.2      |
| 7834        | F.212863           |             |   |   |   |   | 1       | S.95.B                 | C.                  | DD.2      |
|             | F.168225           |             |   |   |   |   | 2       | S.97.B                 |                     |           |
|             | B.178321           |             |   |   |   |   | 1       | Stpg.                  |                     |           |
|             | B.178579           |             |   |   |   |   | 1       | S.95.B                 |                     |           |
| 9812        | F.231559           |             |   |   |   |   | 1       | S.95.B                 | C.                  | DD.2      |
| 217         | F.177524           |             |   |   |   |   | 1       | Laminum                | C.                  | DD.2      |
| 9507        | B.178440           |             |   |   |   |   | 1       | S.95.B                 | C.                  |           |
| 8602        | F.178409           |             |   |   |   |   | 1       | S.95.B                 | C.                  |           |
| 1891        | F.195967           |             |   |   |   |   | 1       | —                      | C.                  | DD.2      |
|             | A.208523           |             |   |   |   |   | 1       | T.50                   |                     |           |
|             | A.177411           |             |   |   |   |   | 1       | T.50                   |                     |           |
|             | A.73025            |             |   |   |   |   | 1       | —                      |                     |           |
|             | Std.1510/13/139    |             |   |   |   |   | 1       | T.4                    |                     |           |
| 4654        | Std.1208/90/25/64  |             |   |   |   |   | 1       | Shim Steel             | C.                  | DD.2      |
| 221         | Std.1208/75/33/50  |             |   |   |   |   | 1       | Shim Steel             | C.                  | DD.2      |
|             |                    |             |   |   |   |   |         |                        |                     |           |
| 222         | Std.1208/75/33/100 |             |   |   |   |   | 1       | Shim Steel             | C.                  | DD.2      |

FLYING CONTROLS—FRONT FUSELAGE

| Ref. No.    | Part No.             | Description   |   |   |   |   | No. Off | Material Specification | M.R. Class of Store | Place No. |
|-------------|----------------------|---|---|---|---|---|---------|------------------------|---------------------|-----------|
|             |                      | 1   | 2 | 3 | 4 | 5 |         |                        |                     |           |
|             | D.217279             | <b>Column, control, starboard, group</b> ... ..                       |   |   |   |   | 1       | —                      |                     |           |
| 207         | F.180779             | <b>Adjuster</b> ... ..  |   |   |   |   | 2       | S.95.B                 | C.                  | DD.2      |
| 2A/9501177  | BRE. $\frac{3}{8}$ " | <b>Bearing, at universal fork</b> ... ..                              |   |   |   |   | 2       | —                      | B.                  |           |
| 2A/9501178  | BRE. $\frac{3}{8}$ " | <b>Bearing, at control column head</b> ... ..                         |   |   |   |   | 2       | —                      | B.                  |           |
| 1494        | F.191314             | <b>Block, stop</b> ... ..   |   |   |   |   | 1       | DTD.364                | C.                  | DD.2      |
| 208         | F.177528             | <b>Bolt, attachment of control column tube to socket</b> ... ..       |   |   |   |   | 1       | S.95.B                 | C.                  | DD.2      |
| 209         | F.177527             | <b>Bolt, attachment of control column tube to socket</b> ... ..       |   |   |   |   | 1       | S.95.B                 | C.                  | DD.2      |
| 220         | F.166596             | <b>Bolt, chain guard attachment</b> ... ..                            |   |   |   |   | 2       | S.95.B                 | C.                  | DD.2      |
|             | Std.1553/E/130       | <b>Bolt, for control column crank</b> ... ..                          |   |   |   |   | 4       | S.99                   |                     |           |
|             | B.223295             | <b>Cable, F.26B starboard group (See Cable chart)</b> ... ..          |   |   |   |   | 1       | —                      |                     |           |
| 210         | A.182742             | <b>Chain, top aileron control, complete with eye ends</b> ... ..      |   |   |   |   | 1       | —                      | C.                  | DD.2      |
| 211         | A.182743             | <b>Chain, bottom aileron control, complete with eye ends</b> ... ..   |   |   |   |   | 1       | —                      | C.                  | DD.2      |
| 8662        | F.221603             | <b>Clip, securing cable</b> ... ..                                    |   |   |   |   | 1       | —                      | C.                  | DD.2      |
|             | A.178531             | <b>Crank, control column</b> ... ..                                   |   |   |   |   | 2       | Stpg.                  |                     |           |
| 212         | F.180736             | <b>Ferrule, at attachment of control column tube to socket</b> ... .. |   |   |   |   | 2       | S.95.B                 | C.                  | DD.2      |
| 2138        | A.61599              | <b>Guard, chip, at universal guard</b> ... ..                         |   |   |   |   | 2       | —                      | C.                  | DD.2      |
| 214         | D.177684/B           | <b>Guard, chain, front portion, group</b> ... ..                      |   |   |   |   | 1       | —                      | B.                  | DD.2      |
|             |                      | Consisting of:—   |   |   |   |   |         |                        |                     |           |
|             | D.177684/1           | <b>Cover, front...</b> ... ..   |   |   |   |   | 1       | DTD.610                |                     |           |
| 28M/9434251 | AGS.2008/B1          | <b>Nut, anchor</b> ... ..   |   |   |   |   | 2       | —                      | C.                  |           |
|             | F.191313             | <b>Plat, stop</b> ... ..  |   |   |   |   | 1       | DTD.610                |                     |           |
| 28Q/7943    | AS.164/304           | <b>Rivet</b> ... ..   |   |   |   |   | 4       | —                      | C.                  |           |
| 28Q/7656    | AS.164/405           | <b>Rivet</b> ... ..   |   |   |   |   | 2       | —                      | C.                  |           |
| 215         | D.177684/A           | <b>Guard, chain, rear portion, group</b> ... ..                       |   |   |   |   | 1       | —                      | B.                  | DD.2      |
|             |                      | Consisting of:—   |   |   |   |   |         |                        |                     |           |
|             | F.177441             | <b>Block, saddle</b> ... ..   |   |   |   |   | 1       | LFS.21                 |                     | DD.2      |
|             | F.177443             | <b>Block, saddle</b> ... ..   |   |   |   |   | 2       | LFS.21                 |                     |           |
|             | F.177444             | <b>Block, distance</b> ... ..   |   |   |   |   | 1       | LFS.21                 |                     | DD.2      |
|             | F.177445             | <b>Block, saddle</b> ... ..   |   |   |   |   | 1       | LFS.21                 |                     | DD.2      |
|             | F.191311             | <b>Block, saddle</b> ... ..   |   |   |   |   | 1       | LFS.21                 |                     |           |
|             | F.191312             | <b>Block, distance</b> ... ..   |   |   |   |   | 1       | LFS.21                 |                     | DD.2      |
| 28D/1007978 | AS.1242/7C           | <b>Bolt, 2 B.A.</b> ... ..  |   |   |   |   | 2       | —                      | C.                  |           |
|             | A.177395             | <b>Bracket</b> ... ..   |   |   |   |   | 1       | S.3                    |                     |           |
|             | D.177684/2           | <b>Cover, rear</b> ... ..   |   |   |   |   | 1       | DTD.610                |                     |           |
| 28M/9435067 | AGS.2008/C1          | <b>Nut, anchor</b> ... ..   |   |   |   |   | 1       | —                      | C.                  |           |
|             | F.177518             | <b>Packing</b> ... ..   |   |   |   |   | 1       | DTD.610                |                     |           |
| 28Q/7943    | AS.164/304           | <b>Rivet</b> ... ..   |   |   |   |   | 2       | —                      | C.                  |           |
| 28Q/8147    | AS.164/406           | <b>Rivet</b> ... ..   |   |   |   |   | 4       | —                      | C.                  |           |
| 28Q/10098   | AS.164/409           | <b>Rivet</b> ... ..   |   |   |   |   | 2       | —                      | C.                  |           |
| 28Q/9038    | AS.164/414           | <b>Rivet</b> ... ..   |   |   |   |   | 2       | —                      | C.                  |           |
| 28Q/10012   | AS.164/415           | <b>Rivet</b> ... ..   |   |   |   |   | 1       | —                      | C.                  |           |
| 27J/539     | Dunlop AC.61044      | <b>Handle, control, group (Mod. 948)</b> ... ..                       |   |   |   |   | 1       | —                      | A.                  |           |
|             | F.180734             | <b>Lug, locking</b> ... ..  |   |   |   |   | 1       | DTD.610                | C.                  | DD.2      |
|             | F.168225             | <b>Pin, sprocket attachment to socket</b> ... ..                      |   |   |   |   | 2       | S.97.B                 |                     |           |
|             | B.178321             | <b>Plug-end</b> ... ..  |   |   |   |   | 1       | Stpg.                  |                     |           |
|             | B.178579             | <b>Plug-end</b> ... ..  |   |   |   |   | 1       | S.95.B                 |                     |           |
| 216         | F.182735             | <b>Rod, chain connecting, port</b> ... ..                             |   |   |   |   | 1       | —                      | C.                  |           |
|             |                      | (alternative to F.231559)   |   |   |   |   |         |                        |                     |           |
| 9812        | F.231559             | <b>Rod, chain connecting, port and starboard</b> ... ..               |   |   |   |   | 2       | —                      | C.                  | DD.2      |
| 217         | F.177524             | <b>Shim, attachment of universal fork to control tube</b> ... ..      |   |   |   |   | 1       | Laminum                | C.                  | DD.2      |
|             | B.178440             | <b>Socket, joint</b> ... ..   |   |   |   |   | 1       | S.95.B                 |                     |           |
| 8602        | F.178409             | <b>Sprocket, at joint socket</b> ... ..                               |   |   |   |   | 1       | S.95.B                 | C.                  |           |

## FLYING CONTROLS—FRONT FUSELAGE

| Ref. No.   | Part No.           | Description   | 1 2 3 4 5 |   |   |   |   | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|------------|--------------------|---|-----------|---|---|---|---|---------|------------------------|---------------------|-----------|
|            |                    |   | 1         | 2 | 3 | 4 | 5 |         |                        |                     |           |
| 1891       | F.195967           | Sprocket and fork, group ... ..   |           |   |   |   |   | 1       | —                      | C.                  | DD.2      |
|            | A.177411           | Tube, control ... ..  |           |   |   |   |   | 1       | T.50                   |                     |           |
|            | A.73025            | Tube, distance, at universal fork ... ..                                      |           |   |   |   |   | 1       | —                      |                     |           |
| 4654       | Std.1208/90/25/64  | Washer, at sprocket and fork, assembly ... ..                                 |           |   |   |   |   | 1       | Shim                   | C.                  | DD.2      |
| 221        | Std.1208/75/33/50  | Washer, at attachment of control column tube to socket                        |           |   |   |   |   | 1       | Shim                   | C.                  | DD.2      |
| 222        | Std.1208/75/33/100 | Washer, at control column joint socket ... ..                                 |           |   |   |   |   | 1       | Shim Steel             | C.                  | DD.2      |
|            | C.217041           | <b>CONTROLS, BETWEEN FRAMES 10 TO 18, ASSEMBLY</b>                            |           |   |   |   |   | —       | —                      | —                   |           |
|            | C.216966           | <b>LEVERS, AFT OF SEAT FRAME, ASSEMBLY</b>                                    |           |   |   |   |   | —       | —                      | —                   |           |
| 8663       | B.216995           | Lever, aileron control, group ... ..  |           |   |   |   |   | 1       | —                      | MR/B                | DD.1      |
| 228        | B.168402           | Lever, elevator and rudder, group ... ..                                      |           |   |   |   |   | 2       | —                      | B.                  | DD.1      |
|            | F.210577           | Shaft ... ..  |           |   |   |   |   | 1       | T.50                   |                     |           |
| 230        | F.178826           | Spool ... ..  |           |   |   |   |   | 2       | DTD.364                | C.                  | DD.1      |
| 231        | F.178430/3         | Tube, distance, 1¼" o/d × 14 S.W.G. × 0.43" long                              |           |   |   |   |   | 1       | T.4                    | C.                  | DD.1      |
| 232        | F.178430/4         | Tube, distance, 1½" o/d × 14 S.W.G. × 0.225" long                             |           |   |   |   |   | 1       | T.4                    | C.                  | DD.1      |
|            | F.210575           | Tube, distance ... ..   |           |   |   |   |   | 1       | L.62                   |                     |           |
|            | F.210576           | Tube, distance ... ..   |           |   |   |   |   | 1       | L.62                   |                     |           |
| 234        | Std.1208/141/68/40 | Washer, 1.41" o/d × 1¼" i/d × 0.04" wide ...                                  |           |   |   |   |   | 6       | Shim                   | C.                  | DD.1      |
| 287        | A.168404           | Link, idling, group ... ..  |           |   |   |   |   | 3       | —                      | B.                  | DD.1      |
| 6201       | A.209620           | Tube, aileron, elevator, and rudder control, between frames 14 and 17B, group |           |   |   |   |   | 3       | —                      | B.                  | DD.1      |
| 6202       | A.209621           | Fork-end ... ..   |           |   |   |   |   | 1       | S.96.B                 | C.                  |           |
|            | A.217043           | Tube, aileron control between frames 11 and 13, group                         |           |   |   |   |   | 1       | —                      |                     |           |
| 276        | A.166631           | Tube, elevator and rudder control, between frames 11 and 13, group            |           |   |   |   |   | 2       | —                      | B.                  | DD.1      |
|            | B.190129           | <b>GAITER, FOR CONTROL COLUMN, ASSEMBLY</b>                                   |           |   |   |   |   | —       | —                      | —                   |           |
| 4444       | F.201985           | Clip, for gaiter attachment ... ..  |           |   |   |   |   | 2       | L.72                   | C.                  | DD.1      |
| 4105       | Std.1285/8CC       | Connector, earthing ... ..  |           |   |   |   |   | 2       | —                      | C.                  | 4         |
| 1495       | B.190128           | Gaiter, at control column base, group ... ..                                  |           |   |   |   |   | 2       | —                      | C.                  | DD.1      |
| 4106       | F.199283           | Guard, for gaiter ... ..  |           |   |   |   |   | 1       | L.72                   | C.                  | DD.1      |
| 5799       | A.205006           | Support, for gaiter ... ..  |           |   |   |   |   | 1       | L.72                   | C.                  |           |
|            | F.165984           | Guard, chip, at housing for aileron control ... ..                            |           |   |   |   |   | 1       | DTD.610                |                     | DD.2      |
|            | F.218110           | Guard, chip, at housing for aileron control ... ..                            |           |   |   |   |   | 1       | L.72                   |                     | DD.2      |
|            | F.218200           | Guard, chip, at aileron control ... ..  |           |   |   |   |   | 1       | L.72                   |                     |           |
|            | A.185082           | Housing, aileron torque tube, group ... ..                                    |           |   |   |   |   | 2       | —                      |                     |           |
| 223        | G.300225½          | Seal, "Gaco" ... ..   |           |   |   |   |   | 1       | SE.85                  | C.                  | DD.2      |
|            | A.180432           | Housing, control column crank, group ... ..                                   |           |   |   |   |   | 2       | —                      |                     |           |
| 224        | GACO.              | Seal ... ..   |           |   |   |   |   | 1       | SE.85                  | C.                  | DD.2      |
|            | G.189125 ¾"        |   |           |   |   |   |   |         |                        |                     |           |
|            | B.217273           | Housing, bearing for aileron control ... ..                                   |           |   |   |   |   | 1       | Casting                |                     |           |
| 613        | A.177446           | Housing, bearing, rudder lever, group ... ..                                  |           |   |   |   |   | 2       | —                      | B.                  | DD.2      |
| 2A/9500419 | Hoffmann T.17      | Bearing ... ..  |           |   |   |   |   | 1       | —                      | B.                  | DD.2      |
|            | 645                | Housing, bearing, rudder lever, group ... ..                                  |           |   |   |   |   | 2       | —                      | B.                  | DD.2      |
| 2A/9500419 | Hoffmann T.17      | Bearing ... ..  |           |   |   |   |   | 1       | —                      | B.                  | DD.2      |

FLYING CONTROL—FRONT FUSELAGE

| Ref. No.   | Part No.      | Description   | 1 2 3 4 5 |                   |      |  |  | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|------------|---------------|---|-----------|-------------------|------|--|--|---------|------------------------|---------------------|-----------|
|            |               |   | 27Q/70127 | Dowty 1.00426.001 | Jack |  |  |         |                        |                     |           |
|            | B.207266      | Lever, elevator control under pilot's floor, group                      |           |                   |      |  |  | 1       | —                      |                     |           |
|            | B.229510      | Lever, elevator control under pilot's floor, group                      |           |                   |      |  |  | 2       | —                      |                     |           |
| 10171      | B.207567      | Lever, elevator control under pilot's floor, group                      |           |                   |      |  |  | 2       | —                      |                     |           |
| 226        | B.165970      | Lever, rudder control aft of frame 8 under pilot's floor, group         |           |                   |      |  |  | 1       | —                      | B.                  | DD.1      |
|            | B.207280      | Lever, rudder control, group  |           |                   |      |  |  | 1       | —                      |                     |           |
|            | B.207281      | Lever, rudder control under pilot's floor, group                        |           |                   |      |  |  | 1       | —                      |                     |           |
| 2139       | A.53255       | Nut, attachment of torque tube to control column                        |           |                   |      |  |  | 2       | S.2                    | C.                  | DD.2      |
|            | Std.1921/SS   | Nut, for spindle, at aileron control jack                               |           |                   |      |  |  | 1       | S.94.B                 |                     |           |
|            | F.230465      | Packing, for rudder bar pedestal  |           |                   |      |  |  | 2       | L.72                   |                     |           |
|            | F.211957      | Piece, distance, at rudder control lever                                |           |                   |      |  |  | 1       | S.1.B                  |                     |           |
|            | F.235549      | Piece, distance, at torque tube (AS.840/95)                             |           |                   |      |  |  | 1       | L.65C                  |                     |           |
| 5804       | A.53057/1     | Pin, attachment of torque tube to control column                        |           |                   |      |  |  | 2       | S.94.B                 | C.                  | DD.2      |
| 240        | F.182714      | Plate, locking, for rudder lever  |           |                   |      |  |  | 1       | S.3                    | C.                  | DD.1      |
|            | D.207392      | Rudder, bar, group  |           |                   |      |  |  | 2       | —                      |                     |           |
|            | B.207322      | Arm, rudder bar, group  |           |                   |      |  |  | 2       | —                      |                     | DD.1      |
| 242        | F.179017      | Eye-bolt, adjusting link attachment                                     |           |                   |      |  |  | 1       | S.95.B                 | C.                  | DD.1      |
| 2A/9500419 | BRT.1. 1/16"  | Bearing, rudder control spindle   |           |                   |      |  |  | 2       | —                      | B.                  |           |
| 244        | Std.1551/2/65 | Bolt, adjusting link attachment to rudder bar arm                       |           |                   |      |  |  | 4       | S.99.B                 | C.                  | DD.1      |
| 243        | Std.325/154   | Bolt, attachment of rudder bar links to pedal                           |           |                   |      |  |  | 2       | S.99.B                 | C.                  | DD.1      |
| 4271       | F.199879      | Bolt, for lever stop  |           |                   |      |  |  | 1       | S.96                   | C.                  | DD.1      |
| 4270       | F.199878      | Bracket, retaining  |           |                   |      |  |  | 1       | —                      | C.                  | DD.1      |
| 245        | F.148388      | Bush, rudder control spindle, top                                       |           |                   |      |  |  | 1       | B.8                    | C.                  | DD.1      |
| 246        | F.148389      | Bush, rudder control spindle, bottom                                    |           |                   |      |  |  | 1       | B.8                    | C.                  | DD.1      |
| 247        | F.148387      | Cap, rudder control spindle   |           |                   |      |  |  | 2       | DTD.176A               | C.                  | DD.1      |
|            | A.207278      | Lever, on rudder control spindle, group                                 |           |                   |      |  |  | 1       | —                      |                     |           |
| 251        | F.178554      | Link, rudder bar adjusting  |           |                   |      |  |  | 2       | S.95.B                 | C.                  | DD.1      |
|            | A.207290      | Link, for rudder bar, group   |           |                   |      |  |  | 1       | —                      |                     | DD.1      |
|            | A.207289      | Link, for rudder bar, group   |           |                   |      |  |  | 1       | —                      |                     | DD.1      |
| 4554       | F.202251      | Packing, for lever stop   |           |                   |      |  |  | QR      | Brass Lam.             | C.                  |           |
|            | C.203345      | Pedal, rudder, group  |           |                   |      |  |  | 2       | —                      |                     |           |
| 254        | F.179068      | Heel-bar  |           |                   |      |  |  | 1       | LFS.21                 | C.                  | DD.1      |
| 4767       | B.203346      | Plate, pedal  |           |                   |      |  |  | 1       | —                      | C.                  | DD.1      |
| 4102       | A.198965      | Strap, toe  |           |                   |      |  |  | 1       | —                      | C.                  | DD.1      |
|            | C.207293      | Pedestal, top portion   |           |                   |      |  |  | 1       | Casting                |                     |           |
| 253        | B.177767      | Pedestal, bottom portion  |           |                   |      |  |  | 1       | Casting                | C.                  | DD.1      |
| 257        | A.169699      | Plate, rudder bar link support  |           |                   |      |  |  | 1       | —                      | C.                  | DD.1      |
| 258        | GACO          | Seal, rudder pedestal   |           |                   |      |  |  | 1       | SE.85                  | C.                  | DD.1      |
|            | G.175106 3/8" |   |           |                   |      |  |  |         |                        |                     |           |
| 5797       | F.204988      | Shield, front, for pedestal   |           |                   |      |  |  | 1       | S.84                   | C.                  | DD.1      |
| 6749       | A.210153      | Shield, rear, for pedestal  |           |                   |      |  |  | 1       | S.84                   | C.                  | DD.1      |
| 259        | F.165192      | Shim, at rudder control spindle   |           |                   |      |  |  | QR      | DTD.364                | C.                  | DD.1      |
| 1927       | F.196367      | Sleeve, adjusting shaft   |           |                   |      |  |  | 1       | DTD.364                | C.                  | DD.1      |
| 260        | A.177118      | Slide, rudder arm adjusting   |           |                   |      |  |  | 1       | Stpg.                  | C.                  | DD.1      |
| 261        | F.169546      | Spring  |           |                   |      |  |  | 1       | Sp. St.                | C.                  | DD.1      |
|            | A.207292      | Stop, lever   |           |                   |      |  |  | 1       | L.65.C                 |                     |           |
|            | F.207581      | Washer, at pedestal   |           |                   |      |  |  | 1       | L.72                   |                     |           |
| 4150       | Std 915/C/22  | Washer, at support plate attachment                                     |           |                   |      |  |  | 3       | S.1                    | C.                  | 4         |
|            | A.230423      | Shaft, torque port for control column crank, under pilot's floor, port  |           |                   |      |  |  | 1       | S.95.B                 | C.                  | DD.2      |
|            | A.208242      | Shaft, torque, for control column crank, under pilot's floor, starboard |           |                   |      |  |  | 1       | S.95.B                 |                     |           |


FLYING CONTROLS—FRONT FUSELAGE

| Ref. No.   | Part No.           | Description |   |   |   |   | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|------------|--------------------|-------------|---|---|---|---|---------|------------------------|---------------------|-----------|
|            |                    | 1           | 2 | 3 | 4 | 5 |         |                        |                     |           |
| 264        | F.178750           |             |   |   |   |   | 2       | S.95.B                 | C.                  | DD.2      |
|            | Std.1208/130/68/50 |             |   |   |   |   | 2       | Shim Steel             |                     |           |
| 267        | Std.1208/150/68/50 |             |   |   |   |   | 2       | Shim Steel             | C.                  | DD.2      |
|            | Std.1208/200/96/15 |             |   |   |   |   | 10      | Shim Steel             |                     |           |
|            | A.216960           |             |   |   |   |   | 1       | S.96.B or S.95.B       |                     |           |
|            | A.207336           |             |   |   |   |   | 1       | —                      |                     |           |
| 2368       | F.171710           |             |   |   |   |   | 1       | —                      | MR/C                |           |
|            | A.207381           |             |   |   |   |   | 1       | —                      |                     |           |
| 279        | B.165991           |             |   |   |   |   | 1       | —                      | B.                  | DD.1      |
|            | A.207361           |             |   |   |   |   | 1       | —                      | —                   | DD.1      |
| 274        | A.171044           |             |   |   |   |   | 1       | S.96.B                 | B.                  |           |
|            | B.207328           |             |   |   |   |   | 1       | —                      | —                   | DD.1      |
| 278        | B.165990           |             |   |   |   |   | 1       | —                      | B.                  |           |
|            | A.207337           |             |   |   |   |   | 1       | —                      | —                   | DD.1      |
| 2368       | F.171710           |             |   |   |   |   | 1       | —                      | MR/C                |           |
|            | A.207382           |             |   |   |   |   | 1       | —                      | —                   | DD.1      |
|            | B.207338           |             |   |   |   |   | 1       | T.50                   |                     |           |
|            | B.207279           |             |   |   |   |   | 2       | —                      |                     |           |
| 2A/9500154 | BAL.025            |             |   |   |   |   | 1       | —                      | B.                  |           |
|            | F.165984           |             |   |   |   |   | 1       | DTD.610                | —                   | DD.2      |
|            | F.218110           |             |   |   |   |   | 1       | L.72                   | —                   | DD.2      |
|            | B.208230           |             |   |   |   |   | 1       | Casting                | —                   | DD.2      |
|            | A.207278           |             |   |   |   |   | 1       | —                      | —                   | DD.2      |
| 272        | Std.1208/106/24/64 |             |   |   |   |   | 1       | Shim Steel             | C.                  | DD.2      |
|            | F.216961           |             |   |   |   |   | 1       | T.26 or S.1.B          |                     |           |
| 1497       | F.185083           |             |   |   |   |   | 2       | DTD.560                | C.                  | DD.2      |
|            | E.217039/1         |             |   |   |   |   | 1       | L.72                   |                     |           |
| 8664       | E.217039/2         |             |   |   |   |   | 1       | Rubber                 | C.                  |           |
|            | F.218338           |             |   |   |   |   | 1       | L.65.C                 |                     |           |

FLYING CONTROLS—FRONT FUSELAGE

| Ref. No.                      | Part No.    | Description |       |        |     |     | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|-------------------------------|-------------|-------------|-------|--------|-----|-----|---------|------------------------|---------------------|-----------|
|                               |             | 1           | 2     | 3      | 4   | 5   |         |                        |                     |           |
| <b>SUMMARY OF STOCK ITEMS</b> |             |             |       |        |     |     |         |                        |                     |           |
| 28D/9133011                   | A.25.2C     | Bolt,       | 2     | B.A.   | ... | ... | ...     | ...                    | ...                 | ...       |
| 28D/9133012                   | A.25.3C     | Bolt,       | 2     | B.A.   | ... | ... | ...     | ...                    | ...                 | ...       |
| 28D/1200119                   | A.25.4C     | Bolt,       | 2     | B.A.   | ... | ... | ...     | ...                    | ...                 | ...       |
| 28D/1013172                   | A.25.5C     | Bolt,       | 2     | B.A.   | ... | ... | ...     | ...                    | ...                 | ...       |
| 28D/12536                     | A.25.13C    | Bolt,       | 2     | B.A.   | ... | ... | ...     | ...                    | ...                 | ...       |
| 28D/1011240                   | A.25.5E     | Bolt,       | 1/4"  | B.S.F. | ... | ... | ...     | ...                    | ...                 | ...       |
| 28D/12547                     | A.25.15E    | Bolt,       | 1/4"  | B.S.F. | ... | ... | ...     | ...                    | ...                 | ...       |
| 28D/12550                     | A.25.22E    | Bolt,       | 1/4"  | B.S.F. | ... | ... | ...     | ...                    | ...                 | ...       |
| 28D/13099                     | A.30.17C    | Bolt,       | 2     | B.A.   | ... | ... | ...     | ...                    | ...                 | ...       |
| 28D/13361                     | A.30.8E     | Bolt,       | 1/4"  | B.S.F. | ... | ... | ...     | ...                    | ...                 | ...       |
| 28D/13711                     | A.30.9E     | Bolt,       | 1/4"  | B.S.F. | ... | ... | ...     | ...                    | ...                 | ...       |
| 28D/14010                     | A.30.10E    | Bolt,       | 1/4"  | B.S.F. | ... | ... | ...     | ...                    | ...                 | ...       |
| 28D/13442                     | A.30.11E    | Bolt,       | 1/4"  | B.S.F. | ... | ... | ...     | ...                    | ...                 | ...       |
| 28D/13474                     | A.30.12E    | Bolt,       | 1/4"  | B.S.F. | ... | ... | ...     | ...                    | ...                 | ...       |
| 28D/13979                     | A.30.14E    | Bolt,       | 1/4"  | B.S.F. | ... | ... | ...     | ...                    | ...                 | ...       |
| 28D/13115                     | A.30.16E    | Bolt,       | 1/4"  | B.S.F. | ... | ... | ...     | ...                    | ...                 | ...       |
| 28D/13102                     | A.30.21J    | Bolt,       | 3/8"  | B.S.F. | ... | ... | ...     | ...                    | ...                 | ...       |
| 28D/1007976                   | AS.1242/4C  | Bolt,       | 2     | B.A.   | ... | ... | ...     | ...                    | ...                 | ...       |
| 28N/9156370                   | SP.21       | Greaser     | ...   | ...    | ... | ... | ...     | ...                    | ...                 | ...       |
| 28M/13121                     | A.27.CS     | Nut,        | 2     | B.A.   | ... | ... | ...     | ...                    | ...                 | ...       |
| 28M/1086473                   | A.27.CT     | Nut,        | 2     | B.A.   | ... | ... | ...     | ...                    | ...                 | ...       |
| 28M/12928                     | A.27.EP     | Nut,        | 1/4"  | B.S.F. | ... | ... | ...     | ...                    | ...                 | ...       |
| 28M/1011467                   | A.27.ES     | Nut,        | 1/4"  | B.S.F. | ... | ... | ...     | ...                    | ...                 | ...       |
| 28M/12931                     | A.27.ET     | Nut,        | 1/4"  | B.S.F. | ... | ... | ...     | ...                    | ...                 | ...       |
| 28M/13464                     | A.27.G.T.L. | Nut,        | 5/16" | B.S.F. | ... | ... | ...     | ...                    | ...                 | ...       |
| 28M/1011476                   | A.27.JS     | Nut,        | 3/8"  | B.S.F. | ... | ... | ...     | ...                    | ...                 | ...       |
| 28M/13641                     | A.27.LT     | Nut,        | 5/16" | B.S.F. | ... | ... | ...     | ...                    | ...                 | ...       |
| 28M/13935                     | A.58.ES     | Nut,        | 1/4"  | B.S.F. | ... | ... | ...     | ...                    | ...                 | ...       |
| 28M/14536                     | A.58.ET     | Nut,        | 1/4"  | B.S.F. | ... | ... | ...     | ...                    | ...                 | ...       |
| 28M/14833                     | A.58.JS     | Nut,        | 3/8"  | B.S.F. | ... | ... | ...     | ...                    | ...                 | ...       |
| 28M/15496                     | A.58.LT     | Nut,        | 7/16" | B.S.F. | ... | ... | ...     | ...                    | ...                 | ...       |
| 28M/14555                     | A.58.NS     | Nut,        | 1/2"  | B.S.F. | ... | ... | ...     | ...                    | ...                 | ...       |
| 28M/10288                     | AGS.2001/C1 | Nut,        | 2     | B.A.   | ... | ... | ...     | ...                    | ...                 | ...       |
| 28M/1002430                   | AGS.2002/E1 | Nut,        | 1/4"  | B.S.F. | ... | ... | ...     | ...                    | ...                 | ...       |
| 28P/19154                     | SP.90.C7    | Pin, split  | ...   | ...    | ... | ... | ...     | ...                    | ...                 | ...       |
| 28P/19229                     | SP.90.C9    | Pin, split  | ...   | ...    | ... | ... | ...     | ...                    | ...                 | ...       |
| 28P/19235                     | SP.90.E10   | Pin, split  | ...   | ...    | ... | ... | ...     | ...                    | ...                 | ...       |
| 28P/19155                     | SP.90.E12   | Pin, split  | ...   | ...    | ... | ... | ...     | ...                    | ...                 | ...       |
| 28W/9419475                   | SP.15C      | Washer,     | 2     | B.A.   | ... | ... | ...     | ...                    | ...                 | ...       |
| 28W/9419405                   | SP.15E      | Washer,     | 1/4"  | B.S.F. | ... | ... | ...     | ...                    | ...                 | ...       |
| 28W/9419476                   | SP.15G      | Washer,     | 5/16" | B.S.F. | ... | ... | ...     | ...                    | ...                 | ...       |
| 28W/9419477                   | SP.15J      | Washer,     | 3/8"  | B.S.F. | ... | ... | ...     | ...                    | ...                 | ...       |
| 28W/9419479                   | SP.15N      | Washer,     | 1/2"  | B.S.F. | ... | ... | ...     | ...                    | ...                 | ...       |
| 28W/9419404                   | SP.16C      | Washer,     | 2     | B.A.   | ... | ... | ...     | ...                    | ...                 | ...       |
| 28W/9419487                   | SP.16E      | Washer,     | 1/4"  | B.S.F. | ... | ... | ...     | ...                    | ...                 | ...       |

| Ref. No. | Part No. |   |   |   |   |   | Description | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|----------|---|---|---|---|---|-------------|---------|------------------------|---------------------|-----------|
|          |          | 1 | 2 | 3 | 4 | 5 |             |         |                        |                     |           |
|          |          |   |   |   |   |   |             |         |                        |                     |           |



FLYING CONTROLS



This file was downloaded  
from the RTFM Library.

Link: [www.scottbouch.com/rtfm](http://www.scottbouch.com/rtfm)

Please see site for usage terms,  
and more aircraft documents.