

FLYING CONTROLS—REAR FUSELAGE


Ref. No.	Part No.	Description	1 2 3 4 5					No. Off	Material Specification	M.R. Class of Score	Plate No.
			1	2	3	4	5				
	E.217437	FLYING CONTROLS, REAR FUSELAGE, ASSEMBLY						—			
9094	F.180484	Bolt, banjo (Mod. 834)						1	DTD.423	C.	
6345	F.202472	Bolt, connecting tail plane lever to actuator						—	S.99.B	B.	DE.1
6346	Std.325/222	Bolt, hinge for feel unit lever						1	S.99.B	C.	4
9095	F.179942	Bolt, banjo (Mod. 834)						1	S.96.B or S.95.B	C.	
	A.189667	Clamp (assembled to elevator booster)						1	S.2	—	DE.1
	A.189668	Clamp (assembled to elevator booster)						1	S.3	—	
7857	F.214116	Collar, at forward end of feel unit						1	S.1	C.	DE.1
7931	F.211395	Eyebolt						1	S.95.B	C.	DE.1
6353	C.209753	Feel unit, full power, elevator						1	—	A.	DE.1
27KF/3267	Fairey AH.1525 with Mod. FHB.135	Hydro-booster and linkage, elevator (Mod. 1005) ...						1	—	A	
10027	A.233729	Lever, elevator feel unit (Alternative to A.202126) ...							—	B.	DE.1
6349	A.202126	Lever, elevator feel unit (Alternative to A.233729) ...						1	—	B.	DE.1
6348	F.202129	Lever, connecting, at actuator						1	DTD.364	B.	DE.1
317	B.171446	Lever, rudder, between frames 48 and 49						1	—	B.	DE.1
287	A.168404	Link, for elevator and rudder controls						4	—	B.	DE.1
6347	B.209637	Link, idling, elevator control						1	—	B.	DE.1
	C.236150	MICRO, SWITCHES AND LINKAGE, ASSEMBLY						—	—		
	A.211393 ✓	BRACKET, MOUNTING FOR SWITCH CARRIER, ASSEMBLY						—	—		
	Std.1551/1/165 ✓	Bolt, at forward link						2	S.99		
8228	A.211399 ✓	Bracket, mounting for links, groups						1	—	MR/C	DE.1
8192	F.218104	Plate, locking						2	S.3	C.	DE.1
7936	A.211394 ✓	Link, aft						1	—	B.	DE.1
7935	A.211397 ✓	Link, forward						1	—	B.	DE.1
	—	Cable assembly (See cable chart)						—	—	—	
8229	F.211389 ✓	Channel, retaining for pins on connecting rod and spring unit						1	DTD.166	MR/C	DE.1
3734	Std.840/14 ✓	Clip, $\frac{7}{16}$ " wide x 22 S.W.G. x 1-4" long						1	DTD.610	MR/C	4
4159	Std.841/20 ✓	Clip, $\frac{1}{16}$ " wide x 22 S.W.G. x 2-0" long						1	DTD.610	C.	
4821	Std.841/22 ✓	Clip, $\frac{1}{16}$ " wide x 22 S.W.G. x 2-2" long						1	DTD.610	MR/C	4
5157	Std.1959/1 ✓	Clip						1	S.3	C.	5
9626	F.219510 ✓	Collar, at pin						1	S.95.B	C.	
10618	B.234812	Guard, group (Mod. 841)						1	—	C.	
	F.223873 ✓	Bracket, securing						1	—	—	
	A.223874 ✓	Bracket, securing						1	—	—	
7945	A.211392 ✓	Lever						1	—	B.	DE.1
7946	F.211422 ✓	Lever						1	S.80	B.	DE.1
7947	F.211423 ✓	Link						1	L.65.C	B.	DE.1
	F.211419 ✓	Packing, for nut plate						4	L.72	—	
	F.211410 ✓	Piece, distance, for mounting plates						3	L.65.C	—	DE.1
9625	F.219509 ✓	Pin, for lever						1	S.80.B	C.	DE.1
7949	F.211421 ✓	Pin, for lever						1	S.80.B	C.	DE.1
7939	Std.1221Z-D85 ✓	Pin, at lower end of con-rod and spring unit ...						2	—	C.	4
	A.220794 ✓	Plate, mounting for switches						2	S.520	—	DE.1
7951	F.211434 ✓	Plate, nut						2	—	C.	DE.1
10028	A.233730	Rod, connecting (Mod. 841)						1	—	B.	DE.1
7948	F.211420 ✓	Screw, adjusting						1	S.95.B	C.	DE.1

FLYING CONTROLS—REAR FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5K/3458	Hellermann						1	—	C.	
	F.211400 ✓						2	S.1	—	DE.1
7952	F.213728 ✓						2	—	B.	DE.1
7953	F.213240						1	Rubber	C.	DE.1
	Std.1509/23/026 ✓						1	T.4		
10031	B.234912						1	—	B.	DE.1
7944	F.211404 ✓						1	—	B.	
7943	A.211407 ✓						1	—	B.	
945	Std.1716.G						1	—	C.	5
7942	B.211415 ✓						1	—	B.	
	Std.1356/6 ✓						QR	L.A.		4
	Std.914-F20 ✓						1	S.1 or S.3		4
3767	Std.915.B20 ✓						1	DTD.610	C.	4
6350	Std.1221Z.D40						1	—	C.	4
6351	Std.1221Z.D50						2	—	C.	4
7940	Std.1221Z.D135						2	—	C.	4
325	A.171700						3	—	B.	DE.1
323	A.171701						1	—	B.	DE.1
324	A.171704						1	—	B.	DE.1
1499	B.176196						1	—	B.	DE.1
1500	A.188822						1	—	C.	DE.1
8184	B.215730						1	—	B.	DE.1
274	A.171044						1	—	B.	DE.1
	Std.1509/24/060						2	T.4		4
	Std.914.E18						4	DTD.610		4
	Std.914.E20						4	DTD.610		4
922	Std.1310/1						1	S.3	C.	4

FLYING CONTROLS—REAR FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28D/9438711	A25.10.B	Bolt, 4	B.A.
28D/9436920	A25.1.C	Bolt, 2	B.A.
28D/7002428	A25.6.C	Bolt, 2	B.A.
28D/9140645	A25.10.C	Bolt, 2	B.A.
28D/9419397	A25.12.C	Bolt, 2	B.A.
28D/13711	A.30.9.E	Bolt, 1/4"	B.S.F.
28D/14010	A30.10.E	Bolt, 1/4"	B.S.F.
28D/18678	A30.28.E	Bolt, 1/4"	B.S.F.
28D/14357	A30.27.G	Bolt, 5/16"	B.S.F.
28D/14581	A30.29.G	Bolt, 5/16"	B.S.F.
28D/14245	A30.10.J	Bolt, 3/8"	B.S.F.
28D/	A30.36.J	Bolt, 3/8"	B.S.F.
28M/1006504	A27.BT	Nut, 4	B.A.
28M/13121	A27.CS	Nut, 2	B.A.
28M/1011467	A27.ES	Nut, 1/4"	B.S.F.
28M/13935	A58.ES	Nut, 1/4"	B.S.F.
28M/14537	A58.GS	Nut, 5/16"	B.S.F.
28M/14833	A58.JS	Nut, 3/8"	B.S.F.
28M/10328	AGS.2002/C1	Nut, 2	B.A.
28N/5551	AGS.899/4	Collar, 1/4"	
28N/9156370	SP.21	Nipple, 1/4"	B.S.P.
28W/9419474	SP.15.B	Washer, 4	B.A....
28W/9419475	SP.15.C	Washer, 2	B.A....
28W/9419405	SP.15.E	Washer, 1/4"	B.S.F.
28W/9419477	SP.15.J	Washer, 3/8"	B.S.F.
28W/9419487	SP.16.E	Washer, 1/4"	B.S.F.
28W/9419488	SP.16.G	Washer, 5/16"	B.S.F.



This file was downloaded
from the RTFM Library.
Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

