

FLYING CONTROLS—OUTER WING

Ref. No.	Part No.	Description	1 2 3 4 5					No. Off	Material Specification	M.R. Class of Store	Plate No.
			1	2	3	4	5				
	D.181483-4	FLYING CONTROLS, OUTER WINGS, ASSEMBLY						—	—	—	
8358	A.215630	Bolt, flap, inboard hinge (Mod. 481)						2	S.95.B	C.	DG.2
8356	A.215628	Bolt, flap, inner and outer hinges (Mod. 481)						4	S.95.B	C.	DG.2
8357	A.215629	Bolt, flap hinge at flap jack (Mod. 481)						2	S.95.B	C.	DG.2
137	F.170109	Bolt, flap jack operating lever attachment						2	S.95	C.	DG.2
10514	Std.1639/13/EX	Bolt, at idling link fulcrum						2	S.95.B	C.	5
	C.199991	DETAILS IN PORT WING, ASSEMBLY...						—	—	—	
	F.185694	Angle, connector rod anchor, flap inboard bearing bracket						1	DTD.364		
8436	A.199188	Cable, operating desynn transmitter, group						1	—	B.	DG.2
		Consisting of :—									
29H/4109	Latch & Batchelor 1/00	Cable, flexible, special 3/32" dia.						25"	—	C.	
29H/1878	Bowden B.52	Casing, outer						21"	—	C.	
29H/1893	Bowden PN.980	Ferrule, plain						2	—	C.	
29H/1176	Bowden PN.935	Nipple						1	—	C.	
	F.189497	Nipple, special						1	B.11		
29H/	Bowden PN.1160	Nut						1	—	C.	
29H/1900	Bowden PN.1159	Stop, adjusting						1	—	C.	
1310	A.185383	Lever, flap interconnecting, inboard hinge						1	—	B.	DG.2
148	F.176488	Lever, flap interconnecting, inboard hinge						1	DTD.364	C.	DG.2
4482	F.199213	Link, at desynn transmitter						1	L.72	C.	DG.2
153	F.181946	Peg, attachment of flap levers, inboard hinge						1	S.95.B	C.	DG.2
154	Std.1221/Y/B40	Pin, attachment of control rod to position indicator lever						2	S.2	C.	4
1315	F.185697	Rod, connecting levers, flap inboard bearing bracket						1	—	C.	DG.2
4480	F.199191	Shackle, at desynn transmitter						1	S.3	C.	DG.2
4469	F.157015	Spring, at desynn transmitter						1	Steel	C.	DG.2
	C.185037-8	FLAP SYNCHRONISING, JACK MOUNTING, ASSEMBLY						1	—		
4218	A.198798	Adaptor						4	DTD.364	C.	DG.2
1305	C.185039-40	Blocks, bearing, port						1 pr.	—	C.	DG.2
1307	C.185041-2	Blocks, bearing, starboard						1 pr.	—	C.	DG.2
74	Std.1553/C40	Bolt, special						16	S.99.B	C.	5
1304	F.185860	Bolt, securing jack to lever						2	S.99.B	C.	DG.2
4219	F.191499	Bolt, banjo						4	S.95.B	C.	DG.2
7680	Std.1231/3.B	Lug, locking						4	S.2	MR/C	4
4214	A.198842/1	Pipe, greaser, port, inner						1	—	C.	DG.2
4215	A.198842/2	Pipe, greaser, starboard, inner						1	—	C.	
4216	A.198842/3	Pipe, greaser, port, outer						1	—	C.	DG.2
4217	A.198842/4	Pipe, greaser, starboard, outer						1	—	C.	
—	Dowty SP.815/3	Seal (Use 28F/9129099)						4	—	—	
	F.202783	Shim, flap synchronising jack mounting						QR	L.72		
	F.202784	Shim, flap synchronising jack mounting						QR	L.72		
	F.202785	Shim, flap synchronising jack mounting						QR	L.72		
	F.202786	Shim, flap synchronising jack mounting						QR	L.72		
4150	Std.915/C22	Washer						4	DTD.610	C.	4
138	B.182043	Lever, aileron, inboard, group						2	—	B.	DG.1
2A/9500415	B.R.A. ↓	Bearing						2	—	B.	
	Std.1357/40	Ferrule						4	S.2		
5783	A.120920	Sleeve						1	S.2	C.	DG.1
	Std.184/5B	Washer						4	S.2		

FLYING CONTROLS—OUTER WING

Ref. No.	Part No.	Description	1 2 3 4 5					No. Off	Material Specification	M.R. Class of Store	Place No.
			146	B.181399	Lever, aileron control, rib "L"						
151	A.181278	Link, idling, aileron control						4	—	B.	DG.1
	C.201270-1	LINKAGE, AILERON BOOSTER, ASSEMBLY						—	—		
127	A.181938	Bearing, aileron booster unit						2	—	B.	DG.1
5278	Std.1639/4EX	Bolt, attachment of bearing blocks at aileron booster						32	S.95.B	C.	5
5257	F.201358	Bolt, attachment of booster unit to lever...						2	S.95.B	C.	DG.1
5262	C.201270/A	Housing, bearing, port, group						1	—	B.	DG.1
		Consisting of :—									
	Std.1553/E/145	Bolt						1	S.99		
	B.201276	Housing, group						1	—		
	F.168683	Stud						2	H.T.S.		
4189	F.198959	Stud						2	H.T.S.	C.	DG.1
28M/1011467	A27.ES	Nut						1	—	C.	
28P/19154	SP.90.C7	Pin, split						1	—	C.	
	A.201278	Plug, end						1	H.T.S.		
28W/14183	AS.1903/E12	Saddle						2	—	C.	
5263	C.201271/A	Housing, bearing, starboard, group						1	—	B.	DG.1
		Consisting of :—									
	Std.1553/E/145	Bolt						1	S.99		
	B.201277	Housing, group						1	—		
	F.168683	Stud						2	H.T.S.		
4189	F.198959	Stud						2	H.T.S.	C.	DG.1
28M/1011467	A.27.ES	Nut						1	—	C.	
28P/19154	SP.90.C7	Pin, split						1	—	C.	
	A.201278	Plug, end						1	H.T.S.		
28W/14183	AS.1903/E12	Saddle						2	—	C.	
10896	B.255482	Lever, aileron booster unit, port, group (Mod. 1133)						1	—	B.	DG.1
10897	B.255483	Lever, aileron booster unit, starboard, group ...						1	—	B.	DG.1
		(Mod. 1133)									
2A/9501242	BRL. §	Bearing						2	—	B.	
1560	A.191949	Block, bearing						2	Stamping	C.	DG.1
1561	F.191951	Bolt, bearing retaining						2	S.96.B	C.	DG.1
132	F.182095	Bolt, hackle attachment						2	S.95.B	C.	DG.1
1562	A.191950	Cap, bearing retaining						2	DTD.364 ₂	C.	DG.1
	C.201274	Lever, port, group						1	—		
	C.201275	Lever, starboard, group						1	—		
5261	F.202435	Bush						2	BSS.369	C.	DG.1
	Std.1357/37	Ferrule						4	S.2		
	Std.1357/38	Ferrule						4	S.2		
174	F.182015	Pin, lever attachment						2	S.97.B	C.	DG.1
	B.182065	Lever, port, group						1	—		
	B.182066	Lever, starboard, group						1	—		
10051	F.168914	Bush, special						2	S.95.B	C.	
	Std.1357/41	Ferrule						4	S.2		
	Std.1357/42	Ferrule						4	S.2		


FLYING CONTROLS—OUTER WING


Ref. No.	Part No.	Description	No. Off					Material Specification	M.R. Class of Store	Plate No.	
			1	2	3	4	5				
10895	A.254844	Shackle, group (Mod. 1133)						2	—	B.	DG.1
2A/9500365	ACL. §	Bearing, contact						2	—	B.	
	F.168716	Spindle						2	S.95.B		
	F.168717	Spindle						2	S.95.B		
7959	F.214989	Washer, special, for shackle (Mod. 467)						QR	S.1	C.	DG.1
7960	F.214990	Washer, special, for shackle (Mod. 467)						QR	S.1	C.	DG.1
7961	F.214991	Washer, special, for shackle (Mod. 467)						QR	S.1	C.	DG.1
7962	F.214992	Washer, special, for shackle (Mod. 467)						QR	S.1	C.	DG.1
1501	F.190470	Washer, special						2	DTD.610	C.	DG.1
1559	F.192086	Washer, bearing attachment bolt						2	S.3	C.	DG.1
8053	Std.1208/180/88/20	Washer, shim, between levers						QR	Shim Steel	C.	4
8054	Std.1208/180/88/30	Washer, shim, between levers						QR	Shim Steel	C.	4
8055	Std.1208/180/88/45	Washer, shim, between levers						QR	Shim Steel	C.	4
4109	F.199249	Plate, locking, for bearing block						2	S.3	C.	
4110	F.199250	Plate, locking, for bearing block						14	S.3	C.	
10515	B.232006	Rod, control group (Mod. 933)						2	—	B.	DG.1
		Consisting of:—									
10566	A.232008	Fork, end						1	S.95	C.	DG.1
10567	F.232007	Nut, special						1	S.98	C.	DG.1
	B.232006/1	Rod						1	S.96		
157	F.181791	Shackle						2	Stamping	B.	DG.1
7122	F.210462	Shim, for linkage						QR	DTD.166	C.	
7123	F.210463	Shim, for linkage						QR	DTD.166	C.	
7124	F.210464	Shim, for linkage						QR	DTD.166	C.	
7125	F.210465	Shim, for linkage						QR	DTD.166	C.	
7126	F.210466	Shim, for linkage						QR	DTD.166	C.	
7127	F.210467	Shim, for linkage						QR	DTD.166	C.	
7128	F.210468	Shim, for linkage						QR	DTD.166	C.	
7129	F.210469	Shim, for linkage						QR	DTD.166	C.	
8362	F.215654	Plate, locking (Mod. 481)						2	DTD.166	C.	DG.2
8360	F.215167	Sleeve, flap, inboard hinge (Mod. 481)						2	S.95.C	B.	DG.2
8359	F.215166	Sleeve, flap, inner and outer hinges (Mod. 481)						4	S.95.B	C.	DG.2
8361	F.215165	Sleeve, flap, hinge at jack (Mod. 481)						2	S.95.B	C.	DG.2
164	A.180993	Tube, aileron control, inboard, port						1	—	B.	DG.1
165	A.180994	Tube, aileron control, inboard, starboard						1	—	B.	DG.1
166	A.180995	Tube, aileron control, between tail ribs "E" and "G"						2	—	B.	DG.1
1502	A.191584	Tube, aileron control, between tail ribs "G" and "L" group						2	—	B.	DG.1
168	A.169527	Eye-end						1	—	B.	DG.1
169	A.171048	Tube, aileron control, between tail rib "L" and booster unit assembly, port						1	—	B.	DG.1
170	A.171049	Tube, aileron control, between tail rib "L" and booster unit assembly, starboard						1	—	B.	DG.1

FLYING CONTROLS—OUTER WING

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28D/9436920	A.25.1.C	Bolt,	2	B.A.	—
28D/9133011	A.25.2.C	Bolt,	2	B.A.	—
28D/9133012	A.25.3.C	Bolt,	2	B.A.	—
28D/7002428	A.25.6.C	Bolt,	2	B.A.	—
28D/7002440	A.25.18.E	Bolt,	1	"	B.S.F.	—
28D/14365	A.30.11.G	Bolt,	5	"	B.S.F.	—
28D/13477	A.30.13.J	Bolt,	3	"	B.S.F.	—
28D/1007976	AS.1242/4C	Bolt,	2	B.A.	—
28D/13256	A.30.5.C	Bolt,	2	B.A.	—
28D/14218	A.30.9.G	Bolt,	1	"	B.S.F.	—
28D/18679	A.30.20.J	Bolt,	3	"	B.S.F.	—
28N/9156370	SP.21	Lubricator	—
28M/9403520	A27.CP	Nut,	2	B.A.	—
28M/13121	A27.CS	Nut,	2	B.A.	—
28M/1006473	A27.CT	Nut,	2	B.A.	—
28M/1011467	A27.ES	Nut,	1	"	B.S.F.	—
28M/13122	A.27.GS	Nut,	5	"	B.S.F.	—
28M/1011476	A27.JS	Nut,	1	"	B.S.F.	—
28M/1007404	A27.JT	Nut,	3	"	B.S.F.	—
28M/9129449	A27.LS	Nut,	7	"	B.S.F.	—
28M/14537	A58.GS	Nut,	5	"	B.S.F.	—
28M/15496	A58.LT	Nut,	7	"	B.S.F.	—
28M/14555	A58.NS	Nut,	1	"	B.S.F.	—
28M/8101	AGS.572/C	Nut,	5	"	B.S.F.	—
28M/7727	AGS.572.E	Nut,	5	"	B.S.F.	—
28M/7748	AGS.572/J	Nut,	5	"	B.S.F.	—
28M/10288	AGS.2001/C1	Nut,	2	B.A.	—
28M/10328	AGS.2002/C1	Nut,	2	B.A.	—
28P/828	SP.4.Y.B2	Pin	—
28W/9419475	SP.15.C	Washer,	2	B.A.	—
28W/9419476	SP.15.C	Washer,	1	"	B.S.F.	—
28W/9419477	SP.15.J	Washer,	3	"	B.S.F.	—
28W/9419478	SP.15.L	Washer,	7	"	B.S.F.	—
28W/9419404	SP.16.C	Washer,	2	B.A.	—
28W/9419488	SP.16.G	Washer,	5	"	B.S.F.	—
28W/9419489	SP.16.J	Washer,	3	"	B.S.F.	—
28W/9419492	SP.16.P	Washer,	5	"	B.S.F.	—

MOD 933







This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.