

CONTROLS—UNDERCARRIAGE FAIRING

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Place No.
	E.205280-1	<b>UNDERCARRIAGE, FAIRING CONTROLS, ASSEMBLY</b>	—	—		
4218	A.198798	Adaptor, for greaser pipe ... ..	2	DTD.364	C.	DH.1
27K/534	Teleflex B.731	Block, swivel ... ..	4	—	C.	
8311	F.215490	Block, clamp (Mod. 197) ... ..	2	LFS.21	C.	DH.1
354	Std.325/88	Bolt, attachment of jack to universal shaft ... ..	2	S.95 or S.96	C.	4
355	Std.325/82	Bolt, attachment of jack to undercarriage wheel door ... ..	2	S.95 or S.96	C.	4
4219	F.191499	Bolt, banjo, for greaser pipe ... ..	2	S.1	C.	DH.1
356	B.187846	Bracket, bearing, port, group ... ..	1	Stamping	B.	DH.1
357	F.187900	Bush ... ..	2	BSS.250	C.	DH.1
358	B.187847	Bracket, bearing, starboard, group ... ..	1	Stamping	B.	DH.1
357	F.187900	Bush ... ..	2	BSS.250	C.	DH.1
8105	b.218073	Bracket, bearing, port, group ... ..	1	DTD.610	B.	DH.1
360	A.188156	Spool, group ... ..	1	DTD.364	C.	DH.1
	F.188157	Bush ... ..	2	B.8		
8106	B.218074	Bracket, bearing, starboard, group ... ..	1	—	B.	DH.1
360	A.188156	Spool, group ... ..	1	DTD.364	C.	DH.1
	F.188157	Bush ... ..	2	B.8		
	Std.2045/15/26	Clip, sleeved ... ..	4	S.510		
6753	B.209434	Control, "Teleflex," for outboard lock, port, group ...	1	—	B.	DH.1
6754	B.209435	Control, "Teleflex," for outboard lock starboard, group (Handed by bending of conduit) Consisting of:—	1	—	B.	DH.1
27K/548	Teleflex D.S.307/2	Conduit, port ... ..	3' 10"	—	C.	
27K/548	Teleflex D.S.307/2	Conduit, starboard ... ..	3' 8"	—	C.	
27K/1041	Teleflex A.35336	Collar ... ..	2	—	C.	
27K/717	Teleflex B.10898/C	Connector, greaser ... ..	2	—	C.	
27K/796	Teleflex B.35340/B	Connector, conduit ... ..	2	—	C.	
362	F.187712	Fork-end ... ..	2	S.95.B	C.	DH.1
27K/571	Teleflex A.821	Nipple ... ..	6	—	C.	
28M/1006473	A.27.CT	Nut, lock ... ..	2	—	C.	
27K/1328	Teleflex C.40076/R/70½"	Rod and cable, assembly, port ... ..	1	—	C.	
27K/1328	Teleflex C.40076/R/71"	Rod and cable, assembly, starboard ... ..	1	—	C.	
27K/1042	Teleflex A.35335	Sleeve, outer ... ..	2	—	C.	
27K/—	Teleflex C.41558/C	Swivel, assembly ... ..	2	—	C.	
365	A.187854	Lever, at top anchorage of jack, port, group ...	1	Stamping	B.	DH.1
366	Std.608/4	Bush ... ..	1	B.8	C.	4
367	A.187855	Lever, at top anchorage of jack starboard, group ...	1	Stamping	B.	DH.1
366	Std.608/4	Bush ... ..	1	B.8	C.	4
7984	A.210491	Lever, for aft lock control rod, group ... ..	2	Stamping	B.	DH.1
369	Std.608/5	Bush ... ..	1	B.B	C.	4
370	A.188131	Lever, for forward lock control rod, group ... ..	2	Stamping	B.	DH.1
369	Std.608/5	Bush ... ..	1	B.8	C.	4

## CONTROLS—UNDERCARRIAGE FAIRING


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Place No.
		1	2	3	4	5				
2144	Std.1231/3	Lug, locking	...	...	...	...	6	S.3	C.	4
373	Std.1221/Y/D.50	Pin	...	...	...	...	6	S.2	C.	4
7981	F.213793	Pin, taper	...	...	...	...	1	S.96.B	C.	DH.1
7982	F.213794	Pin, taper	...	...	...	...	6	S.96.B	C.	DH.1
7983	F.212427	Pin, taper	...	...	...	...	8	S.96.B	C.	DH.1
5211	F.204752/1	Pipe, greaser, port	...	...	...	...	1	—	C.	DH.1
5212	F.204752/2	Pipe, greaser, starboard	...	...	...	...	1	—	C.	DH.1
374	A.186944	Rod, control, forward lock	...	...	...	...	2	—	C.	DH.1
375	A.186945	Rod, control, aft lock	...	...	...	...	2	—	C.	DH.1
7977	A.213788	Shaft, universal, forward, port, group	...	...	...	...	1	—	C.	DH.1
7978	A.213789	Shaft, universal, forward, starboard, group	...	...	...	...	1	—	C.	DH.1
7979	A.213799	Shaft, universal, rear, port, group	...	...	...	...	1	—	C.	DH.1
7980	A.213800	Shaft, universal, rear, starboard group,	...	...	...	...	1	—	C.	DH.1
380	F.188254	Shaft, for control rod	...	...	...	...	2	T.50	C.	DH.1
5784	A.208219	Stop, at top anchorage, for jack	...	...	...	...	2	DTD.364	C.	DH.1
5210	F.204753	Washer, profile, for banjo bolt	...	...	...	...	2	L.65	C.	DH.1
	C.208007	<b>WING-FUSELAGE CONNECTIONS, FAIRING LOCK CONTROL, ASSEMBLY</b>					—	—		
6755	B.209370	Control, for fairing lock, port, group	...	...	...	...	1	—	B.	DH.1
6756	B.209371	Control, for fairing lock, starboard, group (Handed by bending of conduit) Consisting of:—	...	...	...	...	1	—	B.	DH.1
27K/548	Teleflex DS.307/2	Conduit, port, inner	...	...	...	...	1' 10"	—	C.	
27K/548	Teleflex D.S.307/2	Conduit, starboard, inner	...	...	...	...	2' 1"	—	C.	
27K/1041	Teleflex A.35336	Collar	...	...	...	...	4	—	C.	
27K/—	Teleflex C.41552	End, self-aligning, assembly	...	...	...	...	2	—	C.	
27K/1042	Teleflex A.35335	Sleeve, outer	...	...	...	...	4	—	C.	
5170	F.203769	Spring	...	...	...	...	2	Steel	C.	DH.1
5484	F.202932	Stop, special	...	...	...	...	2	S.80.B	MR/C	DH.1
27K/—	Teleflex C.41551/B	Swivel, assembly	...	...	...	...	2	—	C.	
4986	Std.914/J.18	Washer	...	...	...	...	2	S.1 or S.3	C.	4
	C.201671	<b>CONTROL TO BRACKETS ON FUSELAGE, PORT, ASSEMBLY</b>					—	—		
	C.201672	<b>CONTROL TO BRACKETS ON FUSELAGE, STARBOARD, ASSEMBLY</b>					—	—		
5173	F.202789	Block, clamp	...	...	...	...	4	L.65.C	C.	DH.1
5174	F.202790	Block, clamp	...	...	...	...	4	L.65.C	C.	DH.1
5175	F.204234	Bolt, special	...	...	...	...	2	H.T.S.	C.	DH.1
4150	Std.914/C/22	Washer, special	...	...	...	...	4	DTD.610	C.	4

CONTROLS—UNDERCARRIAGE FAIRING

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
<b>SUMMARY OF STOCK ITEMS</b>										
28D/1010658	A25.1.B	<b>Bolt, 4 B.A.</b>	...	...	...	...	...	—	—	—
28D/1009984	A25.7.B	<b>Bolt, 4 B.A.</b>	...	...	...	...	...	—	—	—
28D/9436920	A25.1.C	<b>Bolt, 2 B.A.</b>	...	...	...	...	...	—	—	—
28D/9133011	A25.2.C	<b>Bolt, 2 B.A.</b>	...	...	...	...	...	—	—	—
28D/9133012	A25.3.C	<b>Bolt, 2 B.A.</b>	...	...	...	...	...	—	—	—
28D/1200119	A25.4.C	<b>Bolt, 2 B.A.</b>	...	...	...	...	...	—	—	—
28D/9419397	A25.12.C	<b>Bolt, 2 B.A.</b>	...	...	...	...	...	—	—	—
28D/9453970	A25.15.C	<b>Bolt, 2 B.A.</b>	...	...	...	...	...	—	—	—
28D/10471	AS.1248/11C	<b>Bolt, 2 B.A.</b>	...	...	...	...	...	—	—	—
28W/9156370	SP.21	<b>Nipple, lubricator</b>	...	...	...	...	...	—	—	—
28M/13411	A24.CS	<b>Nut, 2 B.A.</b>	...	...	...	...	...	—	—	—
28M/1006473	A27.CT	<b>Nut, 2 B.A.</b>	...	...	...	...	...	—	—	—
28M/12931	A27.ET	<b>Nut, 1/4" B.S.F.</b>	...	...	...	...	...	—	—	—
28M/13935	A58.ES	<b>Nut, 1/4" B.S.F.</b>	...	...	...	...	...	—	—	—
28M/10327	AGS.2002.B1	<b>Nut, 4 B.A.</b>	...	...	...	...	...	—	—	—
28M/10328	AGS.2002.C1	<b>Nut, 2 B.A.</b>	...	...	...	...	...	—	—	—
28P/14360	SP.31.L10	<b>Pin, split, taper</b>	...	...	...	...	...	—	—	—
28F/9129099	AGS.1186/4	<b>Seal</b>	...	...	...	...	...	—	—	—
28W/9419474	SP15.B	<b>Washer, 4 B.A.</b>	...	...	...	...	...	—	—	—
28W/9419475	SP15.C	<b>Washer, 2 B.A.</b>	...	...	...	...	...	—	—	—
28W/9419405	SP15.E	<b>Washer, 1/4" B.S.F.</b>	...	...	...	...	...	—	—	—
28W/9419404	SP16.C	<b>Washer, 2 B.A.</b>	...	...	...	...	...	—	—	—

RESTRICTED

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				



UNDERCARRIAGE FAIRING CONTROLS



This file was downloaded  
from the RTFM Library.

Link: [www.scottbouch.com/rtfm](http://www.scottbouch.com/rtfm)

Please see site for usage terms,  
and more aircraft documents.