

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

Ref. No.	Part No.	Description	No. Off					Material Specification	M.R. Class of Store	Plate No.
			1	2	3	4	5			
	G.231134	ELECTRICAL EQUIPMENT, CENTRE FUSELAGE, ASSEMBLY								
	D.231612	ADDITIONAL DETAILS, SPINE CLIPPING AND EQUIPMENT ON FRAME 19, ASSEMBLY								
	C.260993	Box, junction, ARM No. 1, group (Mod. 2491) ...					1	---	B.	
	F.214406	Block, mounting ...					4	L.65.C		
	F.214407	Block, mounting ...					2	L.65.C		
5X/3181	Plessey CZ.23212/1	Block, terminal, 20-way ...					1	---	B.	
5X/2863	Plessey CZ.24285	Block, terminal, 10-way ...					3	---	B.	
	C.260992	Box (Mod. 2491) ...					1	---		
	F.214404	Bracket, relay mounting ...					1	---		
	A.214844	Cable, arm, earthing ...					1	---		
	A.159698	Ferrule ...					2	BSS.265		
5X/6168	Plessey Z.23197	Gasket ...					2	---	C.	
5CZ/5073	Dowty C.5165Y Mk. 1	Indicator, magnetic ...					1	---	B.	
	B.260990	Lid (Mod. 2491) ...					1	L.59	MR/C	
5X/1004083	Plessey Z.50211	Link, commoning, 3-way ...					1	---	C.	
5X/6314	Plessey Z.50214	Link, commoning, 6-way ...					1	---	C	
	F.214405	Plate, switch, mounting ...					1	L.65.C		
10H/0560150	Plessey CZ.49112	Plug, panel unit ...					1	---	C.	
10H/0560200	Plessey	Plug, panel unit ...					1	---	C.	
10H/0560203	Plessey	Plug, panel unit ...					1	---	C.	
10H/0560155	Plessey CZ.49112/5	Plug, fixed ...					1	---		
10F/Z.530032	Plessey	Relay, SMS-H12 ...					1	---	B.	
5CW/540	Helsyn RC.2120	Switch, push, D.P. flange type "B" ...					1	---	B.	
	RC.2121	Sleeve, 150HT15 x 1/2" ...					74	---		
		Tag, 6 amp. ...					56	---		
		Tag, 12 amp. ...					1	---		
	Std.2045/57/20	Clip, sleeved, securing cables ...					1	S.510		
	Std.2045/23/24	Clip, sleeved, securing cables ...					1	S.510		
	Std.2045/25/24	Clip, sleeved, securing cables ...					2	S.510		
	Std.2046/55/20	Clip, sleeved, securing cables ...					1	S.510		
	Std.2046/72/20	Clip, sleeved, securing cables ...					1	S.510		
	Std.2045/67/20	Clip, sleeved, securing cables ...					1	S.510		
	Std.2046/27/22	Clip, sleeved, securing cables ...					1	S.510		
	Std.2076/50/20	Clip, sleeved, securing cables ...					1	S.510		
	Std.2076/55/20	Clip, sleeved, securing cables ...					1	S.510		
	Std.2076/57/20	Clip, sleeved, securing cables ...					2	S.510		
	Std.2076/65/20	Clip, sleeved, securing cables ...					2	S.510		
	Std.2076/30/22	Clip, sleeved, securing cables ...					1	S.510		
	Std.2076/44/22	Clip, securing cables ...					1	S.510		
	Std.2076/23/24	Clip, securing cables ...					1	S.510		
5F/2281	AS.2508	Strapping					QR	---	C.	
5F/9434855	AS.2509	Stud					QR	---	C.	
27N.93		Switch, inertia					1	---	A.	
26BX/5344	Std.915/E/8	Washer, 1/2" B.S.F.					4	DTD.610	C.	
	Std.1335/E/8	Washer, 1/2" B.S.F.					4	L.4, L.34 or L.17		
5CZ/430		Block, terminal					1	---	B.	

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

Ref. No.	Part No.	Description	No. Off					Material Specification	M.R. Class of Store	Place No.
			1	2	3	4	5			
	A.205661	BLOCK, TERMINAL, No. 11, BETWEEN FRAMES 35 AND 36, ASSEMBLY								
5X/2863	Plessey CZ.24285	Block, terminal, 10-way					1	—	B.	
5X/3275	Plessey CZ.26808	Cover					1	—	B.	
5X/1004082	Plessey Z.50210	Link, commoning, 2-way					1	—	C.	
	A.217841/1	Label					1	—		
5X/9450403	Plessey Z.28426	Pillar					2	—	C.	
	Std.1953/1-10	Sleeve, marker					1 set	—		
	A.210718	BLOCK, TERMINAL, No. 14, ON FRAME 29, ASSEMBLY								
5X/1002694	Plessey CZ.50207	Block, terminal, 5-way					1	—	B.	
5X/9149641	Plessey CZ.26805	Cover					1	—	B.	
	A.210718/1	Label					1	—		
5X/9450403	Plessey Z.28426	Pillar					3	—	C.	
	Std.1953/1-5	Sleeve, marker					1 set	—		
	A.210852	BLOCK, TERMINAL, No. 16, ON FRAME 26, ASSEMBLY								
5H/13	AS.2654	Block, terminal					1	—	B.	
5H/14	AS.2655	Cover					1	—	C.	
	A.210852/1	Label					1	—		
	A.205780	BLOCK, TERMINAL, No. 17, ON FRAME 33, PORT SIDE, ASSEMBLY								
5X/1002694	Plessey CZ.50207	Block, terminal, 5-way					1	—	B.	
5X/9149641	Plessey CZ.26805	Cover					1	—	B.	
5X/1004082	Plessey Z.50210	Link, commoning					1	—	C.	
	A.205780/1	Label					1	—		
5X/9450403	Plessey Z.28426	Pillar					2	—	C.	
	Std.1953/1-5	Sleeve, marker					1 set	—		
	A.216517	BLOCK, TERMINAL, No. 4, ASSEMBLY								
5D/506	—	Box, junction, 5-way					1	—	B.	
5K/2374	—	Disc, blanking					3	—	C.	
5K/87	—	Nut, gland					3	—	C.	
	A.233847	Box, terminal, T.B.83, group					1	—		
5X/2863	Plessey CZ.24285	Block, terminal					1	—	C.	
	A.215762	Box					1	—		
8480	A.215763	Lid					1	L.16	C.	
	D.261329	Box, junction, No. 1, group					1	—		
5X/3181	Plessey CZ.23212/1	Block, terminal, 20-way					4	—	B.	
	D.213198	Box, junction					1	—		
	B.207100	Cable, E.9/A (See cable chart)					1	—		
5E/3038	—	Cable, unipren 6					QR	—	C.	
5E/3040	—	Cable, unipren 12					QR	—	C.	
5E/3042	—	Cable, unipren 24					QR	—	C.	
	—	Fastener, "Dzus A.4-30" (Use 28FP/147)					2	—		
	—	Grommet, "Dzus GA.4.250"					2	—		
6714	C.213287	Lid					1	L.59	C.	
5X/1004082	Plessey Z.50210	Link, 2-way					10	—	C.	
5X/6177	Plessey Z.50212	Link, 4-way					1	—	C.	
5X/6314	Plessey Z.50214	Link, 6-way					1	—	C.	

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
5X/6317	Plessey Z.50218	Link, 10-way	1	—	C.	
5X/1004086	Plessey Z.50219	Link, transverse	2	—	C.	
	F.233330	Plate, reinforcing	11	L.72		
7812	F.206915	Plate, tapped	1	L.72	MR/C	
7813	F.206916	Plate, tapped	1	L.72	MR/C	
7814	F.206917	Plate, tapped	1	L.72	MR/C	
7815	F.206918	Plate, tapped	11	L.72	MR/C	
5X/7146	Plessey	Plug, code 8	1	—	B.	
	2CZ/111404					
5X/7159	Plessey	Plug, code 21	11	—	B.	
	2CZ/111229					
5X/7142	Plessey	Plug, code 4	1	—	B.	
	2CZ/111401					
5X/7152	Plessey	Plug, code 14	1	—	B.	
	2CZ/111227					
10H/0560150	Plessey CZ.49112	Plug, panel unit code 48	1	—	B.	
	—	Sleeve, Helsyn, 150 HT15 x 3/4"	9	—	C.	
	Std.1953/1-80	Sleeve, marker	1 set	—		
	Std.1948/11	Sleeve, marker	QR	—		
	Std.1949/11	Sleeve, marker	QR	—		
5X/	RC.2120	Tag, 6 amp.	125	—		
5X/	RC.2121	Tag, 12 amp.	7	—		
5X/	RC.2122	Tag, 24 amp.	10	—		
5D/2277	—	Box, distribution, R.P. fring (Mod. 1100)	1	—	A.	
9548	C.226302	Box, junction, No. 3, group	1	—	A.	
5X/3181	Plessey	Block, terminal, 20-way	1	—	B.	
	CZ.23212/1					
	A.207258	Box	—	L.59		
	C.253810	Cable, assembly, ES1, group (Mod. 1122)	1	—		
	C.253811	Cable, assembly, ES2, group (Mod. 1122)	1	—		
	B.253813	Cable, assembly, ES4, group (Mod. 1122)	1	—		
	B.253814	Cable, assembly, ES5, group (Mod. 1122)	1	—		
	C.253815	Cable, assembly, ES6, group (Mod. 1122)	1	—		
	B.207207	Plug, form, C12, group	1	—		
6716	A.207256	Lid	1	L.59		
5X/1004082	Plessey Z.50210	Link, commoning, 2-way	1	—	C.	
5X/1004083	Plessey Z.50211	Link, commoning, 3-way	1	—	C.	
	Std.1953/1-20	Sleeve, marker	1 set	—		
	F.217768	Bracket, for detector switch	1	—		
	—	Cables, electric (See cable chart)	—	—		
3736	Std.841/17	Clip, securing cable at solenoid	1	DTD.610	C.	
	B.235501	Cable, PR.2 (Mod. 2464)	1	—		
	B.235503	Cable, PR.4 (Mod. 2464)	1	—		
	D.210822-4	CLIPPING, DETAILS, FOR CABLES, ASSEMBLY	—	—		
7967	F.214387	Bracket, cable support, for cable, frame 30	3	LFS.21	C.	
6033	A.201236	Bracket, wing service, port, outboard	1	S.84	MR/C	
6031	B.201234	Bracket, wing service, port, inboard	1	S.84	MR/C	
6032	B.201235	Bracket, wing service, starboard	1	S.84	MR/C	
4776	B.198696	Bracket, mounting, for cables C16, C18 and C20	1	DTD.610	MR/C	
7817	B.204926	Bracket, mounting, for cable, frame 26, starboard side	1	L.72	C.	
7818	A.203726	Bracket, mounting, for H.T. ignition connection	1	L.72	C.	

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
8378	B.207416						2	—	B.	
4780	F.197582						2	DTD.610	MR/C	
4781	F.196789						3	DTD.610	MR/C	
	F.210880						1	L.72		
6035	F.205571						6	L.72	MR/C	
	F.196759						1	DTD.610		
	Std.2045/17/26						3	S.510		
	Std.2045/18/26						1	S.510		
	Std.2045/20/24						1	S.510		
9664	Std.2045/22/24						1	S.510		
3971	Std.840/19						1	DTD.610	C.	4
4797	Std.840/27						1	DTD.610	C.	4
3742	Std.840/37						1	DTD.610	C.	4
	Std.2045/40/22						1	S.510		
4773	Std.840/42						1	DTD.610	MR/C	4
	Std.840/58						1	DTD.610		
	Std.2045/79/20						2	S.510		
	Std.2046/17/26						1	S.510		
4159	Std.841/20						3	DTD.610	C.	4
4821	Std.841/22						1	DTD.610	C.	4
	Std.841/27						3	DTD.610		
4760	Std.841/32						3	DTD.610	C.	4
	Std.2045/48/20						2	S.510		
	Std.2045/38/22						1	S.510		
	Std.2045/17/26						1	S.510		
	Std.2046/25/24						2	S.510		
	Std.2046/29/22						1	S.510		
	Std.2046/35/22						3	S.510		
	Std.2046/31/22						1	S.510		
	Std.2046/36/22						1	S.510		
6010	Std.841/41						3	DTD.610	MR/C	4
	Std.2046/62/20						2	S.510		
	Std.841/62						1	DTD.610		
	Std.850/58						2	DTD.610	C.	
	Std.2046/42/22						2	S.510		
	Std.2046/46/20						1	S.510		

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
	D.210428-9	CLIPPING, FOR CABLES BETWEEN FRONT AND CENTRE FUSELAGE, ASSEMBLY					-	-		
4823	Std.841/42	Clip, securing cables, at frame 17B, $\frac{7}{16}$ " wide \times 22 S.W.G. \times 4-2" long (Make from 30B/1433)					1	DTD.610	C.	4
3737	Std.840/22	Clip, securing cable C5, at frame 17B, $\frac{7}{16}$ " wide \times 22 S.W.G. \times 2-2" long (Make from 30B/1433)					1	DTD.610	MR/C	4
3735	Std.840/16	Clip, securing cable, on generator control panel, $\frac{7}{16}$ " wide \times 22 S.W.G. \times 1-6" long					1	DTD.610	MR/C	4
5F/2281	AS.2508	Strapping					QR	-	C.	
5F/9434855	AS.2509	Stud					QR	-	C.	
	Std.1285/7CC	Connector, earthing, at frame 37					1	-		
	Plessey Z.29888 or K.LG.4383	Connector, ignition bulkhead					2	-		
	A.217659	Cover					2	L.72		
	A.210936	EARTHING POINT No. 9, ON MAIN SPAR, ASSEMBLY					-	-		
	Std.1298/1	Stud					1	S.1	C.	4
4613	Std.1335/C18	Washer					3	L.4	C.	4
6725	F.210117	Fairlead, for cable on frame 38					2	LFS.21	C.	
6726	F.210118	Fairlead, for cable on starboard side of rear spar					2	LFS.21	C.	
6721	F.210116	Fairlead, for cable on frame 28 and 38					4	LFS.21	C.	
6722	F.210115	Fairlead, for cable on frames 28 and 38					4	LFS.21	C.	
6723	F.210114	Fairlead, for cable on frame 38					2	LFS.21	C.	
6724	F.210119	Fairlead, for cable on frame 30					2	LFS.21	C.	
5X/3098	Plessey Z23201/D	Gasket, sealing, at time switch					1	-	C.	
9060	B.219799	Guard, cable, on frame 19					1	DTD.171	C.	
7819	A.203164	Guard, cable, on frame 36					1	DTD.171	MR/C	
	A.224199	INDICATOR, CONTENTS, FUEL FILTER DE-ICING TANK, ASSEMBLY					-	-		
	B.216875	Bracket, mounting					1	-		
9028	F.216625	Indicator					1	S.21.B & S.3	C.	
9027	A.222152	Solenoid					1	-	C.	
9030	F.216627	Spool, lever					1	-	C.	
9029	F.216626	Spring					1	Sp. Stl.	C.	
5CX/	Flight Refuelling B.4507000/17	Indicator, refuelling, 6 amp.					1	-	A.	
	F.216255	Plate, mounting, on port and starboard stub wing					2	L.72		
5F/2281	AS.2508	Strapping, $\frac{1}{2}$ " wide					QR	-	C.	
5F/9434855	AS.2509	Stud					QR	-	C.	
9061	F.219800	Stud, for cable guard at frame 19					2	S.1	C.	
5971	F.204387	Support, cable, at frame 30					1	-	C.	
5CW/5501	Venner	Switch, time					1	-	A.	
	PTA/HA/W19055									
4042	Std.1509/23/030	Tube, distance, $\frac{11}{16}$ " o/d \times 16 S.W.G. \times 3" long, at frame 35 (Make from 30B/556)					3	T.4	MR/C	4
	Std.1509/23/038	Tube, distance, on frame 30, $\frac{11}{16}$ " o/d \times 17 S.W.G. \times 0-38" long (Make from 30B/556)					2	T.4	-	
3029	Std. 1509/23/050	Tube, distance, $\frac{11}{16}$ " o/d \times 17 S.W.G. \times 5" long, at frame 31 (Make from 30B/556)					1	T.4	MR/C	4

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

Ref. No.	Part No.	Description	1 2 3 4 5					No. Off	Material Specification	M.R. Class of Store	Plate No.
			4827	Std.1509/23/080	Tube, distance, $\frac{11}{16}$ " o/d x 17 S.W.G. x .8" long, between frames 36 and 37 (Make from 30B/556)						
3765	Std.915/C/14	Washer, for time switch						2	DTD.610	C.	4
4619	Std.1335/E/18	Washer, for cable attachment						4	—		
	Std.2045/17/26	Clip, sleeved						1	S.510		
	Std.2046/20/24	Clip, sleeved						1	S.510		
	Std.2046/17/26	Clip, sleeved						2	S.510		
	Std.2046/26/24	Clip, sleeved						1	S.510		
29H/9437201	Bowden 448	Clip, pliable						96	—	C.	
6A/4389	Smiths	Connector						1	—	B.	
	Waymouth										
	CRC/146										
6A/4382	Smiths	Connector						1	—	B.	
	Waymouth										
	CJ/136										
6A/4386	Smiths	Connector						1	—	B.	
	Waymouth										
	CR/154										
6A/4391	Smiths	Connector						1	—	B.	
	Waymouth										
	CJC/166										
6A/4384	Smiths	Connector						1	—	B.	
	Waymouth										
	CR.30										
6A/4385	Smiths	Connector						1	—	B.	
	Waymouth										
	CR.65										
6A/4387	Smiths	Connector						1	—	B.	
	Waymouth										
	CR.192										
6A/4388	Smiths	Connector						1	—	B.	
	Waymouth										
	CR.228										
	A.210738	EARTHING POINT, No. 20, ASSEMBLY						—	—		
6727	F.209455	Stud						1	S.95.B	C.	
3777	Std.1335/G/18	Washer						2	L.4	C.	4
4619	Std.1335/E/18	Washer						2	L.4	C.	4
	A.210774-5	EARTHING POINTS, No. 10 AND 16, ASSEMBLY						—	—		
3777	Std.1335/G/18	Washer						2	L.4	C.	4
37A/1790		Igniter, high energy, type C.10.TS/3						2	—	B.	
6728	C.206657	Lead, ignition, group						2	—	B.	
		Consisting of:—									
5E/3203		Cable, Uniplughitemp, No. 6						QR	—	C.	
	United Metallic	Conduit, braided						QR	—	—	
	U.F.M.T.110										
5CZ/5302	Lodge C.G.16	Contact-button						2	—	C.	
29H/9437201	Bowden 448	Clip						1	—	C.	
	Lodge E.A2-90°	Elbow, assembly						1	—		
37B/4118	Rolls Royce	Ferrule						2	—	C.	
	CN.13706										
	Lodge SF.35	Ferrule, spring type						2	—		
	Lodge N.29	Nut						2	—		
	Lodge SS.40	Sleeve, insulating						1	—		

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
26KD/9821	English Electric EB2/81/11635	Plug, shorting	1	—	B.	
5F/2281	AS.2508	Strapping	QR	—	C.	
5F/2279	AS.4528	Strapping	QR	—	C.	
5F/2280	AS.4527	Stud	QR	—	C.	
5F/9434855	AS.2509	Stud (Alternative to OP.3342)	QR	—	C.	
	Hellermann OP.3342	Stud (Alternative to AS.2509)	QR	—	C.	
27N/91	—	Switch, flame detector, Mk. 4	8	—	A.	
	Std.1509/23/124	Tube, distance, at flame switch mounting, $\frac{5}{16}$ " o/d x 17 S.W.G. x 1-24" long	2	T.4		
	Std.1509/23/128	Tube, distance, at flame switch mounting, $\frac{5}{16}$ " o/d x 17 S.W.G. x 1-28" long	2	T.4		
9716	Std.1509/24/022	Tube, distance, $\frac{3}{8}$ " x 17 S.W.G. x 22" long	4	T.4	C.	4

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28D/1010658	A.25.1B	Bolt, 4	B.A.	—	—	—
28D/9419452	A.25.3B	Bolt, 4	B.A.	—	—	—
28D/1011006	A.25.5B	Bolt, 4	B.A.	—	—	—
28D/9138768	A.25.3C	Bolt, 2	B.A.	—	—	—
28D/9436920	A.25.1C	Bolt, 2	B.A.	—	—	—
28D/9133011	A.25.2C	Bolt, 2	B.A.	—	—	—
28D/9133012	A.25.3C	Bolt, 2	B.A.	—	—	—
28D/1200119	A.25.4C	Bolt, 2	B.A.	—	—	—
28D/1013172	A.25.5C	Bolt, 2	B.A.	—	—	—
28D/7002428	A.25.6C	Bolt, 2	B.A.	—	—	—
28D/1010030	A.25.7C	Bolt, 2	B.A.	—	—	—
28D/1011019	A.25.8C	Bolt, 2	B.A.	—	—	—
28D/9140644	A.25.9C	Bolt, 2	B.A.	—	—	—
28D/9140645	A.25.10C	Bolt, 2	B.A.	—	—	—
28D/9435710	A.25.11C	Bolt, 2	B.A.	—	—	—
28D/9419397	A.25.12C	Bolt, 2	B.A.	—	—	—
28D/12536	A.25.13C	Bolt, 2	B.A.	—	—	—
28D/1011025	A.25.24C	Bolt, 2	B.A.	—	—	—
28D/12985	A.25/25C	Bolt, 2	B.A.	—	—	—
28D/1011238	A.25.3E	Bolt, 1/2"	B.S.F.	—	—	—
28D/1008151	A.25.4E	Bolt, 1/2"	B.S.F.	—	—	—
28D/1008145	A.25.6E	Bolt, 1/2"	B.S.F.	—	—	—
28D/12812	A.25.12E	Bolt, 1/2"	B.S.F.	—	—	—
28D/12546	A.25.14E	Bolt, 1/2"	B.S.F.	—	—	—
28D/8300	AS.1242.1B	Bolt, 4	B.A.	—	—	—
28D/8307	AS.1242.2C	Bolt, 2	B.A.	—	—	—
28D/11555	AS.1246.3E	Bolt, 1/2"	B.S.F.	—	—	—
28D/9128739	AS.1248-1/2B	Bolt, 2	B.A.	—	—	—
28D/10471	AS.1248.11C	Bolt, 2	B.A.	—	—	—
28E/8184	AGS 605 Mk. 2	Clip		—	—	—
28M/12931	A.27.E.T.	Nut, 1/2"	B.S.F.	—	—	—
28M/10288	AGS 2001.C1	Nut, 2	B.A.	—	—	—
28M/10290	AGS 2001.E1	Nut, 1/2"	B.S.F.	—	—	—
28M/10326	AGS 2002.A1	Nut, 6	B.A.	—	—	—
28M/10327	AGS 2002.B1	Nut, 4	B.A.	—	—	—
28M/10328	AGS 2002.C1	Nut, 2	B.A.	—	—	—
28M/7002431	AGS 2002.G1	Nut, 3/16"	B.S.F.	—	—	—
28M/7002430	AGS 2002.E1	Nut, 1/2"	B.S.F.	—	—	—
28M/9434251	AGS 2008.B1	Nut, 4	B.A.	—	—	—
28P/19225	SP.90.C3	Pin, split		—	—	—
28S/1200049	A.31.A12	Screw, 6	B.A.	—	—	—
28S/1200043	A.31.A18	Screw, 6	B.A.	—	—	—
28S/9419435	A.31.B12	Screw, 4	B.A.	—	—	—
28S/9419453	A.31.B14	Screw, 4	B.A.	—	—	—
28S/1200034	A.31.B16	Screw, 4	B.A.	—	—	—
28S/1200040	A.31.B20	Screw, 4	B.A.	—	—	—
28S/1200033	A.31.B24	Screw, 4	B.A.	—	—	—
28S/1005622	A.31.B28	Screw, 4	B.A.	—	—	—
28S/9435713	A.31.C20	Screw, 2	B.A.	—	—	—
28S/9436921	A.31.C28	Screw, 2	B.A.	—	—	—
28S/9995324	A.32.A16	Screw, 6	B.A.	—	—	—

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
28S/1200080	A.32.B8	Screw, 4 B.A.	—	—	—	—
28S/13887	A.32.B10	Screw, 4 B.A.	—	—	—	—
28S/9992525	A.32.B12	Screw, 4 B.A.	—	—	—	—
28S/14005	A.32.B14	Screw, 4 B.A.	—	—	—	—
28S/9992522	A.32.B16	Screw, 4 B.A.	—	—	—	—
28S/9995376	A.32.B20	Screw, 4 B.A.	—	—	—	—
28S/1011488	A.32.B28	Screw, 4 B.A.	—	—	—	—
28S/9992533	A.32.C20	Screw, 2 B.A.	—	—	—	—
28S/1011491	A.32.C24	Screw, 2 B.A.	—	—	—	—
28S/13742	A.33.C14	Screw, 2 B.A.	—	—	—	—
28S/9435716	A.33.B12	Screw, 4 B.A.	—	—	—	—
28S/9435715	A.33.B16	Screw, 4 B.A.	—	—	—	—
28S/15953	A.33.B.25	Screw, 4 B.A.	—	—	—	—
28W/9419401	SP.10B	Washer, 2 B.A.	—	—	—	—
28W/9419464	SP.13A	Washer, 6 B.A.	—	—	—	—
28W/9419465	SP.13.B	Washer, 4 B.A.	—	—	—	—
28W/9418921	SP.13.E	Washer, 1" dia.	—	—	—	—
28W/9419473	SP.15.A	Washer, 6 B.A.	—	—	—	—
28W/9419474	SP.15.B	Washer, 4 B.A.	—	—	—	—
28W/9419475	SP.15.C	Washer, 2 B.A.	—	—	—	—
28W/9419405	SP.15.E	Washer, 1" dia.	—	—	—	—
28W/9619486	SP.16.B	Washer, 4 B.A.	—	—	—	—
28W/9419404	SP.16.C	Washer, 2 B.A.	—	—	—	—
28W/9419467	SP.16.E	Washer, 1" dia.	—	—	—	—
28W/9419489	SP.16.J	Washer, 3" dia.	—	—	—	—



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

R-Type Mk2
pressure breathing
mask

R-Type mask
used on Dominie
by RAF until 2011
© Copyright 2011 Scott Bouch