

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

| Ref. No. | Part No. | Description | 1 2 3 4 5 | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|-------------|------------------------|---|-----------|---|---|---|---|---------|------------------------|---------------------|-----------|
| | | | 1 | 2 | 3 | 4 | 5 | | | | |
| | G.261298 | ELECTRICAL EQUIPMENT IN FRONT FUSELAGE, ASSEMBLY | | | | | | — | — | — | |
| | E.261554 & D.261266 | ADDITIONAL DETAILS, ASSEMBLY | | | | | | — | — | — | |
| 5X/3181 | Plessey CZ.23212/1 | Block, terminal, 20-way | | | | | | 2 | — | B. | |
| 5X/1002694 | Plessey CZ.50207 | Block, terminal, 5-way (Mod. 2414) | | | | | | 1 | — | — | |
| | 9670 | Box, test, for G90 camera, group (Mod. 712) | | | | | | 1 | — | B. | |
| | B.227799 | Box, ground test | | | | | | 1 | — | — | |
| 5L/9951273 | — | Filament, 28V., 3.5 watt. | | | | | | 1 | — | B. | |
| 10H/ | Belling Lee L1055/7-5A | Fuse, 7.5 amp. | | | | | | 1 | — | C. | |
| 10H/0590100 | Belling Lee L356 | Holder, fuse | | | | | | 1 | — | B. | |
| 5CX/4191 | Rotax H.2705 | Lamp, warning | | | | | | 1 | — | B. | |
| | 3837 | Screw, securing switch | | | | | | 4 | Brass | C. | 5 |
| 10H/0560820 | Plessey CZ.56743 | Socket, code 45 | | | | | | 1 | — | B. | |
| 5CW/7551 | CWC Ltd. XD.786 | Switch, D.P. "ON-OFF" spring return to No. 3 off | | | | | | 1 | — | B. | |
| | A.235100 | Bracket, mounting (Mod. 2414) | | | | | | 1 | L.72 | — | |
| | — | Cables (See cable chart) | | | | | | — | — | — | |
| 10H/0970056 | Plessey CZ.51539 | Cap, protective | | | | | | 10 | — | C. | |
| | F.222497 | Clip, special | | | | | | 8 | L.72 | — | |
| | Std.2045/26/22 | Clip, securing cables | | | | | | 2 | — | — | |
| | Std.2045/29/22 | Clip, securing cables | | | | | | 3 | — | — | |
| | Std.2046/44/20 | Clip, securing cables | | | | | | 1 | — | — | |
| | Std.2045/14/26 | Clip, securing cables | | | | | | 1 | — | — | |
| | Std.2045/18/26 | Clips, securing cables (Mod. 2414) | | | | | | 2 | — | — | |
| | Std.2045/19/26 | Clips, securing cables (Mod. 2414) | | | | | | 3 | — | — | |
| | Std.2046/19/24 | Clips, securing cables (Mod. 2414) | | | | | | 1 | — | — | |
| 10H/19457 | Plessey CZ.62271 | Connector, bulkhead, code 45 | | | | | | 1 | — | B. | |
| 10H/19481 | Plessey CZ.62275 | Connector, bulkhead | | | | | | 1 | — | B. | |
| 10H/19482 | Plessey CZ.62275/1 | Connector, bulkhead | | | | | | 2 | — | B. | |
| 10H/19486 | Plessey CZ.62275/5 | Connector, bulkhead | | | | | | 1 | — | B. | |
| 10H/20742 | Plessey CZ.61887/1 | Connector, bulkhead | | | | | | 1 | — | B. | |
| 5X/9149643 | Plessey CZ.25111 | Cover, T.B., 20-way | | | | | | 2 | — | B. | |
| 5X/9149641 | Plessey CZ.26805 | Cover, T.B., 5-way (Mod. 2414) | | | | | | 1 | — | B. | |
| | 10207 | Diode, assembly (Mod. 2414) | | | | | | 1 | — | C. | |
| | B.235458 | Duct | | | | | | 1 | L.67 | — | |
| 5L/9952254 | — | Filament, lamp, 24V., 6 watt | | | | | | 1 | — | B. | |
| 5CZ/1961 | Rotax | Horn, electric, Type C.24 volts (or Rotax V0601L) | | | | | | 1 | — | — | |
| 5CX/446 | — | Lamp, cockpit, Mk. 1A | | | | | | 1 | — | B. | |
| | 10204 | Lever, for micro switch (Mod. 2414) | | | | | | 1 | S.521 | C. | |
| 5X/1004082 | Plessey Z.50210 | Link, commoning | | | | | | 1 | — | — | |
| 5X/1004083 | Plessey Z.50211 | Link, commoning, 3-way | | | | | | 1 | — | C. | |
| 5X/9450403 | Plessey Z.28426 | Pillar | | | | | | 6 | — | C. | |
| | F.231090 | Plate, mounting | | | | | | — | L.72 | — | |
| | A.235288 | Plate, guard (Mod. 2414) | | | | | | 1 | L.72 | — | |
| | 10206 | Plate, serrated (Mod. 2414) | | | | | | 1 | L.72 | C. | |
| 5CW/6453 | Smiths RD.2 | Relay, magnetic Type 9B, Mk. 2A (Mod. 2475) | | | | | | 2 | — | — | |
| | 3838 | Screw, roundhead, 4 B.A. (Mod. 2414) | | | | | | 2 | Brass | C. | |
| | 9447 | Screw, roundhead, 2 B.A. (Mod. 2475) | | | | | | 2 | Brass | C. | |
| | 10205 | Spring (Mod. 2414) | | | | | | 1 | DTD.215 | C. | |
| | 5F/2279 | Strap, helvin, 1/16" wide | | | | | | QR | — | C. | |
| | 5F/2281 | Strap, nylon, 1/8" wide | | | | | | QR | — | C. | |
| 5X/9434855 | AS.2509 | Stud | | | | | | QR | — | C. | |
| | 5F/2280 | Stud | | | | | | QR | — | C. | |

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

| Ref. No. | Part No. | Description | No. Off | Material Specification | M.R. Class of Store | Place No. |
|-------------|--------------------|--|---------|------------------------|---------------------|-----------|
| | | | | | | |
| 5CW/4839 | Rotax D.11201 | Switch, unit, thermal delay (Mod. 2479) ... | 1 | — | B. | |
| 5CW/6977 | Dowty | Switch, limit, "DOWMIC" (Mod. 2414) ... | 1 | — | B. | |
| | D.1831.Y.Mk.102C | | | | | |
| 5768 | Std.1509/12/016 | Tube, distance ... | 2 | T.4 | C. | |
| | Std.1509/23/116 | Tube, distance ... | 1 | T.4 | | |
| | Std.1509/25/020 | Tube, distance ... | 2 | T.4 | | |
| 5CZ/5299 | FLM/A/5 | Amplifier, cabin temperature ... | 1 | — | A. | |
| 5CZ/430 | Rotax N.5B.N. | Block, terminal, 2-way, type B No. 1 ... | 1 | — | B. | |
| 5X/2863 | Plessey CZ.24285 | Block, terminal, 10-way ... | 2 | — | B. | |
| 5X/3181 | Plessey CZ.23212/1 | Block, terminal, 20-way ... | 4 | — | B. | |
| | D.261293 | Box, A.C. junction, group ... | 1 | — | A. | |
| 5X/2863 | Plessey CZ.24285 | Block, terminal, 10-way ... | 2 | — | B. | |
| 8668 | F.216107 | Bolt, wing ... | 6 | — | C. | |
| 8670 | F.220761 | Bush, for earthing terminal ... | 1 | LFB.82 | C. | |
| | — | Cables (See cable chart) ... | — | — | | |
| | A.224535 | Capacitors, 4, 5, and 6, group ... | 1 | — | | |
| 10C/0115567 | Dubilier | Capacitor, 0.5 MFD., 250V. ... | 3 | — | C. | |
| 5X/6215 | Plessey Z.56545 | Lug ... | 1 | — | C. | |
| 10CV/448 | — | Rectifier, silicon (or Ferranti ZS.10A) ... | 1 | — | B. | |
| 5K/3623 | Tucker S.79 | Tag, eyelet ... | 4 | — | C. | |
| 5X/9400061 | Plessey Z.19924 | Tag, 6 amp., Q.R. ... | 2 | — | C. | |
| 5X/9400064 | Plessey Z.19880 | Thimble ... | 1 | — | C. | |
| 5X/9400062 | Plessey Z.19979 | Thimble, 6 amp. ... | 2 | — | C. | |
| | A.224536 | Capacitors, 7, 8 and 9, group ... | 1 | — | | |
| 10C/0115567 | Dubilier | Capacitor, 0.5 MFD., 250V. ... | 3 | — | C. | |
| 5X/6215 | Plessey Z.56545 | Lug ... | 1 | — | C. | |
| 10CV/448 | — | Rectifier, silicon (or Ferranti ZS.10A)) ... | 1 | — | B. | |
| 5K/3623 | Tucker S.79 | Tag, eyelet ... | 4 | — | C. | |
| 5X/9400061 | Plessey Z.19924 | Tag, 6 amp., Q.R. ... | 2 | — | C. | |
| 5X/9400064 | Plessey Z.19980 | Thimble ... | 1 | — | C. | |
| 5X/9400062 | Plessey Z.19979 | Thimble, 6 amp. ... | 2 | — | C. | |
| | A.224537 | Capacitors, 10, 11 and 12, group ... | 1 | — | | |
| 10C/0115567 | Dubilier | Capacitor, 0.5 MFD., 250V. ... | 3 | — | C. | |
| 5X/6215 | Plessey Z.56545 | Lug ... | 1 | — | C. | |
| 10CV/448 | — | Rectifier, silicon (or Ferranti ZS.10A) ... | 1 | — | B. | |
| 5K/3623 | Tucker S.79 | Tag, eyelet ... | 4 | — | C. | |
| 5X/9400061 | Plessey Z.19924 | Tag, 6 amp., Q.R. ... | 2 | — | C. | |
| 5X/9400064 | Plessey Z.19980 | Thimble, 2.5 amp. ... | 1 | — | C. | |
| 5X/9400062 | Z.19979 | Thimble, 6 amp. ... | 2 | — | C. | |
| | Std.841/71 | Clip, for retention, of capacitors, $\frac{1}{16}$ " wide x 22 S.W.G. x 7.1" long (Make from 30B/1433) | 3 | DTD.610 | | |
| | B.215794 | Cover, end ... | 1 | — | | |
| | B.215787 | Diaphragm ... | 1 | L.72 | | |
| 10H/21797 | — | Fuse, 2.5 amp. ... | 12 | — | C. | |
| 10H/23865 | Elec. Eng. AS.25 | Fuse, 2.5 amp., H.R.C. ... | 6 | — | C. | |
| 10H/23864 | Elec. Eng. AS.5 | Fuse, 5.0 amp., H.R.C. ... | 2 | — | C. | |
| 10H/21791 | — | Fuse, dummy, type "S" (AS.900/14) ... | 20 | — | | |

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

| Ref. No. | Part No. | Description | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|--------------|-------------------------|---|---------|------------------------|---------------------|-----------|
| | | | | | | |
| 5X/2790 | Plessey Z.22634 | Grommet, dummy | 1 | — | C. | |
| 20096 | A.230969 | Guard, switch | 2 | L.72 | | |
| | F.229680 | Guard, cushion | 1 | — | | |
| | F.222438 | Holder, for relay group | 1 | — | | |
| | F.222438/2 | Pad, 1/2" thick, "Volcrepe" | 1 | Rubber | | |
| 8669 | B.215796 | Lid, for junction box | 1 | L.72 | C. | |
| | B.215793 | Plate, plug mounting | 1 | — | | |
| | B.215964 | Platform, fuse block, group | 1 | — | | |
| 5X/6607 | Plessey CZ.73898 | Block, fuse | 10 | — | C. | |
| 8671 | A.215864 | Bus-bar, for 4-way fuse block | 8 | BSS.266 | C. | |
| 5X/1877 | Plessey Z.1719 | Grommet | 6 | — | C. | |
| | B.215791 | Platform, fuse block | 1 | L.72 | | |
| | C.215831 | Platform, relay, group | 1 | — | | |
| 6A/2715 | Smiths 213 M.V. | Auto-transformer | 1 | — | A. | |
| 5E/3042 | — | Cable, unipren, 24 amp. | QR | — | C. | |
| 10C/Z.115260 | Dubilier | Capacitor, 0-25 mf. 250V., working | 1 | — | C. | |
| 10250 | Std.2045/27/22 | Clip, securing capacitor | 1 | S.510 | C. | 6 |
| 5X/1874 | Plessey Z.1840 | Grommet | 1 | — | C. | |
| 5X/6215 | Plessey Z.56545 | Lug | 6 | — | C. | |
| | B.215792 | Platform, relay | 1 | L.72 | | |
| 10H/0560130 | Plessey CZ.51327 | Plug, panel mounting | 1 | — | C. | |
| 5CW/9729122 | Pullin | Relay, type "S" No. 1, 25 amp. | 4 | — | A. | |
| 5CW/9729123 | Pullin or Hendry | Relay, type "S" No. 3, 25 amp. | 5 | — | A. | |
| 5K/3455 | — | Sleeve, "helsyn plus," HT20 x 1/4" long | 8 | — | C. | |
| 10H/0560310 | Plessey CZ.51330 | Socket, panel mounting | 1 | — | C. | |
| | Ross Courtney 2120 | Tag, and thimble combined, 6 amp., Q.R. (AS.920/30) | 31 | — | C. | |
| 5X/9400064 | Plessey Z.19980 | Thimble | 6 | — | C. | |
| 5E/9100175 | — | Wire, equipment, type 2, 14/0076, red | QR | DEF.12 | C. | |
| 5E/9100176 | — | Wire, equipment, type 2, 14/0076, blue | QR | DEF.12 | C. | |
| 5E/9100179 | — | Wire, equipment, type 2, 14/0076, black | QR | DEF.12 | C. | |
| 5E/9100185 | — | Wire, equipment, type 2, 14/0076, pink | QR | DEF.12 | C. | |
| | B.224538 | Relay, "M" group | 1 | — | | |
| | F.222438 | Holder, group | 1 | — | | |
| | F.222438/2 | Pad, 1/2" thick volcrepe | 1 | Rubber | | |
| 5X/6215 | Plessey Z.56545 | Lug | 1 | — | C. | |
| 10F/0530453 | Standard Telephone 9616 | Relay, type SM.5A N.25 | 1 | — | A. | |
| | F.224534 | Support, relay wire | 1 | LFS.12 | C. | |
| 5X/9400061 | Plessey Z.19924 | Tag, 6 amp., Q.R. | 2 | — | C. | |
| 5X/9400062 | Plessey Z.19979 | Thimble, 6 amp. | 2 | — | C. | |
| 5X/9400064 | Plessey Z.19980 | Thimble | 1 | — | C. | |
| 5E/9100185 | — | Wire, equipment, type 2, 14/0076, pink | QR | — | C. | |
| 5E/9100180 | — | Wire, equipment, type 2, 14/0076, white | QR | — | C. | |
| | B.224539 | Relay, "N" group | 1 | — | | |
| | F.222438 | Holder, group | 1 | — | | |
| | F.222438/2 | Pad, 1/2" thick "Volcrepe" | 1 | Rubber | | |
| 5X/6215 | Plessey Z.56545 | Lug | 1 | — | C. | |
| 10F/0530453 | Standard Telephone 9616 | Relay, type SM.5A.N25 | 1 | — | A. | |
| | F.224534 | Support, relay wire | 1 | LFS.21 | C. | |
| 5X/9400061 | Plessey Z.19924 | Tag, 6 amp., Q.R. | 2 | — | C. | |
| 5X/9400064 | Plessey Z.19980 | Thimble | 1 | — | C. | |
| 5X/9400062 | Plessey Z.19979 | Thimble, 6 amp. | 2 | — | C. | |
| 5E/9100185 | — | Wire, equipment, type 2, 14/0076, pink | QR | — | C. | |
| 5E/9100180 | — | Wire, equipment, type 2, 14/0076, white | QR | — | C. | |

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

| Ref. No. | Part No. | Description | 1 2 3 4 5 | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|-------------|---------------------------|---|-----------|---|---|---|---|---------|------------------------|---------------------|-----------|
| | | | 1 | 2 | 3 | 4 | 5 | | | | |
| | B.224540 | Relay, "P," group | | | | | | 1 | — | | |
| 5X/6215 | Plessey Z.56545 | Lug | | | | | | 1 | — | C. | |
| 10F/0530453 | Standard Telephone | Relay, type SM.5A.N.25 | | | | | | 1 | — | A. | |
| 9616 | F.224534 | Support, relay wire | | | | | | 1 | LFS.21 | C. | |
| 5X/9400061 | Plessey Z.19924 | Tag, 6 amp., Q.R. | | | | | | 2 | — | C. | |
| 5X/9400064 | Plessey Z.19980 | Thimble | | | | | | 1 | — | C. | |
| 5X/9400062 | Plessey Z.19979 | Thimble, 6 amp. | | | | | | 2 | — | C. | |
| 5E/9100185 | — | Wire, equipment, type 2, 14/0076, pink | | | | | | QR | — | C. | |
| 5E/9100180 | — | Wire, equipment, type 2, 14/0076, white | | | | | | QR | — | C. | |
| 3838 | Std.1606/44/B8 | Screw, roundhead, 4 B.A. | | | | | | 2 | Brass | C. | 5 |
| | C.215795 | Shell, for junction box | | | | | | 1 | L.72 | | |
| 5CW/5907 | Smiths EAP.2340 | Switch, torque | | | | | | 3 | — | A. | |
| 5CW/7544 | CWC. Ltd. XD.781 | Switch, single pole, "On-off" | | | | | | 1 | — | B. | |
| 3806 | Std.1509/23/032 | Tube, distance, at relay holder, $\frac{5}{16}$ " o/d x 17 S.W.G. x 0.32" long (Make from 30B/1784) | | | | | | 2 | T.4 | MR/C | 4 |
| 3796 | Std.1509/12/072 | Tube, distance, $\frac{1}{8}$ " o/d x 20 S.W.G. x 0.72" long (Make from 30B/619) | | | | | | 12 | T.4 | MR/C | 4 |
| | Std.1509/23/140 | Tube, distance, $\frac{5}{16}$ " o/d x 17 S.W.G. x $\frac{1}{4}$ " long (Make from 30B/1784) | | | | | | 2 | T.4 | | |
| 8673 | F.220762 | Washer, at earthing terminal | | | | | | 1 | LFB.82 | C. | |
| | D.261353 | Box, main fuse, group | | | | | | 1 | — | | |
| 5X/6480 | Plessey Z.60218 | Bar, commoning | | | | | | 2 | — | C. | |
| 5X/6607 | Plessey CZ.73898 | Block, fuse (tags both sides, less cover) | | | | | | 13 | — | C. | |
| 8674 | A.211093 | Bus-bar | | | | | | 4 | BSS.265 | C. | |
| 5E/3040 | — | Cable, unipren, 12 amp. | | | | | | QR | — | C. | |
| 5E/3042 | — | Cable, unipren, 24 amp. | | | | | | QR | — | C. | |
| 5X/1965 | Plessey Z.22166 | Cap, sealing | | | | | | 1 | — | C. | |
| | A.210916 | Channel, mounting, for fuse block | | | | | | 2 | — | | |
| | A.210917 | Channel, mounting, for fuse block | | | | | | 1 | — | | |
| 10H/21797 | H. T. Newton Ltd. | Fuse, 2.5 amp. | | | | | | 15 | L.72 | C. | |
| 10H/21798 | H. T. Newton Ltd. | Fuse, 5 amp. | | | | | | 11 | — | C. | |
| 10H/21799 | H. T. Newton Ltd. | Fuse, 10 amp. (AS.840/93) | | | | | | 2 | — | C. | |
| 10H/23801 | H. T. Newton Ltd. | Fuse, 20 amp., type S (AS.840/93) | | | | | | 3 | — | C. | |
| 10H/23865 | English Electric AS.25 | Fuse, 2.5 amp., type H.R.C. | | | | | | 2 | — | C. | |
| 10H/21791 | — | Fuse, dummy type "S" (AS.900/14) | | | | | | 27 | — | C. | |
| | C.244849 | Lid, for fuse box, group | | | | | | 1 | — | B. | |
| 28FP/148 | Dzus A4.35 | Fastener | | | | | | 4 | — | C. | |
| | — | Strip, sealing, $\frac{1}{2}$ " wide x $\frac{1}{16}$ " thick | | | | | | 43" | DTD.5509D | | |
| 5X/9400388 | Plessey Z.77862 | Lug | | | | | | 4 | — | C. | |
| 10209 | F.235385 | Mounting, for diode (Mod. 2414) | | | | | | 1 | BSS.265 | C. | |
| | F.221704 | Plate, conversion | | | | | | 2 | L.72 | | |
| 7813 | F.206916 | Plate, tapped | | | | | | 2 | L.72 | MR/C | |
| 7815 | F.206918 | Plate, tapped | | | | | | 2 | L.72 | MR/C | |
| 5X/7159 | Plessey 2CZ/111229 | Plug, assembly, code 21 | | | | | | 2 | — | B. | |
| 5X/7149 | Plessey 2CZ/111225 | Plug, assembly, code 11 | | | | | | 1 | — | B. | |
| 5X/7147 | Plessey 2CZ/111299 | Plug, assembly, code 9 | | | | | | 1 | — | B. | |
| 5CZ/5862 | B.T.H. | Rectifier, type GJ/6/M (Mod. 789) | | | | | | 1 | — | B. | |
| 5245 | Std.1606/44/A10 | Screw, roundhead, 6 B.A. | | | | | | 8 | Brass | C. | 5 |
| 3838 | Std.1606/44/B8 | Screw, roundhead, 4 B.A. | | | | | | 30 | Brass | C. | 5 |
| 1178 | Std.1606/44/B12 | Screw, roundhead, 4 B.A. | | | | | | 4 | Brass | C. | 5 |
| 1637 | Std.1606/44/B14 | Screw, roundhead, 4 B.A. | | | | | | 8 | Brass | C. | 5 |

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

| Ref. No. | Part No. | Description | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|-------------|--------------------|--|---------|------------------------|---------------------|-----------|
| | | | | | | |
| 5F/ | ERMA 12432 | Tag, 12 amp. | 55 | — | C. | |
| | ERMA 12434 | Tag, 24 amp. | 6 | — | C. | |
| | Ross Courtney 00 | Tag, 4 B.A. (Mod. 2414) | 2 | — | C. | |
| | — | Tube, 1½ mm.-2½ mm. black | QR | P.V.C. | C. | |
| 5X/2786 | B.253592 | Box, junction, artificial horizon, group (Mod. 1002) ... | 1 | — | — | |
| | A.253591 | Box, complete | 1 | L.72 | — | |
| | A.248673 | Cable (See cable chart) | 1 | — | — | |
| | A.248678 | Cable (See cable chart) | 1 | — | — | |
| 10H/0560080 | Plessey Z.22431 | Grommet | 1 | — | — | |
| | A.214146 | Plate, cover | 1 | L.72 | — | |
| 10H/0560260 | Plessey CZ.48995 | Plug, panel unit, code 45 | 1 | — | C. | |
| 5E/9100173 | Plessey CZ.49223 | Socket, panel unit, code 45 | 2 | — | C. | |
| | — | Wire, equipment 7/70076 (Grey) | QR | DEF.12 | C. | |
| | G.261338 | BOX, JUNCTION, FOR MAIN TRUNKING, ASSEMBLY | — | — | — | |
| 8677 | F.217908 | Block, packing | 40 | LFS.21 | C. | |
| 5X/3181 | Plessey CZ.23212/1 | Block, terminal, 20-way | 10 | — | B. | |
| 5X/2863 | Plessey CZ.24285 | Block, terminal, 10-way | 4 | — | B. | |
| 5E/3038 | — | Cable, unipren, 6 amp. | QR | — | C. | |
| 5E/3040 | — | Cable, unipren, 12 amp. | QR | — | C. | |
| 5E/3042 | — | Cable, unipren, 24 amp. | QR | — | C. | |
| 5E/3113 | — | Cable, duprensheath, 6 amp. | QR | — | C. | |
| 5E/3116 | — | Cable, sextoprensheath, 6 amp. | QR | — | C. | |
| 5E/3114 | — | Cable, triprensheath, 6 amp. | QR | — | C. | |
| 5X/9149643 | Plessey CZ.25111 | Cover, for terminal block, 20-way | 10 | — | B. | |
| 5X/3275 | Plessey CZ.26808 | Cover, for terminal block 10-way | 4 | — | B. | |
| 7989 | A.209702 | Ferrule | 2 | L.65.C | C. | |
| 7990 | A.209704 | Ferrule | 2 | L.65.C | C. | |
| 7991 | A.209699 | Ferrule | 1 | — | C. | |
| 5X/6921 | Plessey CZ.28009 | Ferrule | 20 | — | C. | |
| 5X/1524 | Plessey Z.18500/B | Ferrule | 1 | — | C. | |
| 5X/6922 | Plessey CZ.50823 | Ferrule | 2 | — | C. | |
| 5X/1526 | Plessey Z.18500/D | Ferrule | 2 | — | C. | |
| | Std.2044/B/061 | Ferrule (Mod. 921) | 1 | L.65C or L.62 | — | |
| 9336 | B.222448 | Gaiter, for cable | 1 | — | C. | |
| 10H/0970058 | Plessey Z.60667 | Gasket, outlet, code 45 | 4 | Rubber | C. | |
| 10H/0970059 | Plessey Z.60668 | Gasket, outlet (Mod. 921) | 3 | Rubber | C. | |
| 10H/0970060 | Plessey Z.60669 | Gasket, outlet | 2 | Rubber | C. | |
| 10H/0970107 | Plessey Z.62234 | Gasket, union | 2 | — | C. | |
| 10H/0970108 | Plessey Z.62235 | Gasket, union | 1 | Rubber | C. | |
| 5X/2788 | Plessey Z.23672 | Grommet, type 5 | 1 | — | C. | |
| 8680 | C.215080 | Lid, part, for box, group | 1 | — | C. | |
| 28FP/148 | Dzus A4.35 | Fastener | 6 | — | C. | |
| 8681 | C.215081 | Lid, starboard, for box, group | 1 | — | C. | |
| 28FP/148 | Dzus A4.35 | Fastener | 6 | — | C. | |
| 5X/1004082 | Plessey Z.50210 | Link, commoning, 2-way | 12 | — | C. | |
| 5X/6317 | Plessey Z.50218 | Link, commoning, 10-way | 2 | — | C. | |
| 5X/1004083 | Plessey Z.50211 | Link, commoning, 3-way | 6 | — | C. | |
| 5X/6172 | Plessey Z.50212 | Link, commoning, 4-way | 1 | — | C. | |
| 5X/9400385 | Erma 12105 | Lug, cable | 1 | — | C. | |
| 5X/9400389 | Erma 12109 | Lug, cable | 3 | — | C. | |
| 8682 | F.220647 | Nut, special | 28 | — | C. | |

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Score | Place No. |
|------------------|--------------------|--|-----|-----|-----|-----|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| 27FP/331 32C/ | F.228599 | Plate, stud | ... | ... | ... | ... | 8 | — | | |
| | F.212157 | Plate, stud | ... | ... | ... | ... | 12 | — | | |
| | F.212867 | Plate, stud | ... | ... | ... | ... | 8 | — | | |
| | Dzus S.4.225 | Spring | ... | ... | ... | ... | 8 | — | C. | |
| | — | Strip, sealing, 1" x 1/4" | ... | ... | ... | ... | QR | Rubber | C. | |
| 5F/ | — | Tube, 1 m/m i/d. | ... | ... | ... | ... | QR | P.V.C. | C. | |
| 5F/2143 | — | Tube, 1/8" i/d. | ... | ... | ... | ... | QR | P.V.C. | C. | |
| 5F/2034 | — | Tube, 3/8" i/d. | ... | ... | ... | ... | QR | P.V.C. | C. | |
| 5F/2035 | — | Tube, 1/2" i/d. | ... | ... | ... | ... | QR | P.V.C. | C. | |
| 5F/2036 | — | Tube, 5/8" i/d. | ... | ... | ... | ... | QR | P.V.C. | C. | |
| 5F/2037 | — | Tube, 3/4" i/d. | ... | ... | ... | ... | QR | P.V.C. | C. | |
| 5F/2038 | — | Tube, 1" i/d. | ... | ... | ... | ... | QR | P.V.C. | C. | |
| 7100 | Std.915/B10 | Washer | ... | ... | ... | ... | 28 | DTD.610 | C. | 4 |
| | E.261339 | Box, junction, No. 2, group | ... | ... | ... | ... | 1 | — | A. | |
| 5X/6607 | Plessey CZ.73898 | Block, fuse, with identification tags, less cover | ... | ... | ... | ... | 7 | — | C. | |
| 5X/2863 | Plessey CZ.24285 | Block, terminal, 10-way | ... | ... | ... | ... | 10 | — | B. | |
| 5X/3181 | Plessey CZ.23212/1 | Block, terminal, 20-way | ... | ... | ... | ... | 2 | — | B. | |
| | D.240899 | Box, group | ... | ... | ... | ... | 1 | — | | |
| | A.221811 | Clamp, cable | ... | ... | ... | ... | 1 | — | | |
| 8685 | D.215173/4 | Panel, access | ... | ... | ... | ... | 1 | L.72 | C. | |
| | F.221810 | Plate, stud | ... | ... | ... | ... | 2 | — | | |
| 28FP/337 | Dzus S.5.200 | Spring | ... | ... | ... | ... | 2 | — | C. | |
| 26BX/5617 | Std.914/B22 | Washer, 4 B.A. | ... | ... | ... | ... | 4 | DTD.610 | MR/C | 4 |
| 3762 | Std.915/A18 | Washer, 6 B.A. | ... | ... | ... | ... | 4 | DTD.610 | MR/C | 4 |
| 5E/3038 | — | Cable, unipren, 6 amp. | ... | ... | ... | ... | QR | — | C. | |
| 5E/3040 | — | Cable, unipren, 12 amp. | ... | ... | ... | ... | QR | — | C. | |
| 5E/3042 | — | Cable, unipren, 24 amp. | ... | ... | ... | ... | QR | — | C. | |
| 3971 | Std.840/19 | Clip, securing resistor, 7/16" wide x 22 S.W.G. x 1-9" long (Make from 30B/1433) | ... | ... | ... | ... | 1 | DTD.610 | C. | 4 |
| 10247 | B.236211 | Cover, terminal (Mod. 886) | ... | ... | ... | ... | 1 | DTD.5545 | C. | |
| 10246 | B.236212 | Cover, terminal (Mod. 886) | ... | ... | ... | ... | 1 | DTD.5545 | C. | |
| 5X/6921 | Plessey CZ.28009 | Ferrule | ... | ... | ... | ... | 1 | — | C. | |
| 8687 | A.220751 | Ferrule, group | ... | ... | ... | ... | 2 | — | C. | |
| 7990 | A.209704 | Ferrule | ... | ... | ... | ... | 1 | — | C. | |
| 10H/21797 | H. T. Newton Ltd. | Fuse, 2.5 amp., type "S" | ... | ... | ... | ... | 12 | — | C. | |
| 10H/23865 | Eng. Elec. AS.25 | Fuse, 2.5 amp., H.R.C. | ... | ... | ... | ... | 1 | — | C. | |
| 10H/21798 | H. T. Newton Ltd. | Fuse, 5 amp., type "S" | ... | ... | ... | ... | 9 | — | C. | |
| 10H/23862 | Eng. Elec. AS.10 | Fuse, 10 amp., H.R.C. | ... | ... | ... | ... | 1 | — | C. | |
| 10H/21799 | H. T. Newton Ltd. | Fuse, 10 amp., type "S" | ... | ... | ... | ... | 2 | — | C. | |
| 10H/21791 | — | Fuse, dummy, type "S" | ... | ... | ... | ... | 4 | — | | |
| 10H/0970060 | Plessey Z.60669 | Gasket, outlet, code 50 | ... | ... | ... | ... | 1 | — | C. | |
| 5X/2786 | Plessey Z.22431 | Grommet, helsyn | ... | ... | ... | ... | 1 | — | C. | |
| 5K/3703 | Hellermann HV.2855 | Grommet | ... | ... | ... | ... | 1 | — | C. | |
| | C.234597 | Lid, group (AS.830/30) | ... | ... | ... | ... | 1 | — | | |
| 8689 | F.215416 | Bolt, wing | ... | ... | ... | ... | 2 | — | C. | |
| | A.215438 | Bracket, mounting | ... | ... | ... | ... | 2 | L.72 | | |
| | A.234592 | Cover (AS.830/30) | ... | ... | ... | ... | 1 | L.72 | | |
| 28FP/239 | Dzus AW.530 | Fastener | ... | ... | ... | ... | 2 | — | C. | |
| 5X/6903 | Plessey Z.54032 | Link, commoning, 2-way | ... | ... | ... | ... | 2 | — | C. | |
| 5X/1004082 | Plessey Z.50210 | Link, commoning | ... | ... | ... | ... | 3 | — | C. | |
| 5X/1004083 | Plessey Z.50211 | Link, commoning | ... | ... | ... | ... | 3 | — | C. | |
| 5X/6480 | Plessey Z.60218 | Link, commoning | ... | ... | ... | ... | 6 | — | C. | |
| 5X/6317 | Plessey Z.50218 | Link, commoning | ... | ... | ... | ... | 1 | — | C. | |

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|--------------|--------------------|---|-----|-----|-----|-----|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| 5X/9400385 | Plessey Z.77859 | Lug | ... | ... | ... | ... | 1 | — | C. | |
| 5X/9400389 | Plessey Z.77863 | Lug | ... | ... | ... | ... | 2 | — | C. | |
| 10H/0970074 | Plessey CZ.49187 | Outlet, angle, code 50 | ... | ... | ... | ... | 1 | — | C. | |
| 7813 | F.206916 | Plate, tapped | ... | ... | ... | ... | 2 | L.72 | MR/C | |
| 7814 | F.206917 | Plate, tapped | ... | ... | ... | ... | 1 | L.72 | MR/C | |
| 7815 | F.206918 | Plate, tapped | ... | ... | ... | ... | 12 | L.72 | MR/C | |
| 10H/0560050 | Plessey CZ.48992 | Plug, panel unit, code 41 | ... | ... | ... | ... | 1 | — | C. | |
| 10H/0560150 | Plessey CZ.49112 | Plug, panel unit, code 48 | ... | ... | ... | ... | 1 | — | C. | |
| 10H/0560151 | Plessey CZ.49112/1 | Plug, panel unit, code 48 | ... | ... | ... | ... | 1 | — | C. | |
| 5X/7145 | Plessey CZ.111224 | Plug, code 7 | ... | ... | ... | ... | 1 | — | B. | |
| 5X/7149 | Plessey CZ.111225 | Plug, code 11 | ... | ... | ... | ... | 1 | — | B. | |
| 5X/7151 | Plessey CZ.111226 | Plug, code 13 | ... | ... | ... | ... | 1 | — | B. | |
| 5X/7159 | Plessey CZ.111229 | Plug, code 21 | ... | ... | ... | ... | 12 | — | B. | |
| 10H/0560200 | Plessey CZ.49061 | Plug, panel unit, code 50 | ... | ... | ... | ... | 1 | — | C. | |
| 10W/Z.113360 | — | Resistor, 30 ohm | ... | ... | ... | ... | 1 | — | C. | |
| 10H/0970090 | Plessey Z.62233 | Ring, sealing, code 50 | ... | ... | ... | ... | 1 | — | C. | |
| 5X/1005131 | Plessey Z.49428 | Sleeve, 6 amps. to 12 amps. | ... | ... | ... | ... | QR | — | C. | |
| 5K/3455 | — | Sleeve, helsyn plus, 150HT20 x 3/4" | ... | ... | ... | ... | 113 | — | C. | |
| 10H/0560220 | Plessey CZ.49070 | Socket, free | ... | ... | ... | ... | 1 | — | C. | |
| 10H/0560330 | Plessey CZ.49459 | Socket, panel unit, code 48 | ... | ... | ... | ... | 1 | — | C. | |
| 10H/0560260 | Plessey CZ.49223 | Socket, panel unit, code 45 | ... | ... | ... | ... | 1 | — | C. | |
| 10H/0560380 | Plessey CZ.49229 | Socket, panel unit, code 50 | ... | ... | ... | ... | 1 | — | C. | |
| 10H/O.560381 | Plessey CZ.49229/1 | Socket, panel unit, code 50 | ... | ... | ... | ... | 1 | — | C. | |
| 5X/7192 | Plessey 2CZ.111238 | Socket | ... | ... | ... | ... | 1 | — | B. | |
| 5X/ | RC.2120 | Tag, Q.R., 6 amp. | ... | ... | ... | ... | QR | — | C. | |
| 5X/ | RC.2121 | Tag, Q.R., 12 amp. | ... | ... | ... | ... | QR | — | C. | |
| 5X/ | RC.2122 | Tag, Q.R., 24 amp. | ... | ... | ... | ... | QR | — | C. | |
| 5F/ | — | Tube, 1 1/2-2 1/2 m/m. i/d. (Comml. Grade) | ... | ... | ... | ... | QR | P.V.C. | C. | |
| 5F/2037 | — | Tube, 3/4" i/d. | ... | ... | ... | ... | 54" | P.V.C. | C. | |
| | A.218494 | Bracket, mounting | ... | ... | ... | ... | 3 | S.3 | | |
| | F.220710 | Bracket, for switch, at frame 10 | ... | ... | ... | ... | 1 | L.72 | | |
| 5X/6789 | Hellermann HV.3185 | Bung, forward of frame 14 | ... | ... | ... | ... | 1 | — | C. | |
| | — | Cables, electrical (See cable chart) | ... | ... | ... | ... | — | — | — | |
| | B.235459 | Cable, F.29, group (See cable chart) (Mod. 813) | ... | ... | ... | ... | 1 | — | — | |
| | F.229253 | Cable, compass light (See cable chart) (Mod. 813) | ... | ... | ... | ... | 1 | — | — | |
| | B.233295 | Duct | ... | ... | ... | ... | 1 | L.67 | | |
| | B.228264 | Cable, F.102, group (See cable chart) | ... | ... | ... | ... | 1 | — | — | |
| 5L/9951273 | — | Filament, lamp (AS.790/55) | ... | ... | ... | ... | 1 | — | B. | |
| 5CX/4191 | Rotax H.2705 | Indicator, warning | ... | ... | ... | ... | 1 | — | B. | |
| 6038 | F.202760 | Plate, adaptor | ... | ... | ... | ... | 1 | — | MR/C | |
| | B.228265 | Cable, F.103, group (See cable chart) | ... | ... | ... | ... | 1 | — | — | |
| 10F/1786 | — | Switch | ... | ... | ... | ... | 1 | — | B. | |
| | C.260744 | Cable, F.42, group (See cable chart) | ... | ... | ... | ... | 1 | — | — | |
| | C.232350 | Cable, F.50, assembly | ... | ... | ... | ... | 1 | — | — | |
| 8012 | F.208578 | Adaptor | ... | ... | ... | ... | 2 | BSS.249 | C. | |
| | Std.2044/7/052 | Ferrule | ... | ... | ... | ... | 2 | — | — | |
| 14A/4929 | — | Camera, G.90 | ... | ... | ... | ... | 1 | — | A. | |
| | A.227880 | Channel, mounting | ... | ... | ... | ... | 1 | L.32 | | |

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------------|--------------------------------|---|-----|-----|-----|-----|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| 9496 9664 | Std.2045/46/20 | Clip, sleeved, securing cables | ... | ... | ... | ... | 1 | S.510 | C. C. | 6 6 |
| | Std.2045/18/26 | Clip, sleeved, securing cables | ... | ... | ... | ... | 1 | S.510 | | |
| | Std.2045/20/24 | Clip, sleeved, securing cables | ... | ... | ... | ... | 1 | S.510 | | |
| | Std.2045/20/22 | Clip, sleeved, securing cables | ... | ... | ... | ... | 1 | S.510 | | |
| | Std.2045/22/24 | Clip, sleeved, securing cables | ... | ... | ... | ... | 1 | S.510 | | |
| | Std.2045/29/22 | Clip, sleeved, securing cables | ... | ... | ... | ... | 1 | S.510 | | |
| | Std.2045/38/22 | Clip, sleeved, securing cables | ... | ... | ... | ... | 1 | S.510 | | |
| | Std.2046/18/26 | Clip, sleeved, securing cables | ... | ... | ... | ... | 1 | S.510 | | |
| | Std.2046/23/24 | Clip, sleeved, securing cables | ... | ... | ... | ... | 3 | S.510 | | |
| | Std.2046/25/22 | Clip, sleeved, securing cables | ... | ... | ... | ... | 2 | S.510 | | |
| | Std.2046/32/22 | Clip, sleeved, securing cables | ... | ... | ... | ... | 1 | S.510 | | |
| | Std.2046/28/22 | Clip, sleeved, securing cables | ... | ... | ... | ... | 2 | S.510 | | |
| | Std.2046/29/22 | Clip, sleeved, securing cables | ... | ... | ... | ... | 1 | S.510 | | |
| | Std.2046/34/22 | Clip, sleeved, securing cables | ... | ... | ... | ... | 3 | S.510 | | |
| | Std.2046/35/22 | Clip, sleeved, securing cables | ... | ... | ... | ... | 1 | S.510 | | |
| | Std.2046/41/22 | Clip, sleeved, securing cables | ... | ... | ... | ... | 1 | S.510 | | |
| | Std.2046/42/22 | Clip, sleeved, securing cables | ... | ... | ... | ... | 2 | S.510 | | |
| | Std.2046/20/24 | Clip, sleeved, securing cables | ... | ... | ... | ... | 1 | S.510 | | |
| | Std.2046/59/20 | Clip, sleeved, securing cables | ... | ... | ... | ... | 1 | S.510 | | |
| | Std.2046/63/20 | Clip, sleeved, securing cables | ... | ... | ... | ... | 1 | S.510 | | |
| Std.2046/67/20 | Clip, sleeved, securing cables | ... | ... | ... | ... | 1 | S.510 | | | |
| Std.2076/35/22 | Clip, sleeved, securing cables | ... | ... | ... | ... | 2 | S.510 | | | |
| Std.2076/27/24 | Clip, sleeved, securing cables | ... | ... | ... | ... | 1 | S.510 | | | |
| 5897 | F.209035 | Clip, securing cables | ... | ... | ... | ... | 2 | — | MR/C | |
| | F.222497 | Clip, special (Mod. 813) | ... | ... | ... | ... | 8 | L.72 | | |
| 10216 | F.234133 | Clip, securing catch guard to frame 8 (AS.840/16) | ... | ... | ... | ... | 1 | S.520 | | |
| | A.228425 | Connector, inverter, for invertors No. 1 and 2, group | ... | ... | ... | ... | 2 | — | | |
| | | Consisting of:— | | | | | | | | |
| 5F/ | — | Braid, flexible, T.C. size 1" | ... | ... | ... | ... | 16" | — | C. | |
| 5E/3038 | — | Cable, unipren, 6 amp. | ... | ... | ... | ... | 51" | — | C. | |
| 5E/3042 | — | Cable, unipren, 24 amp. | ... | ... | ... | ... | 34" | — | C. | |
| 5X/1524 | Plessey Z.18500/B | Ferrule | ... | ... | ... | ... | 2 | — | C. | |
| 5K/3455 | — | Sleeve, helsyn plus, HT.20 x 3/4" | ... | ... | ... | ... | 10 | — | C. | |
| 5X/3146 | Plessey Z.49397 | Sleeve (12 amps.—24 amps.) | ... | ... | ... | ... | 6 | — | C. | |
| 5X/1005131 | Plessey Z.49428 | Sleeve (6 amps.—12 amps.) | ... | ... | ... | ... | 6 | — | C. | |
| 5X/7043 | Plessey | Socket, code 10 (AS.970/90) | ... | ... | ... | ... | 2 | — | B. | |
| | 2CZ.108948 | | | | | | | | | |
| 5F/2036 | — | Tube, 3/4" i/d. | ... | ... | ... | ... | 16" | P.V.C. | C. | |
| | A.220700 | Connector, for inverter No. 3 group | ... | ... | ... | ... | 1 | — | | |
| 6022 | A.201761 | Connector, for inverter No. 4 group | ... | ... | ... | ... | 1 | — | B. | |
| 6A/4392 | Smiths Weymouth | Connector | ... | ... | ... | ... | 2 | — | B. | |
| | CS.21 | | | | | | | | | |
| | E.261369 | Console, centre, group | ... | ... | ... | ... | 1 | — | | |
| | A.212377 | Angle, relay, mounting | ... | ... | ... | ... | 2 | L.72 | | |
| 5X/3277 | Plessey CZ.50206 | Block, terminal, Q.R., 3-way | ... | ... | ... | ... | 1 | — | B. | |
| 5CZ/430 | Rotax N.5.B.N. | Block, terminal, 2-way No. 1 | ... | ... | ... | ... | 1 | — | B. | |
| | F.227348 | Block, taper | ... | ... | ... | ... | 1 | L.65.C | | |
| 5CY/2564 | B.T.H. or Thorn | Breaker, circuit, type "A." 45 amp. | ... | ... | ... | ... | 1 | — | A. | |
| 4178 | Rotax 65291 | Bung | ... | ... | ... | ... | QR | — | C. | |
| | D.230158 | Cable, form | ... | ... | ... | ... | 1 | — | B. | |
| 10C/0145519 | Plessey | Capacitor, 500 M.F.D., 50 volts, D.C. | ... | ... | ... | ... | 1 | — | C. | |
| | CE.4063/40 | | | | | | | | | |
| 5CW/5252 | Hellermann | Cap, helvin (sea grey) | ... | ... | ... | ... | 5 | — | C. | |
| | HV.3711 | | | | | | | | | |
| 5CW/5253 | Hellermann | Cap, helvin (sea grey) | ... | ... | ... | ... | 1 | — | C. | |
| | HV.3710 | | | | | | | | | |

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

| Ref. No. | Part No. | Description | No. Off | Material Specification | M.R. Class of Score | Plate No. |
|--------------|------------------------|--|---------|------------------------|---------------------|-----------|
| | | | | | | |
| 8691 | F.221234 | Clip, for audio delay unit | 1 | — | C. | |
| 3734 | Std.840/25 | Clip, securing tubing, $\frac{7}{16}$ " wide x 22 S.W.G. x 2.5" long (Make from 30B/1433) | 2 | DTD.620 | MR/C | 4 |
| 3746 | Std.841/26 | Clip, securing tubing | 1 | DTD.610 | C. | 4 |
| 4733 | Std.841/36 | Clip, securing oxygen pipes | 2 | DTD.620 | C. | 4 |
| 5D/1924 | RAE. EL.42887/1C | Connector, 4 pole, 2.5 amp., 18" long | 1 | — | B. | |
| | B.260072 | CONSOLE, CENTRE, SUB-ASSEMBLY | — | — | | |
| | A.221275 | Fitting, pivot | 1 | L.65.C | | |
| 5CY/4520 | B.T.H. Smart or Brown | Cover, safety | 1 | — | C. | |
| 5L/9959118 | — | Filament, 28V., 0.04 amp. | 2 | — | B. | |
| 10H/180 | Belling Lee L.1055/3 | Fuse, 3 amp. | 1 | — | C. | |
| 5CW/4222 | — | Guard, switch locking | 3 | — | B. | |
| 10H/0590100 | Belling Lee L.356 | Holder, fuse | 1 | — | B. | |
| 5CZ/5639 | Plessey CZ.97135/55 | Indicator, magnetic | 2 | — | B. | |
| 5CZ/5085 | Plessey CZ.97636/2 | Indicator, magnetic | 1 | — | B. | |
| 5CX/5449 | Thorn 80/10/0855 Clear | Light, pillar, $\frac{1}{2}$ " stem | 2 | — | B. | |
| 10695 | F.249493 | Mounting, for light pillar (Mod. 1029) | 1 | — | C. | |
| 8692 | C.213144 | Panel, access, port | 1 | L.72 or L.59 | C. | |
| 8693 | C.213145 | Panel, access, starboard | 1 | L.72 or L.59 | C. | |
| | F.223718 | Plate, locking, for switch | 1 | L.72 | | |
| | A.212378 | Plate, relay mounting | 1 | L.72 | | |
| | A.212379 | Plate, relay mounting | 1 | L.72 | | |
| | A.212380 | Plate, relay mounting | 1 | L.72 | | |
| | F.206918 | Plate, tapped | 2 | L.72 | | |
| 5CW/6719 | Pullin or Hendry | Relay, type "S," No. 9 | 16 | — | | |
| 10W/Z.113475 | — | Resistor, 330 ohm., 4.5 watt | 1 | — | C. | |
| 5K/3455 | — | Sleeve, helysn plus, HT20 x $\frac{3}{4}$ " | 3 | — | C. | |
| 5K/3457 | — | Sleeve, helysn plus, HT75 x 1" | 1 | — | C. | |
| 1639 | Std.1606/44/A6 | Screw, roundhead, 6 B.A. | 2 | Brass | C. | 5 |
| 4871 | Std.1606/44/A8 | Screw, roundhead, 6 B.A. | 2 | Brass | C. | 5 |
| 5245 | Std.1606/44/A10 | Screw, roundhead, 6 B.A. | 1 | Brass | C. | 5 |
| 9451 | Std.1606/44/A24 | Screw, roundhead, 6 B.A. | 2 | Brass | C. | 5 |
| 3837 | Std.1606/44/B10 | Screw, roundhead, 4 B.A. | 4 | Brass | C. | 5 |
| 1178 | Std.1606/44/B12 | Screw, roundhead, 4 B.A. | 1 | Brass | C. | 5 |
| 1720 | Std.1606/44/B24 | Screw, roundhead, 4 B.A. | 2 | Brass | C. | 5 |
| 5829 | Std.1606/44/A14 | Screw, roundhead, 6 B.A. | 2 | Brass | C. | 5 |
| 26AQ/2783 | Std.1606/44/B6 | Screw, roundhead, 4 B.A. | 9 | Brass | C. | 5 |
| | Std.1606/44/A36 | Screw, roundhead, 6 B.A. | 4 | Brass | | |
| 5830 | Std.1606/45/A14 | Screw, countersunk, 6 B.A. | 2 | Brass | C. | 5 |
| 8697 | Std.1606/45/A20 | Screw, countersunk, 6 B.A. | 2 | Brass | C. | 5 |
| | Std.1606/45/A10 | Screw, countersunk, 6 B.A. | 1 | Brass | C. | 5 |
| 1638 | Std.1606/45/B6 | Screw, countersunk, 4 B.A. | 1 | Brass | C. | 5 |
| 5CW/7540 | C.W.C. Ltd. XD.778 | Switch, S.P. change over No. "off" position | 3 | — | B. | |
| 10F/11714 | — | Switch, S.P. change over | 1 | — | B. | |
| 5CW/7550 | C.W.C. Ltd. XD.787 | Switch, D.P. | 1 | — | B. | |
| 5CW/7552 | C.W.C. Ltd. XD.788 | Switch, D.P. | 1 | — | B. | |

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Place No. |
|------------|------------------------|--|---|---|---|---|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| 5CW/4333 | Rotax N.100397/7 | Transfer, " TEST " | | | | | 1 | — | C. | |
| 5CW/4485 | Rotax N.100397/37 | Transfer, " NORMAL " | | | | | 1 | — | C. | |
| 5CW/4331 | Rotax N.100397/5 | Transfer, " OPEN " | | | | | 1 | — | C. | |
| 5CW/4332 | Rotax N.100397/6 | Transfer, " SHUT " | | | | | 1 | — | C. | |
| 5F/ | — | Tube, 1½ m/m-2½ m/m i/d. | | | | | QR | P.V.C. | C. | |
| 5731 | Std.1509/12/025 | Tube, distance, for relay | | | | | 1 | T.4 | MR/C | 4 |
| 3792 | Std.1509/23/025 | Tube, distance, for relay | | | | | 4 | T.4 | MR/C | 4 |
| | Std.1507/23/020 | Tube, distance, for oxygen pipe clipping, 1" o/d. x 22 S.W.G. x 0-64" long | | | | | 1 | T.26 | | |
| | Std.1507/23/025 | Tube, distance, ⅝" o/d. x 17 S.W.G. x 0-25" long | | | | | 1 | T.26 | | |
| | Std.1507/23/040 | Tube, distance, for oxygen pipe clipping, ⅝" o/d. x 17 S.W.G. x 0-4" long | | | | | 1 | T.26 | | |
| | E.218888/1 | Tube, ⅜" i/d. x 1½" o/d. x 2½" long | | | | | 1 | Rubber BSF.7 Type 1 | | |
| 5X/9145643 | Plessey CZ.25111 | Cover, 20-way | | | | | 4 | — | B. | |
| 8545 | F.220484 | Cover | | | | | 3 | — | | |
| 5CZ/5673 | Teddington FHJ/A/7 | Element, cabin, temperature | | | | | 1 | — | A. | |
| | D.262154 | EQUIPMENT, COCKPIT LIGHTING, ASSEMBLY | | | | | — | — | | |
| | F.223798 | Bracket, dimmer switch mounting | | | | | 1 | — | | |
| | F.222736 | Bracket, lamp mounting | | | | | 3 | BS.265 | | |
| | F.223283 | Bracket, lamp mounting | | | | | 1 | BS.265 | | |
| | F.224528 | Bracket, lamp mounting | | | | | 2 | BS.265 | | |
| | F.229594 | Bracket, lamp mounting | | | | | 1 | BS.265 | | |
| | — | Cables, electrical (See cable chart) | | | | | — | — | | |
| | Std.2045/17/26 | Clip, sleeved | | | | | 3 | S.510 | | |
| | Std.2046/21/24 | Clip, sleeved | | | | | 1 | S.510 | | |
| 5L/9951271 | — | Filament, 28V., 3-5 watt | | | | | 10 | — | B. | |
| 5CX/5133 | — | Lamp, cockpit, type " D " red | | | | | 10 | — | A. | |
| | F.232601 | Plate, adaptor, for aileron neutral position indicator (Mod. 782) | | | | | 1 | L.72 | | |
| 5247 | Std.1606/44/A16 | Screw, roundhead, 6 B.A. | | | | | 6 | Brass | C. | 5 |
| 3859 | Std.1606/45/B10 | Screw, countersunk, 4 B.A. | | | | | 12 | Brass | C. | 5 |
| 5F/2281 | AS.2508 | Strapping, ½" wide | | | | | QR | — | C. | |
| 5F/9434855 | AS.2509 | Stud | | | | | QR | — | C. | |
| 6CW/2452 | — | Switch, dimmer, type " R " 135 ohm. | | | | | 1 | — | A. | |
| 5CW/2530 | — | Switch, dimmer, type " R " 75 ohm. | | | | | 1 | — | A. | |
| | E.261299 | EQUIPMENT IN RADIO BAY, ASSEMBLY | | | | | — | — | | |
| 5J/3307 | — | Accumulator, lead acid, 12 volt | | | | | 2 | — | B. | |
| 5J/3336 | Varley | Accumulator, type " J " | | | | | 2 | — | B. | |
| 5A/4457 | Smiths Waymouth FAB/18 | Amplifier | | | | | 2 | — | A. | |
| 5CZ/5541 | Smiths EC.1/6 | Amplifier, magnetic | | | | | 1 | — | A. | |
| | A.261357 | Angle, mounting, top, for circuit breaker... .. | | | | | 1 | L.72 | | |
| | A.248650 | Angle, mounting, bottom, for circuit breaker | | | | | 1 | L.72 | | |
| 5H/13 | AS.2654 | Block, connector, 200 amp. single way | | | | | 2 | — | C. | |

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

| Ref. No. | Part No. | Description | No. Off | | | | | Material Specification | M.R. Class of Store | Plate No. | |
|--------------|------------------------------|---|---------|---|---|---|---|------------------------|---------------------|-----------|--|
| | | | 1 | 2 | 3 | 4 | 5 | | | | |
| 9744 | F.209908 | Bolt , special | | | | | | 4 | S.95.B | C. | |
| 6A/4317 | Smiths Waymouth BW/13 | Box , connector | | | | | | 1 | — | B. | |
| 6A/4318 | Smiths Waymouth BW/14 | Box , connector | | | | | | 1 | — | B. | |
| 5D/506 | — | Box , junction | | | | | | 2 | — | B. | |
| 8482 | A.216114 | Box , for stand-by batteries (complete with cable PC.13) | | | | | | 1 | — | B. | |
| | C.216112 | Box , group | | | | | | 1 | — | | |
| 8483 | F.216126 | Clip , spring | | | | | | 2 | Spr. Stl. | C. | |
| | F.216127 | Packing | | | | | | 1 | — | | |
| 9637 | B.220068 | Box , A.C. control, top temperature, group | | | | | | 1 | — | | |
| 7139 | F.208121 | Bar , bridge | | | | | | 1 | L.72 | MR/C | |
| 5X/6630 | Plessey CZ.72441 | Block , terminal, 5-way | | | | | | 1 | — | B. | |
| | B.220069 | Box | | | | | | 1 | — | | |
| | F.220072 | Bracket , mounting, for terminal block | | | | | | 1 | L.72 | | |
| 5E/3038 | — | Cable , unipren, 6 amp. | | | | | | QR | — | C. | |
| 10C/Z.115567 | — | Capacitor , 5 MFD.250V | | | | | | 3 | — | C. | |
| 9337 | A.220070 | Lid | | | | | | 1 | L.59 | C. | |
| | A.220071 | Platform , mounting, for torque switch and relay | | | | | | 1 | L.72 | | |
| 10H/0560060 | Plessey CZ.48993 | Plug , panel mounting | | | | | | 1 | — | C. | |
| 10H/0560565 | Plessey CZ.48993/5 | Plug , panel mounting | | | | | | 1 | — | C. | |
| | Ferranti ZS.10.A | Rectifier , silicon | | | | | | 1 | — | | |
| 10CV/448 | — | Rectifier , silicon (alternative to Ferranti ZS10A) | | | | | | 1 | — | A. | |
| 10F/0530453 | — | Relay , type SM5A-N25 | | | | | | 1 | — | A. | |
| 5K/3455 | — | Sleeve , helsyn HT.20 x 1/4" | | | | | | 12 | — | C. | |
| 5K/ | — | Sleeve , helsyn HT.30 x 1/2" | | | | | | 1 | — | C. | |
| 10H/0560240 | Plessey CZ.49219 | Socket , panel mounting | | | | | | 1 | — | C. | |
| 5CW/5907 | Smiths EAP.2340 | Switch , torque | | | | | | 1 | — | A. | |
| 5K/3469 | Ross Courtney 01 | Tag | | | | | | 10 | — | C. | |
| 5K/ | Tucker S.79 | Tag , eyelet | | | | | | 9 | — | C. | |
| | — | Tube , 1 1/2" m/m. i/d. | | | | | | QR | P.V.C. | C. | |
| 10H/0590111 | Belling Lee L.693/3 | Fuse , 3 amp. | | | | | | 2 | — | C. | |
| 10H/0590100 | Belling Lee L.1348 | Holder , fuse | | | | | | 2 | — | C. | |
| | A.234782 | Plate , identification | | | | | | 1 | L.72 | | |
| | F.234785 | Plate , rectifier | | | | | | 2 | L.72 | | |
| | Brush Crystal Co. OY 5064 | Rectifier | | | | | | 2 | — | | |
| | F.234784 | Stop , insulator | | | | | | 1 | LFS.21 | | |
| 751 | Std.915/A/20 | Washer | | | | | | 4 | — | C. | |
| | C.225203 | BREAKER CIRCUIT, MAIN FEED, ASSEMBLY | | | | | | | | | |
| | A.225186 | Angle , mounting, bottom | | | | | | 1 | L.72 | MR | |
| | A.225187 | Angle , mounting, top | | | | | | 1 | L.72 | MR | |
| | B.225184 | Bracket , mounting | | | | | | 1 | L.72 | MR | |
| | B.225185 | Bracket , mounting | | | | | | 1 | L.72 | MR | |
| 5CY/2564 | — | Breaker , circuit, 45 amp. | | | | | | 6 | — | A. | |
| 5CY/4520 | — | Cover | | | | | | 6 | — | C. | |
| 1639 | Std.1606/44/A6 | Screw , round head, 6 B.A. | | | | | | 12 | Brass | C. | |
| | Std.1509/23/075 | Tube , distance | | | | | | 4 | T.4 | | |
| 5CY/2560 | — | Breaker , circuit, 10 amps. type A.2 | | | | | | 1 | — | B. | |
| 5CY/2564 | — | Breaker , circuit, 45 amps. | | | | | | 2 | — | A. | |
| 5CY/2568 | — | Breaker , circuit, 125 amp., type B.4 | | | | | | 1 | — | B. | |
| 5H/55 | AS.2724 | Bus-bar | | | | | | 1 | — | C. | |

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

| Ref. No. | Part No. | Description | No. Off | | | | | Material Specification | M.R. Class of Score | Plate No. |
|------------|-----------------------|--|---------|---|---|---|----------|------------------------|---------------------|-----------|
| | | | 1 | 2 | 3 | 4 | 5 | | | |
| | | Cables, electrical (See cable chart) ... | | | | | | | | |
| | Std.2076/48/20 | Clip, sleeved ... | 1 | | | | | | | |
| | Std.2045/25/24 | Clip, sleeved ... | 1 | | | | S.510 | | | |
| | Std.2045/21/24 | Clip, sleeved ... | 1 | | | | S.510 | | | |
| | Std.2046/21/24 | Clip, sleeved ... | 1 | | | | S.510 | | | |
| | Std.2046/15/26 | Clip, sleeved ... | 3 | | | | S.510 | | | |
| | Std.2046/29/22 | Clip, sleeved ... | 1 | | | | S.510 | | | |
| | Std.2045/23/24 | Clip, sleeved ... | 2 | | | | S.510 | | | |
| | Std.2045/46/20 | Clip, sleeved ... | 1 | | | | S.510 | | | |
| | Std.2045/55/20 | Clip, sleeved ... | 2 | | | | S.510 | | | |
| | Std.2076/30/22 | Clip, sleeved ... | 1 | | | | S.510 | | | |
| | Std.2045/31/22 | Clip, sleeved ... | 1 | | | | S.510 | | | |
| 3747 | Std.841/28 | Clip, securing cable ... | 1 | | | | DTD.160 | MR/C | 4 | |
| 6A/4392 | Smiths Waymouth CS.21 | Connector ... | 2 | | | | — | B. | | |
| 5H/14 | AS.2655 | Cover, for connector block ... | 2 | | | | — | C. | | |
| 4143 | F.170058 | Cover, sealing ... | 1 | | | | DTD.213 | C. | | |
| 5CY/4520 | — | Cover ... | 3 | | | | — | C. | | |
| 5L/9952254 | — | Filament, lamp, 24-5W., Type "J" ... | 1 | | | | — | B. | | |
| 5H/48 | AS.2722 | Insulator ... | 2 | | | | — | C. | | |
| | B.260571 | Invertor, gun firing, assembly ... | — | | | | — | | | |
| 5UB/7401 | — | Invertor, Type 300 (Mod. Elect. B/454) ... | 1 | | | | — | A. | | |
| | A.260570 | Platform ... | 1 | | | | L.72 | | | |
| 5CX/446 | — | Lamp, cockpit, Mk. 1A ... | 1 | | | | — | B. | | |
| 5H/23 | AS.2670 | Link, commencing, 150 amp. ... | 1 | | | | — | C. | | |
| | F.213042 | Packing, at frame 17B ... | 1 | | | | L.72 | | | |
| | D.237713 | PANEL, GENERATOR, CONTROL, ASSEMBLY (Mod. 2424) ... | — | | | | — | — | | |
| 5X/6903 | Plessey Z.54032 | Bar, commoning ... | 1 | | | | — | C. | | |
| 5X/6607 | Plessey C.Z.73898 | Block, fuse, with identification tags, less cover ... | 2 | | | | — | B. | | |
| 5X/2863 | Plessey C.Z.24285 | Block, terminal, 10-way ... | 1 | | | | — | B. | | |
| | F.196207 | Bolt, special, for securing links ... | 2 | | | | BSS.250B | | | |
| | B.222427 | Bracket, mounting, for switch ... | 1 | | | | L.72 | | | |
| | A.198117 | Bracket, mounting ... | 2 | | | | DTD.610 | | | |
| 5CY/2561 | — | Breaker, circuit, Type "A" No. 3, 15 amps. ... | 2 | | | | — | A. | | |
| 5CY/5334 | — | Breaker, circuit, Type "D.1A" ... | 2 | | | | — | A. | | |
| 4178 | Rotax N.65291 | Bung, sealing ... | 4 | | | | — | C. | | |
| | — | Cables, electric (See cable chart) ... | — | | | | — | — | | |
| | D.222679 | Cable, form, F 49 (See cable chart) ... | 1 | | | | — | — | | |
| 5CY/4520 | — | Cap, protective ... | 2 | | | | — | C. | | |
| 3735 | Std.840/16 | Clip, securing cable, $\frac{7}{16}$" wide x 22 S.W.G. x 1.6" long ... | 1 | | | | DTD.610 | MR/C | 4 | |
| 3971 | Std 840/19 | Clip, securing cable, $\frac{7}{16}$" wide x 22 S.W.G. x 1.9" long ... | 3 | | | | DTD.610 | MR/C | 4 | |
| 4768 | Std.841/14 | Clip, securing cable, $\frac{7}{16}$" wide x 22 S.W.G. x 1.4" long ... | 1 | | | | DTD.610 | MR/C | 4 | |
| 3741 | Std.840/20 | Clip, securing cable, $\frac{7}{16}$" wide x 22 S.W.G. x 2" long ... | 1 | | | | DTD.610 | C. | 4 | |
| 3743 | Std.840/25 | Clip, securing cable, $\frac{7}{16}$" wide x 22 S.W.G. x 2.5" long ... | 1 | | | | DTD.610 | MR/C | 4 | |
| 4764 | Std 840/21 | Clip, securing cable, $\frac{7}{16}$" wide x 22 S.W.G. x 2.1" long ... | 1 | | | | DTD.610 | MR/C | 4 | |

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

| Ref. No. | Part No. | Description | No Off | Material Specification | M.R. Class of Store | Plate No. |
|-------------|----------------------|---|--------|------------------------|---------------------|-----------|
| | | | | | | |
| 3740 | Std.840/33 | Clip, securing cable, $\frac{7}{16}$ " wide x 22 S.W.G. x 3-3" long | 1 | DTD.610 | MR/C | 4 |
| 4769 | Std.843/10 | Clip, securing cable, $\frac{7}{16}$ " wide x 22 S.W.G. x 1-0" long (Make from 30A/549) | 1 | S.510 | MR/C | 4 |
| 5CY/4211 | — | Cut-out, differential, Type "A," Mk. 2 | 2 | — | A. | |
| 10H/21798 | — | Fuse, 5 amp. Type "S" | 7 | — | C. | |
| 10H/21799 | — | Fuse, 10 amp. Type "S" | 1 | — | C. | |
| 5X/9131181 | Plessey Z.1841 | Grommet | 2 | — | C. | |
| — | Hellermann 3111 | Grommet (Mod. 2424) | 8 | — | — | |
| 5CZ/5073 | Dowty C.5165.Y Mk. 1 | Indicator, magnetic | 2 | — | A. | |
| 5X/6317 | Plessey Z.50218 | Link, commoning, 10-way | 1 | — | C. | |
| | A.190681 | Link, connecting | 1 | BSS.1433 | — | |
| 4181 | A.190682 | Link, connecting | 1 | BSS.1433 | C. | |
| 4182 | A.190683 | Link, connecting | 1 | BSS.1433 | C. | |
| 4183 | A.190684 | Link, connecting | 1 | BSS.1433 | C. | |
| 4184 | F.190685 | Link, connecting | 1 | BSS.1433 | C. | |
| 4185 | B.190680 | Link, connecting | 1 | BSS.1433 | C. | |
| | D.217635 | Panel, detail, group | 1 | — | — | |
| 28FP/228 | Dzus AJW.5/35 | Fastener | 4 | — | C. | |
| | F.212049 | Lug, hinge | 2 | L.65.C | — | |
| | F.216829 | Plate | 1 | L.72 | — | |
| 5UC/5937 | — | Regulator, voltage, Type 94 | 2 | — | A. | |
| 5CW/9729123 | — | Relay, Type "S," No. 3 | 4 | — | A. | |
| 5UC/5209 | — | Resistance, trimmer, remote, Type 3, 5 ohms. | 2 | — | A. | |
| 5Q/4341 | — | Shunt, ammeter, 200 amps., 50 M/V | 2 | — | B. | |
| 5CY/3002 | — | Socket, 3 pole, 2 amps. | 4 | — | B. | |
| 5CW/7748 | C.W.C. Ltd. XD.789 | Switch, D.P. change over no "OFF" position | 2 | — | B. | |
| 5CW/6452 | Smiths RD.1 | Switch, magnetic relay, Type 9B, No. 1 | 4 | — | A. | |
| 5CW/6185 | — | Switch, magnetic relay, Type "R" | 1 | — | A. | |
| 5CW/7545 | C.W.C. Ltd. XD.782 | Switch, flight instrument inverter | 2 | — | A. | |
| 5CW/4485 | Rotax N.100397/37 | Transfer, "NORMAL" | 2 | — | C. | |
| | Std.1509/12/174 | Tube, distance, at bolts securing relays | 1 | T.4 | — | |
| | Std.1509/23/026 | Tube, distance | 1 | T.4 | — | |
| 5781 | Std.915/E.20 | Washer, at differential cut-out | 4 | DTD.610 | C. | |
| | Std.1546/36/16 | Washer, profile | 1 | — | — | |
| | F.225845 | Washer, special (Mod. 2424) | 16 | S1.B | C. | |
| | C.260584 | PANEL, GUN FIRING, ASSEMBLY | — | — | — | 4 |
| 5X/6480 | Plessey Z.60218 | Bar, commoning | 1 | — | C | |
| 5X/3271 | Plessey CZ.52815 | Block, fuse | 1 | — | B. | |
| 5X/2863 | Plessey CZ.24285 | Block, terminal, 10-way | 2 | — | B. | |
| | F.260590 | Bracket, fuse, mounting | 1 | L.72 | — | |
| 5E/3038 | — | Cable, unipren, 6 amp. | QR | — | C. | |
| | B.260574 | Cable, F.138, group | 1 | — | B. | |
| 5X/3275 | Plessey CZ.26808 | Cover, 10-way | 2 | — | B. | |
| | Std.2045/22/22 | Clip, securing cables | 1 | S.510 | — | |
| 10250 | Std.2045/27/22 | Clip, securing cable | 1 | S.510 | C. | |
| 10H/0590139 | Belling Lee L.754/2 | Fuse, 2 amp., H.R.C. | 2 | — | C. | |
| 10H/23862 | — | Fuse, 10 amp., H.R.C. | 1 | — | — | |
| 10H/21798 | — | Fuse, 5 amp. | 1 | — | C. | |

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

| Ref. No. | Part No. | Description | No. Off | | | | | Material Specification | M.R. Class of Store | Plate No. | |
|-------------|-----------------------|---|---------|---|---|---|---|------------------------|------------------------------|-----------|---|
| | | | 1 | 2 | 3 | 4 | 5 | | | | |
| 10H/0590170 | Belling Lee | Holder, fuse | | | | | | 2 | — | C. | |
| 5X/1004085 | Plessey Z.50213 | Link, commoning | | | | | | 1 | — | C. | |
| | C.260585 | Panel, detail | | | | | | 1 | — | | |
| 5X/9450403 | Plessey Z.28426 | Pillar, fixing | | | | | | 4 | — | C. | |
| | B.260591 | Relays, C.1 and F.1, group | | | | | | 1 | — | | |
| 5X/1002694 | Plessey CZ.50207 | Block, terminal, 5-way | | | | | | 1 | — | B. | |
| | A.224694 | Bracket, relay, mounting | | | | | | 1 | L.72 | | |
| 5E/3038 | — | Cable, unipren, 6 amp. | | | | | | 10 | — | C. | |
| 9496 | Std.2045/20/22 | Clip, sleeved | | | | | | 1 | S.510 | C. | 6 |
| 5X/9149641 | Plessey CZ.26805 | Cover, 5-way | | | | | | 1 | — | B. | |
| 5X/1004083 | Plessey Z.50211 | Link, commoning | | | | | | 1 | — | C. | |
| 5X/9450403 | Plessey Z.28426 | Pillar, fixing | | | | | | 2 | — | C. | |
| 5CW/6719 | — | Relay, Type "S," No. 9 | | | | | | 2 | — | A. | |
| 1178 | Std.1606/44/B12 | Screw, securing clip | | | | | | 1 | Brass | C. | 5 |
| | — | Sleeve, helsyn, 150 HT. 20 x 1/4" | | | | | | 11 | — | C. | |
| | RC.2120 | Tag, 4 amp. | | | | | | 10 | — | C. | |
| 5F/ | — | Tube, 1 m/m. i/d. | | | | | | QR | P.V.C. | C. | |
| 5F/ | — | Tubing, 2 1/2-5 m/m. i/d. vidaflex (yellow) | | | | | | QR | RCS.313 | | |
| 3838 | Std.1606/44/B8 | Screw, roundhead, 4 B.A. | | | | | | 2 | Brass | C. | 5 |
| 2278 | Std.1606/44/B12 | Screw, roundhead, 4 B.A. | | | | | | 8 | Brass | C. | 5 |
| 4179 | Std.1606/44/B20 | Screw, roundhead, 4 B.A. | | | | | | 4 | Brass | C. | 5 |
| 5CW/6452 | Smiths R.D.1 | Switch, magnetic relay, Type 9B, No. 1A | | | | | | 2 | — | A. | |
| 5F/ | — | Tube, 1 m/m. i/d. | | | | | | QR | P.V.C. | C. | |
| | E.261336 | PANEL, SUPPLY, ASSEMBLY | | | | | | — | — | | |
| | F.197407 | Block, distance | | | | | | 16 | Alkathene LFB.82 or 89 | | |
| 5X/6607 | Plessey CZ.73898 | Block, fuse | | | | | | 8 | — | B. | |
| 5X/1002694 | Plessey CZ.50207 | Block, terminal, 5-way | | | | | | 1 | — | B. | |
| 5X/2863 | Plessey CZ.24285 | Block, terminal, 10-way | | | | | | 1 | — | B. | |
| 5X/3181 | Plessey CZ.23212/1 | Block, terminal, 20-way | | | | | | 7 | — | B. | |
| | — | Cables, electrical (See cable chart) | | | | | | — | — | | |
| | B231789 | Cable, F.72, group (See cable chart) | | | | | | 1 | — | | |
| 6733 | A.207436 | Nut | | | | | | 1 | L.65 | C. | |
| 7060 | A.207437 | Washer | | | | | | 1 | — | C. | |
| | A.223553 | Clamp, retaining cables | | | | | | 1 | L.72 | | |
| 4099 | Std.840/18 | Clip, securing cable at resistor mounting | | | | | | 1 | DTD.610 | C. | 4 |
| | Std.2046/49/22 | Clip, sleeved | | | | | | 2 | S.510 | | |
| | Std.2045/59/22 | Clip, sleeved | | | | | | 3 | S.510 | | |
| 10H/21791 | — | Fuse, dummy, Type "S" (Mod. 24/20) | | | | | | 3 | — | C. | |
| 10H/21797 | H.T. Newton | Fuse, 2.5 amp. | | | | | | 10 | — | C. | |
| 10H/21798 | H.T. Newton | Fuse, 5 amp. | | | | | | 12 | — | C. | |
| 10H/21799 | H.F. Newton | Fuse, 10 amp. | | | | | | 6 | — | C. | |
| 10H.23801 | H.T. Newton | Fuse, 20 amp. (Mod. 2420) | | | | | | 1 | — | C. | |
| 5X/1004082 | Plessey Z.50210 | Link, commoning, 2-way | | | | | | 5 | — | C. | |
| 5X/6317 | Plessey Z.50218 | Link, commoning, 10-way | | | | | | 2 | — | C. | |
| 5X/1004086 | Plessey Z.50219 | Link, commoning, transverse | | | | | | 2 | — | C. | |
| 5X/6898 | Plessey Z.63022 | Link, commoning, L.H. | | | | | | 4 | — | C. | |
| 5X/6899 | Plessey Z.63023 | Link, commoning, R.H. | | | | | | 4 | — | C. | |
| | A.223552 | Packing, for clamp retaining cables | | | | | | 1 | Comml. Aluminium | | |
| | D.229417 | Panel, supply, group | | | | | | 1 | — | | |
| | B.211911 | Channel, support | | | | | | 1 | L.72 | | |
| | B.211912 | Channel, support | | | | | | 1 | L.72 | | |
| | F.211946 | Link, attachment, at bottom of panel | | | | | | 1 | L.72 | | |
| | F.211947 | Link, attachment, at bottom panel | | | | | | 1 | L.72 | | |

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

| Ref. No. | Part No. | Description | 1 2 3 4 5 | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|-------------|--------------------------------------|---|-----------|---|---|---|---|---------|------------------------|---------------------|-----------|
| | | | 1 | 2 | 3 | 4 | 5 | | | | |
| | D.229406 | PANEL, SUPPLY, DETAIL AND ASSEMBLY | | | | | | — | | | |
| 8701 | F.221284 | Plate, bolt | | | | | | 2 | — | C. | |
| | C.186214 | Plate, plug and landing, group | | | | | | 1 | — | | |
| 28FP/337 | Dzus S5.200 | Spring | | | | | | 4 | — | C. | |
| 3762 | Std.915/A/18 | Washer | | | | | | 8 | — | MR/C | 4 |
| | Std.1509/24/060 | Tube, distance, 3/8" o/d. x 17 S.W.G. x 0-6" long | | | | | | 2 | T.4 | | |
| | Std.1509/24/058 | Tube, distance, 3/8" o/d. x 17 S.W.G. x 0-58" long | | | | | | 4 | T.4 | | |
| 3997 | Std.1548/20/16 | Washer, radiused | | | | | | 2 | DΓD.610 | MR/C | 4 |
| 6026 | A.204928 | Plate, mounting, for fuse block | | | | | | 1 | L.72 | MR/C | |
| 6028 | A.204930 | Plate, mounting, for fuse block | | | | | | 2 | L.72 | MR/C | |
| 7814 | F.206917 | Plate, tapped | | | | | | 1 | L.72 | C. | |
| 7815 | F.206918 | Plate, tapped | | | | | | 4 | L.72 | C. | |
| | F.233330 | Plate, reinforcing | | | | | | 4 | L.72 | | |
| | A.229360 | Relay, "J.1," group | | | | | | 1 | — | | |
| 5CW/6719 | Pullin or Hendry | Switch, magnetic relay, Type "S," No. 9 | | | | | | 1 | — | A. | |
| | A.229361 | Relay, "K.1," group | | | | | | 1 | — | | |
| 5CW/9729123 | Pullin or Hendry | Switch, magnetic relay, Type "S," No. 3 | | | | | | 1 | — | A. | |
| | A.232453 | Relay, "X," group | | | | | | 1 | — | | |
| 5CW/6719 | Pullin or Hendry | Switch, magnetic relay, Type "S," No. 9 | | | | | | 1 | — | A. | |
| | A.223652 | Relay, "Y," group | | | | | | 1 | — | | |
| 5CW/6717 | Pullin or Hendry | Switch, magnetic relay, Type "S," No. 7 | | | | | | 1 | — | A. | |
| 5CW/6452 | Smiths RD.1 | Relay, Type 9B, No. 1A | | | | | | 5 | — | A. | |
| 5CW/6453 | Smiths RD.2 | Relay, Type 9B, No. 2A | | | | | | 2 | — | A. | |
| | F.229405 | Resistor, No. 2, group | | | | | | 1 | — | | |
| 10W/0243046 | — | Resistor, 30 ohms, 6 watts | | | | | | 1 | — | C. | |
| 6A/3580 | Sangamo Weston FD.871 | Spool, adjustable | | | | | | 1 | — | B. | |
| 5F/2281 | AS.2508 | Strapping | | | | | | QR | — | C. | |
| 5F/9434855 | AS.2509 | Stud | | | | | | QR | — | C. | |
| | A.230397 | Panel, for wiring diagram | | | | | | 1 | Paxolin Sheet | | |
| | F.224693 | Piece, distance | | | | | | 4 | L.54.C | | |
| | F.225202 | Plate, mounting, for inertia switch | | | | | | 1 | L.72 | | |
| | C.260651 | Plate, mounting for amplifier | | | | | | 1 | L.72 | | |
| 5CY/4314 | — | Plug, external supply | | | | | | 1 | — | B. | |
| 5CZ/5241 | Electronic Components 22508-685°C | Resistor, plug-in | | | | | | 1 | — | B. | |
| 5CZ/6113 | Electronic Std 1606/45/B18 | Resistor, plug-in (Mod. 2384) | | | | | | 1 | — | | |
| | 5CY/3002 | Screw, countersunk head, 4 B.A. | | | | | | 3 | Brass | | |
| | 5F/2281 | Socket, 3 pole, 2 amp. | | | | | | 1 | — | B. | |
| | 5F/9434855 | Strapping | | | | | | QR | — | C. | |
| | 5H/49 | Stud | | | | | | QR | — | C. | |
| | 27N/93 | Stud, terminal | | | | | | 3 | — | C. | |
| | 5F/ | Switch, inertia, Mk. 1, Type S.3 | | | | | | 3 | — | A. | |
| | Std.1509/23/060 | Tube, 1 m/m. i/d | | | | | | QR | P.V.C. | C. | |
| | Std.1509/24/052 | Tube, distance, 3/8" o/d. x 17 S.W.G. x 0-6" long (Make from 30B/556) | | | | | | 2 | T.4 | | |
| | 3953 | Tube, distance, 3/8" o/d. x 17 S.W.G. x 0-52" long (Make from 30B/557) | | | | | | 1 | T.4 | | |
| | Std.915/E/22 | Washer | | | | | | 4 | DTD.610 | C. | |

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

| Ref. No. | Part No. | Description | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|------------|------------------|---|---------|------------------------|---------------------|-----------|
| | | | | | | |
| | C.260079 | EQUIPMENT, ON PORT FORWARD SHELF, ASSEMBLY (Mod. 2489) | — | — | | |
| 10931 | B.238563 | Box, switch, group (Mod. 921) | 1 | — | | |
| 10966 | B.238564 | Box, group | 1 | — | | |
| | A.238566 | Cover | 1 | — | | |
| | F.238573 | Lever, operating | 1 | S.518. T.4 | | |
| | F.238574 | Lever, operating | 1 | S.518. T.4 | | |
| | F.240559 | Plate, back | 1 | L.72 | | |
| 10495 | F.238579 | Spindle, tappet | 1 | — | C. | |
| 1642 | F.190212 | Spring | 1 | Spg. Steel | C. | |
| 10496 | F.238576 | Spring | 1 | Spg. Steel | C. | |
| 10562 | F.240558 | Spring | 1 | Spg. Steel | C. | |
| | Std.1509/12/046 | Tube, distance | 1 | T.4 | | 4 |
| | C.229997 | Cable, form F.28 (See cable chart) | 1 | — | | |
| | A.241191 | Cable, F.165 (See cable chart) (Mod. 921) | 1 | — | | |
| | Std.2045/25/24 | Clip, securing cable | 1 | S.510 | | |
| | Std.2046/18/24 | Clip, sleeved (Mod. 791) | 1 | S.510 | | |
| 5X/2790 | Plessey Z.22634 | Grommet | 1 | — | C. | |
| | or | | | | | |
| | Hellermann No. 6 | | | | | |
| | F.208670 | Guard, locking for switch | 1 | L.72 | MR/C | |
| 6A/ | Smiths 501/FL | Indicator, position trim | 1 | — | A. | |
| | B.233279 | Lock, for trim switch, N.256, group (Mod. 791) | 1 | — | — | |
| | AW.49161 | Bracket, mounting | 1 | — | | |
| | AW.49164 | Clip | 1 | — | | |
| | A.233268 | Lever | 1 | S.510 | | |
| 5700 | AW.49162 | Plunger | 1 | — | MR/C | |
| 5701 | AW.49163 | Spring | 1 | — | MR/C | |
| | AS.2806 | Tube, distance | 1 | — | | |
| | AW.88052/7 | Washer | 1 | — | | |
| | AW.88052/8 | Washer | 1 | — | | |
| 7815 | F.206918 | Plate, tapped | 1 | L.72 | C. | |
| | F.241192 | Plate, mounting connector (Mod. 921) | 1 | L.72 | | |
| 3838 | Std.1606/44/B8 | Screw, roundhead, 4 B.A. | 6 | Brass | C. | 5 |
| 3837 | Std.1606/44/B10 | Screw, roundhead, 4 B.A. | 2 | Brass | C. | 5 |
| 1637 | Std.1606/44/B14 | Screw, roundhead, 4 B.A. | 1 | Brass | C. | 5 |
| 3839 | Std.1606/44/B16 | Screw, roundhead, 4 B.A. | 2 | Brass | C. | 5 |
| 3856 | Std.1606/44/C20 | Screw, roundhead, 2 B.A. | 4 | Brass | C. | 5 |
| 5K/9107067 | Hellermann | Sleeve, P.V.C. 9" long (Mod. 921) | 1 | 1738 | C. | |
| | P.3 Grey | | | | | |
| 5CW/7539 | C.W.C. Ltd. | Switch, S.P. change-over, centre "off," spring return both ways (Mod. 1072) | 1 | — | B. | |
| | X.D.777 | | | | | |
| 5CW/7544 | C.W.C. Ltd. | Switch, S.P., "on-off," spring return to "OFF" (Mod. 2489) | 1 | — | B. | |
| | X.D.781 | | | | | |
| 5CW/4682 | Western Manuf. | Switch, trim, Mk. 8/2 | 1 | — | A. | |
| | LS.3511 | | | | | |
| | C.213457 | EQUIPMENT, ON STARBOARD FORWARD SHELF, ASSEMBLY | — | — | | |
| | F.213003 | Angle, support for switch | 1 | L.72 | | |
| | F.213004 | Angle, support, for switch | 1 | L.72 | | |
| | A.213138 | Bracket, mounting, for trim switch lever | 1 | — | | |
| 5CY/2564 | B.T.H. or Thorn | Breaker, circuit, Type "A" No. 6 | 1 | — | A. | |
| | C.222406 | Cable, F.99 (See cable chart) | 1 | — | | |
| | B.217570 | Cable, F.93 (See cable chart) | 1 | — | | |
| | F.213142 | Cam, at mounting bracket | 1 | — | | |

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|------------------|-------------|---|---|---|---|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| 8698 | A.213360 | | | | | | 1 | — | C. | |
| | F.213303 | | | | | | 1 | L.72 | | |
| | A.213302 | | | | | | 1 | — | | |
| | F.213304 | | | | | | 1 | Ph. Bronze Wire | | |
| | B.223749 | | | | | | 1 | — | | |
| 6A/ | Smiths 501/FL | | | | | | 1 | — | A. | |
| | A.213139 | | | | | | 1 | — | | |
| 3815 | Std.1547/20/14 | | | | | | 6 | DTD.610 | MR/C | 4 |
| 5700 | Armstrong | | | | | | 1 | S.1 | MR/C | |
| | Whitworth | | | | | | | | | |
| | A.W.49162 | | | | | | | | | |
| | F.213140 | | | | | | 1 | — | | |
| 8699 | F.213195 | | | | | | 1 | S.1 | C. | |
| 3839 | Std.1606/44/B.16 | | | | | | 2 | Brass | C. | 5 |
| 3856 | Std.1606/44/C20 | | | | | | 2 | Brass | C. | 5 |
| 3857 | Std.1606/44/C24 | | | | | | 2 | Brass | C. | 5 |
| 1178 | Std.1606/44/B12 | | | | | | 4 | Brass | | |
| | C.212405 | | | | | | 1 | — | | |
| 29G/2180 | Carr 882 | | | | | | 1 | — | C. | |
| | | | | | | | 1 | — | | |
| 5701 | Armstrong | | | | | | 1 | Steel | MR/C | |
| | Whitworth | | | | | | | | | |
| | AW.49163 | | | | | | | | | |
| 5CW/6977 | Dowty | | | | | | 1 | — | B. | |
| | C1831.Y MK102C | | | | | | | | | |
| 5CW/4682 | Western Manufg. | | | | | | 1 | — | A. | |
| | L.S.1611 | | | | | | | | | |
| | C.213457/1 | | | | | | 1 | S.3 | | |
| | C.227917 | | | | | | 1 | L.72 | | |
| | B.227595 | | | | | | 1 | L.72 | | |
| | B.227596 | | | | | | 1 | L.72 | | |
| | B.227597 | | | | | | 1 | L.72 | | |
| | A.231028 | | | | | | 2 | S.510 | | |
| | F.222049 | | | | | | 1 | — | | |
| 5CZ/6000 | — | | | | | | 1 | — | A. | |
| | | | | | | | 1 | — | | |
| | C.260998 | | | | | | — | — | | |
| | A.233799 | | | | | | 4 | — | | |
| | A.233800 | | | | | | 4 | — | | |
| | A.247584 | | | | | | 8 | — | | |
| 5UB/4938 | — | | | | | | 4 | — | A. | |
| | A.237470 | | | | | | 4 | — | | |
| | B.222533 | | | | | | 4 | — | | |
| | F.222535 | | | | | | 4 | S.1 | C. | |
| | F.222536 | | | | | | 1 | S.1 | C. | |
| 663 | F.183670 | | | | | | 2 | S.1 | | |
| | F.222544 | | | | | | 2 | S.95B | | |
| | B.222405 | | | | | | 1 | L.53 | | |
| | F.222534 | | | | | | 2 | S.95B | | |
| | F.222538 | | | | | | 1 | S.95B | | |
| | F.222537 | | | | | | 2 | 20G | C. | |
| | | | | | | | | Spr. Stl. | | |

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

| Ref. No. | Part No. | Description | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|------------|----------------------------------|--|---------|------------------------|---------------------|-----------|
| | | | | | | |
| SUC/4939 | — | Panel, control, Type 12 | 4 | — | A. | |
| 5CY/5420 | Standard Telephones 335/LWA/140B | Suppressor | 4 | — | A. | |
| 5X/1004082 | Plessey Z.50210 | Link, commoning, 2-way | 10 | — | C. | |
| 8543 | F.218495 | Mounting | 12 | Rubber | C. | |
| 6733 | A.207436 | Nut | 1 | L.65 | C. | |
| 5CY/2561 | C.218570 | Panel, A.C. supplies circuit breaker, group | 1 | — | | |
| — | B.T.H. or Thorn | Breaker, circuit, Type "A," No. 3, 15 amps. | 4 | — | A. | |
| — | B.218569 | Cable, F.34, group (See cable chart) | 1 | — | | |
| — | A.209700 | Ferrule, code 54 | 1 | — | | |
| 5CW/5253 | Hellermann HV.3710 | Cap, helvin (sea grey) | 1 | — | C. | |
| 5CY/4520 | B.T.H. Smart or Brown | Cover, safety | 4 | — | B. | |
| 1639 | Std.1606/44/A6 | Screw, roundhead, 6 B.A. | 8 | Brass | C. | 5 |
| 1638 | Std.1606/44/B6 | Screw, roundhead, 4 B.A. | 4 | Brass | C. | 5 |
| 1943 | Std.1606/45/B16 | Screw, countersunk, 4 B.A. | 3 | Brass | C. | 5 |
| 5CY/3002 | — | Socket, 3 pole, 2 amp. | 1 | — | B. | |
| 5CW/7550 | C.W.C. Ltd. XD.787 | Switch, D.P. "centre of" spring return both ways | 1 | — | B. | |
| 5CW/4333 | Rotax N.100397/7 | Transfer, "TEST" | 2 | — | C. | |
| 5CW/4481 | Rotax N.100397/33 | Transfer, "PORT" | 1 | — | C. | |
| 5CW/4482 | Rotax N.100397/34 | Transfer, "STARBOARD" | 1 | — | C. | |
| 6076 | B.248682 | Panel, cabin pressurisation control, group | 1 | — | | |
| 4178 | F.207954 | Bar, ganging | 1 | Fibre | C. | |
| 5CW/5252 | Rotax N.65291 | Bung, sealing | 1 | — | C. | |
| — | Hellermann HV.3711 | Cap, helvin (sea grey) | 1 | — | C. | |
| 1638 | B.248513 | Panel, control | 1 | L.72 | | |
| 1178 | Std 1606/44/B6 | Screw, securing switches | 8 | Brass | C. | 5 |
| 3839 | Std.1606/44/B12 | Screw, securing, temperature selector | 4 | Brass | C. | 5 |
| 5CZ/5297 | Std 1606/44/B16 | Screw, securing, lever switch | 2 | Brass | C. | 5 |
| — | Teddington Controls | Selector, temperature | 1 | — | A. | |
| 5CW/4679 | FHK/A/26 | Switch, lever, cabin temperature control | 1 | — | A. | |
| 5CW/7540 | Dowty C.1223Y Mk. 12 | Switch, S.P. change-over, no centre off | 4 | — | B. | |
| 5CW/4327 | C.W.C. Ltd. XD.778 | Transfer, "ON" | 3 | — | C. | |
| 5CW/4328 | Rotax N.100397/1 | Transfer, "OFF" | 3 | — | C. | |
| 5CW/4334 | Rotax N.100397/2 | Transfer, "MANUAL" | 1 | — | C. | |
| 5CW/4335 | Rotax N.100397/8 | Transfer, "AUTO" | 1 | — | C. | |
| — | Rotax N.100397/9 | Panel, control, between frames 10 and 11 | 1 | L.72 | — | |
| 5X/2863 | A.220711 | Panel, leg, port, group | 1 | — | | |
| — | D.229419 | Block, terminal, 10-way | 1 | — | B. | |
| 5CW/5252 | Plessey CZ.24285 | Cables, electric (See cable chart) | — | — | | |
| 5CW/5253 | — | Cap, sea grey | 4 | — | C. | |
| 8700 | — | Cap, sea grey | 1 | — | C. | |
| 28FP/146 | A.212014 | Cover, access, group | 1 | — | C. | |
| 5K/2724 | Dzuz A4.25 | Fastener | 6 | — | C. | |
| 5CX/4264 | — | Cover, spring, for D.P. switch, Type "B" | 1 | — | C. | |
| — | Std.1512/1 | Disc, identification | 2 | — | C. | |

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. | |
|------------|---|--|---|---|---|---|---------|------------------------|---------------------|-----------|--|
| | | 1 | 2 | 3 | 4 | 5 | | | | | |
| 5L/9951273 | — | | | | | | 2 | — | B. | | |
| 5L/9959118 | — | | | | | | 1 | — | B. | | |
| 5CW/5045 | Rotax N.65290 | | | | | | 1 | — | C. | | |
| 5CX/1553 | Rotax H.1104 (Red) | | | | | | 2 | — | B. | | |
| | F.213272 | | | | | | 4 | S.3 | | | |
| | A.188310 | | | | | | 1 | — | | | |
| 1649 | F.188308 | | | | | | 1 | T.26 or T.45 | C. | | |
| 1650 | F.188311 | | | | | | 1 | S.3 | C. | | |
| 5CX/5361 | Thorn 80/10/1483 (Issue 1) | | | | | | 1 | — | B. | | |
| 5X/1004083 | Plessey Z.50211 | | | | | | 1 | — | C. | | |
| 5X/9400389 | Plessey Z.77863 | | | | | | 2 | — | C. | | |
| 4490 | F.199451 | | | | | | 1 | L.65.C | C. | | |
| | A.229420 | | | | | | 1 | L.65.C | C. | | |
| | B.212009 | | | | | | 1 | L.72 | | | |
| | A.215168 | | | | | | 1 | L.72 | | | |
| 7813 | F.206916 | | | | | | 2 | L.72 | MR/C | | |
| 7815 | F.206918 | | | | | | 2 | L.72 | MR/C | | |
| 6A/3294 | Smiths 2 A.C.R. | | | | | | 1 | — | A. | | |
| 5247 | Std.1606/44/A16 | | | | | | 4 | Brass | C. | 5 | |
| 3838 | Std.1606/44/B8 | | | | | | 12 | Brass | C. | 5 | |
| 3837 | Std.1606/44/B10 | | | | | | 3 | Brass | C. | 5 | |
| 1720 | Std.1606/44/B24 | | | | | | 2 | Brass | C. | 5 | |
| 3840 | Std.1606/44/B28 | | | | | | 2 | Brass | C. | 5 | |
| 4491 | F.199449 | | | | | | 1 | S.95.B | C. | | |
| 5CW/4494 | Teddington Controls FJB/A/5 or FJB/A/3 | | | | | | 1 | — | A. | | |
| 5CW/540 | Rotax D.0701 | | | | | | 1 | — | B. | | |
| 5CW/7748 | C.W.C. Ltd. XD.789 | | | | | | 1 | — | B. | | |
| 5CW/7540 | C.W.C. Ltd. XD.778 | | | | | | 3 | — | B. | | |
| 5CW/7541 | C.W.C. Ltd. XD.779 | | | | | | 1 | — | B. | | |
| 5K/2736 | — | | | | | | 1 | — | C. | | |
| 5CW/4327 | Rotax N.100397/1 | | | | | | 5 | — | C. | | |
| 5CW/4328 | Rotax N.100397/2 | | | | | | 5 | — | C. | | |
| 5F/ | — | | | | | | QR | P.V.C. | C. | | |
| | Std.1507/12/006 | | | | | | 8 | T.4 | | | |
| | Std.1509/12/100 | | | | | | 2 | T.4 | | | |
| | B.260356 | | | | | | — | — | | | |
| | | PANEL, PORT, MISCELLANEOUS SWITCH, ASSEMBLY | | | | | | | | | |
| | A.260299 | | | | | | 1 | L.72 | | | |
| 3838 | Std.1606/44/B8 | | | | | | 1 | Brass | C. | | |
| 26AQ/2783 | Std.1606/44/B6 | | | | | | 9 | Brass | C. | | |
| 5CW/7551 | C.W.C. Ltd. XD.786 | | | | | | 1 | — | B. | | |
| 5CW/7552 | C.W.C. Ltd. XD.788 | | | | | | 1 | — | B. | | |
| 5CW/7540 | C.W.C. Ltd. XD.778 | | | | | | 1 | — | B. | | |

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

| Ref. No. | Part No. | Description | 1 2 3 4 5 | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|------------|------------------------------|---|-----------|---|---|---|---|---------|------------------------|---------------------|-----------|
| | | | 1 | 2 | 3 | 4 | 5 | | | | |
| 5CW/4333 | Rotax N.100397/7 | Transfer, " TEST " | | | | | | 1 | — | C. | |
| 5CW/4331 | Rotax N.100397/5 | Transfer, " OPEN " | | | | | | 1 | — | C. | |
| 5CW/4485 | Rotax N.100397/37 | Transfer, " NORMAL " | | | | | | 1 | — | C. | |
| 5CW/4482 | — | Transfer, starboard | | | | | | 1 | — | C. | |
| | — | Transfer, port and starboard | | | | | | 1 | — | C. | |
| 8544 | F.217580 | Pillar | | | | | | 6 | S.95.B | C. | |
| 5X/9450403 | Plessey Z.28426 | Pillar, fixing | | | | | | 8 | — | C. | |
| | B.221852 | Plate, guard, for T.B.79 and T.B.80 | | | | | | 1 | L.72 | | |
| | B.223174 | Plate, cover, for T.B.4 and T.B.7 | | | | | | 1 | L.72 | | |
| | B.227578 | Plate, mounting, cabin temperature amplifier | | | | | | 1 | L.72 | | |
| 5UC/6581 | Rotax F.1306 | Relay, hood motor (Mod. 838) | | | | | | 1 | — | A. | |
| | 3838 | Screw, roundhead, 4 B.A. | | | | | | 2 | Brass | C. | 5 |
| | 1720 | Screw, roundhead, 4 B.A. | | | | | | 3 | Brass | C. | 5 |
| | 9450 | Screw, countersunk, 6 B.A. | | | | | | 2 | Brass | C. | |
| 5K/9107067 | Hellermann P.3 Grey | Sleeve, 0.9" long | | | | | | 1 | P.V.C. | C. | |
| | 5F/2281 | AS.2508 | | | | | | QR | — | C. | |
| | 8546 | Std.2008/C/362 | | | | | | 3 | S.84 | C. | |
| | 8547 | Std.2008/B/423 | | | | | | 3 | S.84 | C. | |
| 5F/9434855 | AS.2509 | Stud | | | | | | QR | — | C. | |
| 5CY/1002 | — | Suppressor, Type " P," No. 1 | | | | | | 1 | — | A. | |
| 5CW/5042 | Kelvon & Hughes KSD/02/01 | Switch, altitude | | | | | | 1 | — | A. | |
| 5CW/7540 | C.W.C. Ltd. XD.778 | Switch, single pole | | | | | | 1 | — | B. | |
| 5CW/7550 | C.W.C. Ltd. XD.787 C.228720 | Switch, change over, centre " OFF " | | | | | | 1 | — | B. | |
| | | SWITCHES, MICRO, FOR HOOD LOCKING GEAR, ASSEMBLY | | | | | | — | — | | |
| | 8702 | DTD.487/9B | | | | | | 2 | DTD.487 | C. | |
| | 8703 | Std.1639/B/BX | | | | | | 2 | S.95.B | C. | 5 |
| | 9919 | Std.1459/C | | | | | | 2 | — | C. | |
| | 8705 | F.213284 | | | | | | 2 | L.72 | C. | |
| 5CW/4638 | Burgess Mk. 4 | Switch, micro, Type 1A | | | | | | 1 | — | B. | |
| 5CW/4639 | Burgess 5 B.R. | Switch, micro, Type 4A | | | | | | 2 | — | B. | |
| 5CW/6376 | Pye 400 | Switch, micro (Alternative to 5CW/4639) | | | | | | 2 | — | B. | |
| 5CW/6375 | Pye 401 | Switch (Alternative to 5CW/4638) | | | | | | 1 | — | B. | |
| 5CW/6977 | Dowty C.1831Y. Mk. 102C | Switch, Downmic | | | | | | 1 | — | B. | |
| | 9920 | F.228644 | | | | | | 2 | — | C. | |
| 5CW/6257 | Teddington Controls FHM/A/68 | Switch, time dealy | | | | | | 1 | — | A. | |
| 5CW/6000 | Teddington Controls FHM/A/57 | Switch, time dealy | | | | | | 1 | — | A. | |
| 5CW/4896 | Teddington Controls FHO/A/96 | Thermostat | | | | | | 1 | — | A. | |
| 5CW/4327 | Rotax N.100397/1 | Transfer, " ON " | | | | | | 1 | — | C. | |
| 5CW/4328 | Rotax N.100397/2 | Transfer, " OFF " | | | | | | 1 | — | C. | |
| 5CW/4331 | Rotax N.100397/5 | Transfer, " OPEN " | | | | | | 1 | — | C. | |
| 5CW/4337 | — | Transfer, " CLOSE " | | | | | | 1 | — | C. | |

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

| Ref. No. | Part No. | Description | No. Of | Material Specification | M.R. Class of Score | Plate No. |
|----------|-------------------|---|--------|------------------------|---------------------|-----------|
| | | | | | | |
| 5F/ | — | Tube, $\frac{5}{16}$ " i/d | QR | P.V.C. | C. | |
| 5F/ | — | Tube, $1\frac{1}{2}$ " i/d | QR | P.V.C. | C. | |
| 3802 | Std.1507/23/085 | Tube, distance | 2 | T.4 | C. | |
| | Std.1509/23/084 | Tube, distance | 6 | T.4 | | |
| | Std.1509/13/075 | Tube, distance | 1 | T.4 | | |
| | Std.1509/23/058 | Tube, distance, $\frac{5}{16}$ " o/d. \times 17 S.W.G. \times 0.58" long (Make from 30B/556) | 2 | T.4 | | |
| 5407 | Std.915/T/18 | Washer | 6 | DTD.610 | MR/C | 4 |
| 9335 | Std.1547/19/6 | Washer, profile | 3 | DTD.610 | C. | 4 |
| 1940 | Std.1231/1 | Washer, tab | 1 | S.3 | C. | 4 |
| 7060 | F.207437 | Washer | 1 | DTD.171 | C. | |
| 4613 | Std.1335/C/18 | Washer | 10 | L.34 | C. | |
| | Std.1208/44/16/20 | Washer, at F.5 suppressor outlet | 1 | — | | |
| 7169 | Std.915/C/18 | Washer (Mod. 843) | 2 | DTD.610 | | |

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Place No. |
|-------------------------------|----------------|---------------------|------|--------|-----|-----|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| SUMMARY OF STOCK ITEMS | | | | | | | | | | |
| 28D/1010658 | A25.1B | Bolt, | 4 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/1008149 | A25.2B | Bolt, | 4 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/9419425 | A25.3B | Bolt, | 4 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/1011001 | A25.5B | Bolt, | 4 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/1010142 | A25.9P | Bolt, | 4 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/9138768 | A25.1C | Bolt, | 2 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/9436920 | A25.1C | Bolt, | 2 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/9133011 | A25.2C | Bolt, | 2 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/9133012 | A25.3C | Bolt, | 2 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/1200119 | A25.4C | Bolt, | 2 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/12533 | A25.5C | Bolt, | 2 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/1010030 | A25.7C | Bolt, | 2 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/1011019 | A25.8C | Bolt, | 2 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/9140644 | A25.9C | Bolt, | 2 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/9435710 | A25.11C | Bolt, | 2 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/9419397 | A25.12C | Bolt, | 2 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/12536 | A25.13C | Bolt, | 2 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/9140647 | A25.14C | Bolt, | 2 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/9140648 | A25.19C | Bolt, | 2 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/1012995 | A25.22C | Bolt, | 2 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/1011030 | A25.2E | Bolt, | 1/4" | B.S.F. | ... | ... | ... | ... | ... | ... |
| 28D/1011238 | A25.3E | Bolt, | 1/4" | B.S.F. | ... | ... | ... | ... | ... | ... |
| 28D/1008151 | A25.4E | Bolt, | 1/4" | B.S.F. | ... | ... | ... | ... | ... | ... |
| 28D/1010031 | A25.8E | Bolt, | 1/4" | B.S.F. | ... | ... | ... | ... | ... | ... |
| 28D/1011244 | A25.9E | Bolt, | 1/4" | B.S.F. | ... | ... | ... | ... | ... | ... |
| 28D/1011246 | A25.11E | Bolt, | 1/4" | B.S.F. | ... | ... | ... | ... | ... | ... |
| 28D/14004 | A57.5E | Bolt, | 1/4" | B.S.F. | ... | ... | ... | ... | ... | ... |
| 28D/14826 | AS.1242.1B | Bolt, | 4 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/9130080 | AS.1242.9B | Bolt, | 4 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/8308 | AS.1242.3C | Bolt, | 2 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/8329 | AS.1242.9E | Bolt, | 1/4" | B.S.F. | ... | ... | ... | ... | ... | ... |
| 28D/9128739 | AS.1248.1B | Bolt, | 4 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/8837 | AS.1248.1B | Bolt, | 4 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/8339 | AS.1248.6B | Bolt, | 4 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/1007981 | AS.1248.1C | Bolt, | 2 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/1007982 | AS.1248.1C | Bolt, | 2 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/1013301 | AS.1248.4C | Bolt, | 2 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/8344 | AS.1248.5C | Bolt, | 2 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/9354 | AS.1248.6C | Bolt, | 2 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/8345 | AS.1248.7C | Bolt, | 2 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/8347 | AS.1248.10C | Bolt, | 2 | B.A. | ... | ... | ... | ... | ... | ... |
| 28N/256 | SP.58.D | Burr | ... | ... | ... | ... | ... | ... | ... | ... |
| 28N/254 | AGS.191.B | Burr | ... | ... | ... | ... | ... | ... | ... | ... |
| 28E/9128961 | AGS.605/1 | Clip, hose | ... | ... | ... | ... | ... | ... | ... | ... |
| 5K/115 | AGS.1661/D | Clip, bonding | ... | ... | ... | ... | ... | ... | ... | ... |
| 5K/119 | AGS.1661/H | Clip, bonding | ... | ... | ... | ... | ... | ... | ... | ... |
| 5K/86 | AGS.1657 Mk. 0 | Collet | ... | ... | ... | ... | ... | ... | ... | ... |
| 5K/3355 | AS.3360/B/4/B | Connector, earthing | ... | ... | ... | ... | ... | ... | ... | ... |
| 5K/2868 | SP.40.B8 | Grommet | ... | ... | ... | ... | ... | ... | ... | ... |
| 5K/2956 | SP.40.B36 | Grommet | ... | ... | ... | ... | ... | ... | ... | ... |
| 5K/ | SP.48.A18 | Grommet | ... | ... | ... | ... | ... | ... | ... | ... |

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|-------------|-------------|------------------|-----|-----|-----|-----|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| 28M/1200096 | A27.AT | Nut, 6 B.A. | ... | ... | ... | ... | - | - | - | |
| 28M/9403519 | A27.BP | Nut, 4 B.A. | ... | ... | ... | ... | - | - | - | |
| 28M/1006504 | A27.BT | Nut, 4 B.A. | ... | ... | ... | ... | - | - | - | |
| 28M/9403520 | A27.CP | Nut, 2 B.A. | ... | ... | ... | ... | - | - | - | |
| 28M/13121 | A27.CS | Nut, 2 B.A. | ... | ... | ... | ... | - | - | - | |
| 28M/1006473 | A27.CT | Nut, 2 B.A. | ... | ... | ... | ... | - | - | - | |
| 28M/12931 | A27.ET | Nut, 1/2" B.S.F. | ... | ... | ... | ... | - | - | - | |
| 28M/13734 | A54.B | Nut, 4 B.A. | ... | ... | ... | ... | - | - | - | |
| 28M/14534 | A54.C | Nut, 2 B.A. | ... | ... | ... | ... | - | - | - | |
| 28M/10286 | AGS.2001.A1 | Nut, 6 B.A. | ... | ... | ... | ... | - | - | - | |
| 28M/10287 | AGS.2001.B1 | Nut, 4 B.A. | ... | ... | ... | ... | - | - | - | |
| 28M/10288 | AGS.2001.C1 | Nut, 2 B.A. | ... | ... | ... | ... | - | - | - | |
| 28M/10290 | AGS.2001.E1 | Nut, 1/2" B.S.F. | ... | ... | ... | ... | - | - | - | |
| 28M/10276 | AGS.2001.E4 | Nut, 1/2" B.S.F. | ... | ... | ... | ... | - | - | - | |
| 28M/10326 | AGS.2002.A1 | Nut, 6 B.A. | ... | ... | ... | ... | - | - | - | |
| 28M/10327 | AGS.2002.B1 | Nut, 4 B.A. | ... | ... | ... | ... | - | - | - | |
| 28M/10309 | AGS.2002.B4 | Nut, 4 B.A. | ... | ... | ... | ... | - | - | - | |
| 28M/10328 | AGS.2002.C1 | Nut, 2 B.A. | ... | ... | ... | ... | - | - | - | |
| 28M/7002430 | AGS.2002.E1 | Nut, 1/2" B.S.F. | ... | ... | ... | ... | - | - | - | |
| 28M/9434251 | AGS.2008.B1 | Nut, 4 B.A. | ... | ... | ... | ... | - | - | - | |
| 28M/9435067 | AGS.2008.C1 | Nut, 2 B.A. | ... | ... | ... | ... | - | - | - | |
| 28M/13307 | AGS.2018.B1 | Nut, 4 B.A. | ... | ... | ... | ... | - | - | - | |
| 28M/13774 | AGS.2019.B1 | Nut, 4 B.A. | ... | ... | ... | ... | - | - | - | |
| 28M/9144673 | AGS.2019.C1 | Nut, 2 B.A. | ... | ... | ... | ... | - | - | - | |
| 28M/13721 | AGS.2021.E1 | Nut, cap. 1/2" | ... | ... | ... | ... | - | - | - | |
| 28P/19153 | SP.90.C5 | Pin, split | ... | ... | ... | ... | - | - | - | |
| 28P/14669 | SP.4.Z.D18 | Pin, shackle | ... | ... | ... | ... | - | - | - | |
| 28S/1200045 | A31.A10 | Screw, 6 B.A. | ... | ... | ... | ... | - | - | - | |
| 28S/9435712 | A31.B8 | Screw, 4 B.A. | ... | ... | ... | ... | - | - | - | |
| 28S/9419435 | A31.B12 | Screw, 4 B.A. | ... | ... | ... | ... | - | - | - | |
| 28S/1200034 | A31.B16 | Screw, 4 B.A. | ... | ... | ... | ... | - | - | - | |
| 28S/1200040 | A31.B20 | Screw, 4 B.A. | ... | ... | ... | ... | - | - | - | |
| 28S/1200033 | A31.B.24 | Screw, 4 B.A. | ... | ... | ... | ... | - | - | - | |
| 28S/1005622 | A.31.B.28 | Screw, 4 B.A. | ... | ... | ... | ... | - | - | - | |
| 28S/ | A31.B.38 | Screw | ... | ... | ... | ... | - | - | - | |
| 28S/6201 | A31.B.40 | Screw, 4 B.A. | ... | ... | ... | ... | - | - | - | |
| 28S/9435912 | A31.B.44 | Screw | ... | ... | ... | ... | - | - | - | |
| 28S/1009109 | A32.A6 | Screw, 6 B.A. | ... | ... | ... | ... | - | - | - | |
| 28S/1006979 | A32.A10 | Screw, 6 B.A. | ... | ... | ... | ... | - | - | - | |
| 28S/2888 | A32.A32 | Screw, 6 B.A. | ... | ... | ... | ... | - | - | - | |
| 28S/1200080 | A32.B8 | Screw, 4 B.A. | ... | ... | ... | ... | - | - | - | |
| 28S/13887 | A32.B10 | Screw, 4 B.A. | ... | ... | ... | ... | - | - | - | |
| 28S/9992522 | A32.B16 | Screw, 4 B.A. | ... | ... | ... | ... | - | - | - | |
| 28S/9995376 | A32.B20 | Screw, 4 B.A. | ... | ... | ... | ... | - | - | - | |
| 28S/9992525 | A32.B12 | Screw, 4 B.A. | ... | ... | ... | ... | - | - | - | |
| 28S/14005 | A32.B14 | Screw, 4 B.A. | ... | ... | ... | ... | - | - | - | |
| 28S/2875 | A32.B24 | Screw, 4 B.A. | ... | ... | ... | ... | - | - | - | |
| 28S/14627 | A32.B36 | Screw, 4 B.A. | ... | ... | ... | ... | - | - | - | |
| 28S/5694 | A32.B40 | Screw, 4 B.A. | ... | ... | ... | ... | - | - | - | |
| 28S/14269 | A32.C10 | Screw, 2 B.A. | ... | ... | ... | ... | - | - | - | |
| 28S/2856 | A32.C12 | Screw, 2 B.A. | ... | ... | ... | ... | - | - | - | |
| 28S/13742 | A32.C14 | Screw, 2 B.A. | ... | ... | ... | ... | - | - | - | |
| 28S/1011490 | A32.C16 | Screw, 2 B.A. | ... | ... | ... | ... | - | - | - | |

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|-------------|-----------|--------------|--------|-----|-----|-----|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| 28S/9992533 | A32.C20 | Screw, 2 | B.A. | ... | ... | ... | ... | ... | — | — |
| 28S/1011491 | A32.C24 | Screw, 2 | B.A. | ... | ... | ... | ... | ... | — | — |
| 28S/2816 | A33.A16 | Screw, 6 | B.A. | ... | ... | ... | ... | ... | — | — |
| 28S/1200061 | A33.A18 | Screw, 6 | B.A. | ... | ... | ... | ... | ... | — | — |
| 28S/3420 | A33.B8 | Screw, 4 | B.A. | ... | ... | ... | ... | ... | — | — |
| 28S/13720 | A33.B10 | Screw, 4 | B.A. | ... | ... | ... | ... | ... | — | — |
| 28S/2809 | A33.B12 | Screw, 4 | B.A. | ... | ... | ... | ... | ... | — | — |
| 28S/2833 | A33.B28 | Screw, 4 | B.A. | ... | ... | ... | ... | ... | — | — |
| 28S/14301 | A33.C14 | Screw, 2 | B.A. | ... | ... | ... | ... | ... | — | — |
| 28S/13882 | A43.A10 | Screw, 6 | B.A. | ... | ... | ... | ... | ... | — | — |
| 28S/2066 | A43.C12 | Screw, 2 | B.A. | ... | ... | ... | ... | ... | — | — |
| 28S/8057 | A44.B6 | Screw, 4 | B.A. | ... | ... | ... | ... | ... | — | — |
| 28S/2407 | A44.B12 | Screw, 4 | B.A. | ... | ... | ... | ... | ... | — | — |
| 28S/13814 | A44.B14 | Screw, 4 | B.A. | ... | ... | ... | ... | ... | — | — |
| 28S/2475 | A44.B24 | Screw, 4 | B.A. | ... | ... | ... | ... | ... | — | — |
| 28S/3509 | A44.C8 | Screw, 2 | B.A. | ... | ... | ... | ... | ... | — | — |
| 28S/2115 | A45.B8 | Screw, 4 | B.A. | ... | ... | ... | ... | ... | — | — |
| 28W/9419473 | SP.15A | Washer, 6 | B.A. | ... | ... | ... | ... | ... | — | — |
| 28W/9419474 | SP.15B | Washer, 4 | B.A. | ... | ... | ... | ... | ... | — | — |
| 28W/9419475 | SP.15C | Washer, 2 | B.A. | ... | ... | ... | ... | ... | — | — |
| 28W/9419405 | SP.15E | Washer, 1/2" | B.S.F. | ... | ... | ... | ... | ... | — | — |
| 28W/9419485 | SP.16A | Washer, 6 | B.A. | ... | ... | ... | ... | ... | — | — |
| 28W/9419486 | SP.16B | Washer, 4 | B.A. | ... | ... | ... | ... | ... | — | — |
| 28W/9419404 | SP.16C | Washer, 2 | B.A. | ... | ... | ... | ... | ... | — | — |
| 28W/9419487 | SP.16E | Washer, 1/2" | B.S.F. | ... | ... | ... | ... | ... | — | — |
| 28W/14034 | SP.25B | Washer, 4 | B.A. | ... | ... | ... | ... | ... | — | — |
| 28W/9416642 | SP.47B | Washer, 4 | B.A. | ... | ... | ... | ... | ... | — | — |
| 28W/9419448 | AGS.2035B | Washer, 4 | B.A. | ... | ... | ... | ... | ... | — | — |

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

