

EQUIPMENT-ANCILLARY

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	E.229665	ANCILLARY EQUIPMENT, ASSEMBLY	-	-		
95424	D.203762	Adaptor, cradle, for engine removal trolley	1	-	B.	GA.9
2726	A.195020	Adaptor, union for pressure gauge pipe	1	DTD.364	MR/C	GA.3
4Q/2655	-	Adaptor, head, Mk. 102	3	-	B.	
4Q/2594	-	Adaptor, head, Mk. 42	2	-	B.	
105G/11	-	Adaptor	1	-	B.	
4G/	Rolls Royce GE.6004 Sht. 2	Adaptor, for engine stand	1	-	B.	
95527	A.208035	Adaptor, for external air supply, group	1	-	C.	GA.4
	A.208029	Adaptor	1	Brass		
95723	BEN/SA.48 or SA.179	Plug, half, ferrule, "Instantair," 3/8"	1	-		
1731	F.193381	Ring, sealing	1	Rubber	C.	GA.4
4G/4174	-	Arm, towing, unit Mk. II	1	-	B.	
95612	D.218657	Arm, towing, adaptor, group	1	-	B.	
6133	Std.1996/7	Chain	2	-	C.	5
	F.218535	Collar	2	M.S. S.S.4		
	F.218534	Drawbolt	2	H.T.S. Bar		
	B.218532	Hook	2	H.T.S. Bar		
28FP/9433677	Aviation Dev. A.619 or Aerolex F48/7/618	Pin	2	-	C.	
	F.218536	Spring	2	Sp. St.		
4G/3867	Dunlop	Wheel (10 x 3 pneumatic tyred)	2	-	A.	
4G/3071	-	Arm, forward steering	1	-	A.	
95220	A.201222	Bar, levelling, longitudinal	1	S.1	B.	GA.8
	D.231154	Base, clinometer, for tailplane	1	-		
	D.228419	Board, for checking elevator movement	1	-		
4Q/2617	-	Body, jack, 5 ton, hydraulic	3	-	A.	
	D.219659	Container, for gun barrel alignment tool	1	-		
95604	B.213633	Covers, blanking, for air intake, group	1 pr.	-	B.	GA.5
	C.213621	Cover, blanking, for intake, port, group	1	-		
	C.213622	Cover, blanking, for intake, starboard, group	1	-		
	C.200079	Bung, top, port	1	-		
	C.200080	Bung, top, starboard	1	-		
	C.200081	Bung, bottom, port	1	-		
	C.200082	Bung, bottom, starboard	1	-		
95782	A.192941	Catch, port	1	-	C.	
95783	A.192942	Catch, starboard	1	-	C.	
26AQ/5983	F.193287	Eye-bolt	2	Comml. M.S.B.	C.	
95786	F.193285	Lever	2	Comml. M.S.B.	C.	
95787	F.193286	Link	2	Comml. M.S.B.	C.	
95788	F.193288	Pfunger	2	Comml. M.S.B.	C.	
95785	A.194620	Spindle	2	Comml. M.S.B.	C.	
95/89	F.184342	Spring	2	Sp. St.	C.	

EQUIPMENT ANCILLARY

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
9138	—						1	Steel	C.	
95065	A.164139						1	—	C.	GA.2
	B.214194/2						1	Webbing		
95422	C.209810						1	—	B.	GA.5
	Std.1996/12						1	Brass		
95065	A.164139						1	—	C.	GA.2
9371	—						2	Steel	C.	
95727	C.230908						1	—	B.	
95726	C.230909						1	—	B.	
27D/3130	B.227411						1	—	B.	GA.7
	A.226665						1	—		
95022	D.194044						2	—	B.	GA.6
6133	Std.1996/7						2	Brass	C.	5
	F.180683						2	S.1		
	Aerolex						2	Steel	—	
	F.48/7/513									
95023	D.194045						2	—	B.	GA.6
6133	Std.1996/7						2	Brass	C.	5
	A.180683						2	S.1		
	Aerclex						2	Steel	—	
	F.48/7/513									
95729	E.230827						1	—	B.	GA.9
95730	C.215354						1	—	C.	GA.9
95731	C.215355						1	—	C.	GA.9
	E.230828						—	—		GA.9
95732	A.215371						1	T.26	C.	GA.9
	E.229683						—	—		
95678	D.224222						1	—	B.	GA.5
95679	F.224221						2	H.T.S. Bar	C.	GA.5
	C.214838						1	—		
4G/3360	—						2	—	A.	
	B.212170						2	—		
	C.214831						1	T.45		
	D.229684						—	—		
	E.214090						1	—		
	A.215191						1	—		
	F.215192						2	S.95.B		
	B.228766						4	M.S.P.		
	C.228771						2	M.S.P.		
	C.228772						2	M.S.P.		
	Flexello Ltd.						4	—		
	833.RT									
	F.215186						2	M.S. Bar or S.I.B.		

EQUIPMENT-ANCILLARY

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
	B.215181						1	M.S.P.		
	B.215182						1	M.S.P.		
	F.215444						1	M.S.		
	Flexello Ltd. CSW 33						1	—		
	F.215187						2	M.S.		
	F.208066						2	H.T.S. wire		
95609	B.205914						1	—	B.	GA.2
	F.192139						1	S.1		
	F.176122						1	S.1		
	F.176124						1	DTD.239		
95058	A.191552						1	—	B.	GA.3
95059	A.191655						1	—	B.	GA.3
95303	Dunlop A.10054						1	—	B.	
95032	Dunlop A.5826						1	—	B.	
95140	B.198963						1	—	B.	GA.3
95141	C.198962						1	—	B.	GA.3
27G/5062	Dunlop A.10039						1	—	B.	
95792	D.232208						—	—		
	A.232215						2	M.S.		
	A.232214						1	M.S.		
	A.232212						1	M.S.		
	A.232213						1	M.S.		
	Std.1996/8						2	—		
	F.232216						1	M.S. Bar		
	F.232217						2	M.S. Bar		
9137	—						4	Steel	C.	
	C.232209						1	M.S.		
	C.232210						1	M.S.		
95644	C.224263						1	—	B.	GA.4
	F.192067						1	BSS.251		
95007	B.201624						1	—	B.	GA.4
95006	A.192534						1	—	B.	GA.4
	A.231118						1	—		
	A.231119						1	—		
95860	A.249091						1	—	B.	GA.4
95861	A.249092						1	—	B.	GA.4
95508	A.210921						1	—	B.	GA.4
95513	B.214835						1	—	B.	
	C.221206						—	—		
95137	C.189263						2	—	B.	GA.7
6133	Std.1996/7						1	Brass	C.	5
95155	A.111811						2	F.16	C.	GA.7
	A.208394						1	—	C.	
	C.206419						1	S.3		

EQUIPMENT-ANCILLARY

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Place No.
9136	—	Ring, split type, $\frac{3}{4}$ " dia.	2	Steel	C.	
9137	—	Ring, split type, 1" dia.	1	Steel	C.	
95514	A.189264	Strap	1	F.52	C.	GA.7
95138	C.192836	Ground locking gear, for elevator, group ...	2	—	B.	GA.7
95068	A.192835	Cord, tension	2	F.16	C.	GA.7
95139	B.189267	Ground locking gear, for rudder, group ...	1	—	B.	GA.7
95069	A.193038	Bolt, wing	1	S.92B & S.3	C.	GA.7
6133	Std.1996/7	Chain, 7" long	2	Brass	C.	5
	A.208394	Pennant	1	—	C.	
9136	—	Ring, split type, $\frac{3}{4}$ " dia.	4	—	C.	
95605	B.219222	Ground locking gear, for cockpit controls, group	1	—	B.	GA.7
	A.88468	Bolt	2	S.1		
	A.192829	Bracket	1	S.3 & Rubber		
	A.200724	Bracket, for aileron locking	1	—		
	B.219222/1	Cable, front (complete with hooks and thimbles)	2	W.2		
	B.219222/2	Cable, rear (complete with hooks, thimbles and bracket)	2	W.2		
	A.188484	Cap	1	S.3		
	A.200718	Cap, for aileron locking	1	—		
	F.186679	Eye-bolt	1	S.1		
	A.208393	Pennant	1	—		
95616	B.214206	Ground lock, for nose wheel, group	1	—	B.	GA.7
	A.214436	Adjuster	1	—		
	B.214435	Bar, clamping, group	1	—		
	B.214435/2	Seating	2	LFB.82		
6133	Std.1996/7	Chain, 7" long	2	Brass	C.	5
95072	A.193720	Pennant	1	—	C.	GA.7
	Aerolex	Pin, quick release (use 28/FP/15)	1	—	—	
	F.48/7/508					
9136	—	Ring, split type, $\frac{3}{4}$ " dia.	3	Steel	C.	
	A.204974	Guard, for spigot in wheel bay	1	—		
95617	A.218961	Guard, safety, for air intake, port, group ...	1	—	B.	GA.5
95618	A.218962	Guard, safety, for air intake, starboard, group	1	—	B.	GA.5
95782	A.192941	Catch, port	1	—	C.	
95783	A.192942	Catch, starboard	1	—	C.	
26AQ/5983	F.193287	Eye-bolt	2	Comml. M.S.B.	C.	
95786	F.193285	Lever	2	Comml. M.S.B.	C.	
95787	F.193286	Link	2	Comml. M.S.B.	C.	
95788	F.193288	Plunger	2	Comml. M.S.B.	C.	
95785	A.194621	Spindle	2	Comml. M.S.B.	C.	
95789	F.184342	Spring	1	Sp. St.	C.	
	C.218224	Strut, bracing	2	—		

EQUIPMENT-ANCILLARY

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
95086	A.194464	Guide , for fuel tanks vent connector	1	—	B.	GA.3
95421	A.214536	Indicator , position, for aileron booster unit adjustment	1	EN.33 & S.3	B.	GA.4
4Q/2604	—	Jack , pillar type, 4 ton, hydraulic	1	—	A.	
95728	D.227026	Jig , setting, up micro switch, nose undercarriage ...	1	—	B.	
95733	B.227016	Jig , setting, nosewheel door sequence valve	1	—	B.	
	F.223909	Key , armament ground test switch	1	—		
95510	A.215979	Key , for I.P.N. tank filler cap	1	—		GA.9
95390	A.212332	Key , for hydraulic reservoir	1	T.26 & S.3	B.	GA.3
95603	D.213985	Ladder , for pilot, group	2	—	A.	GA.5
95306	A.201030	Lock , rigging, elevator control tube	1	—	C.	
95307	A.201031	Lock , rigging, aileron and rudder control tubes ...	2	—	C.	
4G/3966	—	Mats , for main plane	2	—	B.	
95607	B.208925	Pad , jacking, at frame 11, group	1	—	B.	GA.2
6133	Std.1996/7	Chain , 7" long	2	Brass	C.	5
	Aerolex	Pin , quick release (use 28FP/15)	2	—	—	
	F.48/7/508					
9136	—	Ring , split type, 1" dia.	4	Steel	C.	
95606	B.205909	Pad , jacking, for main plane, group	2	—	B.	GA.2
6133	Std.1996/7	Chain	2	—	C.	5
	Aerolex	Pin , quick release (use 28FP/15)	2	—	—	
	F.48/7/508					
9138	—	Ring , split type, 1 1/4" dia.	4	Steel	C.	
95608	A.205912	Pad , jacking, for nose undercarriage, group	1	—	B.	GA.2
6133	Std.1996/7	Chain , 7" long	1	—	C.	5
	B.205911	Pad , jacking	2	Casting		
95065	A.164139	Pennant	1	—	C.	GA.2
	Aerolex	Pin , quick release (use 28FP/638)	1	—	—	
	F.48/7/830					
	D.193482	PICKETING AND REARWARD TOWING, ASSEMBLY	—	—		
95203	F.159908	Bolt , picketing, for rear fuselage, group	1	—	C.	GA.5
6133	Std.1996/7	Chain , 7" long	1	Brass	C.	5
95632	F.159909	Eyebolt	1	S.95.B	C.	
95065	A.164139	Pennant	1	—	C.	GA.2
9137	—	Ring , split type, 1" dia.	2	—	C.	
4G/4137	—	Bridle , towing, 50 ft. long	1	—	A.	
95205	A.176437	Shackle , picketing, for main undercarriage, group	2	—	C.	GA.5
6133	Std.1996/7	Chain , 7" long	3	Brass	C.	5
95071	F.176436	Collar , locking	1	T.45 & S.3	C.	GA.5
95065	A.164139	Pennant	1	—	C.	GA.2
	Aerolex	Pin , quick release (use 28FP/17)	1	—	—	
	F.48/7/512					
9136	—	Ring , split type, 1" dia.	4	Steel	C.	
95204	A.176434	Shackle , picketing, for nose undercarriage, group	1	—	C.	GA.5
6133	Std.1996/7	Chain , 7" long	2	Brass	C.	5
95065	A.164139	Pennant	1	—	C.	GA.2
	Aerolex	Pin , quick release (use 28FP/638)	1	—	—	
	F.48/7/830					
9136	—	Ring , split type, 3/4" dia.	3	Steel	C.	

EQUIPMENT-ANCILLARY

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	D.191909	PICKETING AND REARWARD TOWING, ASSEMBLY (S.O.O. for embalmed aircraft only)	-	-		
95203	F.159908	Bolt, picketing, for rear fuselage, group ...	1	-	C.	GA.5
6133	Std.1996/7	Chain, 7" long ...	1	Brass	C.	5
95632	F.159909	Eye-bolt ...	1	S.95.B	C.	
95065	A.164139	Pennant ...	1	-	C.	GA.2
9137	-	Ring, split type, 1" dia. ...	2	-	C.	
4G/4137	-	Bridle, rearward towing ...	1	-	A.	
	B.191910	Fitting, picketing and rearward rowing, at main undercarriage, group	2	-		GA.5
6133	Std.1996/7	Chain, 7" long ...	3	Brass	C.	5
95071	F.176736	Collar ...	1	M.S.P. & M.S.T.	C.	GA.5
95065	A.164139	Pennant ...	1	-	C.	GA.2
	Aerolex	Pin, quick release (use 28FP/17)	1	-	-	
	F.48/7/512					
9137	-	Ring, split type, 1" dia. ...	5	Comml.	C.	
	A.191716	Fitting, picketing, at nose undercarriage, group ...	1	-		GA.5
6133	Std.1996/7	Chain, 7" long ...	2	Brass	C.	5
95065	A.164139	Pennant ...	1	-	C.	GA.2
	Aeroflex	Pin, quick release (use 28FP/638)	1	-	-	
	F.48/7/830					
9137	-	Ring, split type, 1" dia. ...	2	Comml.	C.	
95309	A.204865	Piece, distance, for use at front fuselage attachment nuts	1	M.S.B.	C.	GA.8
	C.231753	PIPE, DE-FUELLING EQUIPMENT, FOR "WHEELS UP," ASSEMBLY	-	-		
95797	C.231754	Pipe, group ...	1	-	A.	GA.7
	Std.1996/6	Chain, 6" long ...	1	Brass	C.	5
	B.207509	Handle, for coupling ...	1	Comml.		
	F.209903	Nut, special ...	4	M.S.		
	A.231679	Pipe ...	1	S.92.B		
	C.207508	Pipe, defuelling ...	1	-		
	Dunlop	Pipe, flexible, 1 1/2" (alternative to Avica 1/12/72/AA) (AS.970/53)	1	-	-	
	24/W2/121/8/8/72					
	Avica	Pipe, flexible, 1 1/2" (alternative to Dunlop 24/W2/121/8/8/72) (AS.970/53)	1	-	-	
	1/12/72/AA					
27F/2227	Flight Refuelling	Valve, coupling, refuelling (alternative to FC.110)	1	-		
	C.0724000/1					
2/F/2227	Avery Hardoll	Valve, coupling, refuelling group (alternative to C.0/24000/1)	1	-	A.	
	F.C.110					
27F/2228	FC.109	Cover, dust, group ...	1	-	C.	
27F/2599	TR.539/B.66	Ring, sealing ...	1	-	C.	
95423	B.202832	Rail, for engine, between frames 34 and 37, group	1	-	B.	GA.6
6133	Std.1996/7	Chain, 7" long ...	1	Brass	C.	5
	Std.1996/14	Chain ...	1	Brass		
	F.201826	Label ...	1	-		
	Aerolex	Pin, quick release (use 28FP/19)	1	-	-	
	F48/7/514					
	B.191/37/3	Plate, indicator ...	1	Comml. M.S.B.		

EQUIPMENT-ANCILLARY

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
9137	B.191737/1						1	Comml.		
95722	B.203904						3	M.S. Wire	C.	
							1	S.95.B & S.1	B.	GA.6
SP/2908	—						1	—	A.	
95029	C.191636						2	—	B.	GA.7
6133	Std.1996/7						1	Brass	C.	5
95721	F.191640						2	Comml. M.S.B.		
	F.191638						1	Comml. M.S.B.		
95072	A.193720						1	—	C.	GA.7
9136	—						2	Steel	C.	
	F.191639						4	Comml. M.S.B.		
95011	D.188575						1	—	B.	GA.2
95070	F.188573						4	S.95.B	C.	GA.2
95074	A.188570						4	S.95.B	C.	GA.2
	D.188575/1						4	BS.302		
	B.188566						4	Stpg.		
	A.188726						1	—		
	F.187729						2	S.94.B or S.95.B		
	F.187728						1	S.1		
	A.188572						4	Stpg.		
	B.188565						2	Stpg.		
	B.188567						2	—		
6133	Std.1996/7						2	Brass	C.	5
	Aerolex						2	—		
	F.48/7/813						4	—	C.	
9136	—						4	—	C.	
	B.188568						2	—		
95369	D.206951						1	—	B.	GA.6
95070	F.188573						2	S.95.B	C.	GA.2
	D.206951/1						2	BS.302		
	D.206951/2						2	BS.302		
	F.200603						1	Brass		
	B.200600						2	—		
	B.207066						2	—		
	A.207187						1	—		
	F.187729						2	S.94.B or S.95.B		
	F.187728						1	S.1		
	F.200668						4	—		
9138	—						2	—	C.	
	B.194418						2	Stmpg.		
	B.207178						1	Stmpg.		

EQUIPMENT-ANCILLARY

Ref. No.	Part No.	Description	No. Off					Material Specification	M.R. Class of Store	Plate No.		
			1	2	3	4	5					
	F.221281	Hook						1	M.S. comml.			
	A.230751	Lever						4	S.1			
	F.221241	Pin						2	BSS.250.B			
	Aerolex	Pin, quick release (use 28FP/18)						4	—	—		
	F.48/7/513											
9136	—	Ring, split type, 3/4" dia.						8	Steel	C.		
95052	A.189921	Clip, at nose wheel leg						2	S.3 & L.16	C.	GA.1	
95613	C.220364	Cradle, front, group						1	—	B.	GA.1	
6133	Std.1996/7	Chain, 7" long						5	Brass	C.	5	
95812	F.220356	Eye-bolt						2	S.2			
	A.230751	Lever						4	S.1			
	Aerolex	Pin, quick release (use 28FP/18)						4	—	—		
	F.48/7/513											
	Aerolex	Pin, quick release (use 28FP/24)						1	—	—		
	F.48/7/609											
9136	—	Ring, split type, 3/4" dia.						5	Steel	C.		
	A.230750	Link, at nose wheel leg						1	S.1 & S.3	C.	GA.1	
95611	C.220365	Sling, lifting, group						1	—	B.	GA.1	
	C.220365/1	Cable, forward, top portion, 110-120 ton						2	BS.302			
	C.220365/2	Cable, rear, top portion						2	BS.302			
	C.220365/3	Cable, forward, bottom portion, 110-120 ton						2	BS.302			
	C.220365/4	Cable, rear, bottom portion, 110-120 ton						2	BS.302			
	F.220357	Plate, link						8	S.3			
	B.220359	Ring, lifting						1	S.92.B			
	B.220360	Strut, forward, group						2	—			
95615	B.220361	Strut, bracing, between front and rear trestle, group						2	—	B.	GA.1	
	Std.1996/6	Chain						2	Brass			
	Aerolex	Pin, quick release (use 28FP/640)						2	—	—		
	F.48/7/1023											
9136	—	Ring, split type, 3/4" dia.						2	Steel	C.		
4G/	—	Trestle, U.J. No. 1						2	—	A.		
	B.190381	SLINGING AND TRESTLING, CENTRE FUSE-LAGE, ASSEMBLY							—	—		
95020	C.190377	Cradle, group						2	—	B.	GA.1	
6133	Std.1996/7	Chain, 7" long						4	Brass	C.	5	
	F.180683	Lever						4	S.1			
	Aerolex	Pin, quick release (use 28FP/18)						4	—	—		
	F.48/7/513											
9136	—	Ring, split type, 3/4" dia.						4	Steel	C.		
95049	C.190378	Sling, lifting, group						1	—	B.	GA.1	
	C.190378/1	Cable, aft, 100-110 ton						1	BS.302			
	C.190378/2	Cable, forward, 100-110 ton						1	BS.302			
	F.190386	Plate, link						4	Comml. M.S.			
	B.190380	Plate, link, group						4	—			
6133	Std.1996/7	Chain, 7" long						1	Brass	C.	5	
	Aerolex	Pin, quick release (use 28FP/625)						1	—	—		
	F.48/7/813											

EQUIPMENT-ANCILLARY

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
9136	—						1	Steel	C.	
	F.190384						2	S.1		
	F.186238						1	S.92.B		
	B.190379						1	—		
	A.190383						2	—		
4G/	—						2	—	A.	
	C.207184						—	—		
95041	C.190878						1	—	B.	GA.1
6133	Std.1996/7						4	Brass	C.	5
95512	F.180694						2	S.1	C.	
	F.180683						4	S.1		
	Aerolex						4	—	—	
	F.48/7/513									
9136	—						4	Steel	C.	GA.1
95042	C.190877						1	—	B.	
6133	Std.1996/7						4	Brass	C.	5
95512	F.180694						2	S.1	C.	
	A.180683						4	S.1		
	B.190881						1	—		
6133	Std.1996/7						1	Brass	C.	5
95632	F.159909						1	S.95.B	C.	
	Aerolex						1	Steel	—	
	F.48/7/615									
9136	—						1	Steel	C.	
	Aerolex						4	—	—	
	F.48/7/513									
9136	—						4	Steel	C.	
95366	C.206953						1	—	B.	GA.1
	B.189219						1	S.92.B		
	C.206953/2						4	BS.825		
95368	B.206954						2	—	B.	GA.1
6133	Std.1996/7						2	Brass	C.	5
	Aerolex						2	—	—	
	F.48/7/1023									
9136	—						2	Steel	C.	
4G/	—						2	—	A.	
	C.207184						—	—		
95367	B.207188						1	—	B.	GA.1
	C.189220						1	T.6 & S.3		
	C.207226						1	—		
	B.189219						1	S.92.B		

EQUIPMENT-ANCILLARY

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
6133 95075	B.189217	Sling, lower rear, group	2	—			
	B.189217/1	Cable, 100-110 ton, 1 1/2" dia.	1	BS.302			
	Std.1996/7	Chain, 7" long	1	Brass	C.	5	
	F.188901	Eye-bolt	1	S.95.B	C.	GA.1	
	Aerolex F.48/7/1017	Pin, quick release (use 28FP/639)	1	—	—		
9138	—	Ring, split type, 1 1/2" dia.	1	Steel	C.		
6133 95075	B.189218	Sling, lower front, group	2	—			
	B.189218/1	Cable, 100-110 ton, 1 1/2" dia.	1	BS.302			
	Std.1996/7	Chain, 7" long	1	Brass	C.	5	
	F.188901	Eye-bolt	1	S.95.B	C.	GA.1	
	Aerolex F.48/7/1017	Pin, quick release (use 28FP/639)	1	—	—		
9138	—	Ring, split type, 1 1/2" dia.	1	Steel	C.		
	Std.1676	Tally	1	—			
95215	C.200058	Trolley, removal, for tail unit group	1	—	A.	GA.1	
	B.200212	Arm towing	1	—			
	D.200062	Aft-end, group	1	—			
	D.200062/12	Bush, for runner wheel	2	Bronze			
	C.189645	Jack, screw, group	2	—			
	C.189645/2	Bush	1	BSS.369			
	C.189645/7	Grub-screw	1	M.S.B.			
	C.189645/5	Nut	1	M.S.B.			
95076	C.189645/1	Shaft, screwed	1	M.S.B.	C.	GA.1	
	D.200062/16	Nut, wheel attachment	4	M.S.			
	D.189637	Piece, distance, for wheel spindle	4	S.21.B			
95077	D.189638	Spindle	2	S.21.B	C.	GA.1	
95078	Dunlop	Wheel, complete with solid tyre	2	—	B.	GA.1	
	WDM.564						
	D.200062/11	Wheel, runner	2	M.S.B.			
	C.200058/1	Bolt, attaching side frame	6	M.S.			
	C.200058/2	Bolt, attaching side frame	2	M.S.			
	C.200060	Cradle	1	—			
	B.200059	Frame, side	2	—			
	D.200061	Forward-end, group	1	—			
2A/9500503	SKEFCO 08	Bearing, thrust race	2	—	B.		
	D.189642	Bush, for castor fork spindle	2	Bronze			
	D.200062/12	Bush, for runner wheel	2	Bronze			
	C.189645	Jack, screw, group	2	—			
	C.189645/2	Bush	1	BSS.369			
	C.189645/7	Grub-screw	1	M.S.B.			
	C.189645/5	Nut	1	M.S.B.			
95076	C.189645/1	Shaft, screwed	1	M.S.B.	C.	GA.1	
	D.200061/16	Nut, wheel attachment	4	M.S.B.			
	D.189637	Piece, distance, for wheel spindle	4	S.21.B			
95077	D.189638	Spindle	2	S.21.B	C.	GA.1	
95078	Dunlop	Wheel, complete with solid tyre	2	—	B.	GA.1	
	WDM.564						

EQUIPMENT-ANCILLARY

Ref. No.	Part No.	Description	No. Off					Material Specification	M.R. Class of Score	Plate No.
			1	2	3	4	5			
	D.200062/11	Wheel, runner						M.S.B.		
	F.200236	Lug, for tie bar						M.S.		
	C.190463	Strap, attachment, group						—		
	A.179741	Bolt, with plate, group						—		
	F.179739	Bolt						S.1, S.3		
	F.179741/1	Collar						S.1		
	A.200232	Tie-bar						—		
95014	C.188900	Sling, for outer wings group						—	B.	GA.2
	C.188900/1	Cable, forward, 100-110 ton, $\frac{5}{16}$ " dia.						BS.302		
	C.188900/2	Cable, rear, 100-110 ton, $\frac{5}{16}$ " dia.						BS.302		
6133	Std.1996/7	Chain, 7" long						Brass	C.	5
95075	F.188901	Eye-bolt						S.95.B	C.	GA.1
	Aerolex	Pin, quick release (use 28FP/639)						—		
	F.48/7/1017									
9138	—	Ring, split type, 1 $\frac{1}{2}$ " dia.						Steel	C.	
	F.186238	Ring, lifting						S.92.B		
95222	C.199388	Sling, outer wing, for chord vertical lifting						—	B.	GA.2
	C.199388/1	Cable, 100-110 ton, $\frac{5}{16}$ " dia., complete with lifting ring						BS.302		
	C.199388/2	Leather, strip, $\frac{1}{16}$ " thick						—		
	A.199389	Screw, anchorage						—		
	F.199390	Thimble						—		
95016	B.190526	Sling, for tail plane, fin and rudder						—	B.	GA.2
	B.190526/1	Cable, 100-110 ton, $\frac{5}{16}$ " dia.						BS.302		
6133	Std.1996/7	Chain, 7" long						Brass	C.	5
95520	F.190527	Pin						H.T.S.	C.	
95519	F.199873	Pin						—	C.	
	Aerolex	Pin, quick release (use 28FP/26)						—		
	F.48/7/612									
	F.180478	Ring, lifting						S.92.B		
9138	—	Ring, split type, 1 $\frac{1}{2}$ " dia.						Steel	C.	
4G/4783	Rolls Royce J.47623	Sling, for "Avon" engine						—	A.	
95720	B.229927	Sling, hood						—	B.	GA.9
95087	A.194634	Spanner, for Dunlop brake, adjustment						Comml.	B.	GA.3
95311	A.209612	Spanner, for flap hinge bolts						—	B.	GA.8
95228	Britool Z.4948	Spanner, for rear fuselage transport joint nuts						—	B.	
95085	A.194578	Spanner, for inverted flight valve connector						EN.33	B.	GA.3
95081	B.194717	Spanner, for refuelling valve, forward tanks						T.26 & S.3	B.	GA.3
95645	B.224080	Spanner, crutching, for inboard and outboard pylons						—	B.	GA.3
95226	A.201955	Spanner, special, for main fuel delivery joint						EN.33	B.	GAB
95163	A.197766	Spanner, for hydraulic system, centre fuselage -605"— -610" A/F						S.21 & S.3	B.	GA3
95165	A.197767	Spanner, for hydraulic system, centre fuselage -852"— -830" A/F						S.21 & S.3	B.	GA.3

EQUIPMENT-ANCILLARY


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
95166	A.197768	Spanner , for hydraulic system, centre fuselage 1-015" — 1-020" A/F					1	S.21 & S.3	B.	GA.3
95706	A.222402	Spanner , for gun installation					1	S.3	B.	GA.3
95715	A.227530	Spanner , dial, for aileron booster unit adjustment					1	—	B.	GA.4
95164	F.199124	Spanner , for hydraulic system, centre fuselage					1	—	B.	GA.3
95304	F.199406	Spanner , for elevator outer hinge lock nut .925" A/F					1	M.S.	B.	GA.8
95305	F.199407	Spanner , for elevator outer hinge bolts .715" A/F					1	M.S.	B.	GA.8
95308	B.204866	Spanner , for front fuselage attachment nuts					1	Steel	B.	GA.8
95425	A.190295	Spanner , for fuel system					1	Comml.	B.	GA.8
	B.212978	Spanner , for recuperator connector					1	—		
	C.214603	Spanner , for fuel coupling in centre fuselage					1	—		
95503	B.209815	Spanner , wing fuel system					1	EN.33 or S.15	B.	GA.8
95504	B.209816	Spanner , wing fuel system					1	EN.33 or S.15	B.	GA.8
95143	F.198704	Spigot , levelling, removable, group					2	—	B.	FA.3
6133	Std.1996/7	Chain , 7" long					1	Brass	C.	5
95065	A.164139	Pennant					1	—	C.	GA.2
9136	—	Ring , split type, 3/4" dia.					1	Steel	C.	
4G/4231	Rolls Royce GE.6004 Sht. 1	Stand , for Avon Engine, type " B "					1	—	A.	
95234	B.199253	Strut , bracing, for gun removal, group					1	—	B.	GA.8
	F.199257	Block , trunnion					1	S.1		
	F.199255	Bolt , fork					1	M.S.B.		
	A.199254	Fork-end					1	S.I.B.		
	F.199256	Pin , trunnion					1	M.S.B.		
95725	B.230207	Strut , jury, for hood, group					—	—	B.	GA.9
	F.230212	Block					1	M.S.		
	Std.1551/1/145	Bolt					1	—		
	F.230210	Fork-end					1	M.S.		
	A.230211	Fork-end					1	M.S.		
	F.230209	Hook					1	M.S.		
	A.515	Pin , pip					1	—		
	A.230208	Strut					1	T.45		
95427	C.208502	Test Equipment , for Fuel System, group (Mod. 385 S.O.O.)					1	—	B.	GA.2
	A.211191	Adaptor , for spine connection, group					1	—		
1731	F.193381	Ring , sealing					1	Rubber	C.	
	C.212514	Box , for test equipment					1	—		
	B.207700	Box , control, group					1	—		
	SK.342/1	Controller , 1V					1	—		
	Std.1371.C	Coupling					1	DTD.423		
	B.207700/1	Hose , 3/4" i/d. x 12 ft. long					1	—		
	F.207701	Nipple , special					1	L.65.C		
	BEN/S.A.48 or SA.179	Plug , " Instantair "					1	—		
6074	A.207899	Bung , for forward vent pipe, group					1	—	C.	


EQUIPMENT-ANCILLARY


Ref. No.	Part No.	Description	1 2 3 4 5					No. Off	Material Specification	M.R. Class of Store	Plate No.
			1	2	3	4	5				
95665	A.194466	Bolt					1	—			
	A.194464/1	Gland					1	—	C.		
	F.194467	Ring, locking					1	—			
	A.207818	Cover, blanking, for refuelling pressure relief valve, group					2	—			
	A.207800	Clamp					1	M.S.			
	A.207817	Nut, wing					1	—			
	F.207793	Plunger, group					1	—			
27QA/5	Dowty	Ring, seal					1	—	C.		
	S.P.597/9										
5269	Fairey Aviation Co.	Ring, retaining					2	—	C.		
95734	A.230916	Tool, engagement, braking parachute shackle ...					1	S.510	B.	GA.9	
95080	B.191654	Tool, for undercarriage up-lock					1	—	B.	GA.3	
95223	B.200521	Tool, for assembly of transport joint spigot ...					1	—	B.	GA.8	
95516	C.215976	Tool, for alignment of gun and barrel support, group					1	—	A.	GA.9	
	C.215999	Barrel					1	M.S.			
	F.216000	Screw, special					3	EN.33			
	B.215997	Sleeve					1	EN.33			
	A.215998	Spigot					1	EN.33			
95557	B.215975	Tool, bearing rotation					1	M.S.	B.	GA.9	
4Q/2618	—	Trestle, Mk. 1					1	—	A.		
4Q/2620	—	Trestle, Mk. 3					2	—	A.		
4G/	—	Trestle, U.J., No. 6					4	—	A.		
95216	D.200213	Trolley, removal, for engine unit, group (Mod. GE.51)					1	—	A.	GA.6	
	B.200212	Arm, towing					1	—			
	D.200198	Aft-end, group					1	—			
	D.189644	Collar, wheel attachment					2	M.S.			
	C.189645	Jack, screw, group					2	—			
	C.189645/2	Bush					1	BSS.369			
	C.189645/7	Grub-Screw					1	M.S.B.			
	C.189645/5	Nut					1	M.S.B.			
95076	C.189645/1	Shaft, screwed					1	M.S.B.	C.	GA.1	
	D.200198/16	Nut, wheel attachment					4	M.S.			
95079	D.189643	Spindle, for wheel					2	S.21.B	B.	GA.6	
95078	Dunlop WDM.564	Wheel, complete with solid tyre					2	—	B.	GA.1	
	C.200058/1	Bolt, attaching side frames					6	M.S.			
	C.200058/2	Bolt, attaching side frames					2	M.S.			
	B.200191	Frame, centre					1	—			
	B.200188	Frame, side					2	—			
	D.200197	Forward end, group					1	—			
27S/	SKO/06/08	Bearing, thrust race					2	—	B.		
	D.189642	Bush, for castor fork spindle					2	Bronze			
	C.189645	Jack, screw, group					2	—			
	C.189645/2	Bush					1	BSS.369			
	C.189645/7	Grub-Screw					1	M.S.B.			


EQUIPMENT-ANCILLARY


Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
95076	C.189654/5	Nut	1	M.S.B.	C.	
	C.189645/1	Shaft, screwed	1	M.S.B.		
95077	D.200197/12	Nut, wheel attachment	4	M.S.	B.	GA.1
	D.189637	Piece, distance, for wheel spindle	4	S.21.B		
95078	D.189638	Spindle	2	S.21.B	B.	
	Dunlop WDM.564	Wheel, complete with solid tyre	2	—	B.	
	F.200238	Lug, for tie bar... ..	2	M.S.		
	F.200237	Lug, for tie bar... ..	2	M.S.		
	D.200210	Rail, group	1	—		
	F.196530	Bolt, at lower rail	1	S.95.B		
	D.200210/16	Bolt, special	2	M.S.		
	F.196531	Nut, at lower rail	1	S.95.B		
	Aerolex F.48/7/817	Pin, pip (use 28FP/42)	1	—	—	
	D.200210/19	Tommy-bar	2	M.S.		
	A.200233	Tie-bar	2	—		
4F/1714	—	Trolley, pressure, cabin testing, Mk. 1C	1	—	A.	
4F/1685	—	Trolley, hydraulic, Mk. 2	1	—	A.	
4F/1690	—	Trolley, electrical servicing and testing, Mk. 1A	1	—	A.	
4G/4220	—	Trolley, oxygen charging, Mk. 2	1	—	A.	
4G/4221	—	Trolley, charging H.P. air, Mk. 2	1	—	A.	
4G/	—	Trolley, for radar, cooling and testing... ..	1	—	A.	
B.214055		Weather covers, assembly (Refer to AP.1086 section, 27D/1)	—	—		



























This file was downloaded
from the RTFM Library.
Link: www.scottbouch.com/rtfm
Please see site for usage terms,
and more aircraft documents.

