

EQUIPMENT S.O.O.—DROP TANKS—230 GALLON

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
10160	E.236600	DROP TANK, 230 GALLON, GROUP (Mod. 891)	2	—	A.	
10501	A.206906/1	Adaptor, group (Mod. 934)	2	—	C.	
10500	A.241673	Ring, sealing (Mod. 934)	1	Rubber	C.	
10214	M. & B. Metals Ltd. EL.39336/1E	Connector	1	—	B.	
11A/5044	M.L. Aviation Ltd. FX.1095-480C	Lug, suspension .GW	1	—	C.	
9989	A.233742	Nut, special, securing float switch	1	—	C.	
27QA/287	Dowty SP.911.D Mk. 10	Ring, "O," at float switch	1	—	C.	
9990	C.221049	Ring, sealing, shell	2	Rubozote	C.	
10161	E.236601	Shell, centre, group (Mod. 891)	1	—	B.	
	F.234566	Boss, for jointing float shaft	1	—		
	F.232806	Clip, securing vent pipe	1	S.510		
	A.220928	Connector, fuel, for stack pipe	1	—		
	A.220929	Connector, fuel, for vent pipe	1	S.21.B		
	C.220858	Diaphragm, at forward and aft end of shell	2	L.72		
	C.220664	Diaphragm, forward of centre diaphragm	1	L.72		
	C.220958	Diaphragm, forward of centre diaphragm	1	—		
	B.240703	Diaphragm (Mod. 926)	1	L.72		
10215	A.237008	Float, group	1	—	B.	
	F.224233	Eye-end	1	L.65.C		
	A.240603	Float (Mod. 828)	2	Cork		
	F.224238	Rod	1	S.21.B		
	Std.1509/2/030	Tube, distance, 1/4" o/d x 22 S.W.G. x 0-30" long	1	T.4		
—	F.234570	Hose, vent pipe (Make vfrom 32C/412)	1	DTD.625A	—	
	F.220931	Nut, special, at fuel connectors and centre diaphragm	3	S.1.B		
9994	F.221010	Nut, special, at drain assembly	1	S.1.B	C.	
	C.220968	Pipe, stack	1	L.54 and L.59		
	B.234568	Pipe, vent, forward portion	1	L.54 and L.59		
	B.234569	Pipe, vent, centre portion } Alternative to	1	L.54		
	B.232802	Pipe, vent, rear portion } B.239480	1	—		
	B.239480	Pipe, vent (Alternative to B.234569 and B.232802) (Mod 828)	1	L.54 RL.59		
9995	F.234454	Plug, drain	2	S.95.B or S.96.B	C.	
27QA/398	SP 910/8 Dowty	Ring, "O," at fuel connectors	1	—	C.	
27QA/1071	SP 910/32 Dowty	Ring, "O," at fuel connectors and centre diaphragm	3	—	C.	
27QA/395	SP.910/5 Dowty	Ring, "O," at diaphragm	14	—	C.	
	F.227616	Shaft, float	1	L.62		
	A.237130	Stop, for float shaft	1	S.510		
	F.238316	Washer, double (Mod. 828)	1	S.510		
9996	E.234290	Shell, nose, group	1	—	B.	
	A.236774	Frame, window	2	L.72		
9995	F.234454	Plug, drain	1	S.95.B or S.96.B	C.	
	F.224873	Seal, at window	2	Rubber		
	C.234293	Shaft, float, group	1	—		

EQUIPMENT S.O.O.—DROP TANKS—230 GALLON

Ref. No.	Part No.	Description	No. Off					Material Specification	M.R. Class of Store	Plate No.
			1	2	3	4	5			
10812	F.224418	Bearing						1	—	
	or									
	F.243483	Bearing (Mod. 891)						1	—	
	F.224416	Bush, at diaphragm						1	—	C.
	C.234279	Diaphragm						1	L.72	
	D.234671	Drum, indicator, group						1	—	
	F.236328	Bush, at float shaft						1	L.65.C	
	A.236182	Vane						15	L.72	
	F.234567	Plate, driving						1	S.510 and T.26	
	A.240662	Shaft (Mod. 926)						1	—	
	F.236599	Spacer (For use only with F.236598)						3	L.65.C	
	A.224420	Strut (Alternative to F.236598)						3	—	
	F.236598	Strut (Alternative to A.224420)						3	—	
	A.224872	Window, fuel level indicator						2	DTD.846A or DTD.5545	
10430	E.242600	Shell, tail, group						1	—	B.
9995	F.234454	Plug, drain						1	S.95.B	C.
10645	F.250143	Spigot, locating, front (Mod. 1037)						1	S.96.B	C.
10624	F.250022	Spigot, locating, rear (Mod. 1037)						1	S.96.B	C.
5CW/5930	Flight Refuelling 3504100/13	Switch, float						1	—	A.
9997	C.234432	Tail cone (First 300 tanks only)						1	S.511	C.
4G/5663	Bristol GE.2603	Tool, shell, assembly						1	—	A.
10780	D.253425	Strut, for 230 gallon drop tank, port, group (Mod. 1081)						1	—	B.
10781	D.253426	Strut, for 230 gallon drop tank, starboard, group (Mod. 1081)						1	—	B.
		Consisting of —								
10771	F.252506	Ball, end, group (Mod. 1081)						2	—	B.
	F.237239	Ball end						2	S.95.B	
	A.252508	Bearing						2	S.95.B	
	A.252507	Nut, retaining						2	S.95.B	
10544	F.237241	Bolt, spherical head						2	S.96	C.
10545	B.243056	Fairing, top, port						1	L.72	C.
10546	B.243057	Fairing, top, starboard						1	L.72	C.
10542	F.237242	Nut, special						2	S.80	C.
	C.243053	Strut (Make from Std.2107)						2	T.50	

EQUIPMENT S.O.O.—DROP TANKS—230 GALLON

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28D/1011006	A.25.5.B	Bolt,	4	B.A.	—
28D/1010029	A.25.6.B	Bolt,	4	B.A.	—
28D/9138768	A.25.1.C	Bolt,	2	B.A.	—
28D/9436920	A.25.1.C	Bolt,	2	B.A.	—
28D/9133011	A.25.2.C	Bolt,	2	B.A.	—
28D/9133012	A.25.3.C	Bolt,	2	B.A.	—
28D/1200119	A.25.4.C	Bolt,	2	B.A.	—
28D/7002428	A.25.6.C	Bolt,	2	B.A.	—
28D/1011030	A.25.2.E	Bolt,	1/2"	B.S.F.	—
28D/1011238	A.25.3.E	Bolt,	1/2"	B.S.F.	—
28D/1008151	A.25.4.E	Bolt,	1/2"	B.S.F.	—
28D/1011242	A.25.7.E	Bolt,	1/2"	B.S.F.	—
28D/1010031	A.25.8.E	Bolt,	1/2"	B.S.F.	—
28D/1007975	AS.1242/1C	Bolt,	2	B.A.	—
28D/1007982	AS.1248/1C	Bolt,	2	B.A.	—
28D/10640	AS.1248/2E	Bolt,	1/2"	B.S.F.	—
28E/9129090	AGS.605/Mk. 0	Clip,		hose	—
28E/16526	AGS.1000/Mk. 3	Clip,		hose	—
28M/9403519	A.27.BP	Nut,	4	B.A.	—
28M/1006473	A.27.CT	Nut,	2	B.A.	—
28M/13275	A.27.PC	Nut,	2	B.A.	—
28M/10288	AGS.2001/C1	Nut,	2	B.A.	—
28M/10326	AGS.2002/A1	Nut,	6	B.A.	—
28M/10328	AGS.2002/C1	Nut,	2	B.A.	—
28M/7002430	AGS.2002/E1	Nut,	1/2"	B.S.F.	—
28M/10334	AGS.2002/N1	Nut,	1/2"	B.S.F.	—
28M/9435068	AGS.2008/E1	Nut,	1/2"	B.S.F.	—
28M/9144673	AGS.2019/C1	Nut,	2	B.A.	—
28M/13085	AGS.2023/C1	Nut,	2	B.A.	—
28P/19225	SP.90.C3	Pin			—
28P/19153	SP.90.C5	Pin			—
28F/15454	AGS.1186/5	Seal,		bonded, 1/2" dia.	—
28S/9156769	A.31.A.36	Screw,	6	B.A.	—
28VV/9419473	SP.15.A	Washer,	6	B.A.	—
28VV/9419474	SP.15.B	Washer,	4	B.A.	—
28VV/9419475	SP.15.C	Washer,	2	B.A.	—
28VV/9419404	SP.16.C	Washer,	2	B.A.	—
28VV/12588	SP.18.C	Washer,	2	B.A.	—
28VV/9994217	SP.18/E	Washer,	1/2"	B.S.F.	—
28F/9434374	AGS.1186/E	Washer,	1/2"	B.S.P.	—
28F/8016813	AGS.1186/J	Washer,	1 1/2"	B.S.P.	—

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

