

FUSELAGE—CENTRE PORTION

| Ref. No. | Part No. | Description | No. Off | Material Specification | M.R. Class of Score | Plate No. |
|----------|-------------------|--|---------|------------------------|---------------------|-----------|
| | | | | | | |
| | D.215906 | CENTRE FUSELAGE STRUCTURE, ASSEMBLY ... | - | - | | |
| | D.179303 | ATTACHMENT OF STRINGERS FROM NOSE SPAR TO FRAME 20, ASSEMBLY | - | - | | |
| 960 | F.184105 | Bolt, special, at stringers "C" and "H" ... | 2 | S.95.B | C. | JB.3 |
| | Std.1551/3/125 | Bolt, special, at stringers "C" and "H" ... | 8 | S.99.B | | |
| 3825 | Std.1551/3/105 | Bolt, special, at stringers "C" and "H" ... | 4 | S.99.B | MR/C | 5 |
| | A.178936 | Fitting, attachment at stringers "C" and "H" ... | 4 | S.99.B | | |
| 963 | F.170740 | Nut, special, at stringers "H" (Mod. 1032) ... | 2 | S.99.B | C. | JB.3 |
| 7262 | Std.1718/3 | Nut, special | 12 | S.95.B | MR/C | 5 |
| 10607 | F.240458 | Nut, special, for spigot at stringer "C" (Mod. 1032) ... | 2 | S.99 | C. | |
| 10606 | A.240442 | Spigot, at stringer "C" (Mod. 1032) | 2 | S.99 | C. | |
| 962 | A.178929 | Spigot, at stringers "H" (Mod. 1032) | 2 | S.98.B | C. | JB.3 |
| 961 | F.184104 | Tab, locking, at stringer "C" and "H" | 4 | S.3 | C. | JB.3 |
| | F.178931 | Tube, distance, at stringers "C" and "H" | 2 | DTD.364 | | |
| 7263 | Std.1208/62/24/20 | Washer, shim | QR | - | MR/C | 4 |
| | D.179304 | ATTACHMENT OF STRINGERS AT FRAME 21 TO MAIN SPAR, ASSEMBLY | - | - | | |
| 2418 | F.178919 | Angle, fitting, at stringer "K" | 4 | Stamping | MR/C | JB.4 |
| 2419 | F.178920 | Angle, fitting, at stringer "K" | 4 | Stamping | MR/C | JB.4 |
| 3832 | Std.1553/E/65 | Bolt, special, at stringer "K" | 8 | S.99.B | MR/C | JB.4 |
| 3833 | Std.1553/E/55 | Bolt, special, at stringer "K" | 4 | S.99.B | MR/C | JB.4 |
| 2420 | B.182214 | Fitting, for aircraft slinging bolt | 2 | Stamping | MR/C | JB.2 |
| | D.200910 | ATTACHMENT OF STRINGERS AT MAIN SPAR TO FRAME 26, ASSEMBLY | - | - | | |
| 2421 | A.179650 | Angle, fitting, at stringer "K," main spar ... | 4 | Stamping | MR/C | JB.4 |
| 2422 | A.178809 | Angle, fitting, at stringer "K," main spar ... | 4 | Stamping | MR/C | JB.4 |
| 4447 | Std.1533/J/390 | Bolt, at stringer "K," main spar | 4 | S.99.B | MR/C | JB.4 |
| 2423 | F.179742 | Tube, distance, at stringer "K," main spar ... | 4 | DTD.364 | MR/C | JB.4 |
| 4691 | Std.1547/26/12 | Washer, profile, at stringer "J," main spar ... | 4 | DTD.610 | MR/C | 4 |
| | D.200912 | ATTACHMENT OF STRINGERS AT REAR SPAR TO FRAME 31, ASSEMBLY | - | - | | |
| 3834 | Std.1553/L/320 | Bolt, at stringer "K," rear spar | 4 | S.99.B | MR/C | JB.4 |
| 3824 | Std.1551/2/85 | Bolt, at stringer "K," rear spar | 8 | S.99.B | MR/C | JB.4 |
| 3825 | Std.1551/3/105 | Bolt, at stringer "K," rear spar | 8 | S.99.B | MR/C | JB.4 |
| 3835 | Std.1553/J/300 | Bolt, at stringer "J," rear spar | 4 | S.99.B | MR/C | JB.4 |
| 2424 | A.178816 | Fitting, attachment at stringer "K," rear spar ... | 4 | Stamping | MR/C | JB.4 |
| 2425 | A.168436 | Fitting, attachment, at stringer "J," rear spar ... | 4 | Stamping | MR/C | JB.4 |
| 7261 | Std.1718/2 | Nut, special, at stringer "K," rear spar | 8 | S.95.B | MR/C | JB.4 |
| 7262 | Std.1718/3 | Nut, special, at stringer "K," rear spar | 8 | S.95.B | MR/C | JB.4 |
| 2427 | F.178881 | Tube, distance at stringer "K," rear spar | 4 | DTD.364 | MR/C | JB.4 |
| 2426 | F.178865 | Tube, distance at stringer "J," rear spar | 4 | DTD.364 | MR/C | JB.4 |
| 7264 | Std.1208/51/24/20 | Washer, shim at stringer "K," rear spar | QR | - | MR/C | JB.4 |
| 7265 | Std.1208/62/28/20 | Washer, shim at stringer "K," rear spar | QR | - | MR/C | JB.4 |
| | D.200727 | ATTACHMENT OF STRINGERS AT FRAMES 22, 24, 33 AND 35 TO 36, ASSEMBLY | - | - | | |
| 7266 | F.200577 | Bracket, support at stringer "K," port, frame 35 | 1 | DTD.610 | MR/C | |
| 7267 | F.200578 | Bracket, support at stringer "K," starboard, frame 35 | 1 | DTD.610 | MR/C | |
| 4619 | Std.1335/E/18 | Washer | 4 | L.4 | C. | 4 |

FUSELAGE—CENTRE PORTION

| Ref. No. | Part No. | Description | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|----------------|--|---------|------------------------|---------------------|-----------|
| | | | | | | |
| | D.200628 | BRACKET, FOR FLYING CONTROLS, FRAMES 27 TO 29, ASSEMBLY | - | - | | |
| | B.200630 | Bracket, port, group | 1 | L.72 | | |
| | B.200631 | Bracket, starboard, group | 1 | L.72 | | |
| | F.200632 | Packing, port | 1 | L.72 | | |
| | F.200633 | Packing, starboard | 1 | L.72 | | |
| | F.200636 | Packing, port | 1 | L.72 | | |
| | F.200637 | Packing, starboard | 1 | L.72 | | |
| 7268 | F.200634 | Plate, nut, port | 1 | S.3 | MR/C | |
| 7269 | F.200635 | Plate, nut, starboard | 1 | S.3 | MR/C | |
| | A.227757 | Plate, reinforcing | 2 | - | | |
| | D.184002 | BRACKET, FOR FLYING CONTROLS, FRAMES 23 TO 24, ASSEMBLY | - | - | | |
| | B.184003 | Bracket, port | 1 | DTD.610 | | |
| | B.184004 | Bracket, starboard | 1 | DTD.610 | | |
| 2430 | F.184005 | Plate, nut | 2 | DTD.610 | MR/C | |
| | C.203456-7 | BRACKET, FOR FORWARD ENGINE MOUNTING, ASSEMBLY | - | - | | |
| | B.203458 | Diaphragm, outboard, port | 1 | L.72 | | |
| | B.203459 | Diaphragm, outboard, starboard | 1 | L.72 | | |
| | B.203460 | Diaphragm, inboard, port | 1 | L.72 | | |
| | B.203461 | Diaphragm, inboard, starboard | 1 | L.72 | | |
| | B.201604 | BRACKET, MOUNTING, FOR AIR SUPPLY VALVE, ASSEMBLY | - | - | | |
| 7270 | B.201603 | Bracket | 1 | L.72 | MR/C | JB.3 |
| | A.203695 | BRACKET, MOUNTING, FOR ROTOL FLOW PROPORTIONER, ASSEMBLY | - | - | | |
| 7271 | A.203394 | Bracket | 1 | L.72 | MR/C | JB.6 |
| 7272 | A.203395 | Bracket | 1 | L.72 | MR/C | JB.6 |
| | C.210539 | BRACKET, MOUNTING, FOR THROTTLE CONTROL LINKAGE, ASSEMBLY | - | - | | |
| 7273 | F.210881 | Angle, at upper mounting bracket | 1 | L.72 | MR/C | |
| 7274 | F.210800 | Bracket, mounting, lower, group | 1 | - | MR/C | JB.6 |
| 7275 | F.209977 | Spigot | 1 | S.95.B | MR/C | JB.6 |
| 7276 | B.210540 | Bracket, mounting, upper, for lever, group | 1 | L.72 | MR/B | JB.6 |
| | A.209978 | Spigot | 1 | DTD.364 & S.95.B | MR/B | |
| | Std.1509/2/086 | Tube, distance, 1" o/d x 22 S.W.G. x 0.86" long | 2 | T.4 | | |
| | B.210541 | Plate, stiffening, for upper mounting bracket | 1 | L.72 | | |
| | D.232480 | DOORS AND ACCESS PANELS, ASSEMBLY | - | - | | |
| 4633 | F.197909 | Bolt, for access panels | 54 | S.95 | C. | |
| 7835 | Std.1700/4E | Bolt, attaching fuel system access panel | 12 | - | C. | 5 |
| 8341 | D.217495 | Door, access to gear box, group | 1 | - | B. | JB.1 |
| | D.217495/3 | Hinge | 1 | DTD.166 | | |
| 965 | KAC.C.3099 | Toggle, housing | 2 | - | C. | JB.5 |

FUSELAGE—CENTRE PORTION

| Ref. No. | Part No. | Description | No. Off | | | | | Material Specification | M.R. Class of Score | Plate No. |
|------------|---------------|--|---------|---|---|---|----------|------------------------|---------------------|-----------|
| | | | 1 | 2 | 3 | 4 | 5 | | | |
| | D.235888 | DOOR, ACCESS TO ENGINE STARTER WITH SLOT AERIAL, GROUP (Mod. 857) | 1 | | | | | | | |
| 10H/113616 | --- | Adaptor, bulkhead | 1 | | | | | C. | | |
| 4844 | F.203030 | Angle, for spring clip | 1 | | | | LA | MR/C | JB.5 | |
| | F.201721 | Channel | 1 | | | | L.72 | | | |
| 5720 | Std.842/11 | Clip, cable | 4 | | | | S.3 | MR/C | 4 | |
| 10HB/1205 | --- | Connector, aerial | 1 | | | | | B. | | |
| 981 | A.188500 | Hinge | 1 | | | | DTD.166 | C. | JB.5 | |
| 9361 | B.222421 | Lid, aerial box | 1 | | | | | B. | JB.5 | |
| 4599 | A.201719 | Stay, support | 1 | | | | L.72 | C. | JB.5 | |
| 965 | King C.3099 | Toggle, housing | 2 | | | | | C. | JB.5 | |
| 28FP/594 | Oddie No. 219 | Washer | 2 | | | | | C. | | |
| 6670 | D.201293 | Door, access to gearbox turret, group | 1 | | | | DTD.610A | A. | JB.1 | |
| 7582 | B.201297 | Duct, cooling | 3 | | | | DTD.213 | MR/C | JB.5 | |
| 966 | A.188142 | Hinge | 1 | | | | DTD.166 | C. | JB.5 | |
| | F.201299 | Plate, support | 2 | | | | DTD.610 | | | |
| 965 | King C.3099 | Toggle, housing | 2 | | | | | C. | JB.5 | |
| 6671 | B.200546 | Panel, access to cold air unit | 2 | | | | | B. | JB.1 | |
| 6672 | B.201114 | Panel, access to gear box drive | 1 | | | | L.72 | B. | JB.1 | |
| 6673 | B.201332 | Panel, access to air supply | 2 | | | | L.72 | B. | JB.1 | |
| 6317 | C.213475 | Panel, access to fuel pump | 1 | | | | DTD.610 | A. | JB.1 | |
| 9084 | C.221459 | Panel, access to fuel system, group | 1 | | | | L.72 | A. | JB.1 | |
| 4448 | F.199061 | Cover, for pitot drain valve | 2 | | | | | MR/C | JB.1 | |
| | F.236261 | Door, drain | 1 | | | | L.72 | | | |
| 6674 | A.205589 | Panel, access to R.P.M. adjustment and fuel pump governor bleed | 1 | | | | L.72 | B. | JB.5 | |
| 6675 | A.201229 | Panel, access to slow running adjustment | 1 | | | | DTD.610 | B. | JB.1 | |
| 8185 | A.216185 | Panel, access to fuel filter cover | 1 | | | | L.72 | B. | JB.5 | |
| 6677 | B.200823 | Panel, access to front engine mounting | 2 | | | | L.72 | B. | JB.1 | |
| 969 | B.179779 | Panel, access to fuel vent connections | 2 | | | | DTD.610 | C. | JB.1 | |
| 970 | B.179777 | Panel, access to fuel level switches | 2 | | | | DTD.610 | C. | JB.1 | |
| 6678 | B.200462 | Panel, access to gearbox filler | 1 | | | | L.72 | B. | JB.1 | |
| 6679 | B.201069 | Panel, access to hydraulic reservoir, group | 1 | | | | | B. | JB.5 | |
| 28FP/617 | Dzus EF5/45B | Fastener | 3 | | | | | C. | | |
| 6680 | A.200259 | Panel, access, to igniter plug | 2 | | | | DTD.610 | B. | JB.1 | |
| 6681 | A.201707 | Panel, access, to liquid starter filler, group | 1 | | | | L.72 | B. | JB.1 | |
| 28FP/617 | Dzus EF5/45B | Fastener | 1 | | | | | C. | | |
| 6682 | A.203667 | Panel, access to oil level sighting, group | 1 | | | | L.72 | B. | JB.5 | |
| 28FP/617 | Dzus EF5/45B | Fastener | 1 | | | | | C. | | |
| 6683 | A.201362 | Panel, access to starter equipment | 2 | | | | L.72 | B. | JB.1 | |
| | E.235889 | Panel, access to engine, group (Mod. 857) | 1 | | | | | A. | JB.5 | |
| 10H/113616 | --- | Adaptor, bulkhead | 1 | | | | | C. | | |
| | F.219432 | Clamp, cable group | 1 | | | | | | | |
| | F.219447 | Block, clamp | 2 | | | | LFS.21 | | | |
| | F.219433 | Stud, anchor | 1 | | | | | | | |
| 28E/10031 | Terry 80X/2 | Clip, for hand stowage | 2 | | | | | C. | | |
| 5720 | Std.842/11 | Clip, cable (Make from 30A/549) | 3 | | | | S.3 | MR/C | 4 | |
| 10HA/1096 | --- | Connector, aerial | 1 | | | | | B. | | |

FUSELAGE—CENTRE PORTION

| Ref. No. | Part No. | Description | 1 2 3 4 5 | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|-----------|-----------------|---|-----------|---|---|---|---|---------|------------------------|---------------------|-----------|
| | | | 1 | 2 | 3 | 4 | 5 | | | | |
| 984 | B.188540 | Hook, securing panel to fuselage | | | | | | 2 | Stamping | C. | JB.5 |
| 9362 | B.222506 | Lid, for aerial box | | | | | | 1 | DTD.610 | C. | JB.5 |
| 4737 | F.197737 | Plate, retaining " Terry " Clips | | | | | | 2 | DTD.610 | C. | JB.5 |
| 965 | King C.3099 | Toggle, housing | | | | | | 2 | — | C. | JB.5 |
| 4026 | Std.1507/23/080 | Tube, distance, $\frac{5}{16}$ " o/d \times 17 S.W.G. \times 0-8" long (Make from 30A/975) | | | | | | 4 | T.26 | MR/C | 4 |
| 4027 | Std.1507/23/060 | Tube, distance, $\frac{5}{16}$ " o/d \times 17 S.W.G. \times 0-6" long (Make from 30A/975) | | | | | | 2 | T.26 | MR/C | 4 |
| 5269 | Fairey FS.553 | Ring, retaining, screws | | | | | | 48 | — | C. | |
| 7279 | C.200827 | Diaphragm, sealing, port, between frames 29 and 30, at lower portion of fuselage | | | | | | 1 | DTD.610 | MR/C | JB.6 |
| 7280 | C.200828 | Diaphragm, sealing, starboard, between frames 29 and 30, at lower portion of fuselage | | | | | | 1 | DTD.610 | MR/C | JB.6 |
| | C.188170 | DUCTS, FOR ENGINE CONTROLS, ASSEMBLY | | | | | | — | — | | |
| 3741 | Std.840/20 | Clip, securing, $\frac{7}{16}$ " wide strip \times 22 S.W.G. \times 2" long | | | | | | 21 | DTD.610 | C. | 4 |
| 2440 | C.188170/1 | Duct, forward, $\frac{1}{2}$ " o/d \times 22 S.W.G. \times 31-8" long | | | | | | 3 | T.4 | MR/C | JB.3 |
| 2441 | C.188170/2 | Duct, centre, $\frac{1}{2}$ " o/d \times 22 S.W.G. \times 6" long | | | | | | 3 | T.4 | MR/C | |
| 2442 | C.188170/3 | Duct, aft, $\frac{1}{2}$ " o/d \times 22 S.W.G. \times 12" long | | | | | | 3 | T.4 | MR/C | |
| | D.202624 | DUCTS, SERVICE, BETWEEN FRAMES 38-40A, ASSEMBLY | | | | | | — | — | | |
| 7281 | A.204845 | Duct, for electrical cables, port | | | | | | 1 | T.26 | MR/C | JB.3 |
| 7282 | A.204846 | Duct, for electrical cables, starboard | | | | | | 1 | T.26 | MR/C | JB.3 |
| 7283 | A.202625 | Duct, for electrical cables | | | | | | 4 | T.26 | MR/C | JB.4 |
| 7284 | B.203191 | Duct, for fuel pipes | | | | | | 2 | T.26 | MR/C | JB.4 |
| 7285 | B.202626 | Socket, attachment, port for fuel pipe duct | | | | | | 1 | S.3 & T.26 | MR/C | JB.4 |
| 7286 | B.202627 | Socket, attachment, starboard, for fuel pipe duct | | | | | | 1 | S.3 & T.26 | MR/C | JB.4 |
| | B.195155-6 | DUCT, FOR FUEL LEVEL SWITCH CABLE, ASSEMBLY | | | | | | — | — | | |
| | F.195157 | Duct | | | | | | 2 | T.9 | | |
| | B.203819 | DUCTS, SEALING, FOR FUEL PIPES, BETWEEN FRAME 29 AND FRAME 30, ASSEMBLY | | | | | | — | — | | |
| 7287 | A.203081 | Duct | | | | | | 1 | T.4 | MR/C | JB.6 |
| 7288 | A.203082 | Duct | | | | | | 3 | T.4 | MR/C | JB.6 |
| | D.221399 | FAIRINGS, AFT OF HOOD, ASSEMBLY | | | | | | — | — | | |
| | D.221399/1 | Angle, attachment, port | | | | | | 1 | L.72 | | JB.2 |
| | D.221399/2 | Angle, attachment, starboard | | | | | | 1 | L.72 | | JB.2 |
| | D.221399/3 | Angle, attachment, port | | | | | | 1 | L.72 | | JB.2 |
| | D.221399/4 | Angle, attachment, starboard | | | | | | 1 | L.72 | | JB.2 |
| | D.221399/5 | Angle, attachment, port | | | | | | 1 | L.72 | | |
| | D.221399/6 | Angle, attachment, starboard | | | | | | 1 | L.72 | | |
| | E.217482 | Fairing, aft of hood, frame 18 to 24, group | | | | | | 1 | — | MR | JB.1 |
| | C.219530 | Bracket, mounting, for aerial, port | | | | | | 1 | L.72 | | |
| | C.219531 | Bracket, mounting, for aerial, starboard | | | | | | 1 | L.72 | | |
| 8898 | E.217482/43 | Panel, access, port | | | | | | 1 | L.72 | C. | JB.1 |
| 8899 | E.217482/44 | Panel, access, starboard | | | | | | 1 | L.72 | C. | JB.1 |
| 2438 | B.184977 | Landing, rear, port, group | | | | | | 1 | DTD.610 | MR/C | JB.2 |
| 2439 | B.184978 | Landing, rear, starboard, group | | | | | | 1 | DTD.610 | MR/C | JB.2 |
| 28FFP/341 | Dzus S5.325 | Spring | | | | | | 3 | — | C. | |

FUSELAGE—CENTRE PORTION

| Ref. No. | Part No. | Description | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|--------------|--|---------|------------------------|---------------------|-----------|
| | | | | | | |
| 1754 | B.193293 | Panel, access, for flying controls | 1 | DTD.610 | C. | JB.1 |
| 8615 | D.217722 | Spine, forward portion, frame 24 to 26 | 1 | L.72 | B. | JB.1 |
| | C.227969 | Spine, 1st intermediate, frame 26 to 33 (Mod. 2498) | 1 | L.72 | — | JB.1 |
| 8617 | C.217755 | Spine, 2nd intermediate, frame 33 to 38 | 1 | L.72 | B. | JB.1 |
| 7845 | C.213452 | Spine, 3rd intermediate, frame 38 to 40, group (0.10" trimming allowance) | 1 | L.72 | B. | JB.1 |
| 28FP/617 | Dzus EF5.45B | Fasteners | 12 | — | C. | |
| | D.176274 | Frame, 18B, top portion | 1 | DTD.364 | | |
| 2443 | D.176275 | Frame, 18B, lower portion, port | 1 | DTD.364 | MR/B | JB.3 |
| 2444 | D.176276 | Frame, 18B, lower portion, starboard | 1 | DTD.364 | MR/B | JB.3 |
| | E.179358 | Frame, 19, nose spar, group | 1 | — | | |
| 2446 | A.181165 | Angle, support, at botrom diaphragm, port | 1 | DTD.610 | MR/C | JB.7 |
| 2445 | A.181166 | Angle, support, at bottom diaphragm, starboard | 1 | DTD.610 | MR/C | JB.7 |
| 7289 | A.202682 | Angle, support, for junction box mounting | 1 | L.72 | MR/C | JB.7 |
| | A.181153 | Angle, bottom for skin attachment, port | 1 | DTD.610 | | |
| | A.181154 | Angle, bottom, for skin attachment, starboard | 1 | DTD.610 | | |
| 4694 | A.195545 | Angle, support, at bottom diaphragm | 1 | DTD.610 | MR/C | JB.7 |
| | B.181157 | Angle, front, at bottom boom attachment, port | 1 | DTD.610 | | |
| | B.181158 | Angle, front, at bottom boom attachment, starboard | 1 | DTD.610 | | |
| 2447 | C.181163 | Angle, lower, for tank skin attachment, port | 1 | DTD.610 | MR/C | JB.7 |
| 2448 | C.181164 | Angle, lower, for tank skin attachment, starboard | 1 | DTD.610 | MR/C | JB.7 |
| 7449 | F.182169 | Angle, for stringer attachment, port | 3 | DTD.610 | MR/C | JB.7 |
| 2450 | F.182170 | Angle, for stringer attachment, starboard | 3 | DTD.610 | MR/C | JB.7 |
| 4695 | F.197436 | Angle, bracket, securing gun heating pipe | 1 | DTD.610 | MR/C | JB.7 |
| 2451 | F.182166 | Bolt, at bottom boom joint | 10 | S.2 | MR/C | JB.3 |
| 2452 | F.187397 | Bracket, at bottom diaphragm | 1 | DTD.610 | MR/C | JB.3 |
| 2453 | F.187393 | Bracket, at bottom diaphragm | 1 | DTD.610 | MR/C | JB.3 |
| | B.211968 | Bracket, for V.H.F. aerial | 1 | S.3 | MR/C | JB.3 |
| | A.221112 | Bracket, mounting, for inertia switch | 1 | L.72 | | |
| 2455 | F.187397 | Bracket, at bottom diaphragm | 1 | DTD.610 | MR/C | JB.3 |
| 2456 | F.187396 | Channel, at bottom stiffener | 1 | DTD.610 | MR/C | |
| 2457 | A.181119 | Channel, at bottom diaphragm | 1 | DTD.610 | MR/C | JB.7 |
| 2459 | A.181145 | Channel, reinforcing, bottom, port | 1 | DTD.610 | MR/C | JB.7 |
| 2460 | A.181146 | Channel, reinforcing, bottom, starboard | 1 | DTD.610 | MR/C | JB.7 |
| 2461 | B.181112 | Channel, cross at bottom diaphragm | 1 | DTD.610 | MR/C | JB.7 |
| 2462 | A.181120 | Channel, at bottom diaphragm | 1 | DTD.610 | MR/C | JB.7 |
| 2463 | B.181115 | Channel, lower, inner, port | 1 | DTD.610 | MR/C | JB.7 |
| 2464 | B.181116 | Channel, lower, inner, starboard | 1 | DTD.610 | MR/C | JB.7 |
| 2458 | A.181121 | Channel, lower, outer | 2 | DTD.610 | MR/C | JB.7 |
| 8230 | D.216907 | Diaphragm, bottom, front | 1 | DTD.610 | MR/C | JB.7 |
| 2467 | D.181102 | Diaphragm, botrom, rear | 1 | DTD.610 | MR/C | JB.7 |
| | B.181141 | Finisher, bottom, at tank door landing, port | 1 | DTD.364 | | |
| | B.181142 | Finisher, bottom, at tank door landing, starboard | 1 | DTD.364 | | |
| 2468 | B.181167 | Landing, for fuel pump access door | 1 | DTD.610 | MR/C | JB.7 |
| | B.181133 | Landing, bottom, for tank door | 2 | DTD.264 | | |
| | C.181123 | Plate, reinforcing, front, at lower boom joint, port | 1 | DTD.166 | | |
| | C.181124 | Plate, reinforcing, front, at lower boom joint, starboard | 1 | DTD.166 | | |
| | C.181125 | Plate, reinforcing, rear, at lower boom joint, port | 1 | DTD.166 | | |
| | C.181126 | Plate, reinforcing, rear, at lower boom joint, starboard | 1 | DTD.166 | | |
| 2469 | B.181106 | Stiffener, bottom | 1 | DTD.610 | MR/C | JB.7 |
| | C.181198 | Spigot, fitting, port | 1 | Stamping | | |
| | C.181199 | Spigot, fitting, starboard | 1 | Stamping | | |

FUSELAGE—CENTRE PORTION

| Ref. No. | Part No. | Description | 1 2 3 4 5 | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|-----------------|---|-----------|---|---|---|---|-----------|------------------------|---------------------|-----------|
| | | | 1 | 2 | 3 | 4 | 5 | | | | |
| 2473 | B.181160 | Strap, at bottom diaphragm ... | | | | | 2 | DTD.610 | MR/C | JB.7 | |
| 2471 | A.182167 | Strip, fairing, at bottom boom attachment, port... | | | | | 1 | DTD.364 | MR/C | JB.7 | |
| 2472 | A.182168 | Strip, fairing, at bottom boom attachment, port... | | | | | 1 | DTD.364 | MR/C | JB.7 | |
| 2470 | F.178982 | Stud, for fairlead ... | | | | | 4 | S.1 & S.3 | MR/C | JB.7 | |
| — | Std.1509/24/098 | Tube, distance, 3/4" x 17 S.W.G. x .98" long (Make from 30B/557) | | | | | 2 | T.4 | — | | |
| | Std.1509/24/104 | Tube, distance, 3/4" x 17 S.W.G. x 1.04" long (Make up from 30B/557) | | | | | 1 | T.4 | — | | |
| | Std.1549/28/10 | Washer, packing ... | | | | | 2 | DTD.610 | | | |
| | D.178147 | Frame 20, group ... | | | | | 1 | — | | | |
| | A.177464 | Angle, port ... | | | | | 2 | DTD.364 | | | |
| | A.177465 | Angle, starboard ... | | | | | 2 | DTD.364 | | | |
| 2474 | F.177466 | Block, distance ... | | | | | 2 | L.F.S. | MR/C | JB.7 | |
| 2475 | D.178147/4 | Bottom, portion ... | | | | | 1 | DTD.610 | MR/C | JB.7 | |
| 2476 | D.178147/5 | Bottom, portion ... | | | | | 1 | DTD.610 | MR/C | JB.7 | |
| 2477 | D.178147/6 | Channel ... | | | | | 2 | DTD.610 | MR/C | JB.7 | |
| 2478 | D.178147/7 | Plate, doubling ... | | | | | 2 | DTD.610 | MR/C | JB.7 | |
| 7290 | C.204274 | Frame 21, group ... | | | | | 1 | — | MR/B | JB.7 | |
| 2479 | D.177457/4 | Angle, port ... | | | | | 1 | DTD.610 | MR/C | JB.7 | |
| 2480 | D.177457/5 | Angle, starboard ... | | | | | 1 | DTD.610 | MR/C | JB.7 | |
| 2481 | D.177457/7 | Angle, bottom (Supplied D.177457/6 for Spares)... | | | | | 1 | DTD.610 | MR/C | JB.7 | |
| 2482 | D.177457/8 | Angle ... | | | | | 2 | DTD.610 | MR/C | JB.7 | |
| | F.179022 | Angle, forward, starboard ... | | | | | 1 | DTD.610 | | | |
| | F.179023 | Angle, forward, port ... | | | | | 1 | DTD.610 | | | |
| | F.179024 | Angle, aft ... | | | | | 2 | DTD.610 | | | |
| | F.194337 | Angle, support ... | | | | | 1 | DTD.610 | | | |
| | F.181825 | Angle, support, at bottom centre of frame | | | | | 1 | DTD.610 | | | |
| 7291 | F.203391 | Bracket, mounting, for flow proportioner | | | | | 1 | L.72 | MR/C | | |
| 2484 | D.177457/2 | Diaphragm, bottom, port ... | | | | | 1 | DTD.610 | MR/C | JB.7 | |
| 2485 | D.177457/3 | Diaphragm, bottom, starboard ... | | | | | 1 | DTD.610 | MR/C | JB.7 | |
| 4696 | C.186837 | Plate, reinforcing ... | | | | | 1 | DTD.166 | MR/C | JB.7 | |
| 2486 | B.178914 | Stiffener, front ... | | | | | 1 | DTD.610 | MR/C | JB.7 | |
| 2487 | B.178915 | Stiffener, rear ... | | | | | 1 | DTD.610 | MR/C | JB.7 | |
| | E.199350 | Frame 22, group ... | | | | | 1 | — | | | |
| 4699 | F.195550 | Angle, for attaching hydraulic pipes ... | | | | | 1 | DTD.610 | MR/C | JB.7 | |
| 7292 | F.203390 | Bracket, mounting, for fuel flow proportioner | | | | | 1 | DTD.610 | MR/C | JB.7 | |
| 4901 | B.177902 | Channel ... | | | | | 2 | DTD.610 | MR/C | JB.7 | |
| 7293 | E.199350/1 | Diaphragm, bottom portion ... | | | | | 1 | DTD.610 | MR/C | JB.7 | |
| | B.213359 | Fitting, for bridge piece ... | | | | | 1 | S.96 | | | |
| | B.212948 | Piece, bridge, front ... | | | | | 1 | DTD.166 | | | |
| | B.212949 | Piece, bridge, rear ... | | | | | 1 | DTD.166 | | | |
| 2489 | A.178505 | Piece, distance ... | | | | | 2 | L.F.S. | MR/C | JB.7 | |
| | F.199348 | Piece, reinforcing, outboard ... | | | | | 1 | DTD.166 | | | |
| | F.199349 | Piece, reinforcing, inboard ... | | | | | 1 | DTD.166 | | | |
| 7294 | C.199351 | Plate, reinforcing ... | | | | | 1 | DTD.610 | MR/C | JB.7 | |
| | C.204275 | Frame 23, group ... | | | | | 1 | — | | | |
| 4700 | F.195241 | Angle, for attaching hydraulic pipes ... | | | | | 1 | DTD.610 | MR/C | JB.7 | |
| 7295 | F.203388 | Bracket, at lower portion of frame ... | | | | | 1 | L.65.C | MR/C | | |
| 7296 | F.214242 | Bracket, at lower portion of frame ... | | | | | 1 | L.72 | MR/C | JB.7 | |
| 2491 | B.177903 | Channel ... | | | | | 2 | DTD.610 | MR/C | JB.7 | |
| 2492 | E.177459/4 | Diaphragm, bottom portion ... | | | | | 1 | DTD.610 | MR/C | JB.7 | |

FUSELAGE—CENTRE PORTION

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Place No. |
|-----------|----------------|-------------|---|---|---|---|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| 2493 | A.178546 | | | | | | 2 | LFS | MR/C | JB.7 |
| 7297 | B.211291 | | | | | | 1 | L.72 | MR/C | JB.7 |
| | E.177460 | | | | | | 1 | — | | |
| 2495 | E.177460/4 | | | | | | 1 | DTD.610 | MR/C | JB.7 |
| 2496 | E.177460/5 | | | | | | 1 | DTD.610 | MR/C | JB.7 |
| | D.201499 | | | | | | 1 | — | | |
| 2497 | D.177970 | | | | | | 1 | DTD.610 | MR/C | JB.8 |
| 2498 | D.177971 | | | | | | 1 | DTD.610 | MR/C | JB.8 |
| | D.177968 | | | | | | 1 | DTD.610 | | |
| | D.177969 | | | | | | 1 | DTD.610 | | |
| 2499 | D.177961 | | | | | | 1 | DTD.610 | MR/C | JB.8 |
| 2500 | D.177959 | | | | | | 1 | DTD.610 | MR/C | JB.8 |
| 7298 | B.203168 | | | | | | 1 | DTD.610 | MR/C | JB.8 |
| 2501 | D.177960 | | | | | | 1 | DTD.610 | MR/C | JB.8 |
| 4703 | F.195554 | | | | | | 1 | DTD.610 | MR/C | JB.8 |
| 7299 | F.202234 | | | | | | 1 | DTD.364 | MR/C | JB.8 |
| 2502 | D.177182 | | | | | | 1 | DTD.364 | MR/C | JB.8 |
| 2503 | D.177188 | | | | | | 1 | DTD.364 | MR/C | JB.8 |
| 7300 | Std.1551/8/310 | | | | | | 8 | S.99.B | MR/C | 5 |
| 3826 | Std.1551/8/315 | | | | | | 4 | S.99.B | MR/C | 5 |
| 3842 | Std.1639/7/N | | | | | | 8 | S.2 or S.11 | MR/C | 5 |
| 6684 | A.206824 | | | | | | 1 | L.72 | C. | JB.8 |
| 7301 | F.203167 | | | | | | 1 | L.72 | MR/C | |
| 5723 | F.177893 | | | | | | 4 | DTD.610 | MR/C | JB.8 |
| 5724 | F.177894 | | | | | | 4 | DTD.610 | MR/C | JB.8 |
| 2504 | A.177433 | | | | | | 2 | DTD.610 | MR/C | JB.8 |
| 4704 | F.193326 | | | | | | 1 | DTD.610 | MR/C | JB.8 |
| 2505 | A.177432 | | | | | | 2 | DTD.610 | MR/C | JB.8 |
| 4705 | F.193327 | | | | | | 1 | DTD.610 | MR/C | JB.8 |
| 2506 | A.177434 | | | | | | 1 | DTD.610 | MR/C | JB.8 |
| 2507 | B.177191 | | | | | | 2 | DTD.610 | MR/C | JB.8 |
| 28E/10027 | Terry 80/000 | | | | | | 1 | — | C. | |
| 28E/10031 | Terry 80X/4 | | | | | | 3 | — | C. | |
| 28E/10036 | Terry 80/4 | | | | | | 2 | — | C. | |
| 28E/10037 | Terry 80/5 | | | | | | 1 | — | C. | |
| | C.202974 | | | | | | 1 | L.72 & 1/16" Felt | | |
| | D.177178 | | | | | | 2 | Stamping | | |
| | D.177179 | | | | | | 2 | Stamping | | |
| | E.177177 | | | | | | 2 | Stamping | | |
| 7302 | Std.1718/8 | | | | | | 12 | S.1 | MR/C | 5 |
| 4706 | F.193436 | | | | | | 1 | DTD.610 | MR/C | |
| | A.177710 | | | | | | 2 | DTD.610 | | |
| 4437 | B.198018 | | | | | | 2 | DTD.610 | MR/C | JB.8 |
| 4033 | B.177184 | | | | | | 1 | DTD.546 | MR/C | JB.8 |
| 2509 | B.177185 | | | | | | 1 | DTD.546 | MR/C | JB.8 |
| | F.197529 | | | | | | 1 | L.72 | | |
| | F.197530 | | | | | | 3 | L.72 | | |
| | F.200190 | | | | | | 6 | L.72 | | |
| 4211 | Std.1687/2 | | | | | | 1 | — | C. | 5 |
| 2510 | D.177180 | | | | | | 1 | DTD.610 | MR/C | JB.8 |
| 7303 | D.203045 | | | | | | 1 | DTD.610 | MR/C | JB.8 |

FUSELAGE—CENTRE PORTION

| Ref. No. | Part No. | Description | No. Off | Material Specification | M.R. Class of Store | Plate No |
|----------|-------------|--|----------|------------------------|---------------------|----------|
| | | | | | | |
| | D.200376 | Frame 26, group | 1 | — | | |
| 7304 | F.209994 | Angle, support, at port side of bottom diaphragm | 1 | L.72 | MR/C | |
| 2512 | B.178772 | Angle, at bottom diaphragm | 1 | DTD.610 | MR/C | JB.8 |
| | C.200383 | Angle, for air intake, port | 1 | DTD.610 | | |
| | C.200384 | Angle, for air intake, starboard | 1 | DTD.610 | | |
| 7305 | F.207221 | Bracket, support, for cable, port side of bottom diaphragm | 1 | L.72 | MR/C | JB.8 |
| 7306 | D.200376/2 | Diaphragm, bottom | 1 | DTD.610 | MR/C | JB.8 |
| 7307 | F.210693 | Plate, reinforcing, at bottom diaphragm, port | 1 | L.72 | MR/C | |
| | F.214323 | Spool | 6 | S.1 | | |
| 7308 | B.200377 | Stiffener, at bottom diaphragm, port | 1 | DTD.610 | MR/C | JB.8 |
| 7309 | B.200378 | Stiffener, at bottom diaphragm, starboard | 1 | DTD.610 | MR/C | JB.8 |
| | E.200196 | Frame 27, group | 1 | — | | |
| | E.200196/10 | Angle, stiffening, at frame centre piece | 1 | DTD.610 | | |
| | E.200196/11 | Angle, stiffening, at frame centre piece | 1 | DTD.610 | | |
| 7310 | E.200196/12 | Angle, stiffening, at bottom portion of frame | 1 | DTD.166 | MR/C | JB.8 |
| | F.193853 | Angle, for hydraulic pipes | 1 | DTD.610 | | |
| | F.201346 | Angle, for hydraulic pipes | 1 | L.72 | | |
| 7499 | F.201606 | Block, mounting, for nut plate at top of frame | 2 | L.65.C | MR/C | |
| 7011 | F.209301 | Catch, at bottom portion of frame | 1 | L.72 | MR/C | |
| 7312 | E.200196/4 | Diaphragm, bottom | 1 | L.72 | MR/C | JB.8 |
| 7500 | E.200196/5 | Diaphragm, centre | 1 | L.72 | MR/C | JB.8 |
| 7313 | F.202660 | Packing, for anchor nuts at bottom portion of frame | 2 | L.72 | MR/C | |
| 7498 | F.209344 | Plate, nut, at top of frame | 1 | S.3 | MR/C | |
| 7501 | E.200196/6 | Ring, air intake, port | 1 | L.72 | MR/C | JB.8 |
| 7502 | E.200196/7 | Ring, air intake, starboard | 1 | L.72 | MR/C | JB.8 |
| 7503 | A.202588 | Ring, retaining, for sealing at centre piece | 1 | L.72 | MR/C | |
| 6685 | A.202586 | Sealing, at centre piece for engine starter | 1 | Linatex | C. | JB.8 |
| | D.200085 | Frame 29, front portion, group | 1 | — | | |
| | D.200086 | Frame 29, rear portion, group | 1 | — | | |
| 7314 | D.200086/7 | Angle, port, at bottom portion of frame | 1 | DTD.610 | MR/C | |
| 7315 | D.200086/8 | Angle, starboard, at bottom portion of frame | 1 | DTD.610 | MR/C | |
| 7316 | D.200086/11 | Angle, at bottom of frame | 1 | DTD.610 | MR/C | JB.8 |
| 7317 | D.200085/2 | Diaphragm, bottom portion, port | 1 | DTD.610 | MR/C | JB.8 |
| 7318 | D.200085/3 | Diaphragm, bottom portion, starboard | 1 | DTD.610 | MR/C | |
| 7319 | D.200086/6 | Diaphragm, bottom portion | 1 | DTD.610 | MR/C | JB.8 |
| | E.200087 | Frame 30, group | 1 | — | | |
| 7320 | A.200714 | Angle, support, at bottom portion of frame | 1 | DTD.610 | MR/C | |
| 7321 | A.200715 | Angle, support, at bottom portion of frame | 1 | DTD.610 | MR/C | |
| 7322 | A.200558 | Bracket, channel, at bottom portion of frame | 1 | DTD.610 | MR/C | JB.8 |
| 7323 | A.200559 | Bracket, channel, at bottom portion of frame | 1 | DTD.166 | MR/C | |
| 7324 | A.200560 | Bracket, channel, at bottom portion of frame | 1 | DTD.610 | MR/C | JB.8 |
| 7325 | A.202034 | Bracket, top, for low pressure cock at bottom portion of frame | 1 | DTD.610 | MR/C | |
| 7326 | A.202035 | Bracket, bottom for low pressure cock at bottom portion of frame | 1 | DTD.610 | MR/C | |
| 7327 | A.202454 | Bracket, mounting, for hydraulic filter | 1 | DTD.610 | MR/C | |
| | E.200087/7 | Diaphragm, bottom | 1 | DTD.610 | MR/C | JB.8 |
| 6049 | F.197018 | Mounting, for terminal box | 1 | DTD.610 | MR/C | |
| 7329 | F.200553 | Packing, at bottom portion of frame | 3 | DTD.364 | MR/C | |
| 7330 | F.200554 | Packing, at bottom portion of frame | 1 | DTD.364 | MR/C | |
| 7331 | F.200556 | Packing, at bottom portion of frame | 1 | DTD.364 | MR/C | |
| 7332 | F.200557 | Packing, at bottom portion of frame | 1 | DTD.364 | MR/C | |

FUSELAGE—CENTRE PORTION

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|--------------------|-------------|---|---|---|---|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| 7354 | A.200354 | | | | | | 1 | L.72 | MR/C | JB.8 |
| 7355 | A.200351 | | | | | | 1 | S.3 | MR/C | JB.8 |
| 7356 | A.200353 | | | | | | 1 | L.72 | MR/C | JB.8 |
| | C.180497 | | | | | | 1 | Stamping | | |
| | C.180498 | | | | | | 1 | Stamping | | |
| | C.180495 | | | | | | 1 | Stamping | | |
| | C.180496 | | | | | | 1 | Stamping | | |
| 7357 | Std.1718/7 | | | | | | 16 | S.95.B | MR/C | 5 |
| 2566 | F.180092 | | | | | | 2 | — | MR/C | JB.8 |
| | Std.1549/28/12 | | | | | | 1 | — | | |
| | F.226701 | | | | | | 1 | L.65.B | MR | |
| | F.196907 | | | | | | 4 | S.3 & T.26 | | |
| | | | | | | | | | | |
| 2567 | A.178971 | | | | | | 2 | DTD.166 | MR/C | JB.8 |
| 2568 | A.178972 | | | | | | 2 | DTD.166 | MR/C | JB.8 |
| 2569 | A.178973 | | | | | | 4 | DTD.166 | MR/C | |
| 7358 | C.203331 | | | | | | 1 | DTD.166 | MR/C | JB.8 |
| 7359 | C.203332 | | | | | | 1 | DTD.166 | MR/C | JB.8 |
| 7360 | A.200096 | | | | | | 2 | L.72 | MR/C | JB.8 |
| | C.227266 | | | | | | — | — | — | |
| | | | | | | | | | | |
| | F.226909 | | | | | | 4 | — | MR | |
| | B.226906 | | | | | | 1 | S.520 | MR | |
| | B.226907 | | | | | | 1 | S.520 | MR | |
| 7361 | B.200386 | | | | | | 1 | L.73 | MR/C | JB.8 |
| | | | | | | | | | | |
| | A.200874 | | | | | | 2 | Stamping | | |
| | Std.1208/100/44/20 | | | | | | QR | Shim Steel | | |
| | Std.1208/112/44/20 | | | | | | QR | Shim Steel | | |
| 7362 | Std.1208/60/16/5 | | | | | | QR | Steel | MR/C | 4 |
| 7363 | D.201002 | | | | | | 1 | L.73 | MR/C | JB.8 |
| 7364 | D.201003 | | | | | | 1 | L.73 | MR/C | JB.8 |
| 7365 | D.201007 | | | | | | 1 | L.73 | MR/C | JB.8 |
| 7366 | D.201008 | | | | | | 1 | L.73 | MR/C | JB.8 |
| | | | | | | | | | | |
| | D.200055 | | | | | | 1 | — | | |
| 4874 | F.195549 | | | | | | 2 | DTD.610 | MR/C | JB.9 |
| 7369 | D.200055/2 | | | | | | 1 | L.72 | MR/C | JB.9 |
| 7370 | D.200055/3 | | | | | | 1 | L.72 | MR/C | JB.9 |
| 7371 | B.201060 | | | | | | 1 | L.72 | MR/C | |
| 7367 | F.205740 | | | | | | 2 | L.72 | MR/C | JB.9 |
| | | | | | | | | | | |
| | D.200098 | | | | | | 1 | — | | |
| 7372 | F.203956 | | | | | | 1 | L.72 | MR/C | JB.9 |
| 4874 | F.195549 | | | | | | 2 | DTD.610 | MR/C | JB.9 |
| 7373 | A.205742 | | | | | | 1 | L.72 | MR/C | |
| 7374 | A.209855 | | | | | | 1 | L.72 | MR/C | JB.9 |
| 7375 | F.204071 | | | | | | 9 | L.72 | MR/C | JB.9 |
| 7376 | F.200765 | | | | | | 1 | DTD.610 | MR/C | |
| 7377 | A.202907 | | | | | | 1 | L.72 | MR/C | JB.9 |
| 2582 | A.177104 | | | | | | 2 | DTD.546 | MR/C | JB.9 |
| 2581 | A.177105 | | | | | | 2 | DTD.546 | MR/C | |

FUSELAGE-CENTRE PORTION

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|-----------------|---|-----|-----|-----|----|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| | A.203462-3 | CHANNEL, BEARING AND ANGLES, FOR FORWARD ENGINE MOUNTING, SUB-ASSEMBLY | | | | | - | - | | |
| 7504 | A.203468 | Angle, bearing, inboard, port | ... | ... | ... | 1 | DTD.166 | MR/C | JB.6 | |
| 7505 | A.203469 | Angle, bearing, inboard, starboard | ... | ... | ... | 1 | DTD.166 | MR/C | JB.6 | |
| 7506 | A.203466 | Angle, bearing, outboard, port | ... | ... | ... | 1 | DTD.166 | MR/C | JB.6 | |
| 7507 | A.203467 | Angle, bearing, outboard, starboard | ... | ... | ... | 1 | DTD.166 | MR/C | JB.6 | |
| 7508 | B.203464 | Channel, bearing, port | ... | ... | ... | 1 | DTD.166 | MR/C | JB.6 | |
| 7509 | B.203465 | Channel, bearing, starboard | ... | ... | ... | 1 | DTD.166 | MR/C | JB.6 | |
| 7378 | D.200098/7 | Channel, bottom | ... | ... | ... | 1 | DTD.364 | MR/C | JB.9 | |
| 7379 | D.200098/1 | Diaphragm, forward, port | ... | ... | ... | 1 | L.72 | MR/C | JB.9 | |
| 7380 | D.200098/2 | Diaphragm, forward, starboard | ... | ... | ... | 1 | L.72 | MR/C | JB.9 | |
| 7381 | D.200098/3 | Diaphragm, aft, port | ... | ... | ... | 1 | L.72 | MR/C | JB.9 | |
| 7382 | D.200098/4 | Diaphragm, aft, starboard | ... | ... | ... | 1 | L.72 | MR/C | JB.9 | |
| 7383 | A.201738 | Guide, for adjusting bolt | ... | ... | ... | 1 | S.3 | MR/C | | |
| 7384 | F.202092 | Indicator, levelling for engine jury rail | ... | ... | ... | 1 | DTD.364 | MR/C | JB.9 | |
| 2596 | A.177100 | Plate, joint, at bottom frame joint | ... | ... | ... | 2 | DTD.610 | MR/C | JB.9 | |
| 4211 | Std.1687/2 | Saddle, securing electrical cables | ... | ... | ... | 12 | DTD.610 | C. | 5 | |
| 7385 | A.200221 | Support, for engine rail | ... | ... | ... | 1 | S.1 | MR/C | JB.9 | |
| | Std.1509/23/084 | Tube, distance, $\frac{11}{16}$ " o/d x 17 S.W.G. x 0.84" long (Make from 30B/556) | ... | ... | ... | 4 | T.4 | - | 4 | |
| 4035 | Std.1509/23/112 | Tube, distance, $\frac{11}{16}$ " o/d x 17 S.W.G. x 1.12" long (Make from 30B/556) | ... | ... | ... | 1 | T.4 | MR/C | 4 | |
| 7386 | Std.915/A/16 | Washer, at support plate | ... | ... | ... | 3 | DTD.610 | MR/C | 4 | |
| | D.221336 | Frame 35, group | | | | | 1 | - | | |
| 7510 | A.203258 | Angle, reinforcing, port | ... | ... | ... | 1 | L.72 | MR/C | | |
| 7511 | A.203259 | Angle, reinforcing, starboard | ... | ... | ... | 1 | L.72 | MR/C | | |
| 7512 | F.207778 | Angle, attachment, port only | ... | ... | ... | 1 | L.72 | MR/C | | |
| | F.207779 | Angle, attachment, port only | ... | ... | ... | 1 | L.72 | | | |
| 7513 | A.205304 | Bracket, support, for pipe at top of frame | ... | ... | ... | 1 | S.3 | MR/C | JB.9 | |
| | D.221336/2 | Diaphragm, side, port | ... | ... | ... | 1 | DTD.610 | MR/C | JB.9 | |
| | D.221336/3 | Diaphragm, side, starboard | ... | ... | ... | 1 | DTD.610 | MR/C | JB.9 | |
| | D.221336/4 | Diaphragm, bottom, forward | ... | ... | ... | 1 | DTD.610 | MR/C | JB.9 | |
| | D.221336/5 | Diaphragm, bottom, aft | ... | ... | ... | 1 | DTD.610 | MR/C | JB.9 | |
| | C.221337 | Plate, reinforcing | ... | ... | ... | 1 | L.72 | MR | | |
| | D.202599 | Frame 36, group | | | | | 1 | - | | |
| 7389 | D.202599/4 | Bottom, portion of frame, port | ... | ... | ... | 1 | DTD.610 | MR/C | JB.9 | |
| 7390 | D.202599/5 | Bottom, portion of frame, starboard | ... | ... | ... | 1 | DTD.610 | MR/C | JB.9 | |
| 7391 | F.204793 | Bracket, support, for pipe | ... | ... | ... | 1 | S.3 | MR/C | JB.9 | |
| | F.196984 | Bracket, for clip attachment | ... | ... | ... | 1 | - | | | |
| 4211 | Std.1687/2 | Saddle, securing electrical cables | ... | ... | ... | 3 | DTD.610 | C. | 5 | |
| | D.200102 | Frame 37, group | | | | | 1 | - | | |
| | F.171766 | Angle, support, bottom, starboard | ... | ... | ... | 1 | DTD.610 | | | |
| | F.171767 | Angle, support, bottom, port | ... | ... | ... | 1 | DTD.610 | | | |
| | F.196985 | Angle, support, for pipe clip | ... | ... | ... | 2 | - | | | |
| 7392 | A.204794 | Bracket, support, for fuel pipe | ... | ... | ... | 1 | S.3 | MR/C | JB.9 | |
| 7393 | D.200102/3 | Diaphragm, bottom | ... | ... | ... | 1 | DTD.610 | MR/C | JB.9 | |
| 7394 | C.200337 | Plate, reinforcing, at bottom of frame | ... | ... | ... | 1 | DTD.166 | MR/C | JB.9 | |
| 4211 | Std.1687/2 | Saddle, securing cables | ... | ... | ... | 1 | DTD.610 | C. | 5 | |
| | F.197056 | Saddle, special for cable clip... | ... | ... | ... | 1 | DTD.610 | | | |

FUSELAGE—CENTRE PORTION

| Ref. No. | Part No. | Description | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|-----------------|---|---------|------------------------|---------------------|-----------|
| | | | | | | |
| | D.203011 | Frame 38, group | 1 | — | | |
| 7395 | D.203011/5 | Angle, lower portion of frame | 1 | L.72 | MR/C | |
| 7516 | D.203011/6 | Angle, port | 1 | DTD.364 | MR/C | JB.9 |
| 7517 | D.203011/7 | Angle, starboard | 1 | DTD.364 | MR/C | JB.9 |
| 7377 | A.202907 | Bracket, mounting, for flame switch | 1 | L.72 | MR/C | |
| 7396 | F.204070 | Bracket, support, for fire extinguisher spray tube | 8 | L.72 | MR/C | |
| 7397 | D.203011/3 | Diaphragm, bottom | 1 | DTD.166 | MR/C | JB.9 |
| 7398 | B.203109 | Plate, joint, port | 1 | DTD.166 | MR/C | |
| 7399 | B.203110 | Plate, joint, starboard | 1 | DTD.166 | MR/C | |
| 8333 | A.210243 | Union, flanged, for bulkhead | 2 | S.62.B | C. | JB.9 |
| | E.200364 | Frame 39, top portion | 1 | DTD.610 | | |
| | E.200365 | Frame 39, bottom portion, group | 1 | — | | |
| 7400 | E.200365/2 | Angle, lower, port | 1 | DTD.610 | MR/C | JB.9 |
| 7401 | E.200365/3 | Angle, lower, starboard | 1 | DTD.610 | MR/C | JB.9 |
| 7402 | B.200313 | Bracket, bottom, port, for thrust member | 1 | DTD.610 | MR/C | JB.9 |
| 7403 | B.200314 | Bracket, bottom, starboard, for thrust member | 1 | DTD.610 | MR/C | JB.9 |
| 7404 | A.200226 | Bracket, support, at bottom of frame | 2 | L.72 | MR/C | JB.9 |
| 7405 | E.200365/1 | Diaphragm, lower | 1 | DTD.610 | MR/C | JB.9 |
| 2810 | B.176254 | Plate, reinforcing | 1 | DTD.610 | MR/C | JB.9 |
| 7519 | B.202236 | Plate, reinforcing, port | 1 | L.72 | MR/C | |
| 7520 | B.202237 | Plate, reinforcing, starboard | 1 | L.72 | MR/C | |
| 4211 | Std.1687/2 | Saddle, securing cables | 5 | DTD.610 | C. | 5 |
| | E.200679 | Frame 40A, group | 1 | — | | |
| | A.200908 | Angle, attachment, at engine mounting brackets, bottom port, top starboard | 2 | DTD.610 | | |
| | A.200909 | Angle, attachment, at engine mounting brackets, top port, bottom, starboard | 2 | DTD.610 | | |
| 1264‡ | F.163972 | Angle, at transport joint fittings | 8 | DTD.364 | C. | JB.9 |
| 1765 | F.191864 | Angle, at transport joint fittings | 22 | DTD.364 | C. | JB.3 |
| 7521 | A.200266 | Bracket, lower hinge, for engine mounting, port | 1 | Stamping | MR/C | |
| 7522 | A.200267 | Bracket, lower hinge, for engine mounting, starboard | 1 | Stamping | MR/C | |
| 7523 | A.200268 | Bracket, top hinge, for engine mounting, port | 1 | Stamping | MR/C | |
| 7524 | A.200269 | Bracket, top hinge, for engine mounting, starboard | 1 | Stamping | MR/C | |
| 7406 | A.200800 | Channel, reinforcing at bottom portion of frame | 2 | DTD.610 | MR/C | |
| 7407 | E.200679/3 | Diaphragm, forward, starboard | 1 | DTD.610 | MR/C | JB.9 |
| 7408 | E.200679/4 | Diaphragm, rear, starboard | 1 | DTD.610 | MR/C | |
| 7409 | E.200679/5 | Diaphragm, forward, port | 1 | DTD.610 | MR/C | JB.9 |
| 7410 | E.200679/6 | Diaphragm, rear, port | 1 | DTD.610 | MR/C | |
| 1003 | B.177308 | Fitting, for rear transport joint | 4 | Stamping | C. | JB.9 |
| 1004‡ | B.177306 | Fitting, for rear transport joint | 7 | Stamping | C. | JB.3 |
| 1005‡ | B.177307 | Fitting, for rear transport joint | 4 | Stamping | C. | JB.9 |
| 7413 | F.201768 | Shim, for engine mounting hinge brackets | 8 | Brass Sheet | MR/C | |
| 7411 | E.200679/9 | Strap, inside, at lower joint | 1 | DTD.610 | MR/C | JB.9 |
| 7412 | F.200804 | Strap, butt, at lower joint | 2 | DTD.610 | MR/C | |
| 7414 | E.200679/8 | Strap, inside, bottom | 1 | DTD.610 | MR/C | JB.9 |
| | Std.1509/24/150 | Tube, distance, $\frac{3}{8}$ " o/d \times 17 S.W.G. \times 1-5" long (Make from 30B/557) | 56 | T.4 | — | |
| | C.201447-8 | MOUNTING, FOR CABIN COOLER, ASSEMBLY | — | — | | |
| 7417 | B.201449 | Bracket, mounting, port | 1 | S.3 | MR/C | JB.3 |
| 7418 | B.201450 | Bracket, mounting, starboard | 1 | S.3 | MR/C | JB.3 |
| 7419 | Std.1509/23/104 | Tube, distance | 2 | T.4 | MR/C | 4 |

FUSELAGE—CENTRE PORTION

| Ref. No. | Part No. | Description | No. Off | Material Specification | M.R. | | Place No. |
|----------|----------------|--|---------|------------------------|----------------|--|-----------|
| | | | | | Class of Store | | |
| | | 1 2 3 4 5 | | | | | |
| | D.200522 | MOUNTING, FOR GEARBOX, ASSEMBLY ... | - | - | | | |
| 7572 | F.194514 | Bracket, attachment, at frame 30, port only ... | 1 | DTD.364 | MR/C | | JB.6 |
| 7573 | A.200764 | Bracket, attachment, at frame 30, port only ... | 1 | Stamping | MR/C | | JB.6 |
| 7574 | A.200527 | Bracket, for lug | 2 | DTD.364 | MR/C | | JB.6 |
| 7575 | A.200528 | Bracket, for lug | 2 | DTD.364 | MR/C | | JB.6 |
| 7576 | C.200523 | Diaphragm, between frames 29 and 30, port ... | 1 | DTD.610 | MR/C | | JB.6 |
| 7577 | C.200524 | Diaphragm, between frames 29 and 30, port ... | 1 | DTD.610 | MR/C | | JB.6 |
| 7578 | C.200525 | Diaphragm, between frames 29 and 30, starboard | 1 | DTD.610 | MR/C | | JB.6 |
| 7579 | C.200526 | Diaphragm, between frames 29 and 30, starboard | 1 | DTD.610 | MR/C | | JB.6 |
| 7580 | F.194512 | Lug, attachment, at frame 29 | 2 | DTD.364 | MR/C | | JB.6 |
| | F.194513 | Tube, distance, at lug attachment | 2 | L.65.C | | | |
| 1392 | Std.1547/28/12 | Washer, special... .. | 4 | - | C. | | 4 |
| 310 | Std.1547/30/12 | Washer, special... .. | 4 | - | C. | | 4 |
| 7581 | Std.1549/28/16 | Washer, special... .. | 1 | - | MR/C | | |
| | B.213427 | Panel, access, for main fuel tank, port, group ... | 1 | - | - | | JB.1 |
| 7836 | C.210032 | Panel, access, for main fuel tank, starboard, group | 1 | - | A. | | JB.1 |
| | F.200150 | Bracket, support, for strap | 4 | L.72 | | | |
| | F.207759 | Guard, cable, port only | 1 | - | | | |
| | A.200153 | Strap | 2 | DTD.5506 | | | |
| | C.202380 | PLATE, SEALING, FOR STRINGERS AT FRAMES 29 AND 30, ASSEMBLY | - | - | | | |
| 7420 | F.202381 | Sealing, at stringer "A," frame 29 | 1 | Plastic | MR/C | | JB.8 |
| 7421 | F.202382 | Sealing, at stringer "B," frame 29 | 2 | Plastic | MR/C | | JB.8 |
| 7422 | F.202383 | Sealing, at stringer "C," frame 29 | 2 | Plastic | MR/C | | JB.8 |
| 7423 | F.202384 | Sealing, at stringer "C," frame 29 | 2 | Plastic | MR/C | | JB.8 |
| 7424 | F.202385 | Sealing, at stringer "D," frame 29 | 2 | Plastic | MR/C | | JB.8 |
| 7425 | F.202386 | Sealing, at stringers "E" and "H," frame 29 | 8 | Plastic | MR/C | | JB.8 |
| 7426 | F.202388 | Sealing, at stringers "E" and "H," frame 29 | 4 | Plastic | MR/C | | JB.8 |
| 4456 | F.189604 | Sealing, at stringer "J," frame 29 | 2 | Plastic | MR/C | | JB.9 |
| 7427 | F.202389 | Sealing, at stringer "K," frame 30 | 1 | Plastic | MR/C | | JB.8 |
| 7428 | F.202390 | Sealing, at stringer "K," frame 30 | 1 | Plastic | MR/C | | JB.8 |
| 7429 | F.202391 | Sealing, at stringer "K," frame 30 | 1 | Plastic | MR/C | | JB.8 |
| | C.200502 | PLATE, SEALING, FOR STRINGERS AT FRAME 38, ASSEMBLY | - | - | | | |
| 7430 | F.200505 | Sealing, at stringers "A," "B," "C" and "J" | 7 | Plastic | MR/C | | JB.9 |
| 4456 | F.189604 | Sealing, at stringers "D" and "H" | 4 | Plastic | MR/C | | JB.9 |
| 4465 | F.189602 | Sealing, at stringers "E" and "G" | 4 | Plastic | MR/C | | JB.9 |
| 4463 | F.189600 | Sealing, at stringer "F" | 2 | Plastic | MR/C | | JB.9 |
| 4464 | F.189601 | Sealing, at stringer "F" | 2 | Plastic | MR/C | | JB.9 |
| 7431 | F.200503 | Sealing, at stringer "K" | 2 | Plastic | MR/C | | JB.9 |
| 7432 | F.200504 | Sealing, at stringer "L" | 2 | Plastic | MR/C | | JB.9 |
| | B.202112 | RAIL FOR ENGINE, ASSEMBLY | - | - | | | |
| 7525 | F.175940 | Angle, support | 2 | DTD.610 | MR/C | | JB.6 |
| 7526 | F.202121 | Angle, port | 1 | L.72 | MR/C | | JB.6 |
| 7527 | F.202122 | Angle, starboard | 1 | L.72 | MR/C | | JB.6 |
| 7568 | A.202119 | Angle, port | 1 | DTD.364 | MR/C | | JB.6 |
| 7569 | A.202120 | Angle, starboard | 1 | DTD.364 | MR/C | | JB.6 |
| 7570 | A.200228 | Bracket, mounting, port | 1 | L.72 | MR/C | | JB.6 |
| 7571 | A.200229 | Bracket, mounting, starboard | 1 | L.72 | MR/C | | JB.6 |
| 7443 | B.202113 | Diaphragm, forward, port, frame 37 to frame 38 | 1 | L.72 | MR/C | | JB.6 |
| 7434 | B.202114 | Diaphragm, forward, starboard, frame 37 to frame 38 | 1 | L.72 | MR/C | | JB.6 |

FUSELAGE—CENTRE PORTION

| Ref. No. | Part No. | Description | No. Off | | | | | Material Specification | M.R. Class of Store | Plate No. |
|----------|----------------|---|---------|---|---|---|---|------------------------|---------------------|-----------|
| | | | 1 | 2 | 3 | 4 | 5 | | | |
| 7435 | B.202115 | Diaphragm, centre, port, frame 38 to frame 39 | 1 | | | | | L.72 | MR/C | JB.6 |
| 7436 | B.202116 | Diaphragm, centre, starboard, frame 38 to frame 39 | 1 | | | | | L.72 | MR/C | JB.6 |
| 7437 | B.202117 | Diaphragm, aft, port, frame 39 to frame 40A ... | 1 | | | | | L.72 | MR/C | JB.6 |
| 7438 | B.202118 | Diaphragm, aft, starboard, frame 39 to frame 40A | 1 | | | | | L.72 | MR/C | JB.6 |
| 2815 | B.177323 | Lug, for rail | 1 | | | | | Stamping | MR/C | JB.6 |
| 7439 | B.200283 | Mounting, for rail | 1 | | | | | Stamping | MR/C | JB.6 |
| 7440 | B.200225 | Rail | 1 | | | | | — | MR/C | JB.6 |
| | Std.1507/2/134 | Tube, distance, 1/2" o/d x 22 S.W.G. x 1-34" long | 8 | | | | | T.26 | | |
| | F.233668 | SKIN, COVERING, FRAME 25 TO FRAME 32, ASSEMBLY | — | | | | | — | | |
| | A.206000 | Angle, reinforcing, frame 27 to frame 29, port ... | 1 | | | | | DTD.464 | | |
| | A.206001 | Angle, reinforcing, frame 27 to frame 29, starboard | 1 | | | | | DTD.364 | | |
| 7441 | Std.1551/5/270 | Bolt, special, for attachment of diaphragm "M" to lower drag members | 4 | | | | | S.99.B | MR/C | 5 |
| | C.205772 | BRACKET, CRADLE FOR FUEL FILTER DE-ICING ALCOHOL TANK ASSEMBLY | — | | | | | — | | |
| | A.205145 | Bracket, cradle | 1 | | | | | L.72 | MR | |
| | A.215836 | Bracket, cradle | 1 | | | | | L.72 | MR | |
| | A.215837 | Bracket, cradle | 1 | | | | | L.72 | MR | |
| | A.215838 | Bracket, cradle | 1 | | | | | L.72 | MR | |
| | C.205772/1 | Felt, 3/4" wide x 5" long | 2 | | | | | DTD.590 | | |
| 6047 | A.201094 | Bracket, mounting, at frame 31 | 2 | | | | | L.72 | MR/C | JB.2 |
| 7528 | A.206929 | Bracket, for hydraulic pipe cleat, port | 1 | | | | | L.72 | MR/C | JB.2 |
| 7529 | A.206930 | Bracket, for hydraulic pipe cleat, starboard | 1 | | | | | L.72 | MR/C | JB.2 |
| | F.217660 | Bracket, mounting | 8 | | | | | L.72 | | |
| | B.202153 | BRACKET, FOR STARTER FUEL TANK, PORT ONLY, ASSEMBLY | — | | | | | — | | |
| 7442 | A.202152 | Bracket | 1 | | | | | L.72 | MR/C | JB.3 |
| | B.201705 | LANDING, FOR ACCESS DOOR TO STARTER TANK, PORT ONLY, ASSEMBLY | — | | | | | — | | |
| 7553 | B.201706 | Landing, group | 1 | | | | | L.73 | MR/C | JB.2 |
| 28FP/341 | Dzus S.5.325 | Spring, fastener | 1 | | | | | — | C. | |
| | B.200515 | LEVELLING, POINTS, SUB-ASSEMBLY | — | | | | | — | | |
| | F.184598 | Bearing, forward and aft levelling points, port only | 2 | | | | | Stamping | | |
| | A.200516 | Bracket, bearing, C of G datum point, port | 1 | | | | | S.3 | | |
| | A.200517 | Bracket, bearing, C of G datum point, starboard | 1 | | | | | S.3 | | |
| | Std.1718/5 | Nut, special | 2 | | | | | S.95.B | | |
| 6148 | F.206361 | Plate, attachment, for weather covers | 2 | | | | | S.3 | C. | |
| 7534 | F.203845 | Plate, reinforcing, at fuel starter drain outlet, port only | 1 | | | | | L.72 | MR/C | |
| 7530 | D.201050/1 | Skin, top, main spar to rear spar, port | 1 | | | | | DTD.546 | MR/B | JB.2 |
| 7531 | D.201050/2 | Skin, top, main spar to rear spar, starboard | 1 | | | | | DTD.546 | MR/B | JB.2 |
| 7532 | D.201050/3 | Skin, side, main spar to rear spar, port | 1 | | | | | DTD.546 | MR/B | JB.2 |
| 7533 | D.201050/4 | Skin, side, main spar to rear spar, starboard | 1 | | | | | DTD.546 | MR/B | JB.2 |

FUSELAGE-CENTRE PORTION

| Ref. No. | Part No. | Description | 1 2 3 4 5 | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|-----------|-------------------|---|-----------|---|---|---|----|-------------------|------------------------|---------------------|-----------|
| | | | 1 | 2 | 3 | 4 | 5 | | | | |
| | C.205998-9 | STOP, FOR UNDERCARRIAGE FAIRING DOOR AND SEQUENCE VALVE MOUNTING, SUB-ASSEMBLY | | | | | | | | | |
| 5177 | B.201691 | Bracket, forward, port (8 morse No. 21 holes omitted) | | | | | 1 | L.72 | C. | JB.2 | |
| 5178 | B.201692 | Bracket, forward, starboard (8 morse No. 21 holes omitted) | | | | | 1 | L.72 | C. | JB.2 | |
| 5179 | B.201693 | Bracket, aft, port (8 morse No. 21 holes omitted) | | | | | 1 | L.72 | C. | JB.2 | |
| 5180 | B.201694 | Bracket, aft, starboard (8 morse No. 21 holes omitted) | | | | | 1 | L.72 | C. | JB.2 | |
| 5815 | A.189625 | Bracket, mounting, for sequence valve, port... | | | | | 1 | DTD.610 | C. | JB.2 | |
| 5816 | A.189626 | Bracket, mounting, for sequence valve, starboard | | | | | 1 | DTD.610 | C. | JB.2 | |
| 5732 | A.201677 | Bracket, reinforcing, port | | | | | 1 | S.3 | MR/C | JB.2 | |
| 5733 | A.201678 | Bracket, reinforcing, starboard | | | | | 1 | S.3 | MR/C | JB.2 | |
| 7443 | C.205994 | Bracket, lower, forward, port | | | | | 1 | L.72 | MR/C | JB.2 | |
| 7444 | C.205995 | Bracket, lower, forward, starboard | | | | | 1 | L.72 | MR/C | JB.2 | |
| 7445 | C.205996 | Bracket, lower, aft, port | | | | | 1 | L.72 | MR/C | JB.2 | |
| 7446 | C.205997 | Bracket, lower, aft, starboard | | | | | 1 | L.72 | MR/C | JB.2 | |
| 5738 | A.202891 | Bracket, guide, port | | | | | 1 | DTD.364 & St. St. | MR/C | JB.2 | |
| 5739 | A.202892 | Bracket, guide, starboard | | | | | 1 | DTD.364 & St. St. | MR/C | JB.2 | |
| 8402 | F.209988 | Bush, for operating lever | | | | | 2 | BSS.369 | C. | | |
| 7855 | A.209986 | Lever, operating, sequence valve, port ... | | | | | 1 | Casting | B. | JB.2 | |
| 7856 | A.209987 | Lever, operating, sequence valve, starboard ... | | | | | 1 | Casting | B. | JB.2 | |
| 1014 | F.189628 | Rod, operating | | | | | 2 | S.96.B | C. | JB.2 | |
| 1013 | F.189627 | Screw, special | | | | | 2 | S.95.B | C. | JB.2 | |
| 4650 | F.198997 | Screw, special, for stop adjustment | | | | | 2 | S.96.B | C. | JB.2 | |
| 1015 | F.189629 | Stop, at top of operating rod | | | | | 2 | S.95.B | C. | JB.2 | |
| 4651 | F.196854 | Stud, special | | | | | 2 | S.3 & S.21 | C. | JB.2 | |
| 1016 | F.187086 | Trunnion | | | | | 2 | S.94.B | C. | JB.2 | |
| | C.205785/1 | Tube, distance (May be made from Std.1507/23/060) | | | | | 2 | T.26 | | | |
| 310 | Std.1547/30/12 | Washer, special | | | | | 6 | DTD.610 | C. | 4 | |
| 26AQ/1479 | Std.1547/30/14 | Washer, special | | | | | 4 | DTD.610 | MR/C | 4 | |
| 2181 | C.182631 | Strap, reinforcing, at main spar, bottom portion, port | | | | | 1 | DTD.546 | MR/C | JB.4 | |
| 2182 | C.182632 | Strap, reinforcing, at main spar, bottom position, starboard | | | | | 1 | DTD.546 | MR/C | JB.4 | |
| 6688 | F.203844 | Stub, outlet, at fuel starter drain, port only ... | | | | | 1 | | B. | | |
| 7537 | Std.1208/82/36/20 | Washer, shim, at attachment of diaphragm " M " to lower drag member | | | | | QR | | MR/C | 4 | |
| | E.201049 | SKIN, COVERING, FRAME 32 TO FRAME 40A, ASSEMBLY | | | | | | | | | |
| | D.203353 | BRACKET, MOUNTING, FOR EXTRACTOR DUCTS, ASSEMBLY | | | | | | | | | |
| 7538 | B.203354 | Bracket, mounting, top | | | | | 2 | L.72 | MR/C | | |
| 7539 | B.203356 | Bracket, mounting, port | | | | | 1 | L.72 | MR/C | | |
| 7540 | B.203357 | Bracket, mounting, starboard | | | | | 1 | L.72 | MR/C | | |

FUSELAGE-CENTRE PORTION

| Ref. No. | Part No. | Description | 1 2 3 4 5 | | | | | No. Off | Material Specification | M.R. Class of Store | Place No. |
|----------|-----------------|---|-----------|--|--|--|---|-------------------|------------------------|---------------------|-----------|
| | | | | | | | | | | | |
| | D.222689 | BRACKETS, MOUNTING, HYDRAULIC RESERVOIR, ASSEMBLY | | | | | | | | | |
| | A.221296 | Bracket, mounting, aft, bottom | | | | | 1 | L.72 | | JB.6 | |
| | A.221310 | Bracket, mounting, aft, top | | | | | 1 | S.510 | | JB.6 | |
| | B.221291 | Mounting, forward | | | | | 1 | DTD.364 | | JB.6 | |
| | C.203730-1 | BRACKET, MOUNTING, FOR HIGH ENERGY IGNITER UNIT, ASSEMBLY | | | | | | | | | |
| 7447 | C.203732 | Bracket, mounting, port | | | | | 1 | L.72 | MR/C | JB.3 | |
| 7448 | C.203733 | Bracket, mounting, starboard | | | | | 1 | L.72 | MR/C | JB.3 | |
| 7449 | A.204499 | Bracket, mounting, for hydraulic valve, starboard only | | | | | 1 | S.3 | MR/C | JB.3 | |
| | F.220188 | Connection and fuel drain, between frames 35 and 36 | | | | | 1 | | | | |
| | D.203565 | DUCT, FOR BLEED VALVE, STARBOARD ONLY, ASSEMBLY | | | | | | | | | |
| 9821 | D.233587 | Duct (Mod. 817) | | | | | 1 | | MR/C | JB.5 | |
| 7451 | C.203373 | Flange, sealing | | | | | 1 | | MR/C | JB.5 | |
| 6689 | A.203713 | Spindle | | | | | 1 | S.80 | C. | JB.5 | |
| 6690 | F.203714 | Spring | | | | | 1 | DTD.215 | C. | JB.5 | |
| 6691 | F.203715 | Spring | | | | | 1 | DTD.215 | C. | JB.5 | |
| 7463 | F.204220 | Guide, for pipe | | | | | 2 | BSS.265 & DTD.253 | MR/C | | |
| 10259 | F.197441 | Guide, for pipes between frames 35 and 36 ... | | | | | 2 | S.3 & T.26 | | | |
| | C.201328 | INTAKE, AIR, UPPER, PORT AND STARBOARD, FOR ZONE 2 COOLING, ASSEMBLY | | | | | | | | | |
| | F.209716 | Bracket | | | | | 2 | L.72 | | | |
| 7452 | F.209715 | Door | | | | | 2 | L.72 | MR/C | JB.6 | |
| 7567 | C.201327 | Intake, air | | | | | 2 | S.3 & L.72 | MR/B | JB.6 | |
| 7545 | Std.1221/Y/B182 | Pin, special | | | | | 2 | Steel | MR/C | 4 | |
| | F.211457 | Plate, support | | | | | 2 | DTD.610 | | | |
| 7453 | F.209713 | Spring | | | | | 2 | Sp. St. Wire | MR/C | JB.6 | |
| 7546 | Std.1509/23/162 | Tube, distance, $\frac{5}{8}$ " o/d x 17 S.W.G. x 1-62" long | | | | | 2 | T.4 | MR/C | 4 | |
| | C.203475 | INTAKE, AIR, LOWER, PORT AND STARBOARD, FOR ZONE 2 COOLING, ASSEMBLY | | | | | | | | | |
| | F.209716 | Bracket | | | | | 2 | L.72 | | | |
| 7452 | F.209715 | Door | | | | | 2 | L.72 | MR/C | JB.6 | |
| | C.203476 | Intake, air | | | | | 2 | S.3 | | | |
| 7545 | Std.1221/Y/B182 | Pin, special | | | | | 2 | Steel | MR/C | 4 | |
| | F.201299 | Plate, support | | | | | 2 | DTD.610 | | | |
| 7454 | F.209714 | Spring | | | | | 2 | Sp. St. Wire | MR/C | | |
| 7546 | Std.1509/23/162 | Tube, distance, $\frac{5}{8}$ " o/d x 17 S.W.G. x 1-62" long | | | | | 2 | T.4 | MR/C | 4 | |

FUSELAGE—CENTRE PORTION

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|---------------------------|---|---|---|---|---|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| | C.200544 | LANDING, FOR ACCESS PANEL TO GEAR BOX DRIVE, PORT, ASSEMBLY | | | | | — | — | | |
| 7547 | A.209804 | Bracket, for fire detector | | | | | 1 | S.3 | MR/C | |
| 7548 | C.200544/1 Std.1231/7B | Landing | | | | | 1 | DTD.610 | MR/C | JB.4 |
| | | Lug, locking | | | | | 1 | S.3 | | |
| | B.205543 | LANDING, FOR ACCESS PANEL TO SLOW RUNNING ADJUSTMENT, PORT ONLY, ASSEMBLY | | | | | — | — | | |
| 7549 | B.205543/1 | Landing | | | | | 1 | L.72 | MR/C | JB.4 |
| 4751 | Std.1231/8 | Lug, locking | | | | | 1 | S.3 | MR/C | 4 |
| 7550 | B.200821 | Landing, for front engine mountings access panel, port | | | | | 1 | L.72 | MR/C | JB.2 |
| 7551 | B.200822 | Landing, for front engine mountings access panel, starboard | | | | | 1 | L.72 | MR/C | JB.2 |
| | C.200258 | LANDING, FOR IGNITER PLUG ACCESS PANEL, PORT AND STARBOARD, ASSEMBLY | | | | | — | — | | |
| 7552 | C.200258/1 Std.1231/7B | Landing | | | | | 2 | DTD.610 | MR/C | JB.4 |
| | | Lug, locking | | | | | 2 | S.3 | | |
| | C.202248 | LANDING, FOR OIL LEVEL INSPECTION PANEL, ASSEMBLY | | | | | — | — | | |
| 7553 | B.201706 | Landing, group | | | | | 1 | L.73 | MR/C | JB.5 |
| | B.201706/1 | Landing | | | | | 1 | L.73 | | |
| 28FP/341 | S.S.325 | Spring | | | | | 1 | — | C. | |
| 4751 | Std.1231/8 | Lug, locking | | | | | 1 | S.3 | MR/C | 4 |
| | C.205588 | LANDING, FOR R.P.M. ADJUSTMENT AND FUEL PUMP GOVERNOR BLEED ACCESS PANEL, STARBOARD ONLY, ASSEMBLY | | | | | — | — | | |
| 7554 | C.205588/1 | Landing | | | | | 1 | L.72 | MR/C | JB.5 |
| 4751 | Std.1231/8 | Lug, locking | | | | | 1 | S.3 | MR/C | 4 |
| | C.205809 | MOUNTING, FUEL FILTER DE-ICING PUMP, ASSEMBLY | | | | | — | — | | |
| | F.250569 | Angle (Mod. 1043) | | | | | 1 | L.72 | | |
| | C.205147 | Mounting, panel | | | | | 1 | — | | |
| | A.202068 | Mounting, for pressure relief valves, starboard only | | | | | 1 | S.3 | | |
| 6692 | A.202068/3 | Clip, half | | | | | 1 | S.3 | C. | |
| 6049 | F.197018 | Mounting, for terminal blocks, starboard only ... | | | | | 1 | DTD.610 | MR/C | |
| 2751 | C.184586 | Plate, reinforcing, port | | | | | 1 | DTD.546 & DTD.610 | MR/C | JB.2 |
| 2752 | C.184587 | Plate, reinforcing starboard | | | | | 1 | DTD.546 & DTD.610 | MR/C | JB.2 |
| | F.216515 | Platform, mounting for T.B.... | | | | | 1 | — | MR | |

FUSELAGE—CENTRE PORTION

| Ref. No. | Part No. | Description | 1 2 3 4 5 | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|---------------|--|-----------|---|---|---|---|--------------------|------------------------|---------------------|-----------|
| | | | 1 | 2 | 3 | 4 | 5 | | | | |
| | C.202099 | PLATE, REINFORCING, AT EXTRACTOR OUTLET, FRAME 36 TO FRAME 37, PORT, ASSEMBLY | | | | | | — | | | |
| 7566 | D.202755 | Duct, extractor | | | | | 1 | — | MR/C | JB.2 | |
| | C.202099/1 | Plate, reinforcing | | | | | 1 | L.72 | | | |
| | C.202100 | PLATE, REINFORCING, AT EXTRACTOR OUTLET, FRAME 36 TO FRAME 37, STARBOARD, ASSEMBLY | | | | | | — | | | |
| | D.202756 | Duct, extractor | | | | | 1 | — | | | |
| | C.202100/1 | Plate, reinforcing | | | | | 1 | L.72 | | | |
| 7541 | E.201049/1 | Skin, top, rear spar to frame 40A, port (Supplied as Ref. No. 26FX/2177, Part No. E.183420/13 for Spares) | | | | | 1 | L.72 | MR/B | JB.2 | |
| 7542 | E.201049/2 | Skin, top, rear spar to frame 40A, starboard (Supplied as Ref. No. 26FX/2178, Part No. E.183420/14 for Spares) | | | | | 1 | L.72 | MR/C | JB.2 | |
| 7543 | E.201049/3 | Skin, side, rear spar to frame 40A, port (Supplied as Ref. No. 26FX/1831, Part No. E.183420/15 for Spares) | | | | | 1 | L.72 | MR/B | JB.2 | |
| 7544 | E.201049/4 | Skin, side, rear spar to frame 40A, starboard (Supplied as Ref. No. 26FX/1832, Part No. E.183420/16 for Spares) | | | | | 1 | L.72 | MR/B | JB.2 | |
| | A.203670 | Sleeve, locating, for centrifugal breather vent pipe | | | | | 1 | T.26 or T.45 & S.3 | | | |
| 4498 | F.184234 | Socket, for engine oil filter drain pipe | | | | | 1 | S.3 & T.26 | C. | | |
| | C.200501 | Strap, rear spar, bottom, group | | | | | 1 | — | | | |
| 28FP/620 | Dzus | Spring | | | | | 6 | — | C. | | |
| | S.F.L.A.5/200 | | | | | | | | | | |
| 7458 | C.200501/1 | Strap | | | | | 1 | L.72 | MR/C | JB.4 | |
| 7459 | E.201049/6 | Strap, reinforcing, bottom, at frame 34 | | | | | 1 | L.72 | MR/C | JB.4 | |
| | C.200409 | TRAY, DRIP, FOR HYDRAULIC RESERVOIR, AND REINFORCING PLATE, ASSEMBLY | | | | | | — | | | |
| 1009 | F.184599 | Ring, reinforcing | | | | | 1 | DTD.610 | C. | JB.5 | |
| 9384 | A.222093 | Sealing | | | | | 1 | Rubber | C. | JB.5 | |
| | B.197868 | Tray, drip | | | | | 2 | L.69 & L.54 | | | |
| | D.201054 | SKIN, COVERING, BOTTOM, MAIN SPAR TO REAR SPAR, ASSEMBLY | | | | | | — | | | |
| 7460 | A.201246 | Angle, support, for external supply sockets mounting | | | | | 1 | DTD.610 | MR/C | JB.4 | |
| 7461 | A.201247 | Angle, support, for external supply sockets mounting | | | | | 1 | DTD.610 | MR/C | JB.4 | |
| 7462 | F.203174 | Bracket, for attachment of pipe clip | | | | | 1 | L.72 | MR/C | | |
| 6693 | F.205158 | Clip, for pipe, on rear spar | | | | | 1 | S.84 or S.3 | C. | | |
| 3843 | King C.3903/1 | Fitting, attachment | | | | | 3 | — | C. | JB.5 | |
| 3844 | King C.3903/2 | Fitting, attachment | | | | | 1 | — | C. | JB.5 | |
| 7463 | F.204220 | Guide, for pipe at frame 30 | | | | | 1 | BSS.265 & DTD.253 | MR/C | | |
| 10257 | F.226643 | Guide, for pipe between frame 27-29 | | | | | 1 | DTD.283 & DTD.253 | | | |

FUSELAGE—CENTRE PORTION

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|--------------------------|---|---|---|---|---|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| 7464 | D.201054/3 | Landing, for engine starter and gearbox access doors, port | | | | | 1 | DTD.610 | MR/C | JB.4 |
| 7465 | C.200461 | Landing, for gearbox filler access panel, group ... | | | | | 1 | — | MR/C | JB.5 |
| 28FP/620 | Dzus | Spring | | | | | 8 | — | C. | |
| | S.F.L.A.5/200 | | | | | | | | | |
| 1024 | King C.3100/H | Lever and catch pin | | | | | 4 | — | C. | JB.5 |
| | C.201752 | MOUNTING, FOR EXTERNAL SUPPLY SOCKETS, ASSEMBLY | | | | | — | — | | |
| 7466 | A.201754 | Bracket | | | | | 1 | DTD.610 | MR/C | JB.4 |
| 7467 | A.201755 | Bracket | | | | | 1 | DTD.610 | MR/C | |
| 7468 | B.201753 | Plate, mounting | | | | | 1 | DTD.610 | MR/C | JB.4 |
| 7469 | B.205148 | Mounting, for self sealing couplings | | | | | 1 | L.72 | MR/C | JB.4 |
| | D.201054/11 | Packing | | | | | 1 | DTD.610 | | |
| 7470 | D.201054/7 | Plate, at frame 27 | | | | | 1 | DTD.171 | MR/C | |
| 7471 | D.201054/4 | Plate, reinforcing, at starboard side of access doors | | | | | 1 | DTD.610 | MR/C | |
| 7472 | D.201054/1 | Skin, bottom, between frame 30 and rear spar ... | | | | | 1 | DTD.610 | MR/C | JB.1 |
| 7473 | D.201054/2 | Skin, bottom, at frame 27 | | | | | 1 | DTD.610 | MR/C | JB.1 |
| 2162 | E.183421/3 or D.201054/9 | Skin, bottom, at main spar | | | | | 1 | DTD.610 | MR/B | JB.1 |
| 7474 | B.201244 | Stiffener, starboard side of gearbox access door ... | | | | | 1 | L.72 | MR/C | |
| 7475 | A.201245 | Stiffener, starboard side of engine starter access door | | | | | 1 | DTD.610 | MR/C | |
| 4150 | Std.915/C/22 | Washer, between stringer "K" and attachment fittings | | | | | 9 | DTD.610 | C. | 4 |
| | E.201053 | SKIN, COVERING, BOTTOM, REAR SPAR TO FRAME 40A, ASSEMBLY | | | | | — | — | | |
| 5855 | A.205075 | Cable, retaining, engine access panel | | | | | 2 | — | C. | JB.5 |
| 8513 | F.216608 | Drain, extension at frames 58 and 59 | | | | | 4 | L.65 | C. | |
| 3843 | King C.3903/1 | Fitting, attachment | | | | | 3 | — | C. | JB.5 |
| 3845 | King C.3903/3 | Fitting, attachment | | | | | 1 | — | C. | |
| | A.183429 | Landing, for gearbox access door | | | | | 1 | DTD.610 | | |
| | A.183430 | Landing, for gearbox access door | | | | | 1 | DTD.610 | | |
| 2759 | A.183418 | Landing, for engine access door, frame 34, starboard | | | | | 1 | L.72 | MR/C | JB.5 |
| 2760 | A.183419 | Landing, for engine access door, frame 34, port | | | | | 1 | L.72 | MR/C | JB.5 |
| 4275 | B.183416 | Landing, for engine access door, frame 34 to 37, port | | | | | 1 | DTD.610 | MR/C | JB.5 |
| 2762 | B.183417 | Landing, for engine access door, frame 34 to 37, starboard | | | | | 1 | DTD.610 | MR/C | JB.5 |
| 2761 | A.183428 | Landing, for engine access door, frame 37 ... | | | | | 1 | L.72 | MR/C | JB.5 |
| 1024 | King C.3100/H | Lever and catch pin | | | | | 4 | — | C. | JB.5 |
| 2157 | C.182692 | Plate, reinforcing, at frames 37 and 40, port ... | | | | | 1 | DTD.546 | MR/C | JB.5 |
| 2158 | C.182693 | Plate, reinforcing, at frames 37 and 40, starboard | | | | | 1 | DTD.546 | MR/C | JB.5 |
| 1834 | E.183421/2 | Skin, bottom, frame 37 to frame 40A | | | | | 1 | DTD.610 | MR/B | JB.1 |
| 7478 | E.201053/2 | Skin, bottom, at frame 34 | | | | | 1 | DTD.610 | MR/B | JB.1 |
| 2147 | Std.915/C/20 | Washer, packing, at "King Aircraft" attachment fittings | | | | | 3 | DTD.610 | C. | 4 |
| | D.203701 | SKIN, PLATING, TOP, FRAME 18B TO MAIN SPAR, ASSEMBLY | | | | | — | — | | |
| 2755 | C.181728 | Landing, for fuel lever switch access panel ... | | | | | 2 | DTD.610 | MR/C | JB.2 |
| 1023 | F.173505 | Nut, retaining, for fuel tank | | | | | 10 | S.3 & S.21 | C. | JB.2 |
| | F.205515 | Sealing, at transport joint, frame 18 | | | | | 2 | Rubber | | |

FUSELAGE—CENTRE PORTION

| Ref. No. | Part No. | Description | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|------------|---|---------|------------------------|---------------------|-----------|
| | | | | | | |
| | D.233667 | SKIN, PLATING, TOP, BETWEEN MAIN SPAR AND REAR SPAR, ASSEMBLY | — | — | | |
| | B.201602 | BRACKET, MOUNTING, FOR COLD AIR UNIT, ASSEMBLY | — | — | | |
| | B.201601 | Bracket, mounting | 1 | L.72 | | |
| | C.233602 | Exit, for cooler duct, port and starboard, assembly | 2 | — | | |
| | C.233542 | Exit, for cooler duct, forward | 2 | S.510 | MR/C | JB.2 |
| | C.233551 | Fairing, for duct exit | 2 | L.59 | | |
| | E.201051 | SKIN, PLATING, TOP, REAR SPAR TO FRAME 40A, assembly | — | — | | |
| | A.220936 | Bracket, mounting, for cable joint at frame 40 ... | 1 | L.72 | | |
| 2756 | A.192906 | Bracket, mounting, for tank pressurising connection | 1 | DTD.610 | MR/C | JB.2 |
| 7956 | B.211432 | Bracket, mounting, for cable joint | 1 | — | B. | JB.2 |
| 7556 | B.202106 | Landing, for air supply access panel, port ... | 1 | DTD.610 | MR/C | JB.2 |
| 7557 | B.202107 | Landing, for air supply access panel, starboard ... | 1 | DTD.610 | MR/C | JB.2 |
| | D.203702 | SKIN, PLATING, SIDE, FRAME 18B TO MAIN SPAR, ASSEMBLY | — | — | | |
| 1480 | Std.218/8 | Nut, special | 8 | S.2 or S.62 | C. | 4 |
| 7558 | D.203702/1 | Skin, top, nose spar to main spar, port (supplied as Ref. No. 26FX/2173, Part No. E.183420/1 for Spares) | 1 | DTD.546 | MR/B | JB.2 |
| 7559 | D.203702/2 | Skin, top, nose spar to main spar, starboard (supplied as Ref. No. 26FX/2174, Part No. E.183420/2 for Spares) | 1 | DTD.546 | MR/B | JB.2 |
| 7560 | D.203702/3 | Skin, side, nose spar to frame 21, port (supplied as Ref. No. 26FX/1825, Part No. E.183420/3 for Spares) | 1 | DTD.546 | MR/B | JB.2 |
| 7561 | D.203702/4 | Skin, side, nose spar to frame 21, starboard (supplied as Ref. No. 26FX/1826, Part No. E.183420/4 for Spares) | 1 | DTD.546 | MR/B | JB.2 |
| 7562 | D.203702/5 | Skin, side, frame 21 to main spar, port (supplied as Ref. No. 26FX/1827, Part No. E.183420/5 for Spares) | 1 | DTD.546 | MR/B | JB.2 |
| 7563 | D.203702/6 | Skin, side, frame 21 to main spar, starboard ... | 1 | DTD.546 | MR/B | JB.2 |
| 2180 | D.182826 | Strap, reinforcing, at frame 21, bottom portion ... | 1 | DTD.546 | MR/C | JB.4 |
| | D.203703 | SKIN, PLATING, BOTTOM, FRAME 18B TO MAIN SPAR, ASSEMBLY | — | — | | |
| 3370 | F.184563 | Landing, for fuel pump access panel, port ... | 1 | DTD.610 | MR/C | JB.5 |
| 3371 | F.184564 | Landing, for fuel pump access panel, starboard ... | 1 | DTD.610 | MR/C | JB.5 |
| 2765 | F.194029 | Plate, nut, at main spar | 2 | S.3 | MR/C | |
| | C.199377 | Plate, reinforcing, frame 22 to frame 24, port ... | 1 | DTD.610 | | |
| 2156 | C.182824 | Plate, reinforcing, frame 22 to frame 24, starboard | 1 | DTD.610 | MR/C | JB.5 |
| | D.204310-1 | SKIN, SUPPORTING FORWARD FUEL TANK, ASSEMBLY | — | — | | |
| | D.203402 | Skin, supporting centre wall, for front tank fuel, port, group | 1 | — | | |
| | D.203403 | Skin, supporting centre wall, for front fuel tank, starboard, group | 1 | — | | |
| 4721 | F.195551 | Angle, attaching hydraulic pipes... .. | 1 | DTD.610 | MR/C | |
| 7479 | D.203402/1 | Angle, for diaphragm, port | 1 | L.72 | MR/C | JB.6 |
| 7480 | D.203403/1 | Angle, for diaphragm, starboard | 1 | L.72 | MR/C | JB.6 |

FUSELAGE—CENTRE PORTION

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Place No. |
|----------|------------|---|---|---|---|---|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| 2618 | D.180855 | | | | | | 1 | Rolled Section | MR/C | |
| 7481 | B.203666 | | | | | | 1 | L.72 | MR/C | JB.6 |
| 7482 | B.199798 | | | | | | 1 | L.72 | MR/C | JB.6 |
| 7483 | B.199799 | | | | | | 1 | L.72 | MR/C | JB.6 |
| 2622 | F.182567 | | | | | | 2 | DTD.610 | MR/C | JB.6 |
| 2623 | A.193269 | | | | | | 1 | DTD.610 | MR/C | JB.6 |
| 2624 | F.192312 | | | | | | 1 | DTD.610 | MR/C | JB.6 |
| 2625 | F.192313 | | | | | | 1 | DTD.610 | MR/C | JB.6 |
| | D.200935 | SKIN, AIR INTAKE, FRAMES 25 TO 30, ASSEMBLY | | | | | - | - | | |
| | B.215643 | PANEL, FOR ACCESS TO STARTER EXHAUST, ASSEMBLY | | | | | - | - | | |
| | A.215827 | | | | | | 1 | - | - | |
| 8355 | A.215826 | | | | | | 1 | - | B. | JB.3 |
| | C.215508 | PANEL, FOR ACCESS TO SAFETY DISC, ASSEMBLY | | | | | - | - | | |
| | B.215510 | | | | | | 1 | - | - | |
| 8354 | B.215509 | | | | | | 1 | - | B. | JB.3 |
| 9645 | F.224372 | | | | | | 1 | - | - | |
| 8179 | A.202754 | | | | | | 1 | Rubber | C. | JB.3 |
| 2626 | B.178521 | | | | | | 1 | DTD.364 | MR/C | JB.4 |
| 2627 | B.178522 | | | | | | 1 | DTD.364 | MR/C | JB.4 |
| 2628 | C.178523 | | | | | | 1 | DTD.364 | MR/C | JB.4 |
| 2629 | C.178524 | | | | | | 1 | DTD.364 | MR/C | JB.4 |
| 7484 | C.200919 | | | | | | 1 | DTD.364 | MR/C | JB.4 |
| 7485 | C.200920 | | | | | | 1 | DTD.364 | MR/C | JB.4 |
| | D.200866 | | | | | | 1 | DTD.364 | MR | JB.4 |
| 7487 | C.205585 | | | | | | 1 | DTD.364 | MR/C | JB.4 |
| 7488 | D.200586 | | | | | | 1 | DTD.364 | MR/C | JB.4 |
| 7489 | D.200587 | | | | | | 1 | DTD.364 | MR/C | JB.4 |
| 2636 | B.178525 | | | | | | 1 | DTD.364 | MR/C | JB.4 |
| 2637 | B.178526 | | | | | | 1 | DTD.364 | MR/C | JB.4 |
| 2638 | C.178527-8 | | | | | | 2 prs. | DTD.364 | MR/C | JB.4 |
| 7490 | C.200785 | | | | | | 1 | DTD.364 | MR/C | JB.4 |
| 5721 | F.197126 | | | | | | 1 | S.94.B | MR/C | |
| 7491 | C.200786 | | | | | | 1 | DTD.364 | MR/C | JB.4 |
| 5721 | F.197126 | | | | | | 1 | S.94.B | MR/C | |
| 7492 | D.200588 | | | | | | 1 | DTD.364 | MR/C | JB.4 |
| 7493 | D.200589 | | | | | | 1 | DTD.364 | MR/C | JB.4 |
| | D.180831 | STRUCTURE, SUPPORTING, FUEL TANKS, ASSEMBLY | | | | | - | - | | |
| 4675 | F.180854 | | | | | | 2 | DTD.364 | MR/C | |
| 4676 | C.180832 | | | | | | 1 | DTD.610 | MR/C | |
| 4677 | C.180833 | | | | | | 1 | DTD.610 | MR/C | |
| 4678 | C.180834 | | | | | | 1 | DTD.610 | MR/C | |
| 4679 | C.180835 | | | | | | 1 | DTD.610 | MR/C | |
| 4680 | B.180846 | | | | | | 1 | - | MR/C | |

FUSELAGE—CENTRE PORTION

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|----------------|-------------|---|---|---|---|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| 4681 | B.180847 | | | | | | 1 | — | MR/C | |
| 4682 | A.180848 | | | | | | 1 | DTD.610 | MR/C | |
| 4683 | A.180849 | | | | | | 1 | DTD.610 | MR/C | |
| 4684 | A.180850 | | | | | | 1 | DTD.610 | MR/C | |
| 4685 | A.180851 | | | | | | 1 | DTD.610 | MR/C | |
| 4686 | A.180852 | | | | | | 1 | DTD.610 | MR/C | |
| 4687 | A.180853 | | | | | | 1 | DTD.610 | MR/C | |
| 4688 | C.180840 | | | | | | 2 | DTD.610 | MR/C | |
| 4689 | C.180841 | | | | | | 1 | DTD.610 | MR/C | |
| 4690 | C.180842 | | | | | | 1 | DTD.610 | MR/C | |
| | Chekaleke | | | | | | 16 | — | | |
| | No. 5 or No. 6 | | | | | | | | | |
| | A.220709 | | | | | | 1 | L.72 | | |
| 9061 | F.219800 | | | | | | 2 | S.1 | C. | |
| 4652 | Std.1299/3 | | | | | | 39 | S.95.B | C. | 4 |
| | | | | | | | | | | |
| | E.230562-3 | | | | | | — | — | | |
| | D.182684-5 | | | | | | — | — | | |
| 2643 | B.183782 | | | | | | 1 | DTD.364 | MR/C | JB.4 |
| 2644 | B.183783 | | | | | | 1 | DTD.364 | MR/C | JB.4 |
| | | | | | | | | | | |
| 5712 | A.183784 | | | | | | 4 | DTD.364 | MR/C | JB.4 |
| | A.235346 | | | | | | 1 | L.72 | MR | |
| | D.230215 | | | | | | 1 | — | MR | |
| | D.230216 | | | | | | 1 | — | MR | |
| | D.230217 | | | | | | 1 | — | MR | |
| | D.230218 | | | | | | 1 | — | MR | |
| | D.230219 | | | | | | 1 | — | MR | |
| | D.230220 | | | | | | 1 | — | MR | |
| | | | | | | | | | | |
| | C.222754-5 | | | | | | — | — | | |
| | F.216328 | | | | | | 1 | L.72 | MR | |
| | F.216329 | | | | | | 1 | L.72 | MR | |
| | A.216330 | | | | | | 1 | L.72 | MR | |
| | A.216331 | | | | | | 1 | L.72 | MR | |
| | Std.841/39 | | | | | | 2 | DTD.610 | MR | 4 |
| | Std.1188/1 | | | | | | 2 | DTD.610 | MR | 4 |
| | F.216332 | | | | | | 2 | L.67 | MR | |
| | | | | | | | | | | |
| | C.209976 | | | | | | 1 | L.59 & L.57 | MR | |
| | B.209980 | | | | | | 1 | S.3 | MR | |
| | | | | | | | | | | |
| | D.200841 | | | | | | 1 | — | | |
| | D.200842 | | | | | | 1 | — | | |
| 7494 | B.200840 | | | | | | 1 | L.72 | MR/C | JB.2 |
| 7495 | B.200839 | | | | | | 1 | L.72 | MR/C | JB.2 |
| 2647 | B.181499 | | | | | | 1 | DTD.610 | MR/C | JB.2 |
| 2648 | B.181500 | | | | | | 1 | DTD.610 | MR/C | JB.2 |
| 2649 | A.188212 | | | | | | 1 | DTD.610 | MR/C | JB.2 |
| 2650 | A.188213 | | | | | | 1 | DTD.610 | MR/C | JB.2 |
| 2651 | A.188214 | | | | | | 1 | DTD.610 | MR/C | JB.2 |
| 2652 | A.188215 | | | | | | 1 | DTD.610 | MR/C | JB.2 |
| | | | | | | | | | | |
| 1027 | D.179488/A | | | | | | 1 | L.72 | B. | JB.1 |
| 1029 | D.179488/C | | | | | | 1 | L.72 | B. | JB.1 |

FUSELAGE—CENTRE PORTION

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Score | Plate No. |
|----------|--------------|-------------|---|---|---|---|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| 6694 | D.200841/A | | | | | Fillet, bottom, forward, removable, port ... | 1 | L.72 | B. | JB.1 |
| 6695 | D.200841/B | | | | | Fillet, bottom, centre, removable, port ... | 1 | L.72 | B. | JB.1 |
| 1030 | D.179489/A | | | | | Fillet, top, removable, starboard ... | 1 | L.72 | B. | JB.1 |
| 1032 | D.179489/C | | | | | Fillet, bottom, aft, removable, starboard ... | 1 | L.72 | B. | JB.1 |
| 6696 | D.200842/A | | | | | Fillet, bottom, forward, removable, starboard | 1 | L.72 | B. | JB.1 |
| 6697 | D.200842/B | | | | | Fillet, bottom, centre, removable, starboard | 1 | L.72 | B. | JB.1 |
| | C.200408 | | | | | LANDING, FOR ACCESS PANEL TO HYDRAULIC RESERVOIR, FILLER, STARBOARD ONLY, SUB-ASSEMBLY | - | - | | |
| 7564 | B.201068 | | | | | Landing, group ... | 1 | L.72 | MR/C | |
| 28FP/341 | Dzus S.5.325 | | | | | Spring ... | 1 | — | C. | |
| 3762 | Std.915/A/18 | | | | | Washer ... | 2 | DTD.610 | MR/C | 4 |
| 2653 | F.181992 | | | | | Plate, nut, at rear spar ... | 2 | S.3 | MR/C | |
| | C.222371 | | | | | Plate, for rubber seal retaining, port ... | 1 | L.72 | | |
| | C.222372 | | | | | Plate, for rubber seal retaining, starboard ... | 1 | L.72 | | |
| 7565 | F.201120 | | | | | Socket, for drain tube, starboard only ... | 1 | S.3 & T.6 | MR/C | |
| 2654 | A.182036 | | | | | Trailing edge ... | 2 | L.33, L.51 or L.1 | MR/C | JB.1 |
| | A.209237 | | | | | Plate, mounting, for time switch refuelling indicators | 1 | L.72 | | |
| | C.221175 | | | | | Member, top, at leading edge, port ... | 1 | — | — | JB.2 |
| | F.211939 | | | | | Lug, attachment ... | 1 | Casting | | |
| | C.221176 | | | | | Member, top, at leading edge, starboard ... | 1 | — | — | JB.2 |
| | F.211940 | | | | | Lug, attachment ... | 1 | Casting | | |
| | C.221096 | | | | | Member, bottom, at leading edge, port ... | 1 | — | — | JB.2 |
| | F.211937 | | | | | Lug, attachment ... | 1 | Casting | | |
| | C.221097 | | | | | Member, bottom, at leading edge, starboard ... | 1 | — | — | JB.2 |
| | F.211938 | | | | | Lug, attachment ... | 1 | Casting | | |
| 2659 | C.178820 | | | | | Mounting, for undercarriage wheel door hinge, port | 1 | — | MR/C | JB.2 |
| 2660 | C.178821 | | | | | Mounting, for undercarriage wheel door hinge, starboard | 1 | — | MR/C | JB.2 |
| | C.221177 | | | | | Rib, No. 1, at leading edge, top, port ... | 1 | — | — | JB.2 |
| | F.211941 | | | | | Plate, nut ... | 1 | S.3 | | |
| | C.221178 | | | | | Rib, No. 1, leading edge, top, starboard ... | 1 | — | — | JB.2 |
| | F.211941 | | | | | Plate, nut ... | 1 | S.3 | | |
| | B.222750 | | | | | Rib, No. 2 at leading edge, top, port ... | 1 | DTD.610 | MR/B | JB.2 |
| | B.222751 | | | | | Rib, No. 2, at leading edge, top, starboard ... | 1 | DTD.610 | MR/B | JB.2 |
| 2665 | B.180012 | | | | | Rib, No. 3, at leading edge, top, port ... | 1 | DTD.610 | MR/B | JB.2 |
| 2666 | B.180013 | | | | | Rib, No. 3, at leading edge, top, starboard ... | 1 | DTD.610 | MR/B | JB.2 |
| 2667 | B.180014 | | | | | Rib, No. 1, at leading edge, bottom, port ... | 1 | DTD.610 | MR/B | JB.2 |
| 2668 | B.180015 | | | | | Rib, No. 1, at leading edge, bottom, starboard ... | 1 | DTD.610 | MR/B | JB.2 |
| 2669 | B.180016 | | | | | Rib, No. 2, at leading edge, bottom, port ... | 1 | DTD.610 | MR/B | JB.2 |
| 2670 | B.180017 | | | | | Rib, No. 2, at leading edge, bottom, starboard ... | 1 | DTD.610 | MR/B | JB.2 |
| 2671 | B.180018 | | | | | Rib, No. 3, at leading edge, bottom, port ... | 1 | DTD.610 | MR/B | JB.2 |
| 2672 | B.180019 | | | | | Rib, No. 3, at leading edge, bottom, starboard ... | 1 | DTD.610 | MR/B | JB.2 |
| 2673 | B.180020 | | | | | Rib, outboard, at leading edge ... | 1 | DTD.610 | MR/B | JB.2 |
| 2674 | B.180021 | | | | | Rib, outboard, at leading edge ... | 2 | DTD.610 | MR/B | JB.2 |

FUSELAGE—CENTRE PORTION

| Ref. No. | Part No. | Description | 1 2 3 4 5 | | | | | No. Off | Material Specification | M.R. Class of Score | Plate No. |
|----------|-----------------|---|-----------|---|---|---|-------|----------|------------------------|---------------------|-----------|
| | | | 1 | 2 | 3 | 4 | 5 | | | | |
| | B.204877-8 | SEALING, BETWEEN STUB WING AND WING, SUB-ASSEMBLY | | | | | | | | | |
| 3847 | A.196439 | Pad, sealing, at trailing edge | | | | | 2 | Volcrepe | C. | JB.2 | |
| 3848 | A.196438 | Strip, sealing, at leading edge | | | | | 2 | Volcrepe | C. | JB.2 | |
| 32C/660 | — | Strip, sealing, 1" wide x $\frac{3}{16}$ " thick (D.196440/1, 4 and 5. D.196441/1 and D.204878/1 and 2) | | | | | 30ft. | Volcrepe | C. | | |
| 4023 | Std.1509/12/018 | Tube, distance, $\frac{1}{2}$ " i/d. x 20 S.W.G. x 0-18" long (Make from 30B/619) | | | | | 6 | T.4 | MR/C | 4 | |
| | D.230588-9 | SKIN, COVERING, ASSEMBLY | | | | | | | | | |
| 7875 | C.216760 | Fairing, outboard, port (undrilled) | | | | | 1 | DTD.610 | B. | JB.1 | |
| 7876 | C.216761 | Fairing, outboard, starboard (undrilled) | | | | | 1 | DTD.610 | B. | JB.1 | |
| 7496 | A.205205 | Landing, for fuel pipe access panel | | | | | 2 | L.72 | MR/C | | |
| 2676 | B.192636 | Landing, forward, for stub-wing access panel, port | | | | | 1 | DTD.610 | MR/C | JB.4 | |
| 2677 | B.192637 | Landing, forward, for stub-wing, access panel, starboard | | | | | 1 | DTD.610 | MR/C | JB.4 | |
| 2678 | B.192640 | Landing, aft, for stub-wing access panel, port | | | | | 1 | DTD.610 | MR/C | JB.4 | |
| 2679 | B.192641 | Landing, aft, for stub-wing access panel, starboard | | | | | 1 | DTD.610 | MR/C | JB.4 | |
| 2680 | B.192638 | Landing, inboard, for stub-wing access panel, port | | | | | 1 | DTD.610 | MR/C | JB.4 | |
| 2681 | B.192639 | Landing, inboard, for stub-wing access panel, starboard | | | | | 1 | DTD.610 | MR/C | JB.4 | |
| 7497 | A.209626 | Landing, for hydraulic connection access door | | | | | 2 | L.72 | MR/C | | |
| | C.221330/1 | Nosing, top, port | | | | | 1 | — | B. | JB.1 | |
| | C.221331/1 | Nosing, top, starboard | | | | | 1 | — | B. | JB.1 | |
| 1823 | C.182598 | Nosing, bottom, port | | | | | 1 | — | B. | JB.1 | |
| 1824 | C.182599 | Nosing, bottom, starboard | | | | | 1 | — | B. | JB.1 | |
| | C.222752 | PANEL, ACCESS TO STUB-WING, PORT, ASSEMBLY | | | | | | | | | |
| | C.222753 | PANEL, ACCESS TO STUB-WING, STARBOARD, ASSEMBLY | | | | | | | | | |
| 9418 | B.216139 | Panel, access, port | | | | | 1 | — | C. | JB.1 | |
| 9419 | B.216140 | Panel, access, starboard | | | | | 1 | — | C. | JB.1 | |
| 6698 | A.205206 | Panel, access to fuel pipe | | | | | 2 | L.72 | C. | JB.1 | |
| 1038 | D.188722 | Panel, access to pin-joint at main spar, top, port | | | | | 1 | DTD.610 | B. | JB.1 | |
| 1039 | D.188723 | Panel, access to pin joint at main spar, top, starboard | | | | | 1 | DTD.610 | B. | JB.1 | |
| 5818 | C.200861 | Panel, access to pressure relief valve, port ... | | | | | 1 | L.72 | C. | JB.1 | |
| 5819 | C.200862 | Panel, access to pressure relief valve, starboard | | | | | 1 | L.72 | C. | JB.1 | |
| 4723 | F.199630 | Panel, access to undercarriage hydraulic connection | | | | | 2 | — | MR/C | JB.1 | |
| 1040 | D.188724 | Panel, access to pin joint at main spar, bottom, port | | | | | 1 | DTD.610 | B. | JB.1 | |
| 1041 | D.188725 | Panel, access to pin joint at main spar, bottom, starboard | | | | | 1 | DTD.610 | B. | JB.1 | |
| 7839 | D.211964 | Panel, access, on underside of stub-wing, port, group | | | | | 1 | DTD.610 | B. | JB.1 | |
| 7988 | B.211962 | Door, access to armament safety plug, group | | | | | 1 | — | B. | JB.1 | |
| | Fairey FS.430/E | Fastener, type 3 | | | | | 1 | — | | | |
| | F.211961 | Packing | | | | | 2 | L.72 | | | |

FUSELAGE—CENTRE PORTION

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|-------------|-------------|---|---|---|---|---------|------------------------|---------------------|--|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| 1781 | D.192980 | | | | | | 1 | DTD.610 | B. | JB.5 |
| 6699 | A.209625 | | | | | | 2 | L.72 | C. | JB.1 |
| 4724 | A.199629 | | | | | | 2 | DTD.610 | MR/C | JB.2 |
| 4725 | F.196550 | | | | | | 2 | DTD.610 | MR/C | |
| 4726 | F.196551 | | | | | | 2 | DTD.610 | MR/C | |
| 1807 | D.182688/1 | | | | | | 1 | DTD.610 | B. | JB.1 |
| | D.201497/1 | | | | | | 1 | DTD.610 | B. | JB.1 |
| | | | | | | | | | | (Supplied as D.182688/22 for spares) |
| 1809 | D.182688/3 | | | | | | 1 | DTD.610 | B. | HB.1 |
| | D.221308/1 | | | | | | 1 | DTD.610 | | JB.1 |
| | D.201497/3 | | | | | | 1 | L.72 | B. | JB.1 |
| | | | | | | | | | | (Supplied as D.182688/6 for spares) |
| 2682 | D.182688/9 | | | | | | 1 | DTD.610 | MR/B | JB.1 |
| 2683 | D.182688/10 | | | | | | 1 | DTD.610 | MR/B | JB.1 |
| 2684 | D.182688/11 | | | | | | 1 | DTD.610 | MR/B | JB.1 |
| 1813 | D.182688/15 | | | | | | 1 | DTD.610 | B. | JB.1 |
| 1807 | D.182689/1 | | | | | | 1 | DTD.610 | B. | JB.1 |
| | D.200965/2 | | | | | | 1 | DTD.610 | B. | JB.1 |
| | D.201498/1 | | | | | | 1 | DTD.610 | B. | JB.1 |
| | | | | | | | | | | (Supplied as D.182689/22 for spares) |
| 1816 | D.182689/3 | | | | | | 1 | DTD.610 | B. | JB.1 |
| | D.200966/2 | | | | | | 1 | DTD.610 | B. | JB.1 |
| | D.221309/1 | | | | | | 1 | DTD.610 | B. | JB.1 |
| | D.201498/3 | | | | | | 1 | L.72 | B. | JB.1 |
| | | | | | | | | | | (Supplied as D.182689/6 for spares) |
| 2685 | D.182689/9 | | | | | | 1 | DTD.610 | MR/B | JB.1 |
| 2686 | D.182689/10 | | | | | | 1 | DTC.610 | MR/B | JB.1 |
| 2687 | D.182689/11 | | | | | | 1 | DTD.610 | MR/B | JB.1 |
| 1820 | D.182689/15 | | | | | | 1 | DTD.610 | B. | JB.1 |
| | D.202637-8 | | | | | | - | - | | |
| | | | | | | | | | | SLOTS, FOR AIR INTAKE, TOP, ASSEMBLY |
| | F.231548 | | | | | | 4 | S.510 | MR | |
| | C.260929 | | | | | | 1 | S.521 | | |
| | C.260930 | | | | | | 1 | S.521 | | |
| 9770 | C.229884 | | | | | | 1 | L.72 | B. | JB.1 |
| | | | | | | | 1 | | | Pin, for hinge (AS.1880) |
| 1035 | A.187071 | | | | | | 3 | Sp. St. | C. | JB.4 |
| | | | | | | | | | | Spring |
| 9771 | C.229885 | | | | | | 1 | L.72 | B. | JB.1 |
| | | | | | | | 1 | | | Pin, for hinge (AS.1880) |
| 1035 | A.187071 | | | | | | 3 | Sp. St. | C. | JB.4 |
| | | | | | | | | | | Spring |
| | D.201942-3 | | | | | | - | - | | |
| | | | | | | | | | | SLOTS, FOR AIR INTAKE, BOTTOM, ASSEMBLY |
| 10503 | F.231548 | | | | | | 4 | S.510 | MR | |
| | C.260956 | | | | | | 1 | S.521 | | |
| | C.260957 | | | | | | 1 | S.521 | | |
| 9772 | C.229886 | | | | | | 1 | L.72 | B. | JB.1 |
| | | | | | | | 1 | | | Pin, for hinge (AS.1880) |
| 1035 | A.187071 | | | | | | 3 | Sp. St. | C. | JB.4 |
| | | | | | | | | | | Spring |

FUSELAGE—CENTRE PORTION


| Ref. No. | Part No. | Description | No. Off | Material Specification | M.R. Class of Score | Place No. |
|-----------|--------------|---|---------|------------------------|---------------------|-----------|
| | | | | | | |
| 9773 | C.229887 | Door, starboard, group | 1 | L.72 | B. | JB.1 |
| | — | Pin, for hinge (AS.1880) | 1 | — | | |
| 1035 | A.187071 | Spring | 3 | Sp. St. | C. | JB.4 |
| | A.226244 | Stiffener, skin, outboard, port | 1 | L.72 | MR | |
| | A.226245 | Stiffener, skin, outboard, starboard | 1 | L.72 | MR | |
| | A.226246 | Stiffener, skin, outboard, port | 1 | L.72 | MR | |
| | A.226247 | Stiffener, skin, outboard, starboard | 1 | L.72 | MR | |
| | A.226248 | Stiffener, skin, port | 1 | L.72 | MR | |
| | A.226249 | Stiffener, skin, starboard | 1 | L.72 | MR | |
| | A.226250 | Stiffener, skin, port | 1 | L.72 | MR | |
| | A.226251 | Stiffener, skin, starboard | 1 | L.72 | MR | |
| | A.215361 | Stiffener, skin, port | 1 | L.72 | MR | |
| | A.215362 | Stiffener, skin, starboard | 1 | L.72 | MR | |
| | A.215363 | Stiffener, skin, port | 1 | L.72 | MR | |
| | A.215364 | Stiffener, skin, starboard | 1 | L.72 | MR | |
| | A.231616 | Stiffener, skin, port (Make from Std.1772-W-18) | 1 | — | MR | |
| | A.231617 | Stiffener, skin, starboard (Make from Std.1772-W-18) | 1 | — | MR | |
| | A.231618 | Stiffener, skin, port (Make from Std. 1772-W-18) | 1 | — | MR | |
| | A.231619 | Stiffener, skin, starboard (Make from Std.1772-W-18) | 1 | — | MR | |
| 26AQ/3124 | Std.915/B/26 | Washer, shin, 4 B.A. | 2 | DTD.610 | C. | 4 |
| | E.204277-8 | SKIN, COVERING, AIR INTAKE, ASSEMBLY MOUNTING, FOR D.M.E. AERIAL, ASSEMBLY | — | — | — | |
| | C.222756-7 | | — | — | — | |
| | F.216141 | Bracket, for eye bolt | 4 | S.95.B | | |
| | F.217474 | Bracket | 2 | L.72 | | |
| | F.216142 | Eyebolt | 4 | S.96.B | | |


FUSELAGE—CENTRE PORTION

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|-------------------------------|--------------|-------------|-------|--------|-----|-----|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| SUMMARY OF STOCK ITEMS | | | | | | | | | | |
| 28D/1007971 | A25.1.B | Bolt, | 4 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/1010658 | A25.1.B | Bolt, | 4 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/9138768 | A25.1.C | Bolt, | 2 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/9436920 | A25.1.C | Bolt, | 2 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/9133011 | A25.2.C | Bolt, | 2 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/9133012 | A25.3.C | Bolt, | 2 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/1200119 | A25.4.C | Bolt, | 2 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/12533 | A25.5.C | Bolt, | 2 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/7002428 | A25.6.C | Bolt, | 2 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/1010030 | A25.7.C | Bolt, | 2 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/1011019 | A25.8.C | Bolt, | 2 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/12536 | A25.13.C | Bolt, | 2 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/9140647 | A25.14.C | Bolt, | 2 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/9453970 | A25.15.C | Bolt, | 2 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/9140648 | A25.19.C | Bolt, | 2 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/9140649 | A25.23.C | Bolt, | 2 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/1011238 | A25.3.E | Bolt, | 1" | B.S.F. | ... | ... | ... | ... | ... | ... |
| 28D/1008151 | A25.4.E | Bolt, | 1" | B.S.F. | ... | ... | ... | ... | ... | ... |
| 28D/1011242 | A25.7.E | Bolt, | 1" | B.S.F. | ... | ... | ... | ... | ... | ... |
| 28D/1010031 | A25.8.E | Bolt, | 1" | B.S.F. | ... | ... | ... | ... | ... | ... |
| 28D/12812 | A25.12.E | Bolt, | 1" | B.S.F. | ... | ... | ... | ... | ... | ... |
| 28D/1011248 | A25.16.E | Bolt, | 1" | B.S.F. | ... | ... | ... | ... | ... | ... |
| 28D/12548 | A25.17.E | Bolt, | 1" | B.S.F. | ... | ... | ... | ... | ... | ... |
| 28D/7002440 | A25.18.E | Bolt, | 1" | B.S.F. | ... | ... | ... | ... | ... | ... |
| 28D/13046 | A25.19.E | Bolt, | 1" | B.S.F. | ... | ... | ... | ... | ... | ... |
| 28D/1011257 | A25.7.G | Bolt, | 3/16" | B.S.F. | ... | ... | ... | ... | ... | ... |
| 28D/1011258 | A25.8.G | Bolt, | 3/16" | B.S.F. | ... | ... | ... | ... | ... | ... |
| 28D/12775 | A25.17.G | Bolt, | 3/16" | B.S.F. | ... | ... | ... | ... | ... | ... |
| 28D/14434 | A25.31.G | Bolt, | 3/16" | B.S.F. | ... | ... | ... | ... | ... | ... |
| 28D/13070 | A25.38.G | Bolt, | 3/16" | B.S.F. | ... | ... | ... | ... | ... | ... |
| 28D/13476 | A30.4.C | Bolt, | 2 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/13473 | A30.8.J | Bolt, | 3/8" | B.S.F. | ... | ... | ... | ... | ... | ... |
| 28D/13369 | A30.9.J | Bolt, | 3/8" | B.S.F. | ... | ... | ... | ... | ... | ... |
| 28D/13445 | A30.11.J | Bolt, | 3/8" | B.S.F. | ... | ... | ... | ... | ... | ... |
| 28D/13101 | A30.12.J | Bolt, | 3/8" | B.S.F. | ... | ... | ... | ... | ... | ... |
| 28D/15068 | A57.2.E | Bolt, | 1" | B.S.F. | ... | ... | ... | ... | ... | ... |
| 28D/12179 | AGS.571/505 | Bolt, | 3/16" | B.S.F. | ... | ... | ... | ... | ... | ... |
| 28D/15069 | A57.18.G | Bolt, | 3/16" | B.S.F. | ... | ... | ... | ... | ... | ... |
| 28D/15070 | A57.25.G | Bolt, | 3/16" | B.S.F. | ... | ... | ... | ... | ... | ... |
| 28D/8300 | AS.1242.1B | Bolt, | 4 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/1007319 | AS.1242.4B | Bolt, | 4 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/1007975 | AS.1242.1C | Bolt, | 2 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/8307 | AS.1242.2C | Bolt, | 2 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/8308 | AS.1242.3.C | Bolt, | 2 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/1007976 | AS.1242.4.C | Bolt, | 2 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/1007978 | AS.1242.7.C | Bolt, | 2 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/8320 | AS.1242.23.C | Bolt, | 2 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/8324 | AS.1242.3.E | Bolt, | 1" | B.S.F. | ... | ... | ... | ... | ... | ... |
| 28D/12124 | AS.1242.19E | Bolt, | 1" | B.S.F. | ... | ... | ... | ... | ... | ... |
| 28D/12052 | AS.1242.20E | Bolt, | 1" | B.S.F. | ... | ... | ... | ... | ... | ... |
| 28D/9133653 | AS.1248.1C | Bolt, | 2 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/1007982 | AS.1248.1C | Bolt, | 2 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/1013284 | AS.1248.2C | Bolt, | 2 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/12234 | AS.1248.23C | Bolt, | 2 | B.A. | ... | ... | ... | ... | ... | ... |
| 28D/13853 | A30.4E | Bolt, | 1" | B.S.F. | ... | ... | ... | ... | ... | ... |
| 28D/13100 | A30.5E | Bolt, | 1" | B.S.F. | ... | ... | ... | ... | ... | ... |


FUSELAGE—CENTRE PORTION


| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|-------------------------------|--------------|-------------|-------|--------|-----|---|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| SUMMARY OF STOCK ITEMS | | | | | | | | | | |
| 28D/13262 | A30.6E | Bolt, | 1" | B.S.F. | ... | - | - | - | | |
| 28D/14127 | A30.7G | Bolt, | 5/16" | B.S.F. | ... | - | - | - | | |
| 28D/13473 | A30.8J | Bolt, | 1" | B.S.F. | ... | - | - | - | | |
| 28D/13369 | A30.9J | Bolt, | 1" | B.S.F. | ... | - | - | - | | |
| 28D/13445 | A30.11J | Bolt, | 1" | B.S.F. | ... | - | - | - | | |
| 28D/13101 | A30.12J | Bolt, | 3/8" | B.S.F. | ... | - | - | - | | |
| 28M/13271 | A24.E.P. | Nut, | 1" | B.S.F. | ... | - | - | - | | |
| 28M/13273 | A24.J.P. | Nut, | 3/4" | B.S.F. | ... | - | - | - | | |
| 28M/1011000 | A24.L.P. | Nut, | 7/16" | B.S.F. | ... | - | - | - | | |
| 28M/1006504 | A27.B.T. | Nut, | 4 | B.A. | ... | - | - | - | | |
| 28M/9403520 | A27.C.P. | Nut, | 2 | B.A. | ... | - | - | - | | |
| 28M/1006473 | A27.C.T. | Nut, | 2 | B.A. | ... | - | - | - | | |
| 28M/12928 | A27.E.P. | Nut, | 1" | B.S.F. | ... | - | - | - | | |
| 28M/12931 | A27.E.T. | Nut, | 1" | B.S.F. | ... | - | - | - | | |
| 28M/1006939 | A27.G.P. | Nut, | 5/16" | B.S.F. | ... | - | - | - | | |
| 28M/1011427 | A27.N.P. | Nut, | 3/4" | B.S.F. | ... | - | - | - | | |
| 28M/13244 | A27.P.T. | Nut, | 9/16" | B.S.F. | ... | - | - | - | | |
| 28M/13403 | AGS.572.A.P. | Nut, | 3/4" | B.S.F. | ... | - | - | - | | |
| 28M/13439 | AGS.572.C.P. | Nut, | 5/16" | B.S.F. | ... | - | - | - | | |
| 28M/14440 | A58.J.T. | Nut, | 3/4" | B.S.F. | ... | - | - | - | | |
| 28M/10287 | AGS.2001/B1 | Nut, | 4 | B.A. | ... | - | - | - | | |
| 28M/10288 | AGS.2001/C1 | Nut, | 2 | B.A. | ... | - | - | - | | |
| 28M/10290 | AGS.2001/E.1 | Nut, | 1" | B.S.F. | ... | - | - | - | | |
| 28M/10291 | AGS.2001/G.1 | Nut, | 5/16" | B.S.F. | ... | - | - | - | | |
| 28M/10327 | AGS.2002/B1 | Nut, | 4 | B.A. | ... | - | - | - | | |
| 28M/10328 | AGS.2002/C1 | Nut, | 2 | B.A. | ... | - | - | - | | |
| 28M/11957 | AGS.2007/C1 | Nut, | 2 | B.A. | ... | - | - | - | | |
| 28M/9434251 | AGS.2008/B1 | Nut, | 4 | B.A. | ... | - | - | - | | |
| 28M/9435067 | AGS.2008/C1 | Nut, | 2 | B.A. | ... | - | - | - | | |
| 28M/9419400 | AGS.2013/C11 | Nut, | 2 | B.A. | ... | - | - | - | | |
| 28M/12421 | AGS.2018/C1 | Nut, | 2 | B.A. | ... | - | - | - | | |
| 28M/13774 | AGS.2019/B1 | Nut, | 4 | B.A. | ... | - | - | - | | |
| 28M/9144673 | AGS.2019/C1 | Nut, | 2 | B.A. | ... | - | - | - | | |
| 28M/14347 | AGS.2019.E.1 | Nut, | 1" | B.S.F. | ... | - | - | - | | |
| 28M/802 | AGS.113/C | Nut, | wing | | ... | - | - | - | | |
| 28S/13887 | A32.B10 | Screw, | 4 | B.A. | ... | - | - | - | | |
| 28S/9992525 | A32.B12 | Screw, | 4 | B.A. | ... | - | - | - | | |
| 28S/13742 | A32.C14 | Screw, | 2 | B.A. | ... | - | - | - | | |
| 28S/1007319 | AS.1242.4B | Screw, | 4 | B.A. | ... | - | - | - | | |
| 28D/8304 | AS.1242.6B | Screw, | 4 | B.A. | ... | - | - | - | | |
| 28D/1007975 | AS.1242.1C | Screw | | | ... | - | - | - | | |
| 28D/8307 | AS.1242.2C | Screw | | | ... | - | - | - | | |
| 28W/9419402 | SP.13.C | Washer, | 2 | B.A. | ... | - | - | - | | |
| 28W/9419474 | SP.15.B | Washer, | 4 | B.A. | ... | - | - | - | | |
| 28W/9419425 | SP.15.C | Washer, | 2 | B.A. | ... | - | - | - | | |
| 28W/9419405 | SP.15.E | Washer, | 1" | dia. | ... | - | - | - | | |
| 28W/9419476 | SP.15.G | Washer, | 7/16" | dia. | ... | - | - | - | | |
| 28W/9419477 | SP.15.J | Washer, | 3/8" | dia. | ... | - | - | - | | |
| 28W/9419478 | SP.15.L | Washer, | 7/16" | dia. | ... | - | - | - | | |
| 28W/9419479 | SP.15.N | Washer, | 1/2" | dia. | ... | - | - | - | | |
| 28W/9419404 | SP.16.C | Washer, | 2 | B.A. | ... | - | - | - | | |
| 28W/9419487 | SP.16.E | Washer, | 1" | dia. | ... | - | - | - | | |
| 28W/9419488 | SP.16.G | Washer, | 5/16" | dia. | ... | - | - | - | | |
| 28W/9419489 | SP.16.J | Washer, | 3/8" | dia. | ... | - | - | - | | |
| 28W/9419493 | SP.16.Q | Washer, | 3/8" | dia. | ... | - | - | - | | |
| 28W/3097 | AGS.162/B | Washer, | 4 | B.A. | ... | - | - | - | | |







CENTRE FUSELAGE









CENTRE FUSELAGE



CENTRE FUSELAGE







This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.