

FUSELAGE-REAR PORTION

Ref. No.	Part No.	Description	No. Off					Material Specification	M.R. Class of Store	Place No.
			1	2	3	4	5			
10221	C.236151	<b>FUSELAGE, REAR, COMPLETE, GROUP (Mod. 841)</b> (Less fuel tanks, elevator boosters, hydraulic accumulator and tail plane actuator)	1					—	A.	JD.1
6212	E.207296	<b>AIR BRAKE, ASSEMBLY (See Page No. JD )</b> ...	—					—	—	
	E.231145	<b>ELECTRICAL SYSTEM, ASSEMBLY</b> ... (See section EC)	—					—	—	
	C.202951	<b>FIRE PROOFING AND TANK PANELS, ASSEMBLY (See section JL)</b>	—					—	—	
	E.217437	<b>FLYING CONTROLS, ASSEMBLY (See section DE)</b>	—					—	—	
	D.202256	<b>FUEL SYSTEM, ASSEMBLY (See section NP)</b> ...	—					—	—	
	D.234198	<b>HYDRAULICS, ASSEMBLY (See section NG)</b> ...	—					—	—	
10002	E.224471	Tail cone, group (See page JD.18) ...	—					—	—	
	E.230238	<b>V.H.F. INSTALLATION, ASSEMBLY</b> ... (See section MC)	—					—	—	
	E.236152	<b>Fuselage, rear structure, group (Mod. 841)</b> ...	1					—	MR/A	JD.2
	A.183188	Angle, joint, at top of frame 51 ...	1					DTD.610		
	F.183189	Angle, joint, port, at stringer "H," frame 51 ...	1					DTD.610		
	F.183190	Angle, joint, starboard, at stringer "H," frame 51 ...	1					DTD.610		
7661	F.183577	Angle, starboard, at frame 55 for stringers B, C, D, J, K & L	6					DTD.364	MR/C	
7662	F.183578	Angle, port, at frame 55 for stringers A, B, C, D, J, K & L	7					DTD.364	MR/C	
6937	B.204673	Angle, reinforcing, port, frame 46 ...	1					L.72	MR/C	
6938	B.204674	Angle, reinforcing, starboard, frame 46 ...	1					L.72	MR/C	
	D.203888/3	Boom, inner, top, frame 50 ...	1					DTD.364		
7663	D.203888/4	Boom, frame 50 ...	1					DTD.364	MR/C	
7664	D.203888/5	Boom, frame 50 ...	1					DTD.364	MR/C	
6943	A.203926	Bracket, support, for jet pipe rail at frame 50 ...	1					L.72	MR/C	
	C.205594	<b>COVER, PROTECTIVE, FOR HYDRAULIC COMPONENTS BETWEEN FRAMES 49 AND 50, ASSEMBLY</b>	—					—	—	
	A.205598	Angle ...	1					L.72		
	A.205599	Angle ...	1					L.72		
	F.205600	Angle ...	1					L.72		
	A.205621	Angle ...	1					L.72		
	B.205597	Diaphragm ...	1					L.72		
8176	D.205595	Member, side ...	1					L.72	MR/C	
5702	C.205596	Panel, access ...	1					L.72	C.	JD.2
	C.206138	<b>DRAIN, RETRACTABLE, AT ENGINE SUMP, ASSEMBLY</b>	—					—	—	
	A.214180	Bracket, support ...	1					L.72		JD.4
4024	F.195740	Clip ...	1					S.84 or S.3	MR/C	JD.4
8524	F.216645	Drain, extension ...	1					L.65	C.	JD.4
6662	B.206377	Funnel ...	1					S.3 & T.26	C.	JD.4
1871	B.193009	Guide ...	1					S.3 & T.26	C.	JD.4
1872	F.193010	Spring ...	1					Spg. Stl.	C.	JD.4
2379	F.193011	Washer, retaining ...	1					DTD.610	MR/C	JD.4
	A.198547	Duct, cable (Local Manufacture) ...	1					L.54	—	

FUSELAGE-REAR PORTION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Place No.
	B.207316	<b>FAIRING, FOR AIR BRAKE LEADING EDGE, ASSEMBLY</b>	-	-		
10840	C.250552/B	Fairing, inner portion, group	1	-	C.	JD.3
3513	F.216608	Drain, extension	1	L.65	C.	
10839	C.250552/A	Fairing, outer portion, port	1	L.59	C.	JD.3
10841	C.250552/C	Fairing, outer portion, starboard	1	L.59	C.	JD.3
	D.223756	Fin, dorsal, group	1	-		JD.1
7666	A.185853	Bracket, front, for charging valve	1	DTD.610	MR/C	JD.5
7667	A.185854	Bracket, rear, for charging valve	1	DTD.610	MR/C	JD.5
711	B.186345	Bracket, clamp, for hydraulic accumulator	1	S.3 and Felt	C.	JD.2
7668	B.204655	Bracket, flying control, group	1	-	MR/B	JD.3
713	F.173109	Bracket, bearing	1	DTD.364	C.	JD.3
	F.183604	Bracket, port	1	DTD.610		
	F.209247	Bracket	1	DTD.610		
	B.204690	Bracket, starboard	1	L.72		
	A.204689	Channel	1	L.72		
	F.202691	Plate, reinforcing	2	L.72		
714	F.183607	Shim	1	Laminum	C.	JD.3
26FH/3474	Std.1547/20/12	Washer, profile	4	DTD.610	MR/C	4
715	F.186346	Clamp, for hydraulic accumulator	1	S.3 and Felt	C.	JD.2
	F.186245	Cleat	1	DTD.610		
3738	Std.840/29	Clip, support, for cable duct	1	DTD.610	MR/C	4
	A.207598	Duct, cable	1	L.67		
	A.207599	Duct, cable	1	L.67		
	C.211484	Former, at frame 46	1	L.72		
	B.183728	Former, at frame 47	1	DTD.610		
	B.211485	Former, at frame 48	1	L.72		
	C.183729	Former, at frame 49	1	DTD.610		
	C.211486	Former, at frame 50	1	L.72		
10721	C.204653	Former, at frame 51	1	LA.27		
	F.185858	Label, at charging valve	1	DTD.610		
	B.225947	Landing, for access panel to flying controls	1	DTD.610		JD.2
2377	F.183736	Landing, for access panel to flying control bolt	2	DTD.610	MR/C	JD.2
	C.225946	Landing, for access panel to hydraulic accumulator, charging valve, electrical relays, terminal blocks and hydraulics connections	1	DTD.610		JD.2
7669	B.202689	Landing, for access panel to flying controls	1	L.72	MR/C	
7670	C.210096	Landing, for access panel	1	L.72	MR/C	
	C.215203	Landing, for access panel to micronic filter	1	L.72		
4728	Std.1231/4	Lug	2	S.3	MR/C	4
4242	Std.1231/7	Lug	1	S.3	C.	4
	Std.1231/7B	Lug, locking	3	S.3		
	F.189514	Packing, starboard, on former, at frame 51	1	DTD.610		
	F.189515	Packing, port, on former at frames 51	1	DTD.610		
716	B.183735	Panel, access to flying controls	1	DTD.610	C.	JD.1
717	F.183737	Panel, access to flying control bolt	2	DTD.610	C.	JD.1
718	C.188863	Panel, access to hydraulic accumulator, charging valve, electrical relays, terminal block and hydraulic connections, group	1	DTD.610	B.	JD.1
4888	Std.1509/1/012	Tube, distance, $\frac{3}{16}$ " o/d x 22 S.W.G. x 0-12" long (Make from 30B/618)	5	T.4	MR/C	4
4555	Std.915/A22	Washer	5	DTD.610	C.	4
4602	A.200876	Window	1	Perspex	C.	JD.1

FUSELAGE—REAR PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
9345	B.215202						1	L.72	C.	
7859	A.202690						1	L.72	C.	JD.3
6666	B.210097						1	L.72	C.	JD.3
	B.188907						1	DTD.610		
	B.186243						1	DTD.610		
	C.183733						1	DTD.610		
7671	D.183727/1						1	DTD.610	MR/B	JD.1
	D.223756/2						1	DTD.610		JD.3
6907	D.183727/7						1	DTD.610	MR/C	JD.2
6908	D.183727/8						1	DTD.610	MR/C	JD.2
	A.184750						1	DTD.610		
	A.184751						1	DTD.610		
	A.186197						1	DTD.610		
	A.186198						1	DTD.610		
	A.186199						1	DTD.610		
	A.186200						1	DTD.610		
	A.186201						1	DTD.610		
	A.186202						1	DTD.610		
	A.186203						1	DTD.610		
	A.186204						1	DTD.610		
	A.186205						1	DTD.610		
	D.183727/3						1	DTD.610		
	D.183727/6						1	DTD.610		
	C.205130-1	<b>FITTING, FORWARD HINGE, FOR AIR-BRAKE, SUB-ASSEMBLY</b>								
5918	F.203982						2	L.72	MR/C	JD.4
5919	F.203983						2	L.72	MR/C	JD.4
5922	A.203986						1	DTD.364	MR/C	JD.4
5923	A.203987						1	DTD.364	MR/C	JD.4
7673	A.205076						1	L.72	MR/C	
5920	A.203984						1	L.40	MR/C	JD.4
5921	A.203985						1	L.40	MR/C	JD.4
	A.216746						2	L.72		
8771	C.219512						1	L.72	MR/C	JD.4
8772	C.219513						1	L.72	MR/C	JD.4
	A.204798	<b>LEVER, FOR MICRO-SWITCH, ASSEMBLY</b>								
5912	A.204707						1	L.72	MR/C	JD.4
4949	F.204706						1	DTD.364	C.	JD.4
	F.216745						1			
5911	Std.1509/23/029						2	T.4	MR/C	4

## FUSELAGE-REAR PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5917	F.204170						2	L.72	MR/C	JD.4
5916	F.204971						2	L.72	MR/C	JD.4
5915	F.204970						2	L.72	MR/C	JD.4
4827	Std.1509/23/080						8	T.4	MR/C	4
5924	Std.1509/23/086						2	T.4	MR/C	4
	B.211922						1	—		
7674	F.163970						12	DTD.364	MR/C	
7675	F.163971						12	DTD.364	MR/C	
7676	F.171397						2	DTD.364	MR/C	
7677	F.171398						2	DTD.364	MR/C	
7678	A.181011						8	S.99.B	MR/C	
7679	A.181012						7	S.98.B	MR/C	
7680	Std.1231.3B						6	S.3	MR/C	
7681	B.211922/3						1	L.72	MR/C	JD.2
719	F.175758						15	S.98.B	C.	JD.2
4156	F.200285						15	S.1 or S.3	C.	JD.2
7682	B.181007						1	DTD.610	MR/C	JD.2
7683	B.181008						1	DTD.610	MR/C	JD.2
7684	A.209797						1	L.72	MR/C	
7685	A.209798						1	L.72	MR/C	
7686	F.212771						2	L.72	MR/C	
721	F.181010						15	S.98.B	C.	JD.2
7687	F.211473						8	T.4	MR/C	
	D.177649						1	—		
7688	D.177575/10						1	DTD.610	MR/C	
7689	D.177575/11						1	DTD.610	MR/C	
7690	D.177575/12						1	DTD.610	MR/C	
7691	D.177575/13						1	DTD.610	MR/C	
7692	D.177575/14						1	DTD.610	MR/C	
6843	D.177575/15						1	DTD.610	MR/C	
2380	C.177113						1	DTD.364	MR/C	JD.4
2381	C.177114						1	DTD.364	MR/C	JD.4
2382	B.177115						2	DTD.364	MR/C	JD.4
4906	F.197241						1	DTD.610	MR/C	
2383	B.177579						1	DTD.610	MR/C	JD.4
2384	B.167060						1	Stamping	MR/C	JD.4
2385	B.167061						1	Stamping	MR/C	JD.4
7693	A.177577						2	DTD.610	MR/C	
7694	A.177578						2	DTD.610	MR/C	
7695	F.178104						4	DTD.610	MR/C	
4211	Std.1687/2						1	DTD.610	C.	
—	Std.1507/24/092						4	T.26	—	
2386	D.177575/1						1	DTD.546	MR/C	JD.4
2387	D.177575/2						1	DTD.546	MR/C	

FUSELAGE-REAR PORTION

Ref. No.	Part No.	Description	No. Off					Material Specification	M.R. Class of Store	Plate No.
			1	2	3	4	5			
	D.177823	<b>Frame 55, group</b> ... ..	1							
	F.189386	<b>Angle, for jet pipe mounting, port</b> ... ..	1				DTD.610			
	F.189387	<b>Angle, for jet pipe mounting, starboard</b> ... ..	1				DTD.610			
2389	B.177788	<b>Boom, bottom, front</b> ... ..	1				DTD.364	MR/C	JD.4	
2388	B.177789	<b>Boom, bottom, rear</b> ... ..	1				DTD.364	MR/C	JD.4	
4269	A.177812	<b>Channel, inner boom</b> ... ..	1				DTD.364	MR/C	JD.4	
2390	C.177119	<b>Fitting, for rear attachment of rail plane and fin</b> ... ..	1				Stamping	MR/C	JD.4	
2391	A.177870	<b>Plate, joint</b> ... ..	2				DTD.610	MR/C	JD.4	
7696	A.177871	<b>Plate, joint</b> ... ..	4				DTD.364	MR/C		
2392	A.187418	<b>Plate, end</b> ... ..	2				DTD.610	MR/C	JD.4	
6661	F.190604	<b>Shim-washer, for jet pipe mounting attachment</b> ... ..	2				Laminated Alum.	C.		
	F.190145	<b>Spacer, at jet pipe mounting angle...</b> ... ..	2				DTD.564			
2393	D.177749/1	<b>Web, rear</b> ... ..	2				DTD.546	MR/C		
2394	D.177749/4	<b>Web, front (Supplied as Ref. 2393, D.177743/1)</b> ... ..	2				DTD.546	MR/C	JD.4	
	E.204943	<b>JET PIPE SUPPORTS, ASSEMBLY</b> ... ..	-				-			
6940	A.188249	<b>Bracket, at frame 48</b> ... ..	1				DTD.610	MR/C		
6941	A.188250	<b>Bracket, at frame 50</b> ... ..	1				DTD.610	MR/C		
	A.190913	<b>Bracket, at frame 56, group</b> ... ..	1				DTD.610			
	A.182191	<b>Bracket, at frame 51</b> ... ..	1				DTD.610			
	F.177687	<b>Bracket, at frame 52</b> ... ..	1				DTD.610			
	A.178068	<b>Bracket, at frame 54</b> ... ..	1				DTD.610			
6942	F.175708	<b>Bracket, at frames 48, 50, 51 &amp; 54</b> ... ..	4				DTD.610	C.		
	D.187408-9	<b>MOUNTING, FOR JET PIPE, ASSEMBLY</b> ... ..	-				-			
7873	B.216692	<b>Channel, mounting, port</b> ... ..	1				DTD.166	C.	JD.4	
7874	B.216693	<b>Channel, mounting, starboard</b> ... ..	1				DTD.166	C.	JD.4	
722	F.187724	<b>Nut, special</b> ... ..	4				S.1	C.	JD.4	
723	A.187721	<b>Plate, serrated</b> ... ..	2				S.95.B	C.	JD.4	
724	B.187722	<b>Slide, mounting</b> ... ..	2				Stamping	C.	JD.4	
726	F.187720	<b>Shims, packing</b> ... ..	QR				DTD.610	C.	JD.4	
1606	F.190541	<b>Stud</b> ... ..	2				S.94.B	C.	JD.4	
1607	F.190542	<b>Stud</b> ... ..	2				S.94.B	C.	JD.4	
1608	C.190691	<b>Rail, mounting</b> ... ..	1				DTD.364	C.	JD.4	
731	F.189443	<b>Strap, aft, securing rail at frame 55</b> ... ..	1				DTD.364	C.	JD.4	
732	F.189442	<b>Strap, forward, securing rail at frame 55</b> ... ..	1				DTD.364	C.	JD.4	
3813	Std.1547/22/10	<b>Washer, profile</b> ... ..	2				DTD.610	MR/C	4	
2395	B.184011	<b>Landing, aft, port, for detachable spine</b> ... ..	1				DTD.610	MR/C	JD.1	
2396	B.184012	<b>Landing, aft, starboard, for detachable spine</b> ... ..	1				DTD.610	MR/C	JD.1	
2397	A.184009	<b>Landing, forward, port, for detachable spine, group</b> ... ..	1				-	MR/C	JD.1	
28FP/341	Dzus S.5/325	<b>Spring</b> ... ..	1				-	C.		
751	Std.915/A20	<b>Washer</b> ... ..	1				DTD.610	C.	4	
2398	A.184010	<b>Landing, forward, starboard, for detachable spine, group</b> ... ..	1				-	MR/C	JD.1	
28FP/341	Dzus S.5/325	<b>Spring</b> ... ..	1				-	C.		
751	Std.915/A20	<b>Washer</b> ... ..	1				DTD.610	C.	4	
	D.177846	<b>MOUNTING, FOR TAILPLANE ACTUATOR, ASSEMBLY</b> ... ..	-				-			
26AQ/1295	Std.1553/E/50	<b>Bolt, securing pivot fitting</b> ... ..	4				S.99.B	C.		
10026	A.233319	<b>Fitting, pivot for actuator (Mod. 841)</b> ... ..	1				Stamping	C.	JD.5	

## FUSELAGE-REAR PORTION

Ref. No.	Part No.	Description	No. Off					Material Specification	M.R. Class of Store	Plate No.
			1	2	3	4	5			
	B.189589	<b>MOUNTING AND STOWAGE POINTS, FOR HYDRAULIC COUPLINGS, ASSEMBLY</b>								
8600	A.189590	Platform, mounting ... ..					1	DTD.610	C.	
6852	F.183903	Stowage, dummy ... ..					1	DTD.364	C.	
6853	F.183904	Stowage, dummy ... ..					1	DTD.364	C.	
	F.236266	Screw, special ... ..					4	—		
	F.189441	Packing, taper, at stringers D, F, H & M ... ..					8	DTD.610		
733	B.185073	Panel, access to jet pipe coupling, fuel connections thermo-couples and igniter plug					2	DTD.610	C.	JD.1
28FP/85	Dzus F.540	Fastener ... ..					2	—	C.	
735	A.184848	Panel, access to jet-pipe rear mounting ... ..					2	DTD.610	C.	JD.1
736	A.185009	Panel, access to fuel tank switch ... ..					2	DTD.610	C.	JD.1
7697	B.202806	Panel, end on frame 47 ... ..					1	S.3	MR/C	
9398	B.219229	Panel, access, for fuel tank explosion suppression equipment (Mod. 582)					2	—	B.	
	D.220464	<b>PARACHUTE, BRAKING, FIXED PARTS, ASSEMBLY</b>								
9906	F.230242	Bolt ... ..					1	S.80.B		
	F.221156	Bracket, mounting ... ..					1	L.72		
	C.220507	Diaphragm, forward, port ... ..					1	L.72		
	C.220508	Diaphragm, forward, starboard ... ..					1	L.72		
	C.220328	Diaphragm, rear, port ... ..					1	L.72		
	C.220329	Diaphragm, rear, starboard ... ..					1	L.72		
	D.220464/1	Fairing, port ... ..					1	L.72		
	D.220464/2	Fairing, starboard ... ..					1	L.72		
	D.219321	<b>MOUNTING, ATTACHMENT, FOR BRAKING PARACHUTE, ASSEMBLY</b>								
9788	F.230690	Block, cable guard ... ..					1	L.FS.21	C.	
	C.219182	Channel, port ... ..					1	L.72		
	C.219183	Channel, starboard ... ..					1	L.72		
	F.228550	Guide ... ..					1	S.96.B		
	F.228551	Guide ... ..					1	S.96.B		
	C.218352	Member, side, port ... ..					1	L.72		
	C.218353	Member, side, starboard ... ..					1	L.72		
	C.219179	Plate, mounting, top ... ..					1	—		
	C.219180	Plate, mounting, bottom ... ..					1	—		
	B.219962	Plate, reinforcing ... ..					1	M.S.P.		
	F.230236	Strip, bonding ... ..					1	S.3 or BSS.265		
9326	A.220548	Panel, access, group ... ..					2	—	B.	
28FP/861	Dzus F.S.T.12	Fastener ... ..					1	—	C.	
28FP/612	Dzus GH.5	Grommet ... ..					1	—	C.	
9364	Vickers A.5931	Release, E.M., No. 1, Mk. 1 (Modified to Vickers drawing 92574/71) (Mod. 835)					1	—	B.	JD.2
	B.188783	<b>PICKETING POINT AT FRAME 52, ASSEMBLY</b>								
8603	A.188358	Bracket, port ... ..					1	DTD.610	C.	
8604	A.188359	Bracket, starboard ... ..					1	DTD.610	C.	
2399	A.180407	Socket, slinging, group ... ..					1	DTD.364	MR/C	JD.1
737	F.159451	Plug ... ..					1	DTD.364	C.	JD.1

FUSELAGE-REAR PORTION

Ref. No.	Part No.	Description	No. Off					Material Specification	M.R. Class of Store	Plate No.
			1	2	3	4	5			
	Std.1509/2/152	Tube, distance, 1/2" o/d. x 22 S.W.G. x 1-52" long (Make from 30B/555)		2				T.4	—	
	Std.1509/2/166	Tube, distance, 1/2" o/d. x 22 S.W.G. x 1-66" long (Make from 30B/555)		2				T.4	—	
	Std.1547/28/16	Washer, packing ... ..		4				DTD.610		
	C.185991/2	Plate, doubling, bottom half, at frame 40B ... ..		1				DTD.610		
	B.204672	Plate, joint, top, frame 46 ... ..		1				L.72		
6844	F.182976	Plate, joint ... ..		12				DTD.610	MR/C	
	F.183192	Plate, joint, at frames 48, 49 and 54 ... ..		3				DTD.610		
	A.203882	Plate, joint, top, frame 50 ... ..		1				L.72		
7698	A.203883	Plate, joint, at stringer "H," frame 50 ... ..		1				L.72	MR/C	
7699	F.203885	Plate, joint, at stringers "K" & "D" for inner boom of frame 50		2				L.73	MR/C	
	A.183188	Plate, joint, top, frame 51 ... ..		1				DTD.610		
6127	A.183187	Plate, joint, at stringer "H," frame 51 ... ..		2				DTD.610	MR/C	
6846	F.190294	Plate, joint, at stringer "H," frame 54 ... ..		2				DTD.610	MR/C	
6112	F.189187	Plate, joint, for attachment of stringer "M," to frame 55		2				—	MR/C	
6114	F.189335	Plate, nut, attachment of stringer "M" to frame 55		2				—	MR/C	
	C.188585	<b>PLATFORM, MOUNTING, FOR SELECTOR VALVE, ASSEMBLY</b>		—				—		
2400	B.188584	Platform, mounting, group ... ..		1				—	MR/C	JD.2
	B.188584/1	Platform ... ..		1				DTD.610		
1920	Std.1341/8	Stud, special... ..		2				—	C.	4
7700	Std.1341/14	Stud, special ... ..		1				—	MR/C	
	B.190993	<b>SKID, TAIL, ASSEMBLY</b> ... ..		—				—		
6116	B.190993/1	Plug, wood ... ..		2				ASH.	C.	JD.3
6088	B.207372	Skid, tail ... ..		1				L.53	C.	JD.3
	D.202162	<b>SKIN, AND STRUCTURE SUPPORTING TANK, ASSEMBLY</b>		—				—		
	A.202184	Cover, for fuel contents gauge, port ... ..		1				L.72		
	A.202185	Cover, for fuel contents gauge, starboard ... ..		1				L.72		
	A.214266	Plate, reinforcing, at float switch, frame 45 ... ..		1				L.72		
	A.214267	Plate, reinforcing, at float switch, frame 45 ... ..		1				L.72		
8472	A.214181	Plate, cover, for float switch, port ... ..		1				L.72	C.	
8473	A.214182	Plate, cover, for float switch, starboard ... ..		1				L.72	C.	
	B.214183	Plate, reinforcing, at float switch ... ..		1				L.72		
6198	C.211697	Spine, detachable, group (with trimming allowance)		1				—	B.	JD.1
7701	C.211697/1	Skin ... ..		1				DTD.610	MR/B	JD.1
	B.183742	Stiffener, front, group ... ..		1				DTD.610		
28FP/341	Dzus S.5/325	Spring ... ..		2				—	C.	
	D 204652	<b>STRUCTURE BELOW TAIL PLANE, ASSEMBLY</b>		—				—		
7702	F.186462	Angle, port ... ..		1				DTD.610	MR/C	
7703	F.186463	Angle, starboard ... ..		1				DTD.610	MR/C	
7704	A.209654	Bracket, bearing, port ... ..		1				L.72	MR/C	JD.5
7705	A.209655	Bracket, bearing, starboard ... ..		1				L.72	MR/C	JD.5
	A.186440	Bracket ... ..		1				DTD.610		
745	B.188224	Bracket, forward for elevator booster unit ... ..		1				Stamping	C.	JD.2
744	B.188226	Bracket, rear, for elevator booster unit ... ..		1				Stamping	C.	JD.3
4727	A.198686	Bracket, mounting, for terminal block, No. 43 ... ..		1				DTD.610	MR/C	

## FUSELAGE-REAR PORTION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
7706	F.186244	Cleat	1	DTD.610	MR/C	
10538	F.245091	Flap, selector valve operating, group (Mod. 895)	1	—	—	
10539	F.236518	Spring	1	—	—	
	C.209708	Former, at frame 53	1	L.72		
	C.188582	Former, at frame 54	1	DTD.610		
4867	F.199663	Guide, for flexible pipes	1	LFS.21	MR/C	
2414	B.186518	Landing, for access panel to selector valve and elevator power assisted control	1	DTD.610	MR/C	JD.2
2413	B.189167	Landing, port, for access panel to tail plane actuator	1	DTD.610	MR/C	JD.1
2412	C.188288	Landing, starboard, for access panel to tail plane actuator	1	DTD.610	MR/C	JD.3
2415	F.188747	Landing, for access panel to elevator booster unit attachments	2	DTD.610	MR/C	JD.3
	F.214231	Landing, for access panel to elevator spring feel linkage	1	L.72		
	Std.1231-7B	Lug, locking	3	S.3		
7707	F.188555	Packing, taper	1	DTD.610	MR/C	
	D.186503/3	Packing, port side of skin, forward of frame 55	1	DTD.610		
	D.186503/4	Packing, port and starboard	2	DTD.610		
	D.186503/5	Packing, port side of skin, forward of frame 52	1	DTD.610		
748	B.186517	Panel, access, to selector valve and elevator power assisted control	1	DTD.610	C.	JD.1
1580	F.188746	Panel, access, to elevator booster unit attachments	2	DTD.610	C.	JD.3
747	A.189166	Panel, port, access to tail plane actuator	1	DTD.610	C.	JD.1
5272	C.207286	Panel, starboard, access to tail plane actuator, group	1	—	C.	JD.3
5273	C.207286/2	Panel, lower sub-assembly (including locking lug)	1	L.72	C.	JD.3
	C.207286/4	Panel, upper sub-assembly (including landing)	1	—		
717	F.183737	Panel, access to elevator spring feel linkage	1	DTD.610	C.	JD.1
	F.186388	Plate, reinforcing	2	DTD.610		
	B.186387	Rib, below tail-plane, between frames 52 and 55	1	DTD.610		
	B.202352	Rib, between frames 51 and 52	1	L.72		
	B.204654	Rib, above tail-plane, between frames 51 and 52	1	L.72		
4211	Std.1687/2	Saddle, for clipping of electrical cables	4	DTD.610	C.	5
1581	F.189937	Shim, for elevator booster brackets	AR	Laminated Alum.	C.	JD.3
1852	D.186503/1	Skin, port	1	DTD.610	B.	JD.1
1853	D.186503/2	Skin, starboard	1	DTD.610	B.	JD.3
	A.189165	Stiffener	1	DTD.610		
	D.186503/6	Strap, starboard	1	DTD.610		
	Std.1507/2/026	Tube, distance, 1" o/d. x 22 S.W.G. x .26" long (Make from 30A/965)	4	T.26	—	
	Std.1507/24/016	Tube, distance, 3/4" o/d. x 17 S.W.G. x .16" long (Make from 30A/1469)	4	T.26	—	
3817	Std.1548/30/12	Washer, profile	4	DTD.610	MR/C	4
280	Std.1548/40/12	Washer, profile	4	DTD.610	C.	4
	Std.1549/36/12	Washer, profile	2	DTD.610		
	C.224023	<b>STRUCTURE, REAR, BELOW TAIL-PLANE, ASSEMBLY</b>	—	—		
	F.190522	Angle, piece	2	DTD.610		
	F.190523	Angle, piece	1	DTD.610		
	A.186446	Bracket, attachment	1	DTD.610		
2410	F.190513	Edge, trailing, aft portion	1	DTD.364	MR/C	JD.1
2409	F.192763	Edge, trailing, top portion	1	LFS.21	MR/C	JD.1
	B.211427	Former, aft	1	L.72		
	B.224021	Former, centre	1	—		



## FUSELAGE-REAR PORTION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
5909	A.203906	Fitting, jack attachment, forward of frame 50 ...	2	Stamping	MR/C	JD.5
7735	D.202199	Frame 41, bottom portion, complete ...	1	—	MR/B	JD.5
7736	D.181021	Frame 42, bottom portion, complete ...	1	—	MR/B	JD.5
7737	D.181024	Frame 43, bottom portion, complete ...	1	—	MR/B	JD.5
7738	D.181027	Frame 44, bottom portion, complete ...	1	—	MR/B	JD.5
7739	D.181030	Frame 45, bottom diaphragm, complete ...	1	—	MR/B	JD.5
7740	D.204666	Frame 46, bottom portion, complete ...	1	—	MR/B	JD.5
7741	C.204667	Frame 47, bottom portion, complete ...	1	—	MR/B	JD.5
7742	C.205132	Frame 48, port half-bottom, complete ...	1	—	MR/B	JD.5
7743	C.205133	Frame 48, starboard half-bottom, complete ...	1	—	MR/B	JD.5
7744	C.204670	Frame 49, port half-bottom, complete ...	1	—	MR/B	JD.5
7745	C.204671	Frame 49, starboard half-bottom, complete ...	1	—	MR/B	JD.5
7746	D.204873	Frame 50, bottom portion, complete ...	1	—	MR/B	JD.5
7747	D.181048	Frame 51, bottom portion, complete ...	1	—	MR/B	JD.5
7748	D.181051	Frame 53, bottom portion, complete ...	1	—	MR/B	JD.5
7749	D.181054	Frame 54, bottom portion, complete ...	1	—	MR/B	JD.5
7750	C.203856	Member, bridge, on frames 48 and 49, group ...	2	L.72	MR/C	JD.5
8773	D.219450	Member, side, air brake jack attachment beam port, between frames 47 and 50, group	1	—	MR/B	JD.5
8774	D.219451	Member, side, air brake jack attachment beam, starboard, between frames 47 and 50, group	1	—	MR/B	JD.5
7753	F.183785	Packing, taper ...	4	DTD.610	MR/C	
7754	F.204481	Packing, for angle, on frame 47 ...	2	L.72	MR/C	
7756	E.204792/2	Packing ...	1	L.72	MR/C	
4945	B.204064	Panel, access to jack attachment fitting, port ...	1	L.72	C.	JD.5
4946	B.204065	Panel, access to jack attachment fitting, starboard ...	1	L.72	C.	JD.5
4948	F.204262	Pin, for micro-switch striker ...	1	—	C.	
7758	C.185646/3	Plate, doubling, at frame 52 ...	1	DTD.610	MR/C	JD.5
7755	B.203874	Plate, reinforcing ...	1	L.72	MR/C	JD.3
7757	B.203875	Plate, reinforcing, frame 50 to 51 ...	1	L.72	MR/C	JD.5
7759	C.203911	Plate, end, on frame 47 ...	1	L.72	MR/C	JD.5
7760	B.203962	Plate, reinforcing, port ...	1	L.72	MR/C	
7761	B.203963	Plate, reinforcing, starboard ...	1	L.72	MR/C	
7762	A.204072	Plate, reinforcing, port ...	1	L.72	MR/C	
7763	A.204073	Plate, reinforcing, starboard ...	1	L.72	MR/C	
7764	B.205569	Plate, protecting, for airbrake jack hose ...	1	L.72	MR/C	JD.5
	F.216575	Plate, sealing, on frame 45 ...	3	L.72		
	F.216576	Plate, sealing, on frame 45 ...	4	L.72		
	C.191817	<b>PLUG, TELEBRIEFING, ASSEMBLY</b> ...	—	—		
7765	F.191977	Angle ...	1	DTD.710	MR/C	JD.3
1611	Std.323.20N	Bolt, shoulder ...	2	S.2	C.	JD.3
7766	F.191826	Bracket, stop ...	2	DTD.364	MR/C	JD.3
7767	F.191827	Bracket, anchorage, on frame 53 ...	2	DTD.610	MR/C	
7768	F.191830	Bracket, hinge ...	1	DTD.610	MR/C	JD.3
7769	F.191831	Bracket, hinge ...	1	DTD.610	MR/C	JD.3
1609	A.191823	Cover ...	1	DTD.213	C.	JD.3
1610	B.191822	Door, access ...	1	DTD.610	C.	JD.3
7770	B.191819	Landing, for door access ...	1	DTD.610	MR/C	JD.3
7771	B.191820	Member, side ...	1	DTD.610	MR/C	JD.3
7772	B.191821	Member, side ...	1	DTD.610	MR/C	JD.3
1612	C.191817/1	Strip, rubber, $\frac{1}{16}$ " thick, .38" wide ...	1	DTD.560	C.	JD.3
1613	C.191817/2	Strip, rubber, $\frac{1}{16}$ " thick, .38" wide ...	1	DTD.560	C.	JD.3

FUSELAGE-REAR PORTION

Ref. No.	Part No.	Description	1 2 3 4 5					No. Off	Material Specification	M.R. Class of Store	Plate No.
			1	2	3	4	5				
1854	E.202159/1A	Skin						L.72	B.	JD.1	
7774	B.203905	Skin, top, for jack attachment beam						L.72	MR/B	JD.5	
4947	F.204263	Spring, for micro-switch striker pin						Sp. Stl.	C.		
5910	F.205570	Stop, at jack attachment, port, forward of frame 50						L.72	MR/C	JD.5	
6120	C.186467	Strap, joint, aft of frame 55						DTD.610	MR/C	JD.2	
7775	D.183532	Stringer "L," port, between frames 44 and 52						DTD.364	MR/C	JD.5	
7776	D.183533	Stringer "L," starboard, between frames 44 and 52						DTD.364	MR/C	JD.5	
7777	C.183543	Stringer "J," "K" and "L," port, aft of frame 52						DTD.364	MR/C	JD.5	
7778	C.183544	Stringer "J," "K" and "L," starboard, and "M" aft of frame 52						DTD.364	MR/C	JD.5	
7779	D.183632	Stringer "J," port, between frames 40B and 45						DTD.364	MR/C	JD.5	
7780	D.183633	Stringer "J," starboard, between frames 40B and 45						DTD.364	MR/C	JD.5	
7781	D.183634	Stringer, port, forward of frame 43						DTD.364	MR/C	JD.5	
7782	D.183635	Stringer, starboard, forward of frame 43						DTD.364	MR/C	JD.5	
4203	D.183636	Stringer "K," port, between frames 40B and 45						DTD.364	MR/C	JD.5	
7783	D.183637	Stringer "K," starboard, between frames 40B and 45						DTD.364	MR/C	JD.5	
7784	D.183638	Stringer, port, forward of frame 43						DTD.364	MR/C	JD.5	
7785	D.183639	Stringer, starboard, forward of frame 43						DTD.364	MR/C	JD.5	
7786	D.183640	Stringer "L," port, between frames 40B and 45						DTD.364	MR/C	JD.5	
7787	D.183641	Stringer "L," starboard, between frames 40B and 45						DTD.364	MR/C	JD.5	
7788	D.183642	Stringer, port, forward of frame 43						DTD.364	MR/C	JD.5	
	D.183643	Stringer, starboard, forward of frame 43						DTD.364	MR/C	JD.5	
7790	D.202506	Stringers "J" and "K," port, between frames 44 and 52						DTD.364	MR/C	JD.5	
7791	D.202507	Stringers "J" and "K," starboard, between frames 44 and 52						DTD.364	MR/C	JD.5	
7792	B.203876	Stringer, port, between frames 46 and 47						DTD.364	MR/C	JD.5	
7793	B.203877	Stringer, starboard, between frames 46 and 47						DTD.364	MR/C	JD.5	
7794	B.203878	Stringer, port, between frames 50 and 51						DTD.364	MR/C	JD.5	
7795	B.203879	Stringer, starboard, between frames 50 and 51						DTD.364	MR/C	JD.5	
7796	B.203880	Stringer "M," between frames 50 and 52						DTD.364	MR/C	JD.5	
7797	B.204818	Stringer "M," between frames 40B and 47						DTD.364	MR/C	JD.5	
6949	F.204224	Tube, support, for micro-switch striker						T.26 & S.3	MR/C		
	D.224027	Structure, rear extension, group						—	MR/A	JD.1	
6125	F.190667	Angle, for catch-pin bracket						DTD.610	MR/C		
6111	A.190584	Bracket, for lower lever and catch-pin, port and starboard						DTD.610	MR/C	JD.2	
6115	A.190585	Bracket, for lower lever and catch-pin, port and starboard						DTD.610	MR/C	JD.2	
1614	F.190589	Bracket, locating spigot on tail cone						DTD.364	C.	JD.3	
	A.214424	Bracket, mounting resistor, between frames 56 and 57, starboard						L.72			
8513	F.216608	Drain extension						L.65	C.		
4907	King D.5067	Fitting, attachment						—	MR/C	JD.3	
	D.190473	Frame 56, side portion, port						DTD.610			
	D.190474	Frame 56, side portion, starboard						DTD.610			
6122	D.190475	Frame 56, bottom portion						DTD.610	B.	JD.4	
	D.224024	Frame 57, side portion, port						L.72			
	D.224025	Frame 57, side portion, starboard						L.72			
	D.224026	Frame 57, bottom portion						L.72	B.	JD.4	

## FUSELAGE-REAR PORTION

Ref. No.	Part No.	Description	No. Off					Material Specification	M.R. Class of Score	Plate No.
			1	2	3	4	5			
	B.190529	Landing, top, locating tail cone ... ..						DTD.610		
	B.190530	Landing, side, locating tail cone, port ... ..						DTD.610		
	B.190531	Landing, side, locating tail cone, starboard ... ..						DTD.610		
6119	B.190532	Landing, bottom, locating tail cone ... ..						DTD.610	C.	JD.1
6109	King C.3103/H	Lever, and catch-pin ... ..						—	C.	JD.3
	F.190590	Plate, top joint on frame 56 ... ..						DTD.610		
6117	F.190591	Plate, joint, port and starboard, frame 56 ... ..						DTD.610	MR/C	
6113	F.190592	Plate, joint, port and starboard, frame 57 ... ..						DTD.610	MR/C	
	F.219856	Plate, top joint, frame 57 ... ..						—		
4211	Std.1687/2	Saddle, on stringer "G," starboard ... ..						DTD.610	C.	5
1025	King D.3060/2	Screw, locking ... ..						—	C.	JD.3
	D.224027/1	Skin, side, port ... ..						L.72		
	D.224027/2	Skin, side, starboard ... ..						L.72		
	D.224027/3	Skin, bottom ... ..						L.72		JD.1
6118	B.190669	Strap, joint, port and starboard ... ..						DTD.610	MR/C	JD.2
6124	A.190586	Stringer, forward of frame 56 ... ..						DTD.610	MR/C	JD.2
6110	A.190588	Stringer, between frames 56 and 57 ... ..						DTD.610	C.	JD.2
4555	Std.915/A22	Washer ... ..						DTD.610	C.	4
	D.202157	Structure, side portion, port, group ... ..						—		
	D.202158	Structure, side portion, starboard, group ... ..						—		
	A.188174	Beam, for slinging socket, group ... ..						—		
	B.188104	Beam, group ... ..						—		
2401	A.188105	Socket, slinging ... ..						DTD.364	MR/C	JD.2
113	F.180423	Plug, screwed ... ..						DTD.364	C.	JD.2
5931	B.204353	Bracket, for control valve, port side only ... ..						DTD.610	MR/C	JD.2
	C.184956	Landing, for access panel to jet pipe coupling, fuel connections, thermo-couple and igniter plug ... ..						DTD.610		
28FP/619	Dzus S.F.L.A.5/225	Fastener, housing type ... ..						—	C.	
3771	Std.1231/6	Lug ... ..						S.3	MR/C	4
2402	C.185010	Plate, reinforcing, for access panel to fuel tank switch, port ... ..						DTD.610	MR/C	JD.2
2403	C.185011	Plate, reinforcing, for access panel to fuel tank switch, starboard ... ..						DTD.610	MR/C	JD.2
2404	B.184847	Plate, reinforcing, for access panel to jet pipe rear mounting ... ..						DTD.610	MR/C	JD.2
4211	Std.1687/2	Saddle ... ..						DTD.610	C.	5
1855	D.202157/1A	Skin, port ... ..						L.72	B.	JD.1
1856	D.202158/1A	Skin, starboard ... ..						L.72	B.	JD.3
	B.191149	<b>VENTILATOR, BETWEEN FRAMES 46 AND 47, ASSEMBLY</b> ... ..						—		
2405	A.191151	Louvre ... ..						L.59	MR/C	JD.1
	A.191150	Plate, reinforcing ... ..						DTD.610		
	Std.1507/3/094	Tube, distance, for attachment of stringers at frame 40B ... ..						T.26		

FUSELAGE—REAR PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
<b>SUMMARY OF STOCK ITEMS</b>										
28D/1010658	A25.1B	Bolt,	4	B.A.	...	...	...	...	...	...
28D/1011006	A25.5B	Bolt,	4	B.A.	...	...	...	...	...	...
28D/1009984	A25.7B	Bolt,	4	B.A.	...	...	...	...	...	...
28D/9436920	A25.1C	Bolt,	2	B.A.	...	...	...	...	...	...
28D/9133011	A25.2C	Bolt,	2	B.A.	...	...	...	...	...	...
28D/9133012	A25.3C	Bolt,	2	B.A.	...	...	...	...	...	...
28D/1200119	A25.4C	Bolt,	2	B.A.	...	...	...	...	...	...
28D/12533	A25.5C	Bolt,	2	B.A.	...	...	...	...	...	...
28D/7002428	A25.6C	Bolt,	2	B.A.	...	...	...	...	...	...
28D/9140645	A25.10C	Bolt,	2	B.A.	...	...	...	...	...	...
28D/9435719	A25.11C	Bolt,	2	B.A.	...	...	...	...	...	...
28D/9419397	A25.12C	Bolt,	2	B.A.	...	...	...	...	...	...
28D/9140647	A25.14C	Bolt,	2	B.A.	...	...	...	...	...	...
28D/9453970	A25.15C	Bolt,	2	B.A.	...	...	...	...	...	...
28D/1011022	A25.18C	Bolt,	2	B.A.	...	...	...	...	...	...
28D/12985	A25.25C	Bolt,	2	B.A.	...	...	...	...	...	...
28D/12812	A25.12E	Bolt,	1	" B.S.F.	...	...	...	...	...	...
28D/12547	A25.15E	Bolt,	1	" B.S.F.	...	...	...	...	...	...
28D/1011248	A25.16E	Bolt,	1	" B.S.F.	...	...	...	...	...	...
28D/13046	A25.19E	Bolt,	1	" B.S.F.	...	...	...	...	...	...
28D/14522	A25.23E	Bolt,	1	" B.S.F.	...	...	...	...	...	...
28D/12775	A25.17G	Bolt,	1/16	" B.S.F.	...	...	...	...	...	...
28D/11100	AGS.571.405	Bolt,	1	" B.S.F.	...	...	...	...	...	...
28D/9757	AGS.571.406	Bolt,	1	" B.S.F.	...	...	...	...	...	...
28D/1007975	AS.1242.1C	Bolt,	2	B.A.	...	...	...	...	...	...
28D/8307	AS.1242.2C	Bolt,	2	B.A.	...	...	...	...	...	...
28D/8308	AS.1242.3C	Bolt,	2	B.A.	...	...	...	...	...	...
28D/1007976	AS.1242.4C	Bolt,	2	B.A.	...	...	...	...	...	...
28D/1007982	AS.1248.1C	Bolt,	2	B.A.	...	...	...	...	...	...
28D/1013284	AS.1248.2C	Bolt,	2	B.A.	...	...	...	...	...	...
28D/11808	A.30.4E	Bolt,	1	" B.S.F.	...	...	...	...	...	...
28D/11507	A.30.5E	Bolt,	1	" B.S.F.	...	...	...	...	...	...
28E/10045	AS.2294.8	Clip,		spring	...	...	...	...	...	...
5K/2870	SP.40.A16	Grommet			...	...	...	...	...	...
28N/9156370	SP.21	Nipple			...	...	...	...	...	...
28M/12619	A24.BT	Nut,	4	B.A.	...	...	...	...	...	...
28M/13274	A24.PP	Nut,	3/16	" B.S.F.	...	...	...	...	...	...
28M/9403520	A27.CP	Nut,	7	B.A.	...	...	...	...	...	...
28M/12928	A27.EP	Nut,	1/4	" B.S.F.	...	...	...	...	...	...
28M/12931	A27.ET	Nut,	1/4	" B.S.F.	...	...	...	...	...	...
28M/14555	A58.NS	Nut,	1/2	" B.S.F.	...	...	...	...	...	...
28M/13403	AGS.572.AP	Nut,	1/4	" B.S.F.	...	...	...	...	...	...
28M/10286	AGS.2001.A1	Nut,	6	B.A.	...	...	...	...	...	...
28M/10287	AGS.2001.B1	Nut,	4	B.A.	...	...	...	...	...	...
28M/13307	AGS.2018.B1	Nut,	4	B.A.	...	...	...	...	...	...

FUSELAGE-REAR PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
28M/13774	AGS.2019.B1	Nut, 4 B.A.	...	...	...	...	...	---	---	
28M/10288	AGS.2001.C1	Nut, 2 B.A.	...	...	...	...	...	---	---	
28M/10328	AGS.002.C1	Nut, 2 B.A.	...	...	...	...	...	---	---	
28M/11957	AGS.2007.C1	Nut, 2 B.A.	...	...	...	...	...	---	---	
28M/9435067	AGS.2008.C1	Nut, 2 B.A.	...	...	...	...	...	---	---	
28M/9993192	AGS.2009.C1	Nut, 2 B.A.	...	...	...	...	...	---	---	
28M/9418918	AGS.2012.C1	Nut, 2 B.A.	...	...	...	...	...	---	---	
28M/12421	AGS.2018.C1	Nut, 2 B.A.	...	...	...	...	...	---	---	
28M/9144673	AGS.2019.C1	Nut, 2 B.A.	...	...	...	...	...	---	---	
28M/13481	AGS.2020.C1	Nut, 2 B.A.	...	...	...	...	...	---	---	
28P/934	SP.4Y.H12	Pin, shackle	...	...	...	...	...	---	---	
28P/841	SP.4Y.B15	Pin, shackle	...	...	...	...	...	---	---	
28P/19225	SP.90.C3	Pin, split	...	...	...	...	...	---	---	
28P/5412	AGS.1551.2	Pin, split	...	...	...	...	...	---	---	
28S/14005	A32.B14	Screw, 4 B.A.	...	...	...	...	...	---	---	
28S/13742	A32.C14	Screw, 2 B.A.	...	...	...	...	...	---	---	
28S/1006948	A32.A12	Screw, 6 B.A.	...	...	...	...	...	---	---	
28S/9145235	A37.C16	Screw, 2 B.A.	...	...	...	...	...	---	---	
28S/6611	A37.C20	Screw, 2 B.A.	...	...	...	...	...	---	---	
28W/9419475	SP.15C	Washer, 2 B.A....	...	...	...	...	...	---	---	
28W/9419404	SP.16C	Washer, 2 B.A....	...	...	...	...	...	---	---	
28W/9416642	SP.47B	Washer, 4 B.A....	...	...	...	...	...	---	---	
28W/9419491	SP.16N	Washer, 1/2" B.S.F.	...	...	...	...	...	---	---	
28W/9419476	SP.15G	Washer, 5/16" B.S.F.	...	...	...	...	...	---	---	

FUSELAGE—AIR BRAKE

Ref. No.	Part No.	Description	No. Off					Material Specification	M.R. Class of Score	Plate No.
			1	2	3	4	5			
		<b>AIR BRAKE, ASSEMBLY</b> ... ..								
6212	D.207295	<b>Air Brake, group</b> ... ..	1					A.	JD.6	
	E.207296	<b>Anchorage, for jack, group</b> ... ..	1				Stamping		JD.6	
4939	B.204309	<b>Bush</b> ... ..	2				S.96.B	C.	JD.6	
5970	F.204324	<b>Angle, cleat, attaching former No. 1, outer portion, port</b>	1				DTD.364	MR/C		
5971	F.204387	<b>Angle, cleat, attaching former No. 1, outer portion, starboard</b>	1				DTD.364	MR/C		
5972	F.204390	<b>Angle, cleat, attaching former No. 1, centre portion, port</b>	1				DTD.364	MR/C		
5973	F.204391	<b>Angle, cleat, attaching former No. 1, centre portion, starboard</b>	1				DTD.364	MR/C		
5974	F.204401	<b>Angle, cleat, attaching former No. 2, outer portion, port</b>	1				DTD.364	MR/C		
5975	F.204402	<b>Angle, cleat, attaching former No. 2, outer portion, starboard</b>	1				DTD.364	MR/C		
4940	Std.1553/G/140	<b>Bolt, securing jack anchorage</b> ... ..	1				S.99.B	C	5	
4941	Std.1553/G/180	<b>Bolt, securing jack anchorage</b> ... ..	3				S.99.B	C.	5	
5976	B.204357	<b>Channel, centre, front</b> ... ..	1				L.72	MR/C	JD.6	
5977	B.204358	<b>Channel, centre, rear</b> ... ..	1				L.72	MR/C	JD.6	
5978	B.204482	<b>Fitting, hinge, port, group</b> ... ..	1				Stamping	MR/C	JD.6	
4943	F.204036	<b>Bush</b> ... ..	2				BSS.369	C.	JD.6	
5979	B.204483	<b>Fitting, hinge, starboard, group</b> ... ..	1				Stamping	MR/C	JD.6	
4944	F.205200	<b>Bush</b> ... ..	2				BSS.369	C.	JD.6	
5980	D.204359	<b>Former, No. 1, centre portion</b> ... ..	1				L.72	MR/C	JD.6	
5981	D.204360	<b>Former, No. 1, outer portion</b> ... ..	1				L.72	MR/C	JD.6	
5982	D.204361	<b>Former, No. 1, outer portion, starboard...</b> ... ..	1				L.72	MR/C	JD.6	
5983	C.204369	<b>Former, No. 1A, centre portion, port</b> ... ..	1				L.72	MR/C	JD.6	
5984	C.204370	<b>Former, No. 1A, centre portion, starboard</b> ... ..	1				L.72	MR/C	JD.6	
5985	D.204362	<b>Former, No. 2, centre portion</b> ... ..	1				L.72	MR/C	JD.6	
5986	D.204363	<b>Former, No. 2, outer portion, port</b> ... ..	1				L.72	MR/C	JD.6	
5987	D.204364	<b>Former, No. 2, outer portion, starboard...</b> ... ..	1				L.72	MR/C	JD.6	
7798	D.207310	<b>Member, leading edge, port</b> ... ..	1				L.72	MR/B	JD.6	
7799	D.207311	<b>Member, leading edge, starboard</b> ... ..	1				L.72	MR/B	JD.6	
7800	B.207297	<b>Rib, nose, centre</b> ... ..	1				L.72	MR/B	JD.6	
7801	B.207305	<b>Rib, nose, outer, port</b> ... ..	1				L.72	MR/B	JD.6	
7802	B.207306	<b>Rib, nose, outer, starboard</b> ... ..	1				L.72	MR/B	JD.6	
7803	C.207298	<b>Rib, hinge, inner, port</b> ... ..	1				L.72	MR/B	JD.6	
7804	C.207299	<b>Rib, hinge, inner, starboard</b> ... ..	1				L.72	MR/B	JD.6	
7805	D.207300	<b>Rib, hinge, outer, port</b> ... ..	1				L.72	MR/B	JD.6	
7806	D.207301	<b>Rib, hinge, outer, starboard</b> ... ..	1				L.72	MR/B	JD.6	
5996	D.204379	<b>Skin, outer</b> ... ..	1				L.72	MR/B	JD.6	
5995	D.204378	<b>Skin, inner</b> ... ..	1				L.72	MR/B	JD.6	
7807	D.207307	<b>Skin, nose, outer, port</b> ... ..	1				L.72	MR/B	JD.6	
7808	D.207308	<b>Skin, nose, outer, starboard</b> ... ..	1				L.72	MR/B	JD.6	
7809	D.207302	<b>Skin, nose, inner, port</b> ... ..	1				L.72	MR/B	JD.6	
7810	D.207303	<b>Skin, nose, inner, starboard</b> ... ..	1				L.72	MR/B	JD.6	
5826	A.205985	<b>Spring, operating micro switch</b> ... ..	1				DTD.187	C.	JD.6	
6001	C.204380	<b>Strap, butt, between main and nose skins, port...</b>	1				L.72	MR/C	JD.6	
6002	C.204381	<b>Strap, butt, between main and nose skins, starboard</b>	1				L.72	MR/C	JD.6	
4933	F.204144	<b>Bolt, securing jack to flap</b> ... ..	1				S.99.B	C.	JD.6	
4934	Std.1551/5/135	<b>Bolt, securing flap to forward hinge fittings</b> ... ..	2				S.99.B	C.	5	
4935	Std.1551/8/475	<b>Bolt, securing jack to fuselage, forward of frame 50</b> ... ..	1				S.99.B	C.	5	
	Std.1996/8	<b>Chain, rigid link</b> ... ..	1				Comm'l Brass			
4936	A.204797	<b>Clip, at jack, for check chain attachment</b> ... ..	1				S.3	C.	JD.6	
27Q/1888	Dowty 08674Y.A03	<b>Jack, hydraulic</b> ... ..	1				—	A.		
4937	Std.1921/QS	<b>Nut, for jack attachment bolts</b> ... ..	2				S.94.B	C.	5	

FUSELAGE—AIR BRAKE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
<b>SUMMARY OF STOCK ITEMS</b>						
28D/9133011	A25.2C	Bolt, 2 B.A.	...	---	---	
28D/9133012	A25.3C	Bolt, 2 B.A.	...	---	---	
28D/1200119	A25.4C	Bolt, 2 B.A.	...	---	---	
28D/7002428	A25.6C	Bolt, 2 B.A.	...	---	---	
28D/1011246	A25.11E	Bolt, 1/4" B.S.F.	...	---	---	
28D/12812	A25.12E	Bolt, 1/4" B.S.F.	...	---	---	
28D/15068	A57.2E	Bolt, 1/4" B.S.F.	...	---	---	
28M/9403520	A27.CP	Nut, 2 B.A.	...	---	---	
28M/9403519	A27.EP	Nut, 1/4" B.S.F.	...	---	---	
28M/1006939	A27.GP	Nut, 7/16" B.S.F.	...	---	---	
28M/15199	A58.LS	Nut	...	---	---	
28P/811	SP.4.Y.A1	Pin	...	---	---	
28P/19225	SP.90.C3	Pin, split	...	---	---	
28P/19234	SP.90.EB	Pin, split	...	---	---	
28P/19157	SP.90.G10	Pin, split	...	---	---	
28W/9419474	SP.15.B	Washer, 4 B.A.	...	---	---	
28W/9419475	SP.15.C	Washer, 2 B.A.	...	---	---	
28W/9419405	SP.15.E	Washer, 1/4" dia.	...	---	---	
28W/9419476	SP.15.G	Washer, 5/16" dia.	...	---	---	
28W/9419490	SP.16.L	Washer, 7/16" dia.	...	---	---	
28W/9419493	SP.16.Q	Washer, 5/8" dia.	...	---	---	

FUSELAGE-TAIL CONE

Ref. No.	Part No.	Description	No. Off					Material Specification	M.R. Class of Store	Plate No.
			1	2	3	4	5			
		<b>TAIL CONE, GROUP</b> ... ..							JD.7	
10002	E.224471	<b>Cable, towing, group (Supplied with Parachute Pack)</b>								
15D/	B.246487	<b>Cable</b> ... ..								
15D/590	A.222111	<b>Pin, shear</b> ... ..								
15D/632	F.234352	<b>SHACKLE, ASSEMBLY</b> ... ..								
15D/721	F.246486	<b>Bolt</b> ... ..								
15D/722	Std.1551/1/65	<b>Fork</b> ... ..					S.98.B			
15D/723	F.237558	<b>Nut</b> ... ..						C.		
4488	Std.1718/1	<b>Shackle</b> ... ..					S.98.B			
15D/	F.228548	<b>Shackle</b> ... ..								
15D/591	F.222207	<b>Drain extension</b> ... ..					L.65	C.	JD.1	
8513	F.216608	<b>Electrical Installation (See Section EC)</b> (Appropriate parts to be fitted when Tail Cone is supplied as spare) (AS.840/20)								
937	K.A.C.C.3102	<b>Housing, fastener</b> ... ..						C.	JA.2	
	E.222063	<b>MECHANISM, RELEASE, FOR PARACHUTE DOORS, ASSEMBLY</b>								
9304	Std.1639/18EX ✓	<b>Bolt, attaching link to starboard door</b> ... ..					S.95.C	C.	JD.7	
9305	B.223075 ✓	<b>Cable, door release</b> ... ..						C.	JD.7	
9306	A.220003 ✓	<b>Lever, operating, port door</b> ... ..						C.	JD.7	
9307	A.220330 ✓	<b>Lever, operating, starboard door</b> ... ..						C.	JD.7	
9308	F.222994 ✓	<b>Link, connecting</b> ... ..						C.	JD.7	
9309	A.220002 ✓	<b>Link, operating, port and starboard</b> ... ..						C.	JD.7	
9310	B.222895 ✓ F.236016	<b>Lock, for door</b> ... ..						B.	JD.7	
		<b>Plate, packing, between housing plunger and attachment bracket (Mod. 2419)</b>								
9311	F.223076 ✓	<b>Plate, serrated, at lock attachment</b> ... ..					S.95.B	C.	JD.7	
	F.221345	<b>Plug, for spring box, port</b> ... ..					L.65.C			
9312	F.220615	<b>Shim, laminated, at lock attachment</b> ... ..					Shim Alum.	C.		
9313	F.219838	<b>Spring</b> ... ..					Spr. Stl.	C.	JD.7	
	F.220315	<b>Tube, distance</b> ... ..					T.26	MR		
	F.220319	<b>Tube, distance, at attachment of link to door</b> ... ..					T.26	MR		
	F.220320	<b>Tube, distance, at lever attachment</b> ... ..					T.26	MR		
	F.220321	<b>Tube, distance, at lever attachment</b> ... ..					T.26	MR		
	F.222023	<b>Tube, distance, at attachment of spring box, starboard</b>					BSS.369	MR		
	A.220009 ✓	<b>Tube, outer, for spring box, port</b> ... ..						MR		
	A.220111 ✓	<b>Tube, outer, for spring box, starboard</b> ... ..						MR		
10949	A.220010 ✓	<b>Tube, inner, for spring box</b> ... ..						MR		
	B.221759 ✓	<b>Unit, spring release, group</b> ... ..						MR		
	B.221760 ✓	<b>Bracket, mounting</b> ... ..								
9314	A.221762 ✓	<b>Lever</b> ... ..						C.	JD.7	
9515	A.221857 ✓	<b>Lever, group</b> ... ..						B.	JD.7	
2A/9500409	BRA. 3/8"	<b>Bearing</b> ... ..						B.		
9316	F.221967 ✓	<b>Shim, laminated, 1/2" thick</b> ... ..					Alum.	C.	JD.7	
5CW/6694	Rotax D.5320 ✓	<b>Solenoid</b> ... ..						A.		
	F.221763 ✓	<b>Tube, distance</b> ... ..					S.62.B	MR		
	F.221807	<b>Tube, distance</b> ... ..					T.26	MR		
	Std.1507/2/225 ✓	<b>Tube, distance, 1/2" o/d x 22 S.W.G. x 2.25" long</b> (Make from 30A/965)					T.26	MR		

FUSELAGE-TAIL CONE


Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Place No.
9317	F.222024	Washer, at attachment of spring box, starboard ...	2	BSS.369	C.	JD.7
936	A.190637	Panel, access ...	1	DTD.610	C.	
	E.224297	<b>PARACHUTE, BRAKING, TAIL CONE, ASSEMBLY</b>	-	-		
	F.222315	Bracket, mounting, at access panel in fin fairing	1	-		
	B.221093	Bracket, mounting, for micro switch ...	1	-		
	A.221094	Bracket, stop, at micro switch ...	1	L.62		
	B.224259	Bracket, support, at cable duct ...	1	-		
10987	G.250612	Door, port, group (Mod. 1055) ...	1	-	A.	JD.7
10988	G.250613	Door, starboard, group (Mod. 1055) ...	1	-	A.	JD.7
	F.220325	Boss, special, starboard ...	1	-		
	F.222112	Bracket, attachment, port ...	1	-		
	A.222993	Bracket, latch, port ...	1	S.95.B		
	D.233811	<b>DETAILS OF STARBOARD DOOR, ASSEMBLY (Mod. 774)</b>	-	-		
	F.221355	Landing, group ...	1	-	MR	
28FP/611	Dzus R.5	Receptacle ...	1	-	C.	
	Std.1231/7B	Lug, locking (AS.840/90) ...	1	S.3	MR	
	F.222166	Packing, for door, landing ...	1	L.72		
9321	A.222104	Panel, access, group ...	1	-	B.	JD.7
28FP/745	Dzus F5/T/14	Fastener ...	1	-	C.	
28FP/612	Dzus GH.5	Grommet ...	1	-	C.	
	C.223963	Hinge, door ...	2	-		
	Std.1507/2/048	Tube, distance, at latch bracket, 1/4" o/d x 22 S.W.G. x 0.48" long (Make from 30A/965)	2	T.26		
	B.220131	Duct ...	1	-		
10006	C.224295	Duct, for cable, port ...	1	-		
	C.246293	Guard, forward door lock, assembly ...	-	-		
10571	A.245322	Bracket ...	1	S.510	C.	JD.7
10570	B.245172	Guard ...	1	-	C.	JD.7
	A.220529	Landing, access panel, group ...	1	-		
	A.220530	Landing, access panel, group ...	1	-		
28FP/611	Dzus R.5	Receptacle ...	1	-	C.	
	B.221882	Landing, for access panel, in fin fairing, group ...	1	L.72		
28FP/611	Dzus R.5	Receptacle ...	1	-	C.	
9322	F.222114	Lever, micro switch operating ...	1	-	C.	JD.7
9323	F.222113	Link, at micro switch ...	1	-	C.	JD.7
	C.221926	<b>MOUNTING, RELEASE MECHANISM, ASSEMBLY</b>	-	-		
	F.222663	Bracket, mounting, for terminal block ...	1	-		
	F.220317	Bracket, anchorage, for spring box ...	1	L.72		
	A.220312	Bracket, stop, for release cable ...	1	S.510 & S.92.B		
9324	F.223077	Plate, serrated ...	1	S.95.B	C.	JD.7
9325	F.221883	Panel, access, in fin fairing, for cocking test plug, group	1	-	B.	JD.7
28FP/861	Dzus F5/T/12	Fastener ...	1	-	C.	
28FP/612	Dzus GH.5	Grommet ...	1	-	C.	

FUSELAGE-TAIL CONE


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
15D/	MR1.GQ.306.ISS.9	<b>Parachute Pack</b> , type LB.52, Mk. 3 (Complete with towing cable, see page JD.19) (Mod. 997)					1	—	A.	
15D/596	G.Q.30783	<b>Canopy</b> , bridle ... ..					1	—		
	—	<b>Cord</b> , connecting (cut length 7' 10") (1200 lb. nylon)					1	DTD.5502		
15D/	G.Q.10334	<b>Parachute</b> , 10' 6" dia., ring slot ... ..					1	—		
15D/589	G.Q.1716	<b>Parachute</b> , auxiliary vent type ... ..					1	—		
15D/588	G.Q.10339	<b>Pack</b> , type LB.52, Mk. 1 ... ..					1	—		
15D/595	G.Q.30681	<b>Ripcord</b> ... ..					1	—		
15D/594	G.Q.20819	<b>Sleeve</b> ... ..					1	—		
		<b>Strop</b> , auxiliary (cut length 6') (400 lb. nylon) ...					1	DTD.5502		
10004	E.224471/1	<b>Skin</b> , port ... ..					1	L.72		JD.7
10005	E.224471/2	<b>Skin</b> , starboard ... ..					1	L.72		JD.7
938	A.190633	<b>Spigot</b> , lower, port ... ..					1	DTD.364	C.	JA.2
939	A.190634	<b>Spigot</b> , lower, starboard ... ..					1	DTD.364	C.	JA.2
940	F.168707	<b>Spigot</b> ... ..					2	DTD.364	C.	JA.2
941	F.168708	<b>Washer</b> ... ..					4	Rubber	C.	JA.2

FUSELAGE-TAIL CONE


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
<b>SUMMARY OF STOCK ITEMS</b>										
28D/1010658	A25.1.B	Bolt, 4	B.A.							
28D/9436920	A25.1.C	Bolt, 2	B.A.							
28D/9133011	A25.2.C	Bolt, 2	B.A.							
28D/1010039	A25.7.C	Bolt, 2	B.A.							
28D/9419397	A25.12.C	Bolt, 2	B.A.							
28D/12541	A25.24.C	Bolt, 2	B.A.							
28D/1011247	A25.13.E	Bolt, 1/2"	B.S.F.							
28D/7002440	A25.18.E	Bolt, 1/2"	B.S.F.							
28D/13046	A25.19.E	Bolt, 1/2"	B.S.F.							
28D/12571	A25.21.E	Bolt, 1/2"	B.S.F.							
28D/12888	A25.34.E	Bolt, 1/2"	B.S.F.							
28D/1007468	AS.1242/3/B	Bolt, 4	B.A.							
28D/1007975	AS.1742/1/C	Bolt, 2	B.A.							
28D/8308	AS.1242/3/C	Bolt, 2	B.A.							
28D/8309	AS.1242/4/C	Bolt, 2	B.A.							
28D/8310	AS.1242/6/C	Bolt, 2	B.A.							
28D/1007981	AS.1248/1/2/C	Bolt, 2	B.A.							
28D/1007982	AS.1248/1/C	Bolt, 2	B.A.							
28D/8345	AS.1248/7/C	Bolt, 2	B.A.							
28D/13666	AS.1248/25/C	Bolt, 2	B.A.							
28D/9560	AS.1248/25/E	Bolt, 1/2"	B.S.F.							
28M/9403519	A27.B.P.	Nut, 4	B.A.							
28M/9403520	A27.C.P	Nut, 2	B.A.							
28M/1006473	A27.C.T	Nut, 2	B.A.							
28M/10288	AGS.2001/C/1	Nut, stiff, 2	B.A.							
28M/10328	AGS.2002/C/1	Nut, stiff, 2	B.A.							
28M/7002430	AGS.2002/E/1	Nut, stiff, 1/2"	B.S.F.							
28M/9435066	AGS.2008/A/1	Nut, anchor, 6	B.A.							
28M/9435068	AGS.2008/E/1	Nut, anchor, 1/2"	B.S.F.							
28M/9993192	AGS.2009/C/1	Nut, stiff, 2	B.A.							
28P/7002435	SP.4.Y.A3	Pin								
28P/9130722	SP.4.Y.B2	Pin								
28P/12486	SP.4Z.B10	Pin								
28P/19225	SP.90.C3	Pin, split								
28P/19152	SP.90.C4	Pin, split								
28P/19153	SP.90.C5	Pin, split								
28P/16271	SP.113.C3	Pin								
28P/16272	SP.113.C7 1/2	Pin								
28S/1011491	A32.C24	Screw								
28W/9419474	SP.15.B	Washer, 4	B.A.							
28W/9419475	SP.15.C	Washer, 2	B.A.							
28W/9419405	SP.15.E	Washer, 1/2"	B.S.F.							
28W/9419486	SP.16.B	Washer, 4	B.A.							
28W/9419404	SP.16.C	Washer, 2	B.A.							





REAR FUSELAGE





REAR FUSELAGE











This file was downloaded  
from the RTFM Library.  
Link: [www.scottbouch.com/rtfm](http://www.scottbouch.com/rtfm)

Please see site for usage terms,  
and more aircraft documents.

