

FUSELAGE-HOOD LOCKING AND JETTISON GEAR

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	E.219019	HOOD LOCKING AND JETTISON GEAR, ASSEMBLY	-	-	-	
8841	A.229403	Angle , for micro switch mounting, at front centre lock	1	L.65.B		
	F.219535	Bearing , for link at front centre lock (for use only with bracket D.219595) (Issue 5 and subsequent) (AS.840/77)	1	BSS.369		JE.2
8843	F.212202	Bearing , special, at bell crank, aft of frame 6, for front centre lock control	2	BSS.369	C.	JE.2
8844	F.212203	Bearing , special, for control rod attachment to front centre lock	1	BSS.369	C.	JE.2
	F.212037	Bell-crank , aft of frame 6, for front centre lock control	1	Stamping		
8847	F.212223	Bolt , lubricating, at bell-crank, for front centre lock control	1	S.95.B	C.	
8849	F.210333	Bolt , special, attaching connecting rod to torque shaft lever assembly	2	S.96.B	C.	
8850	Std.323/42	Bolt , shoulder, for control rod attachment forward lock	1	S.2	C.	4
8851	Std.323/46	Bolt , shoulder, at hood jettison release unit attachment	1	S.2	C.	4
5664	Std.1639/4CX	Bolt , for front centre lock attachment...	4	S.95.B	C.	5
10220	F.235400	Bolt , special, for hook attachment to link front centre lock (AS.840/77)	1	DTD.498	C.	
9757	F.229423	Bolt , for attachment of control rod to front centre lock	1	DTD.487	C.	JE.2
9758	Std.1697/3B	Bolt , for attachment of micro switch mounting, front centre lock	1	DTD.487	C.	
26AQ/3098	Std.1697/1B	Bolt , for attachment of standby compass mounting bracket	2	DTD.487	C.	
10434	F.240792	Bolt , at front centre lock ...	1	-		
	F.219966	Bracket , for front centre lock ...	1	DTD.498	MR	JE.2
9850	A.229427	Bracket , mounting, for EB.2 standby compass ...	1	-		JE.2
8854	F.211016	Bush , at hook attachment, front centre lock ...	1	BSS.369	C.	JE.2
	B/MBCJ/11	CANOPY JETTISON SYSTEM ASSEMBLY ...	-	-	-	
27L/5053	B/MBCJ/174	Gun ...	2	-		
	B/MBCJ/171	Body ...	1	-		
27L/5067	A/MBCJ/41	Fitting , bottom ...	1	-		
27L/5083	O/MBCJ/31	Nut ...	1	-	C.	
27L/5117	A/MBCJ/175	Piston , assembly ...	1	-		
27L/5072	O/MBCJ/43	Ring , locking for bottom fitting ...	1	-	C.	
27L/5085	O/MBCJ/32	Seal , rubber ...	1	-	C.	
27L/5118	O/MBCJ/199	Washer ...	1	-	C.	
27L/2177	O/MBEU/18553	Pin , Q.R. and identification disc ...	1	-		
27L/5054	B/MBCJ/186	Pipe , port ...	1	-		
27L/5055	B/MBCJ/187	Pipe , starboard ...	1	-		
27L/5056	B/MBCJ/191	Unit , firing assembly ...	1	-		
	B/MBCJ/196	Body , firing assembly ...	1	-		
	A/MBCJ/23	Body ...	1	-		
27L/260	B/MBEU/1358	Unit , firing pin sub-assembly ...	1	-		
27L/2053	A/MBEU/1308	Collar , retaining ...	1	-	C.	
27L/136	B/MBEU/1304	Pin , firing ...	1	-		
27L/137	O/MBEU/1305	Roller ...	1	-	C.	
27L/138	O/MBEU/1306	Spindle ...	1	-		
27L/261	O/MBEU/1386	Spring , firing ...	1	-	C.	
27L/238	O/MBEU/1310	Washer ...	1	-	C.	
27L/148	O/MBEU/1416	Washer , tab... ...	1	-	C.	
	B/MBCJ/193	Body , for firing unit ...	1	-		
	A/MBCJ/188	Piece , tee ...	1	-		
27L/5122	O/MBCJ/154	Ring , locking ...	1	-	C.	
27L/5119	O/MBCJ/215	Sear ...	1	-		

FUSELAGE—HOOD LOCKING AND JETTISON GEAR

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
11054	B.259996	CASING, OVER HOOD LOCKING GEAR AND SAFETY PIN STOWAGE, ASSEMBLY (PORT) (Mod. 1177)	1	—	—	JE.2
11053	B.259992	Stowage, for seat safety pins	1	—	—	
11055	B.259997	CASING, OVER HOOD LOCKING GEAR AND SAFETY PIN STOWAGE, ASSEMBLY (STARBOARD) (Mod. 1177)	1	—	—	JE.2
	B.259993	Stowage, for seat safety pins	1	—	—	
8857	B.221137	Control , between forward lock and bell-crank, frame 6, for front centre lock group Consisting of :—	1	—	B.	JE.2
27K/	Teleflex DS.377	Conduit , length (Hawker No. B.221137/1) ...	1	—	C.	
27K/	Teleflex DS.377	Conduit , length (Hawker No. B.221137/2) ...	1	—	C.	
27K/	Teleflex B.44665	Connector , No. 4, assembly	1	—	C.	
	F.221138	Fork-end	1	S.96.B	MR	
28K/	SP.7Y.E	Fork-end	1	—	C.	
28K/	SP.7Z.E	Fork-end (alterative to SP.7YE)	1	—	C.	
28L/12931	A.27.ET	Nut , lock	2	—	C.	
27K/	Teleflex C.44637/ 56"/C.44637	Rod and cable , assembly	1	—	C.	
27K/	Teleflex C.44661	Swivel , No. 4 assembly	2	—	C.	
	D.218777	DETAILS OF HOOD LOCKING AND JETTISON GEAR, ASSEMBLY	—	—		
9978	F.232125	Adaptor (Mod. 816)	2	BSS.251		
9979	F.233564	Angle (Make from Std.1338) (Mod. 816)	2	—		
8843	F.212202	Bearing , for jack release lever	1	BSS.369	C.	
8844	F.212203	Bearing , for jack release lever	1	BSS.369	C.	
9980	F.233563	Block (Mod. 816)	2	L.65.C		
	Std.1988/42	Bolt , shouldered	2	—		
	Std.1988/62	Bolt , shouldered	2	—	MR	
8858	F.213495	Bolt , greaser, attaching latch to support brackets	2	S.95.B	C.	JE.2
9981	F.233562	Clip , securing adaptor (Mod. 816)	2	L.72		
8859	A.210150	Latch , at forward hood attachment, group ...	2	S.95.B	C.	JE.2
	F.210151	Bush	2	BSS.369	MR	JE.2
8860	F.212719	Lever , jack release	1	Stamping	C.	JE.3
8861	F.212720	Lever , jack release	1	Stamping	C.	JE.3
8862	F.212750	Lever , jack release	1	Stamping	C.	JE.3
8863	F.213494	Piece , distance, for latch	2	S.95.B	C.	JE.2
8864	Std.499/1	Piece , locking	1	L.3	C.	
8865	A.218069	Rod , connecting, between hood jettison shaft and jack release levers, group	1	—	C.	JE.2
8866	A.218129	Rod , connecting, between hood jettison shaft and latch group	2	—	C.	JE.2
	F.212721	Shaft , for release jack levers... ..	1	T.45	MR	JE.3
4117	Std.1283/G	Shim , at torque shaft mounting	8	Laminum	C.	4

FUSELAGE-HOOD LOCKING AND JETTISON GEAR

Ref. No.	Part No.	Description	1 2 3 4 5					No. Off	Material Specification	M.R. Class of Store	Plate No.
			1	2	3	4	5				
9982	A.232126	Stem, for adaptor, group (Mod. 816)	2	—			
28N/9156370	SP.21	Nipple, lubrication...	2	—			
	A.232126/1	Stem	2	S.1.B			
	Std.1507/24/100	Tube, distance, at jack release lever, $\frac{3}{8}$ " o/d x 17 S.W.G. x 1" long (Make from 30A/1469) (Local Manufacture)	1	T.26	MR		
	Std.1507/26/096	Tube, distance, at jack release lever, $\frac{1}{2}$ " o/d x 17 S.W.G. x .96" long (Make from 30A/975) (Local Manufacture)	1	T.26	—		
9983	Std.1335/F/16	Washer (Mod. 816)	2	—			
	E.218993	HOOD JETTISON GEAR, ASSEMBLY					—	—			
8867	F.214136	Block, clamp, securing gas pipe between firing unit and jettison gun	2	LFS.21	C.	JE.1	
8868	F.214137	Block, clamp, securing gas pipe between firing unit and jettison gun	2	LFS.21	C.	JE.1	
1935	F.196363	Bush, for emergency release	1	Rubber	C.		
8870	A.213166	Cable, control, hood release, group	1	—	B.	JE.1	
	Std.1920	Consisting of :—	2	—			
	A.213166/1	Adjuster	1	W.11			
29H/	Bowdenex T.3	Cable, 5 cwt.	1	—	C.		
28U/15288	SP.38.A	Conduit, size T.3 34-7" long (A.213166/2)	2	—	C.		
8871	A.213076	Fork-end	1	—	B.	JE.1	
	Std.1920	Cable, control, for hood external release, group	1	—			
	A.213076/1	Consisting of :—	1	—			
	F.213077	Adjuster	1	W.11			
29H/	Bowdenex T.3	Cable, 5 cwt.	1	L.65.C	C.		
28U/15288	SP.38A	Collet	1	—	C.		
	Std.1920/2	Conduit, size T.3, 29" long (A.213076/2)	1	—			
4761	Std.840/13	Fork-end	1	—			
2145	Std.841/13	Sleeve, outer	3	DTD.610	MR/C	4	
4821	Std.841/22	Clip, securing control cables, $\frac{7}{16}$ " wide x 22 S.W.G. x 1-3" long (Make from 30B/1433)	1	DTD.610	C.	4	
4165	Std.850/35	Clip, securing spray supply pipe, $\frac{7}{16}$ " wide x 22 S.W.G. x 1-3" long	4	DTD.610	MR/C	4	
	C.213112	Clip, securing gas pipe, $\frac{7}{16}$ " wide x 22 S.W.G. x 2-2" long (Make from 30B/1433)	2	—			
	B.212980	Clip, covering redundant holes in cross-shaft (Mod. 2414)	1	—			
	F.212982	Cross-shaft, for jettison gun, group	1	—	MR	JE.1	
	B.212981	Bracket, bearing, port, group	1	BSS.369	MR	JE.1	
	F.212982	Bush	1	—	MR	JE.1	
	B.212981	Bracket, bearing, starboard, group	1	BSS.369	MR	JE.1	
	F.212982	Bush	1	—	MR	JE.1	
	A.213103	Bracket, bearing, group	1	BSS.369	MR	JE.1	
	F.213104	Bush	1	—	MR	JE.1	
	Std.165/4	Ferrule, securing lever	8	S.2			
	A.212996	Lever	2	Stamping	MR	JE.1	
	F.212995	Lever	1	S.3 & T.26	MR	JE.1	
	A.213099	Lever, for control cable	1	Stamping	MR	JE.1	
	A.214342	Lever, for release unit	1	Stamping	MR	JE.1	

FUSELAGE-HOOD LOCKING AND JETTISON GEAR

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
	Std.1510/2/087					Tube , distance, $\frac{1}{4}$ " o/d x 22 S.W.G. x .87" long (Make from 30B/555) (Local Manufacture)	2	T.4	MR	
	Std.1507/2/010					Tube , distance, $\frac{1}{4}$ " o/d x 22 S.W.G. x 1" long (Make from 30A/965) (Local Manufacture)	2	T.26	MR	
	Std.1507/23/050					Tube , distance, $\frac{3}{8}$ " o/d x 17 S.W.G. x 0.50" long (Make from 30A/975) (Local Manufacture)	1	T.26	MR	
	C.213280					DETAILS OF HOOD JETTISON GEAR, ASSEMBLY	-	-	-	
	F.214337					Bracket , bearing, for cross-shaft... ..	2	-	MR	JE.1
	F.214339					Bush , spherical, at link operating hood jettison release unit	2	BSS.369	MR	JE.1
	A.219015					Cross-shaft , at flying control casing, group ...	1	-		JE.1
	A.221340					Lever	1	Stamping		
	Std.1509/2/062					Tube , distance, $\frac{1}{4}$ " o/d x 22 S.W.G. x .62" long (Make from 30B/555)	1	T.4		
	F.213078					Lever , for hood de-sealing valve control ...	1	S.21B & S.3	MR	JE.1
	F.214336					Lever , operating, at release unit	1	L.65.C	MR	JE.1
	F.213050					Lever , for hood de-sealing valve control ...	1	S.3 & T.26	MR	JE.1
	F.212424					Link , attaching cable, at release unit (Make from 20B/1726)	1	L.72		
	F.214338					Link , operating, for hood jettison release unit	1	L.65.C		
9875	F.233091					Pin , safety and plate screw driver, group ... (Mod. 755)	1	-	C.	
	F.230938					PIN, SAFETY, FIRING UNIT, ASSEMBLY	-	-	-	
28E/10027	Terry 80/000					Clip , spring	1	-	C.	
27L/1384	Martin Baker O/MBEU/6093					Pin	1	-		
	F.230937					Plate , identification	1	L.72		
9137	-					Ring , split, 1" o/d	1	-		
	F.233090					Plate , screw driver	1	Tool Steel		
28FP/825	Aviation Dev.A 405					Pin , pip	1	-	C.	
	A.213058					Rod , control, for hood de-sealing valve ...	1	-	MR	JE.1
	F.213095					Rod , control, between cross shaft and control rod operating de-sealing valve	1	L.65.C	MR	JE.1
10050	F.215738					Rod , connecting, between firing unit and cross-shaft lever, group	1	-		JE.1
362	F.187712					Fork-end	2	S.95.B	C.	JE.1
27QA/370	Dowty GD 1309/7					Seal , "O" ring	1	-	C.	JE.1
	Std.1507/2/010					Tube , distance, $\frac{1}{4}$ " o/d x 22 S.W.G. x .1" long (Make from 30A/965) (Local Manufacture)	1	T.26	-	
3783	Std.1509/2/062					Tube , distance, $\frac{1}{4}$ " o/d x 22 S.W.G. x .62" long (Make from 30A/965) (Local Manufacture)	1	T.26	MR/C	4
	Std.1507/3/020					Tube , distance, $\frac{3}{8}$ " o/d x 22 S.W.G. x .2" long (Make from 30A/968) (Local Manufacture)	1	T.26	MR	

FUSELAGE-HOOD LOCKING AND JETTISON GEAR

Ref. No.	Part No.	Description	No. Off					Material Specification	M.R. Class of Score	Plate No.	
			1	2	3	4	5				
	Std.1507/23/008	Tube, distance, $\frac{7}{16}$ " o/d x 17 S.W.G. x .08" long (Make from 30A/972) (Local Manufacture)						4	T.26	MR	
3763	Std.915/B/24	Washer						4	DTD.364	C.	4
5781	Std.915/E/20	Washer						1	DTD.364	C.	4
8873	C.214166	Guard, for hood jettison cable						1	L.59 or Plastic	C.	JE.1
	B.215031	GUARD, FOR EMERGENCY RELEASE HANDLE, ASSEMBLY						-	-		
8875	B.215031/A	Angle, mounting and guard plate, group Consisting of :-						1	-	C.	JE.1
	A.215033	Angle, mounting						1	-		
	A.229562	Plate, guard						1	L.72		
28Q/1650	AS.156/404	Rivet						5	-	C.	
590	F.188534	Spring						1	Spr. Stl.	C.	JE.1
9667	F.226850	Ring, key, split type, 1.5" i/d						1	-	C.	
8876	F.136453	Shim, at cross shaft bearing						QR	-	C.	
4162	Std.915/B/22	Spring, return, for cross-shaft levers						1	Spring Wire	C.	JE.1
7169	Std.915/C/18	Washer, at control cable attachment to cross-shaft lever and release handle						2	DTD.610	C.	
912	F.176949	Washer, at gas pipe attachment, starboard						1	DTD.610	MR/C	4
		Washer, for hood external emergency release						1	Perspex	C.	JE.1
	A.210978	Hook, for front centre lock						1	Stamping	MR	JE.2
10212	B.235482	Latch, hood, port, forward, group (Mod. 813)						1	-	B.	JE.2
10213	B.235483	Latch, hood, starboard, forward, group						1	-		
9985	B.235382	Latch, hood, port, aft, group (AS.840/77)						1	-	B.	JE.2
9986	B.235383	Latch, hood, starboard, group (AS.840/77)						1	-	B.	JE.2
8848	F.210332	Bolt						1	S.99.B	MR	JE.2
	F.220562	Pipe, drain						1	-		JE.2
	F.209861	Roller, latch						1	S.80.B	MR	JE.2
	A.211698	Lever, assembly, between torque shaft and connecting rod, port, group						1	-		
	A.210165	Bracket, bearing, group						1	-	MR	JE.3
	F.210167	Bush						1	BSS.369	MR	JE.3
	A.210163	Coupling, half						1	L.65.C	MR	JE.3
	A.210269	Lever						1	Stamping	MR	JE.3
27QA/374	Dowty GD.1309/14	Seal, "O" ring						1	-	C.	JE.3
	A.211699	Lever, assembly, between torque shaft and connecting rod, starboard, group						1	-		
	A.210165	Bracket, bearing, group						1	-	MR	JE.3
	F.210167	Bush						1	BSS.369	MR	JE.3
	A.210163	Coupling, half						1	L.65.C	MR	JE.3
	A.210270	Lever						1	Stamping	MR	JE.3
8878	Dowty GD.1309/14	Seal, "O" ring						1	-	C.	JE.3

FUSELAGE—HOOD LOCKING AND JETTISON GEAR

Ref. No.	Part No.	Description	No. Off					Material Specification	M.R. Class of Store	Plate No.
			1	2	3	4	5			
10166	C.218120	LEVERS, HOOD JETTISON, GROUP ...								
	B.210173	Block, bearing, group ...					1	Stamping	MR	JE.3
	F.210009	Bush ...					2	BSS.369	MR	JE.3
	A.210122	Bracket, bearing, group ...					1	L.65.C	MR	JE.3
	F.210123	Bush ...					1	BSS.369	MR	JE.3
	B.218109	Lever, group ...					1	—	MR	JE.3
	F.212661	Bush ...					1	BSS.369	MR	JE.3
	Std.608/7	Bush ...					1	B.8	MR	JE.3
	A.218058	Lever, group ...					1	—	MR	JE.3
	Std.608/7	Bush ...					1	B.8	MR	JE.3
	A.210174	Lever, group ...					1	Stamping	MR	JE.3
	Std.608/7	Bush ...					1	—	MR	JE.3
	F.212718	Lever ...					1	Stamping	MR	JE.3
27QA/375	Dowty GD.1309/15	Seal, "O" ring ...					2	—	C.	JE.3
	F.228638	Lever, micro switch operating ...					1	—		JE.2
9760	F.229422	Lever, at centre lock ...					1	—	C.	JE.2
	A.210209	Link, for rear lock, group ...					2	Stamping	MR	JE.2
	F.210259	Bearing ...					1	BSS.369	MR	JE.2
	F.210261	Bearing ...					2	BSS.369	MR	JE.2
8881	F.213315	Link, for forward and rear lock, group ...					4	Stamping	C.	JE.2
	F.210258	Bearing ...					1	BSS.369	MR	JE.2
8882	F.210211	Link, for forward lock, port, group ...					1	S.96.B	C.	JE.2
	F.210259	Bearing ...					1	BSS.369		JE.2
	F.210261	Bearing ...					2	BSS.369		JE.2
8883	F.210461	Link, for forward lock, starboard group ...					1	S.96.B	C.	JE.2
	F.210259	Bearing ...					1	BSS.369		JE.2
	F.210261	Bearing ...					2	BSS.369		JE.2
8884	F.210966	Link, at front centre lock ...					1	DTD.498	C.	JE.2
8885	F.213285	Link, at front centre lock ...					1	DTD.498 Sect. 111	C.	JE.2
	A.219534	Mounting, for front centre lock ...					1	Stamping		
	F.232070	Packing, at bearing blocks ...					4	L.72		
9761	F.229424	Pin, special, for lever at centre lock ...					1	DTD.487	C.	
	B.221236	PIPES, DRAIN, AT HOOD LOCKS, ASSEMBLY					—	—		
	B.221236/1	Hose, drain pipe to outlet pipe, front, $\frac{7}{16}$ " o/d \times $\frac{1}{4}$ " i/d. \times 3" long					4	DTD. 5509/D	MR	JE.2
8886	F.210402	Rod, connecting, between torque shaft and rear lock, group					2	—	C.	JE.2
	F.210067	Bush, spherical ...					2	BSS.369	MR	JE.2
	F.210403	Eye-end, screwed ...					1	S.96.B	MR	JE.2

FUSELAGE—HOOD LOCKING AND JETTISON GEAR

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.	
		1	2	3	4	5					
8887	A.210041	Rod, connecting, between forward and rear lock, group					2	—	C.	JE.2	
	F.210067	Bush, spherical					2	BSS.369	MR	JE.2	
	F.210062	Eye-end, screwed					1	S.96.C	MR	JE.2	
8888	A.211173	Rod, connecting, between bell-crank, frame 6, and front centre lock group					1	—	C.	JE.2	
	F.211174	Fork-end, adjustable					1	DTD.498 Sect. 111	MR		
8890	F.209864	Shim, at bearing block, for forward and rear locks ...					4	Laminated Brass	C.	JE2	
8891	F.211139	Shim, at trunnion attachment, forward and rear lock					4	Laminated Alum.	C.	JE.2	
8892	F.219967	Shim, for front centre lock					QR	Laminated Brass	C.	JE.2	
8893	F.219760	Shim, for front centre lock mounting					QR	Laminated Brass	C.	JE.2	
8894	F.219968	Shim, for bracket, front centre lock					QR	Laminated Brass	C.	JE.2	
8895	F.216574	Shim, for front centre lock mounting					QR	Laminated Brass	C.	JE.2	
10044	F.227545	Shim, at torque-shaft assembly					2	—			
	F.231519	Stop, at front centre lock (Mod. 2292)					1	L.65C	MR		
	B.210168	Torque-shaft, group					1	—	MR	JE.3	
	A.210170	Block, bearing, group					1	—		JE.3	
	F.210171	Bush					2	BSS.369	MR	JE.3	
26FH/2996	Std.165/4	Ferrule					16	—	C.		
	A.210169	Lever, group					1	L.65.C	MR	JE.3	
	F.212662	Bush					2	BSS.369	MR	JE.3	
	A.212001	Lever					1	S.3 & S.1	MR	JE.3	
	A.234642	Lever (Mod. 813)					1	—			
	Std.1510/24/125	Tube, distance, $\frac{3}{8}$ " o/d x 17 S.W.G. x 1.25" long (Make from 30B/558) (Local Manufacture)					4	T.4	MR		
	Std.1510/24/144	Tube, distance, $\frac{3}{8}$ " o/d x 17 S.W.G. x 1.44" long (Make from 30B/558) (Local Manufacture)					4	T.4	MR		
	F.211138	Trunnion, at forward and rear lock					4	S.95.B	MR		
	8896	B.212214	Unit, release, group					1	—	A.	JE.3
	897	F.189118	Bolt, special					2	S.95.B	C.	JE.3
898	A.127278	Bolt, special					4	S.1	C.	JE.3	
899	F.189074	Bolt, special					2	S.95.B	C.	JE.3	
	F.212258	Bolt, special					2	S.96.B	MR	JE.3	
	F.212257	Bearing					1	S.96.B	MR	JE.3	
	F.228234	Bearing					1	S.1		JE.3	
2A/9500491	B.S.S.F.E. $\frac{3}{8}$ "	Bearing					1	—	B.		
	A.189071	Casing					1	—			
900	F.189069	Coupling					1	S.96.B	C.	JE.3	
	F.212237	Eye-end					1	S.95.B	MR	JE.3	
	F.229583	Label, for checking of switches					1	—			
	A.215725	Lever, group					1	—	MR	JE.3	
	F.215726	Handle					1	L.65.C	MR	JE.3	

FUSELAGE-HOOD LOCKING AND JETTISON GEAR


Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
904	A.126610	Nut, special	1	S.20	C.	JE.3
	A.127030	Packing	1	I.1		
906	F.189067	Plug	1	DTD.364	C.	JE.3
	A.215724	Plug, slotted	1	S.1	MR	JE.3
907	F.169854	Plunger	1	DTD.364	C.	JE.3
8182	F.210867	Rod	1	S.95.B	C.	JE.3
909	F.189070	Sleeve	2	S.1	C.	JE.3
	F.210655	Spool, bearing	1	L.65.C	MR	JE.3
	A.126828	Spring	1	DTD.239		JE.3
	F.212423	Stud, special, for handle	1	S.96.B	MR	JE.3
910	A.127031	Washer	2	Rubber	C.	JE.3
26FH/3474	Std.1547/20/12	Washer, radiused	2	DTD.610	MR/C	4
	F.232051	Washer, special at bearing blocks	16	—		

FUSELAGE-HOOD LOCKING AND JETTISON GEAR


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28D/1010658	A25.1.B	Bolt, 4	B.A.							
28D/9140638	A25.4.B	Bolt, 4	B.A.							
28D/1010029	A25.6.B	Bolt, 4	B.A.							
28D/1011013	A25.13.B	Bolt, 4	B.A.							
28D/9133011	A25.2.C	Bolt, 2	B.A.							
28D/9133012	A25.3.C	Bolt, 2	B.A.							
28D/1200119	A25.4.C	Bolt, 2	B.A.							
28D/12533	A25.5.C	Bolt, 2	B.A.							
28D/7002428	A25.6.C	Bolt, 2	B.A.							
28D/1011019	A25.8.C	Bolt, 2	B.A.							
28D/9140644	A25.9.C	Bolt, 2	B.A.							
28D/9140645	A25.10.C	Bolt, 2	B.A.							
28D/9419397	A25.12.C	Bolt, 2	B.A.							
28D/12536	A25.13.C	Bolt, 2	B.A.							
28D/9140647	A25.14.C	Bolt, 2	B.A.							
28D/9453970	A25.15.C	Bolt, 2	B.A.							
28D/1011021	A25.16.C	Bolt, 2	B.A.							
28D/1008145	A25.6.E	Bolt, 1/2"	B.S.F.							
28D/1011247	A25.13.E	Bolt, 1/2"	B.S.F.							
28D/1007468	AS.1242.3.B	Bolt, 4	B.A.							
28D/8307	AS.1242.2.C	Bolt, 2	B.A.							
28D/8308	AS.1242.3.C	Bolt, 2	B.A.							
28D/9918	AS.1248.4.B	Bolt, 4	B.A.							
28D/1007982	AS.1248.1.C	Bolt, 2	B.A.							
28D/9354	AS.1248.6.C	Bolt, 2	B.A.							
28D/15459	A57.4.E	Bolt, 1/2"	B.S.F.							
28D/14526	A57.6.E	Bolt, 1/2"	B.S.F.							
28D/14862	A57.8.E	Bolt, 1/2"	B.S.F.							
28D/13953	A57.6.G	Bolt, 5/16"	B.S.F.							
28D/13952	A57.8.G	Bolt, 5/16"	B.S.F.							
28D/13789	AS.2920.1.B	Bolt, countersunk, 4	B.A.							
28E/14147	AS.487/2	Clip								
28E/3319	AGS.606/B	Clip, for hose								
28U/16264	SP.37.A	Eye-end								
28U/15288	SP.38.A	Fork-end								
28N/9156370	SP.21	Nipple, lubricating								
28M/5236	A14.E.B.	Nut, 1/2"	B.S.F.							
28M/5238	A14.G.B.	Nut, 5/16"	B.S.F.							
28M/9403520	A27.C.P.	Nut, 2	B.A.							
28M/1006473	A27.C.T.	Nut, thin, 2	B.A.							
28M/12931	A27.E.T.	Nut, thin, 1/2"	B.S.F.							
28M/1011470	A27.G.T.	Nut, thin, 5/16"	B.S.F.							
28M/13121	A27.C.S.	Nut, slotted, 2	B.A.							
28M/1011467	A27.E.S.	Nut, slotted, 1/2"	B.S.F.							
28M/13122	A27.G.S.	Nut, slotted, 5/16"	B.S.F.							
28M/9995181	A53.B	Nut, 4	B.A.							
28M/9129527	A53.C	Nut, 2	B.A.							
28M/	A53.E	Nut								
28M/9129528	A54.C	Nut, 2	B.A.							
28M/13935	A58.E.S.	Nut, slotted, 1/2"	B.S.F.							
28M/14537	A58.G.S.	Nut, slotted, 5/16"	B.S.F.							
28M/14833	A58.J.S.	Nut, slotted, 3/8"	B.S.F.							
28M/14440	A58.J.T.	Nut, thin, 3/8"	B.S.F.							

FUSELAGE-HOOD LOCKING AND JETTISON GEAR


Ref. No.	Part No.	Description	No. Off					Material Specification	M.R. Class of Store	Plate No.
			1	2	3	4	5			
28M/10288	AGS.2001.C1	Nut, stiff, 2 B.A.	---	---	---
28M/10327	AGS.2002.B1	Nut, stiff, 4 B.A.	---	---	---
28M/10309	AGS.2002.B4	Nut, stiff, 4 B.A.	---	---	---
28M/10328	AGS.2002.C1	Nut, stiff, 2 B.A.	---	---	---
28P/19225	SP.90.C3	Pin, split	---	---	---
28P/19152	SP.90.C4	Pin, split	---	---	---
28P/19154	SP.90.C7	Pin, split	---	---	---
28P/812	SP.4.Y.A2	Pin	---	---	---
28P/813	SP.4.Y.A3	Pin	---	---	---
28P/863	SP.4.YD5	Pin	---	---	---
28R/13515	AS.104	Pulley	---	---	---
28D/13476	A30.4.C	Bolt, 2 B.A.	---	---	---
28D/13262	A30.6.E	Bolt, 1/2" B.S.F.	---	---	---
28S/1200080	A32.B8	Screw, 4 B.A.	---	---	---
28W/9419474	SP.15.B	Washer, 4 B.A....	---	---	---
28W/9419475	SP.15.C	Washer, 2 B.A.	---	---	---
28W/9419405	SP.15.E	Washer, 1/2" dia.	---	---	---
28W/9419476	SP.15.G	Washer, 5/16" dia.	---	---	---
28W/9419486	SP.16.B	Washer, 4 B.A.	---	---	---
28W/9419404	SP.16.C	Washer, 2 B.A.	---	---	---
28W/9419489	SP.16.J	Washer, 3/4" dia.	---	---	---
28W/9416642	SP.47.B	Washer, spring	---	---	---
28W/9416643	SP.47.C	Washer, spring, 2 B.A.	---	---	---
28W/9416644	SP.47.E	Washer, spring, 1/2" dia.	---	---	---



HOOD JETTISON GEAR



HOOD LOCKING GEAR



HOOD LOCKING GEAR



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.