

FUSELAGE—HOOD AND WINDSCREEN

Ref. No.	Part No.	Description	1 2 3 4 5					No. Off	Material Specification	M.R. Class of Store	Place No.
			1	2	3	4	5				
	E.219298	<b>HOOD AND WINDSCREEN INSTALLATION, ASSEMBLY</b>									
	C.231273	<b>ADDITIONAL DETAILS, ASSEMBLY</b>									
	A.231224	Housing, block, forward, port					1	S.94.B	MR		
	A.231225	Housing, block, forward, starboard					1	S.94.B	MR		
	A.231430	Housing, block, aft, port					1	S.94.B	MR		
	A.231431	Housing, block, aft, starboard					1	S.94.B	MR		
	F.232698	Packing, port					1	—	MR		
	F.232699	Packing, starboard					1	—	MR		
	F.230878	Shim, aft					5	Laminated Steel	MR		
	F.232700	Shim, forward					4	Laminated Brass	MR		
8895	F.216574	Shim					7	Laminated Brass	C.		
	F.230879	Spigot					2	—	MR		
	Std.1509/23/070	Tube, distance (Make from 30B/1784)					2	T.4	MR		
	Std.1509/23/050	Tube, distance (Make from 30B/1784)					2	T.4	MR		
9968	F.231518	Angle, for securing trunnion (Mod. 2392)					2	L.65.C	C.		
9971	DTD.487/26C	Bolt, securing plate to external tube (Mod. 2392)					1	DTD.487	C.		
1603	Std.1700/1C	Bolt, countersunk head					41	S.95.B	C.	5	
9810	Std.1700/5C	Bolt, countersunk head					8	S.95.B	C.	5	
8901	Std.1700/16C	Bolt, countersunk head					2	S.95.B	C.	5	
8902	Std.1700/22C	Bolt, countersunk head					2	S.95.B	C.	5	
26AQ/2970	Std.1702/5C	Bolt, countersunk head					12	S.95.B	C.	5	
9969	F.231520	Bush, for strut (Mod. 2392)					2	BSS.369	C.		
9970	F.231521	Bush, for trunnion (Mod. 2392)					1	BSS.369	C.		
8903	C.219831	Finisher, front					1	L.72	C.	JF.2	
8904	E.219832	Finisher, side, port					1	—	C.	JF.2	
8905	E.219833	Finisher, side, starboard					1	—	C.	JF.2	
10094	E.233786	Hood, group (Shims supplied loose)					1	—	A.	JF.1	
	E.219020	<b>ADDITIONAL DETAILS, ASSEMBLY</b>									
	DTD.487/2C	Bolt					2	DTD.487			
	DTD.487/23C	Bolt					1	DTD.487			
	DTD.487/25C	Bolt					1	DTD.487			
9972	DTD.487/25E	Bolt					1	DTD.487	C.		
	C.218631	Bracket, hinge, group					1	—			
8906	F.210825	Bolt, special, for rollers					1	S.95.B	C.	JF.1	
8907	F.210534	Roller					2	BSS.369	C.	JF.1	
	F.210826	Roller					2	S.80.B	MR	JF.1	
	F.210827	Roller					1	S.80.B	MR	JF.1	
	F.210533	Shaft, for rollers					1	S.80	MR	JF.1	
8908	F.218647	Stop					1	L.65.C	C.	JF.1	
	B.218694	Bracket, stabiliser, port, group					1	—			
	B.218695	Bracket, stabiliser, starboard, group					1	—			
	A.220286	Bracket, for inflatable seal connection					1	S.510	MR	JF.1	
8911	F.220261	Bush, for inflatable seal connection					1	Rubber	C.	JF.1	
9948	F.233250	Bush, in stabiliser bracket					4	BSS.369	C.		
	A.220285	Connector, for inflatable seal					1	L.65.C	MR	JF.1	
	F.220288	Coupling, for inflatable seal					1	L.65.C	MR	JF.1	
	D.219122	Door, hinged, aft of hood, group					1	—	MR	JF.1	
	A.218681	Bracket, hinge, port					1	—	MR	JF.1	
	A.218682	Bracket, hinge, starboard					1	—	MR	JF.1	

## FUSELAGE—HOOD AND WINDSCREEN

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.	
		1	2	3	4	5					
9972	A.218706						1	—	MR		
	DTD.487/25E						1	DTD.487	C.		
	F.213942						1	BSS.369	MR	JF.1	
	F.220248						1	DTD.487	MR	JF.1	
8909	F.219198						2	L.72			
	F.210448						4	BSS.369	C.	JF.1	
8910	F.210446						4	S.80.B	C.	JF.1	
8913	A.127044						4	—	C.	JF.1	
10208	F.231996						4	S.99.B		JF.1	
	F.232056						2	L.72		JF.1	
	A.217899						2	S.99		JF.1	
	A.231994						2	S.99		JF.1	
	C.218776						1	—			
	F.233581						1	S.521	C.		
	F.232246						1	L.72	C.		
	7009	Std.1511/C						18	—	C.	4
	8914	D.218935						1	—	B.	JF.1
		F.232701						2	—	MR	
	F.211030						2	—	MR		
	F.230877						2	—	MR		
	F.231995						10	S.510			
	F.232019						2	S.510			
	A.230873						1	L.65.C	MR		
	A.230874						1	L.65.C	MR		
	A.230875						1	L.65.C	MR		
	A.230876						1	L.65.C	MR		
8915	B.219204						1	L.72	C.	JF.1	
8916	B.219205						1	L.72	C.	JF.1	
8917	A.219213						1	L.72	C.	JF.1	
10737	C.233784						1	—		JF.1	
	A.220225						1	—		JF.1	
	F.211474						1	—			
10036	A.233773						1	S.520 & DTD.590		JF.1	
	F.233774						1	Nylon Bar Comm'l.			
	Std.1507/2/016						2	T.26 or DTD.2325	MR/C	4	
10736	C.233785						1	—		JF.1	
	A.220226						1	—		JF.1	
	F.211474						1	—			
10036	A.233773						1	S.520 & DTD.590		JF.1	
	F.233774						1	Nylon Bar Comm'l.			
	Std.1507/2/016						2	T.26 or DTD.2325	MR/C	4	
9973	Std.1935/G/D						1	DTD.487 Sect. 1	C.		
9965	F.233298						1	L.72	C.		
	F.210034						1	S.80.B			
9966	F.231515						1	L.65.C	C.		
9967	F.231516						1	DTD.498 Sect. 3	C.		

FUSELAGE—HOOD AND WINDSCREEN

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Place No.
		1	2	3	4	5				
	F.210035	<b>Shim</b> ... ..					1	Brass		
9962	F.231524	<b>Spring</b> , between external and internal tubes (Mod. 2392)					1	Sp. Stl. Wire	C.	
9960	A.231511	<b>Strut</b> (Mod. 2392) ... ..					1	L.56.C	C.	
9963	F.231517	<b>Trunnion</b> , for internal tube (Mod. 2392) ... ..					1	DTD.498 Sect. 3	C.	
9961	A.231512	<b>Tube</b> , external (Mod. 2392) ... ..					1	BSS.885 & B.11	C.	
9964	F.231513	<b>Tube</b> , internal (Mod. 2392) ... ..					1	BSS.885	C.	
28AQ/906	Std.1547/22/12	<b>Washer</b> , packing ... ..					1	DTD.610	C.	4
1327	Std.1547/24/12	<b>Washer</b> , packing ... ..					2	DTD.610	C.	4
	E.219184	<b>Windscreen</b> , group ... ..					1	—		
	Std.1553/C/20	<b>Bolt</b> , securing clamp ... ..					10	S.99.B	MR/C	5
9334	F.221988	<b>Bolt</b> , special, at sling attachment point ... ..					2	S.95.B	C.	JF.2
9444	F.223709	<b>Bolt</b> , special, for fairing ... ..					2	S.96	C.	JF.2
8918	F.221543	<b>Bolt</b> , special, for front light attachment ... ..					8	S.96.B	C.	JF.2
8919	F.219809	<b>Bolt</b> , special, for quarter light ... ..					14	S.95.B	C.	JF.2
9333	F.222515	<b>Bracket</b> , retaining ... ..					8	L.65.C	C.	JF.2
8921	A.219573	<b>Clamp</b> ... ..					1	—	C.	JF.2
8922	B.219574	<b>Clamp</b> , for front light, port... ..					1	—	C.	JF.2
8923	B.219575	<b>Clamp</b> , for front light, starboard ... ..					1	—	C.	JF.2
8924	A.219596	<b>Clamp</b> ... ..					1	—	C.	JF.2
8925	C.219667	<b>Clamp</b> , angle, bottom, port ... ..					1	—	C.	JF.2
8926	C.219668	<b>Clamp</b> , angle, bottom, starboard ... ..					1	—	C.	JF.2
8927	B.219716	<b>Clamp</b> , angle, rear ... ..					2	—	C.	JF.2
8928	C.219771	<b>Clamp</b> , angle, top, port ... ..					1	—	C.	JF.2
8929	C.219772	<b>Clamp</b> , angle, top, starboard ... ..					1	—	C.	JF.2
8930	C.221642	<b>Clamp</b> , side, port ... ..					1	—	C.	JF.2
8931	C.221643	<b>Clamp</b> , side, starboard ... ..					1	—	C.	JF.2
8932	F.219810	<b>Clamp</b> ... ..					10	S.1.B	C.	JF.2
9750	F.227552	<b>Clamp</b> ... ..					2	S.1	C.	JF.2
9340	C.222974	<b>Fairing</b> , port, for windscreen front light ... ..					1	—	C.	JF.2
9341	C.222975	<b>Fairing</b> , starboard, for windscreen front light ... ..					1	—	C.	JF.2
8933	F.219607	<b>Ferrule</b> ... ..					10	S.95.B	C.	JF.2
8934	F.219608	<b>Ferrule</b> ... ..					10	S.95.B	C.	JF.2
9751	F.227570	<b>Ferrule</b> , for bolt securing clamp ... ..					2	S.95.B	C.	JF.2
	E.219590	<b>Frame</b> , windscreen, group ... ..					1	—	MR	JF.2
	C.219594	<b>Beam</b> , centre ... ..					1	L.65.C	MR	JF.2
	F.210780	<b>Bush</b> , threaded ... ..					2	S.95.B		
	D.219612	<b>MEMBER, ARCH, ASSEMBLY</b> ... ..					—	—		
	C.219399	<b>Bracket</b> , corner, port ... ..					1	L.65.C	MR	JF.2
	C.219400	<b>Bracket</b> , corner, starboard ... ..					1	L.65.C	MR	JF.2
	D.219595	<b>Bracket</b> , centre... ..					1	L.65.C	MR	JF.2
	D.219826	<b>Member</b> , arch, centre portion ... ..					1	S.96.B	MR	JF.2
	D.219827	<b>Member</b> , arch, side, port ... ..					1	S.96.B	MR	JF.2
	D.219828	<b>Member</b> , arch, side, starboard ... ..					1	S.96.B	MR	JF.2
8936	Std.2013.G	<b>Nut</b> , barrel ... ..					2	M.T. Steel	C.	
8937	Std.2013.C	<b>Nut</b> , barrel ... ..					10	S.112	C.	
9443	F.223312	<b>Nut</b> , barrel ... ..					2	S.112	C.	
	F.217994	<b>Nut</b> , countersunk ... ..					2	S.95.B		
	C.219438	<b>Strip</b> , sealing ... ..					1	L.65.C	MR	JF.2
9335	Std.1547/19/6	<b>Washer</b> , profile... ..					5	DTD.610	C.	4

FUSELAGE—HOOD AND WINDSCREEN


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	D.219737-8	<b>MEMBERS, FRONT AND EDGE, ASSEMBLY</b>					—	—	—	
	D.219664	<b>Member, bottom edge, port, group</b> ...					1	—	MR	JF.2
	F.231380	<b>Bush, threaded</b> ...					2	S.99.B & I.C.I. A.100		
	D.219665	<b>Member, bottom edge, starboard, group</b> ...					1	—	MR	JF.2
	F.231380	<b>Bush, threaded</b> ...					2	S.99.B & I.C.I. A.100		
	E.220581	<b>Member, front, port</b> ...					1	—	MR	JF.2
	E.220582	<b>Member, front, starboard</b> ...					1	—	MR	JF.2
	E.219741	<b>Member, top edge, port</b> ...					1	—	MR	JF.2
	E.219742	<b>Member, top edge, starboard</b> ...					1	—	MR	JF.2
8935	Std.2012.C	<b>Nut, barrel</b> ...					12	BSS.250.B	C.	
9765	Std.2079.C	<b>Nut, barrel</b> ...					2	Nylon	C.	
	F.217994	<b>Nut, countersunk</b> ...					2	S.95.B	MR	
8935	Std.2012.C	<b>Nut, barrel</b> ...					12	BSS.250.B	C.	
9765	Std.2079/C	<b>Nut, barrel</b> ...					39	Nylon	C.	
	Std.2013/E	<b>Nut, barrel</b> ...					2	—		
	F.217994	<b>Nut, countersunk</b> ...					5	S.95.B		
9335	Std.1547/19/6	<b>Washer, profile</b> ...					6	DTD.610	C.	4
8611	D.219295	<b>Light, front, port, group</b> ...					1	—	B.	JF.2
1523	F.173856	<b>Banjo</b> ...					1	DTD.364	C.	JF.2
1524	F.173857	<b>Bolt, banjo</b> ...					1	DTD.364	C.	JF.2
8510	Triplex A.5500	<b>Drier, air</b> ...					1	—	B.	
1526	F.191042	<b>Washer</b> ...					2	Rubber	C.	JF.2
4984	Std.914.G22	<b>Washer</b> ...					1	DTD.610	C.	4
32C/509	—	<b>Tube, <math>\frac{3}{16}</math>" o/d. x <math>\frac{3}{16}</math>" i/d. x 27" long (D.219295/5)</b>					1	DTD.625.A	C.	
8612	D.219296	<b>Light, front, starboard group</b> ...					1	—	B.	JF.2
1523	F.173856	<b>Banjo</b> ...					1	DTD.364	C.	JF.2
1524	F.173857	<b>Bolt, banjo</b> ...					1	DTD.364	C.	JF.2
8510	Triplex A.5500	<b>Drier, air</b> ...					1	—	B.	
1526	F.191042	<b>Washer</b> ...					2	Rubber	C.	JF.2
4984	Std.914/G/22	<b>Washer</b> ...					1	DTD.610	C.	4
32C/509	—	<b>Tube, <math>\frac{3}{16}</math>" o/d. x <math>\frac{3}{16}</math>" i/d. x 24" long (D.219296/3)</b>					1	DTD.625.A	C.	
2144	Std.1231/3	<b>Lug, locking</b> ...					1	—	C.	4
9752	Std.2080/C	<b>Nut, barrel</b> ...					4	M.T. Steel	C.	
8613	C.219279	<b>Quarterlight, port</b> ...					1	DTD.838	C.	JF.2
8614	C.219280	<b>Quarterlight, starboard</b> ...					1	DTD.838	C.	JF.2
8938	F.219889	<b>Screw, adjusting</b> ...					10	S.96.B	C.	JF.2
9763	F.229456	<b>Screw, adjusting</b> ...					2	S.96.B	C.	JF.2
8939	F.218465	<b>Seal, for front light clamp screws</b> ...					8	Rubber	C.	JF.2
9789	C.230419	<b>Seal, for front panel, port</b> ...					1	Neoprene	C.	JF.2
9790	C.230420	<b>Seal, for front panel, starboard</b> ...					1	Neoprene	C.	JF.2
9791	C.230421	<b>Seal, for quarterlight, port</b> ...					1	Neoprene	C.	JF.2
9792	C.230422	<b>Seal, for quarterlight, starboard</b> ...					1	Neoprene	C.	JF.2
9754	Std.2008/C/070	<b>Strip, locking</b> ...					12	S.84	C.	
9332	F.222516	<b>Washer, serrated, retaining cam</b> ...					8	Rubber	C.	JF.2
9335	Std.1547/19/6	<b>Washer, profile (Mod. 813)</b> ...					2	DTD.610	C.	


FUSELAGE—HOOD AND WINDSCEERN

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
28D/1010658	A25.1B	Bolt,	4	B.A.	...	...	...	...	...	...
28D/9436920	A25.1C	Bolt,	2	B.A.	...	...	...	...	...	...
28D/9133011	A25.2C	Bolt,	2	B.A.	...	...	...	...	...	...
28D/9133012	A25.3C	Bolt,	2	B.A.	...	...	...	...	...	...
28D/1200119	A25.4C	Bolt,	2	B.A.	...	...	...	...	...	...
28D/12533	A25.5C	Bolt,	2	B.A.	...	...	...	...	...	...
28D/7002428	A25.6C	Bolt,	2	B.A.	...	...	...	...	...	...
28D/1010030	A25.7C	Bolt,	2	B.A.	...	...	...	...	...	...
28D/1011019	A25.8C	Bolt,	2	B.A.	...	...	...	...	...	...
28D/9140644	A15.9C	Bolt,	2	B.A.	...	...	...	...	...	...
28D/9140645	A25.10C	Bolt,	2	B.A.	...	...	...	...	...	...
28D/9435710	A25.11C	Bolt,	2	B.A.	...	...	...	...	...	...
28D/9419397	A25.12C	Bolt,	2	B.A.	...	...	...	...	...	...
28D/9140647	A25.14C	Bolt,	2	B.A.	...	...	...	...	...	...
28D/945397Q	A25.15C	Bolt,	2	B.A.	...	...	...	...	...	...
28D/9140648	A25.19C	Bolt,	2	B.A.	...	...	...	...	...	...
28D/1011023	A25.20C	Bolt,	2	B.A.	...	...	...	...	...	...
28D/1010031	A25.18E	Bolt,	1/2"	B.S.F.	...	...	...	...	...	...
28D/14642	A30.18E	Bolt,	1/2"	B.S.F.	...	...	...	...	...	...
28D/8300	AS.1242.1B	Bolt,	countersunk,	4	B.A.	...	...	...	...	...
28D/1007975	AS.1242.1C	Bolt,	countersunk,	2	B.A.	...	...	...	...	...
28D/8308	AS.1242.3C	Bolt,	2	B.A.	...	...	...	...	...	...
28D/1007976	AS.1242.4C	Bolt,	countersunk,	2	B.A.	...	...	...	...	...
28D/1013172	AS.1242.5C	Bolt,	countersunk,	2	B.A.	...	...	...	...	...
28D/8310	AS.1242.6C	Bolt,	countersunk,	2	B.A.	...	...	...	...	...
28D/1007978	AS.1242.7C	Bolt,	countersunk,	2	B.A.	...	...	...	...	...
28D/8312	AS.1242.8C	Bolt,	countersunk,	2	B.A.	...	...	...	...	...
28D/8313	AS.1242.9C	Bolt,	countersunk,	2	B.A.	...	...	...	...	...
28D/10168	AS.1242.11C	Bolt,	countersunk,	2	B.A.	...	...	...	...	...
28D/8315	AS.1242.12C	Bolt,	countersunk,	2	B.A.	...	...	...	...	...
28D/8316	AS.1242.13C	Bolt,	countersunk,	2	B.A.	...	...	...	...	...
28D/8509	AS.1242.14C	Bolt,	countersunk,	2	B.A.	...	...	...	...	...
28D/8317	AS.1242.15C	Bolt,	countersunk,	2	B.A.	...	...	...	...	...
28D/12120	AS.1242.16C	Bolt,	countersunk,	2	B.A.	...	...	...	...	...
28D/11527	AS.1242.17C	Bolt,	countersunk,	2	B.A.	...	...	...	...	...
28D/12189	AS.1242.18C	Bolt,	2	B.A.	...	...	...	...	...	...
28D/8318	AS.1242.19C	Bolt,	2	B.A.	...	...	...	...	...	...
28D/11243	AS.1242.20C	Bolt,	2	B.A.	...	...	...	...	...	...
28D/8319	AS.1242.22C	Bolt,	2	B.A.	...	...	...	...	...	...
28D/13663	AS.1242.24C	Bolt,	2	B.A.	...	...	...	...	...	...
28D/11244	AS.1242.25C	Bolt,	2	B.A.	...	...	...	...	...	...
28D/12124	AS.1242.19E	Bolt,	1/2"	B.S.F.	...	...	...	...	...	...
28D/1013284	AS.1248.2C	Bolt,	2	B.A.	...	...	...	...	...	...
28D/9142406	AS.1248.3C	Bolt,	2	B.A.	...	...	...	...	...	...
28D/1013301	AS.1248.4C	Bolt,	2	B.A.	...	...	...	...	...	...
28N/13018	AGS.2031/2	Circlip,	external,	1/2"	dia.	...	...	...	...	...
28N/9156370	SP.21	Nipple,	lubricating,	1/2"	B.S.F.	...	...	...	...	...
28M/5236	A14.E.B.	Nut,	1/2"	B.S.F.	...	...	...	...	...	...
28M/1006473	A27.C.T.	Nut,	2	B.A.	...	...	...	...	...	...
28M/12931	A27.E.T.	Nut,	1/2"	B.S.F.	...	...	...	...	...	...
28M/1011470	A27.G.T.	Nut,	1/2"	B.S.F.	...	...	...	...	...	...

FUSELAGE—HOOD AND WINDSCREEN

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
28M/9403520	A27.C.P.	Nut, 2 B.A.	...	...	...	...	...	—	—	—
28M/12928	A27.EP	Nut, 3/4" B.S.F.	...	...	...	...	...	—	—	—
28M/13935	A58.E.S.	Nut, 1/2" B.S.F.	...	...	...	...	...	—	—	—
28M/10288	AGS.2001/C1	Nut, 2 B.A.	...	...	...	...	...	—	—	—
28M/10290	AGS.2001.E1	Nut, 2 B.A.	...	...	...	...	...	—	—	—
28M/10328	AGS.2002/C1	Nut, 2 B.A.	...	...	...	...	...	—	—	—
28M/11957	AGS.2007/C1	Nut, 2 B.A.	...	...	...	...	...	—	—	—
28M/9434251	AGS.2008/B1	Nut, 4 B.A.	...	...	...	...	...	—	—	—
28M/9435067	AGS.2008/C1	Nut, 2 B.A.	...	...	...	...	...	—	—	—
28M/11113	AGS.2008/C4	Nut, 2 B.A.	...	...	...	...	...	—	—	—
28M/16273	AGS.2019/C4	Nut, 2 B.A.	...	...	...	...	...	—	—	—
28M/13085	AGS.2023/C1	Nut, 2 B.A.	...	...	...	...	...	—	—	—
28P/838	SP.4Y/B12	Pin	...	...	...	...	...	—	—	—
28S/1200058	A.33.A.12	Screw, 6 B.A.	...	...	...	...	...	—	—	—
28W/9419475	SP.15.C	Washer, 2 B.A.	...	...	...	...	...	—	—	—
28W/9419405	SP.15.E	Washer, 1/2" B.S.F.	...	...	...	...	...	—	—	—
28W/9419404	SP.16.C	Washer, 2 B.A.	...	...	...	...	...	—	—	—
28F/14252	AGS.1186/3	Washer, 2 B.A.	...	...	...	...	...	—	—	—
28F/14253	AGS.1186/4	Washer, 1/2" dia.	...	...	...	...	...	—	—	—
28W/9416642	SP.47.B	Washer, 4 B.A.	...	...	...	...	...	—	—	—





This file was downloaded  
from the RTFM Library.

Link: [www.scottbouch.com/rtfm](http://www.scottbouch.com/rtfm)

Please see site for usage terms,  
and more aircraft documents.

