


MAIN PLANES—LANDING FLAP

Ref. No.	Part No.	Description						No. Off	Material Specification	M.R. Class of Store	Plate No.
			1	2	3	4	5				
10011	E.234711	FLAP, LANDING, PORT, GROUP						1	—	A.	KC.1
10012	E.234712	FLAP, LANDING, STARBOARD, GROUP						1	—	A.	KC.1
4056	C.181447	Angle, for leading edge, between ribs 1 and 6, port						1	DTD.364	MR/C	KC.1
4057	C.181448	Angle, for leading edge, between ribs 1 and 6, starboard						1	DTD.364	MR/C	KC.1
4058	C.181449	Angle, for leading edge, between ribs 6 and 9, port						1	DTD.364	MR/C	KC.1
4059	C.181450	Angle, for leading edge, between ribs 6 and 9, starboard						1	DTD.364	MR/C	KC.1
4060	C.181451	Angle, for leading edge, between ribs 9 and 14, port						1	DTD.364	MR/C	KC.1
4061	C.181452	Angle, for leading edge, between ribs 9 and 14, starboard						1	DTD.364	MR/C	KC.1
4062	C.181453	Angle, for leading edge, between ribs 14 and 15, port						1	DTD.364	MR/C	KC.1
4063	C.181454	Angle, for leading edge, between ribs 14 and 15, starboard						1	DTD.364	MR/C	KC.1
4064	A.184425	Bolt, special, for spools at rib 9						12	S.99.B	MR/C	KC.1
4065	A.184426	Bolt, special, for spool at ribs 8 and 10						8	S.99.B	MR/C	KC.1
10158	Std.1551/1/245	Bolt, for spool between rib No. 6 and rib No. 7						1	S.99.B	C.	5
10159	Std.1551/3/255	Bolt, for spool between rib No. 6 and rib No. 7						2	S.99.B	C.	5
4066	A.193411	Bracket, sealing cut-away at lever						1	DTD.610	MR/C	
9131	D.181473	FILLET, INBOARD END, PORT, GROUP						1	—	MR/B	KC.1
9132	D.181474	FILLET, INBOARD END, STARBOARD, GROUP						1	—	MR/B	KC.1
	C.181869	Former, port, at rib No. 1						1	DTD.610		
	C.181870	Former, starboard, at rib No. 1						1	DTD.610		
	A.181871	Former, port						1	DTD.610		
	A.181872	Former, starboard						1	DTD.610		
	A.181873	Former, port						1	DTD.610		
	A.181874	Former, starboard						1	DTD.610		
	F.181875	Former, at leading edge, port						1	DTD.610		
	F.181876	Former, at leading edge, starboard						1	DTD.610		
	D.181473/1	Skin, port						1	DTD.610		
	D.181474/1	Skin, starboard						1	DTD.610		
	C.178804	Lever, operating, group						2	Stamping		
9697	F.178805	Bush						4	S.1	MR/C	KC.1
4067	F.181439	Lug, for leading edge angle						2	DTD.610	MR/C	KC.1
4068	F.181440	Lug, for leading edge angle						2	DTD.610	MR/C	KC.1
4069	F.181441	Lug, for leading edge angle						4	DTD.610	MR/C	KC.1
4070	F.181442	Lug, for leading edge angle						4	DTD.610	MR/C	KC.1
4071	F.181443	Lug, for leading edge angle						1	DTD.610	MR/C	KC.1
4072	F.181444	Lug, for leading edge angle						1	DTD.610	MR/C	KC.1
4073	F.181445	Lug, for leading edge angle						18	DTD.610	MR/C	KC.1
4074	F.181446	Lug, for leading edge angle						4	DTD.610	MR/C	KC.1
	C.236157	Member, edge, port						1	L.72		KC.1
	C.236158	Member, edge, starboard						1	L.72		KC.1
	C.234760	Plate, reinforcing, port						1	Std.1741 or DTD.610		KC.1
	C.234761	Plate, reinforcing, starboard						1	Std.1741 or DTD.610		KC.1
	C.236155	Plate, reinforcing, port						1	L.72		KC.1
	C.236156	Plate, reinforcing, starboard						1	L.72		KC.1
4077	C.181350	Rib, No. 1, port						1	DTD.610	MR/C	KC.1
4078	C.181351	Rib, No. 1, starboard						1	DTD.610	MR/C	KC.1
4079	C.180570	Rib, Nos. 2 to 13						24	DTD.610	MR/C	KC.1
	B.234741	Rib, No. 14, port						1	L.72		KC.1
	B.234742	Rib, No. 14, starboard						1	L.72		KC.1

MAIN PLANES—LANDING FLAP

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
	C.234735	Rib, No. 15, port	1	L.72		KC.1
	B.234736	Rib, No. 15, starboard	1	L.27		KC.1
	E.234711/1	Skin, port	1	DTD.610		KC.1
	E.234712/1	Skin, starboard	1	DTD.610		KC.1
	C.181344	Spar, port	1	T.60		KC.1
	C.181345	Spar, starboard	1	T.60		KC.1
9725	C.180717	Spool, for inner bearing, port, group	1	—	MR/B	KC.1
9726	C.180718	Spool, for inner bearing, starboard, group	1	—	MR/B	KC.1
9699	F.181472	Bush	4	S.1	MR/C	KC.1
9722	B.180716	Spool, bearing, group	4	—	MR/B	KC.1
9698	F.181471	Bush	4	S.1	MR/C	KC.1
9723	B.181353	Spool, at ribs Nos. 8 and 10	4	Stamping	MR/C	KC.1
9724	B182836	Spool, at ribs Nos. 2 to 5, 7, 11 to 13, and 15	18	Stamping	MR/C	KC.1
4581	F.201407	Tappet	2	S.95.B	C.	KC.1
	C.234900	Trailing-edge stiffener, port	1	DTD.610		KC.1
	C.234901	Trailing-edge stiffener, starboard	1	DTD.610		KC.1
SUMMARY OF STOCK ITEMS										
28H/6324	AGS.934/GM	Ferrule, screwed	—	—	—	—
28R/6328	AGS.935/C	Rod, screwed, 2-75" long	—	—	—	—
28H/6325	AGS.934/JM	Ferrule, screwed	—	—	—	—
28R/6329	AGS.935/D	Rod, screwed, 2-85" long	—	—	—	—
28W/9419477	SP.15.J	Washer, 3/4" B.S.F.	—	—	—	—
28W/9419489	SP.16.J	Washer, 3/4" B.S.F.	—	—	—	—



LANDING FLAP

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

