

RADIO—V.H.F. INSTALLATION

Ref. No.	Part No.	Description	No. Of	Material Specification	M.R. Class of Store	Place No.
	E.261304	RADIO—V.H.F. INSTALLATION, ASSEMBLY ...	—	—	—	
	E.222076	Additional Details, in accordance with Drg. A.261303	—	—	—	
5CZ/868	—	Block , terminal, 5-way	2	—	B.	
	F.221828	Clip , special, mounting T.B. on hydraulic duct ...	2	L.72	M.R.	
5K/3394	AS.3360.B6B	Lead , bonding	2	—	C.	
	F.221829	Platform , for Mic-Tel terminal block	1	L.72		
10H/2206	—	Socket , Mic-Tel, type 359	2	—	B.	
5F/2301	Hellermann NY.18007/A	Strapping	QR	—	C.	
5F/2302	Hellermann NY.3342	Stud	QR	—	C.	
10U/16596	—	Amplifier , type A.1961	1	—	A.	
5CZ/430	—	Block , terminal, 2-way	1	—	B.	
10D/17805	—	Box , junction, type 154	1	—	A.	
	D.261282	Box , radio supplies and relay, group	1	—	A.	
	F.234668	Angle , mounting	1	L.72		
	F.234669	Angle , mounting	1	L.72		
5X/6480	—	Bar , commoning, 4-way	2	—	C.	
5CZ/868	—	Block , terminal, 5-way	1	—	B.	
10389	F.234650	Block , rubbing	1	LFS.21	C.	
5X/6607	Plessey CZ.73898	Block , fuse	3	—	B.	
	B.246749	Board for components , group	1	—		
	A.246748	Board , tag	1	—		
5910-99-0120886	—	Capacitor , CP.70-A, .002 m/fd.	1	—		
10C/0115631	—	Capacitor , CP.31-J, 10 m/fd.	1	—		
	F.235160	Link	1	—		
	A.246747	Plate , insulating	1	BSS.972/C		
	B.T.H.	Rectifier , GJ6M	5	—		
10W/Z215466	—	Resistor , RC.2D, 200 chms, ½ watt	2	—	C.	
10W/Z215162	—	Resistor , RC.2D.220 ohms, ½ watt	2	—	C.	
10W/Z216092	—	Resistor , RC.2D.56 K ohms, ½ watt	1	—	C.	
10W/Z216002	—	Resistor , RC.2.D.10 K ohms, ½ watt	3	—	C.	
	F.236210	Spacer	6	BSS.972/C		
	A.233753	Bracket , for earth terminal	1	L.72		
	D.246010	Box , detail, group	1	—		
28FP/323	Dzus S3.150	Spring	2	—	C.	
8670	F.220761	Bush	3	LFB.82	C.	
	B.247598	Cable , Mic/Tel (See cable chart)	1	—		
	A.235846	Cable , electric, F.23B	1	—		
10H/0970056	Plessey CZ.51539	Cap , protective	1	—	C.	
10H/0970055	Plessey CZ.51538	Cap , protective	2	—	C.	
5CY/4520	C.246009	Cap , protective, for C/Breaker	1	—	C.	
	C.246009	Casing , for relay box, group	1	—		
10387	A.233504	Cover , fuse	1	—	C.	
28FP/	Dzus A.3	Fastener , type "A"	2	—	C.	
5X/6593	Plessey CZ.54744	Extractor , fuse	12	—	C.	
10H/21797	—	Fuse , type "S," 2-5 amp.	2	—	C.	
10H/21798	—	Fuse , type "S," 5 amp.	1	—	C.	
10H/21791	—	Fuse , dummy	6	—	C.	
10H/23864	—	Fuse , type AS., H.R.C., 5 amp.	1	—	C.	
10H/23860	—	Fuse , type A.S., H.R.C., 20 amp.	1	—	C.	

RADIO—V.H.F. INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	A.261307/1						1	—		
	A.261320						1	L.72		
5K/3394	AS.3360.B6B						1	—	C.	
5K/	AS.3360.B4						1	—	C.	
5K/3355	AS.3360.B4B						1	—	C.	
10388	F.234635						1	BSS.265	C.	
	A.238206						1	—		
7813	F.206916						1	L.72	MR/C	
	B.236196						1	L.72		
10F/O530453	Plessey						9	—	B.	
	Std.1509/12/108						1	T.4		
	D.246838						—	—	—	
10H/0970056	Plessey CZ.51539						1	—	C.	
5K/3355	AS.3360.B4B						1	—	C.	
10395	Automotive						4	—	C.	
	Products									
	AVM.113									
	B.246846						1	—		
10AD/3079	LP.736720						6	—	C.	
	B.233472						1	—		
10AS/1002528	LP.733615						6	—	C.	
10AS/1002129	LP.733614						6	—	C.	
10391	A.233475						1	—	C.	
10390	A.233474						1	—	C.	
921	Std.915-B12						4	—	C.	
10H/0560582	Plessey CZ.48995/2						1	—	C.	
10H/0560150	Plessey CZ.49112						1	—	C.	
10H/0560080	Plessey CZ.48995						1	—	C.	
10H/0560154	Plessey CZ.49112/4						1	—	C.	
10H/0560151	Plessey CZ.49112/1						1	—	C.	
10H/0560050	Plessey CZ.48992						1	—	C.	
10H/0560070	Plessey CZ.48994						1	—	C.	
5K/—	Helsyn						A/R	—	C.	
10H/0560233	Plessey CZ.49217/3						1	—	C.	
10H/0560260	Plessey CZ.49223						1	—	C.	
10H/0560231	Plessey CZ.49217/1						1	—	C.	
10H/0560332	Plessey CZ.49459/2						1	—	C.	
10H/0560232	Plessey CZ.49217/2						1	—	C.	
10H/0560331	Plessey CZ.49459/1						1	—	C.	
10H/0560330	Plessey CZ.49459						1	—	C.	
5X/7342	Erma 12431						12	—	C.	
	Erma 12432						2	—	C.	
	Erma 12434						1	—	C.	
5X/9400382	Erma						8	—	C.	
5X/9400384	Erma						4	—	C.	
5X/9400388	Erma						2	—	C.	
5K/3469	RC.01						2	—	C.	
	B.221724						1	—		
	B.221515						1	—		
	B.261268						1	—		
	B.261269						1	—		
	B.260471						1	—		
	B.205952						1	—		
	B.206538						1	—		

RADIO—V.H.F. INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5CW/5252	HV.3711					Cap, sea grey	3	—	C.	
	Std.2045/38/22					Clip, securing cables	1	—	C.	
	9663					Clip, securing cables	1	—	C.	
	Std.2045/19/24					Clip, securing cables	3	—	C.	
	Std.2046/34/22					Circuit-breaker	1	—	A.	
5CY/2564	—					Connector, Mic/Tel.	1	—		
	A.221617					Connector, junction box to connector at frame 14	1	—		
10HB/6605	E.227864/1					Connector, starboard aerial wing-break to frame 19	1	—		
10HA/16710	E.227865/2					Connector, port aerial wing-break to frame 19	1	—		
10HA/16711	E.227865/3					Connector, starboard aerial to wing-break	1	—		
10HA/16708	E.227865/23					Connector, port aerial to wing-break	1	—		
10HA/16709	E.227865/24					Connector, frame 19 to TR. No. 2	1	—		
	E.231089/26					Connector, frame 19 to TR. No. 1	1	—		
	E.231089/27					Connector, relay box to frame 14	1	—		
	C.233770/2					Connector (Intercom.)	1	—		
	B.235731					Connector, amplifier to junction box	1	—		
	B.261100					Connector, amplifier to relay box ...	1	—		
	B.261101					Connector, amplifier to junction box	1	—		
	B.261102					Connector, relay box to TR. No. 1	1	—		
	C.261261					Connector, relay box to TR. No. 1	1	—		
	C.261262					Connector, frame 14 to controllers	1	—		
	B.261272					Connector, relay box to TR. No. 2	1	—		
	C.261273					Connector, relay box to TR. No. 2	1	—		
	C.261274					Connector, TR.1 and TR.2 to frame 14	1	—		
	B.261278									
	E.219302					INSTALLATION IN WINGS, CENTRE AND REAR FUSELAGE, ASSEMBLY	—	—		
10B/16574	—					Aerial, type 228 (Starboard)	1	—	A.	
10B/16621	—					Aerial, type 229 (Port)	1	—	A.	
	A.211973					Aerial, bottom, group	1	—		
	8955					Base, for aerial	1	—	C.	
	7865					Grommet	1	Rubber	C.	
	7180					Nut, adaptor	1	S.1	MR/C	
10B/16622	—					Rod, aerial, type 408	1	—	B.	
	A.219547					Aerial, top, group	2	—		
	A.200789					Base, for aerial	1	—		
	7180					Nut, adaptor	1	S.1	MR/C	
10B/16622	—					Rod, aerial, type 408	1	—	B.	
	B.196758					BLOCK, TERMINAL, 53 AND 54, ASSEMBLY	—	—		
5X/1002694	Plessey CZ.50207					Block, terminal	1	—	B.	
5X/3276	Plessey CZ.50205					Block, terminal, 2 way	1	—	B.	
	3967					Bracket, aerial mounting	2	LFS.89	C.	
	F.231642					Clip, support, at aerial mounting	1	S.3		
	6035					Clip, special, at frame 19	1	L.72	MR/C	
	F.221706					Clip, special, at frame 19	1	L.72		
	F.221734					Clip, special, at frame 19	1	L.72		
	—					Clip, securing connection, at tele-briefing plug, between frames 53, 54 (Make from 30B/1734)	2	L.72	—	
3736	Std.840/17					Clip, securing connectors in spine, starboard $\frac{7}{16}$ " wide x 22 S.W.G. x 1-7" long	4	DTD.610	C.	4

RADIO—V.H.F. INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Place No.
		1	2	3	4	5				
3743	Std.840/25						4	DTD.610	MR/C	4
4186	Std.841/18						4	DTD.610	C.	4
4159	Std.841/20						2	DTD.610	C.	4
—	Std.842/17						2	S.3	—	
	Std.2076/23/24						1	—		
	A.219580						2	—	C.	
10AL/290	—						2	—	C.	
9370	A.208460						1	S.3	C.	
	C.191818						—	—		
	A.191832						1	—		
							—	—		
10HA/9326	—						1	—	B.	
5X/6501	—						1	—	C.	
	Std.1950/11						1	—		
5K/2576	Hellermann A.P.						1	—	C.	
5X/9400063	Plessey Z.19925						7	—	C.	
5X/9400064	Plessey Z.19980						7	—	C.	
	5F/						1	—	C.	
	1681	F.191829					2	DTD.215	C.	
	1682	F.191957					1	L.53	C.	
10H/O540103	—						2	—	B.	
	5F/2301	Hellermann NY.18007					QR	—	C.	
	5F/2302	Hellermann NY.3342					QR	—	C.	
	Std.1509/23/063						1	T.4		
	Std.1509/23/036						2	T.4		
6734	Std.1335/A/18						2	—	C.	4
	F.219731						2	L.72		
	10AJ/82	—					2	—	B.	
	F.212499						1	—		
	B.261306/1						1	L.72		
	1638	Std.1606/44/B6					6	Brass	C.	5
10H/19481	Plessey CZ.62275						2	—	B.	
10H/19482	Plessey CZ.62275/1						1	—	B.	
	10H/19451	CZ.62270					1	—	B.	
	5F/2301	Hellermann NY.18007					QR	—	C.	

RADIO-V.H.F. INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5F/2302	Hellermann NY.3342	Stud	QR	—	C.	
5CW/7540	—	Switch, S.P., no "off" position	1	—	B.	
5CW/7541	—	Switch, S.P.	1	—	B.	
10D/21507	—	Transmitter/Receiver, T.R.1985A	1	—	A.	
10D/21509	—	Transmitter-Receiver, T.R.1986A	1	—	A.	
10AJ/121	—	Tray, mounting, type 936	1	—	A.	
10L/246	—	Unit, control, type 382	2	—	A.	
10H/0970050	Plessey Z.54106	Washer, panel mounting	2	—	C.	
10H/0970049	Plessey Z.54105	Washer, panel mounting	1	—	C.	
10HA/17930	—	Washer, check	8	—	C.	

RADIO-V.H.F. INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28D/1008147	A25.1.A	Bolt, 6 B.A.	---	---	---
28D/1007971	A.25.1.B	Bolt, 4 B.A.	---	---	---
28D/1010658	A.25.1.B	Bolt, 4 B.A.	---	---	---
28D/9140638	A.25.4.B	Bolt, 4 B.A.	---	---	---
28D/1010029	A25.6.B	Bolt, 4 B.A.	---	---	---
28D/1009984	A25.7.B	Bolt, 4 B.A.	---	---	---
28D/9436920	A25.1.C	Bolt, 2 B.A.	---	---	---
28D/7002428	A25.6.C	Bolt, 2 B.A.	---	---	---
28D/9419397	A25.12.C	Bolt, 2 B.A.	---	---	---
28D/1011022	A25.18.C	Bolt, 2 B.A.	---	---	---
28D/1011025	A25.24.C	Bolt, 2 B.A.	---	---	---
28D/1011029	A25.1.E	Bolt, 1/2" B.S.F.	---	---	---
28D/1011242	A25.7.E	Bolt, 1/2" B.S.F.	---	---	---
28D/1011245	A25.10.E	Bolt, 1/2" BSF	---	---	---
28D/8307	AS.1242.2C	Bolt, 2 B.A.	---	---	---
28D/1013173	AS.1242.10C	Bolt, 2 B.A.	---	---	---
28D/12703	AS.1246.15B	Bolt, 4 B.A.	---	---	---
28D/9128739	AS.1248.1B	Bolt, 4 B.A.	---	---	---
28D/1007981	AS.1248.1C	Bolt, 2 B.A.	---	---	---
28D/12103	AS.1248.21C	Bolt, 2 B.A.	---	---	---
28N/1006978	SP.58.D	Burr, 5/32" dia.	---	---	---
28E/9130612	AS.5419/5	Clip, "P"	---	---	---
28M/1006504	A.27.BT	Nut, 4 B.A.	---	---	---
28M/10286	AGS.2001.A1	Nut, 6 B.A.	---	---	---
28M/10287	AGS.2001.B1	Nut, 4 B.A.	---	---	---
28M/10326	AGS.2002.A1	Nut, 6 B.A.	---	---	---
28M/10327	AGS.2002.B1	Nut, 4 B.A.	---	---	---
28M/10328	AGS.2002.C1	Nut, 2 B.A.	---	---	---
28M/7002430	AGS.2002.E1	Nut, 1/2" B.S.F.	---	---	---
28M/7002431	AGS.2002.G1	Nut, 5/16" B.S.F.	---	---	---
28S/1009109	A.32.A.6	Screw, 6 BA	---	---	---
28S/1006948	A.32.A.12	Screw, 6 B.A.	---	---	---
28S/1011484	A.32.A.20	Screw, 6 B.A.	---	---	---
28S/6287	A.32.B.6	Screw, 4 B.A.	---	---	---
28S/1011488	A.32.B.28	Screw, 4 B.A.	---	---	---
28S/1011490	A.32.C.16	Screw, 2 B.A.	---	---	---
28S/9992533	A.32.C.20	Screw, 2 B.A.	---	---	---
28S/1200060	A.33.A.16	Screw, 6 B.A.	---	---	---
28S/1200062	A.33.A.20	Screw, 6 B.A.	---	---	---
28S/9435716	A.33.B.12	Screw, 4 B.A.	---	---	---
28S/1007469	A.33.B.14	Screw, 4 B.A.	---	---	---
28S/9435715	A.33.B.16	Screw, 4 B.A.	---	---	---
28VV/9419446	SP.10.A	Washer, 6 B.A.	---	---	---
28VV/9419455	SP.10.G	Washer, 5/16" B.S.F.	---	---	---
28VV/9419473	SP.15.A	Washer, 6 B.A.	---	---	---
28VV/9419474	SP.15.B	Washer, 4 B.A.	---	---	---
28VV/9419475	SP.15.C	Washer, 2 B.A.	---	---	---
28VV/9419405	SP.15.E	Washer, 1/2" B.S.F.	---	---	---
28VV/9419404	SP.16.C	Washer, 2 B.A.	---	---	---
28VV/9419487	SP.16.E	Washer, 1/2" B.S.F.	---	---	---

This file was downloaded
from the RTFM Library.
Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

