

SERVICES—HYDRAULICS REAR FUSELAGE

Ref. No.	Part No.	Description	1 2 3 4 5					No. Off	Material Specification	M.R. Class of Score	Plate No.
	D.234198	HYDRAULIC INSTALLATION IN REAR FUSELAGE, ASSEMBLY (Mod. 841)					-	-			
27Q/1884	Dowty 08692Y.AO.5	Accumulator, unit	1	-	A.		
2052	F.194338	Block, clamp	7	LFS.21	C.	NG.1	
2053	F.194339	Block, clamp	8	LFS.21	C.	NG.1	
2081	F.195583	Block, clamp	6	LFS.21	C.	NG.1	
1180	F.183906	Block, clamp, for return pipe	1	LFS.21	C.	NG.1	
1181	F.183907	Block, clamp, for pressure pipe	1	LFS.21	C.	NG.1	
4950	F.204723	Block, clamp	8	LFS.21	C.	NG.1	
4951	F.204934	Block, clamp	2	LFS.21	C.	NG.1	
8511	F.220531	Block, saddle at Pressure Regulator valve	1	LFB.72	C.	NG.1	
7231	B.200875	Bracket, mounting, for pressure gauge	1	L.72	MR/C		
10156	A.215212	Bracket, mounting for micronic filter	1	-			
27BA/8775	Auto Prod. AVA.64-7C	Cap, blanking	2	-	C.		
1182	A.189669	Clamp, top	1	S.3	C.	NG.1	
1183	F.189672	Clamp, block, group	1	S.3	C.	NG.1	
	F.189672/1	Channel	1	S.3			
	F.189672/2	Clamp, plate	1	S.3			
4952	F.204102	Clamp, plate	4	LFS.21	C.	NG.1	
	F.221095	Clip, securing cable duct in dorsal fin	1	-			
	F.211876	Clip	1	S.3			
3736	Std.840/17	Clip, $\frac{7}{16}$ " wide x 22 S.W.G. x 1-7" long	2	DTD.610	C.	4	
	Std.2045/38/22	Clip, sleeved	1	-			
	Std.2045/29/22	Clip, sleeved	1	-			
	Std.850/19	Clip	1	DTD.610			
4161	Std.850/21	Clip, $\frac{7}{16}$ " wide x 22 S.W.G. x 2-1" long	1	DTD.610	C.	4	
5789	Std.851/35	Clip, $\frac{7}{16}$ " wide x 22 S.W.G. x 3-5" long	2	DTD.610	C.	4	
9421	F.215214	Clip, half, securing micronic filter	1	-	C.	NG.1	
	Std.853/81	Clip, securing at Pressure Regulator Valve	1	S.3			
9092	F.221834	Clip, saddle, securing pipes above frame 51	1	S.510	C.	NG.1	
27BA/11415	Auto Prod. AVA.1150/C	Coupling, flanged	2	-	C.		
	F.222439	Duct, cable in dorsal fin	1	L.62			
27BA/8796	Auto Prod. AVA.57A	Coupling, half, high pressure, union half	1	-	C.		
27BA/8759	Auto Prod. AVA.57B	Coupling, half, high pressure, union half	1	-	C.		
27KF/3300	Fairey BH.1643	Filter, micronic (Mod. 1146)	1	-			
		(For spares see AP.4515P, Vol. 3)					
6A/2693	-	Gauge, pressure, Mk. 14LL	1	-	A.		
7232	B.209709	Guard, for flexible pipes	1	-	MR/C	NG.1	
4953	A.204708	Hose, flexible, for airbrake jack	1	-	C.	NG.1	
4954	A.204709	Hose, flexible, for airbrake jack	1	-	C.		
27BA/9261	Auto Prod. AVA.322A/16-0	Hose, flexible, 16-0"	1	-	C.		
27BA/10606	Auto Prod. AVA.322A/18-5	Hose, flexible, 18-5"	1	-	C.		
27BA/9493	Auto Prod. AVA.322A/26-5	Hose, flexible, 26-5"	1	-	C.		
27BA/9699	Auto Prod. AVA.322B/16-0	Hose, flexible, 16-0"	1	-	C.		

SERVICES—HYDRAULICS REAR FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
27BA/9466	Auto Prod. AVA.322B/23-0	Hose, flexible, 23-0"	1	—	C.	
6A/2771	—	Label, air	1	—	C.	
2144	Std.1231/3	Lug, locking	7	S.3	C.	4
27BA/8798	Auto Prod. AVA.62A	Nut, union	1	—	C.	
27BA/8766	Auto Prod. AVA.62B	Nut, union	1	—	C.	
†	B.187926/1	Pipe, pressure, flexible hose to non-return valve	1	DTD.323A		
†	B.187926/4	Pipe, pressure, tee-piece to valve	1	DTD.323A		
†	B.187926/6	Pipe, pressure, valve to tee-piece	1	DTD.323A		
†	B.187926/7	Pipe, pressure, tee-piece to flexible hose	1	DTD.323A		
†	B.187926/8	Pipe, return, flexible hose to non-return valve	1	DTD.323A		
†	B.187926/10	Pipe, return, tee-piece to valve	1	DTD.323A		
†	B.187926/11	Pipe, return, valve to flexible hose	1	DTD.323A		
†	B.187926/12	Pipe, return, tee-piece to thermal relief valve	1	DTD.323A		
†	B.187926/13	Pipe, return, thermal relief valve to tee-piece	1	DTD.323A		
4603	B.187926/16	Pipe, tee-piece to charging connection	1	DTD.323A	C.	
4604	B.187926/17	Pipe, tee-piece to pressure gauge	1	DTD.323A	C.	
4605	B.187926/18	Pipe, charging, accumulator to tee-piece	1	DTD.323A	C.	
4606	B.187926/19	Pipe, pressure, tee-piece to accumulator	1	DTD.323A	C.	
5935	B.187926/23	Pipe, pressure, regulator valve to non-return valve	1	DTD.323A	C.	
5936	B.187926/24	Pipe, pressure, non-return valve to tee-piece	1	DTD.323A	C.	
5937	B.187926/25	Pipe, pressure, tee-piece to lower selector valve	1	DTD.323A	C.	
5938	B.187926/26	Pipe, pressure, tee-piece to upper selector valve	1	DTD.323A	C.	
†	B.187926/29	Pipe, return, 4-way to upper selector valve	1	DTD.323A		
5942	B.187926/30	Pipe, return, 4-way to lower selector valve	1	DTD.323A	C.	
5943	B.187926/31	Pipe, return, 4-way to tee-piece	1	DTD.323A	C.	
†	B.187926/32	Pipe, return, tee-piece to relief valve	1	DTD.323A		
†	B.187926/33	Pipe, return, upper selector, valve to non-return valve	1	DTD.323A		
5946	B.187926/34	Pipe, return, thermal relief valve to tee-piece	1	DTD.323A	C.	
5947	B.187926/35	Pipe, airbrake "UP," upper selector valve to 4-way	1	DTD.323A	C.	
5848	B.187926/36	Pipe, airbrake "UP," 4-way to flexible hose	1	DTD.323A	C.	
†	B.187926/37	Pipe, airbrake "UP," 4-way to non-return valve	1	DTD.323A		
†	B.187926/38	Pipe, airbrake "UP," 4-way to thermal relief valve	1	DTD.323A		
5951	B.187926/39	Pipe, airbrake "DOWN," lower selector valve to pressure relief valve	1	DTD.323A	C.	
5952	B.187926/40	Pipe, airbrake "DOWN," relief valve to tee-piece	1	DTD.323A	C.	
5953	B.187926/41	Pipe, airbrake "DOWN," tee-piece to flexible hose	1	DTD.323A	C.	
†	B.187926/42	Pipe, airbrake "DOWN," tee-piece to pressure switch	1	DTD.323A		
6514	B.187926/45	Pipe, pressure, union to union	1	DTD.743	C.	
6515	B.187926/46	Pipe, pressure, union to regulator valve	1	DTD.743	C.	
6516	B.187926/47	Pipe, return, union to 4-way	1	DTD.743	C.	
6517	B.187926/48	Pipe, pressure, S.S. coupling to union	1	DTD.743	C.	
6518	B.187926/49	Pipe, return, S.S. coupling to union	1	DTD.743	C.	
7860	B.187926/51	Pipe, pressure, tee-piece to tee-piece	1	DTD.323	C.	
7861	B.187926/52	Pipe, return, non-return valve to tee-piece	1	DTD.323	C.	
	B.187926/53	Pipe, pressure, non-return valve to filter (inlet)	1	DTD.323A		
	B.187926/54	Pipe, pressure, filter (outlet) to tee-piece	1	DTD.323A		
	F.217369	Plate, sealing at frame 50	1	LFS.21		
	F.217370	Plate, sealing at frame 51	1	LFS.21		

† For details see Piping Chart

SERVICES—HYDRAULICS REAR FUSELAGE


Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
27QA/251	SP.900/22 Dowty Seals	Ring, "O"	2	—	C.	
7822	GD.1576 Dowty Seals	Shroud, 3/8" B.S.P., union connection	1	—	C.	
7821	GD.1579 D.209242/1	Shroud, 3/8" B.S.P., bulkhead connection	4	—	C.	
	D.209242/2	Sleeve, 1" int. dia. x 4" long (Make from 5F/2272) ...	2	PVC	—	
	D.209242/2	Sleeve, 3/8" int. dia. x 14-5" long	1	PVC	—	
5CW/6015	Thermal Control TP.5300/2	Switch, pressure (Alternative to TP.1300)	1	—	A.	
5CW/5981	Thermal Control TP.1300	Switch, pressure (Alternative to TP.5300/2)	1	—	A.	
1184	F.180950	Tee-piece	1	—	C.	
—	Std.1507/2/026	Tube, distance (Local Manufacture)	1	T.26	—	
—	Std.1507/2/082	Tube, distance (Local Manufacture)	1	T.26	—	
—	Std.1507/2/080	Tube, distance (Local Manufacture)	1	T.26	—	
869	F.140778	Union, reducing	1	L.1	C.	NF.1
1185	F.183200	Union	2	—	C.	
8334	A.210242	Union, flanged at bulkhead	2	—	C.	NG.1
27Q/926	Dowty D.5220.Y	Valve, thermal relief	3	—	A.	
27Q/15170	Dowty D.5230.Y	Valve, non-return	1	—	A.	
27Q/1288	Dowty C.4651.Y.Mk. D	Valve, pressure release	1	—	A.	
27Q/70052	Dowty 04862Y-B08	Valve, pressure maintaining	1	—	A.	
27Q/70592	Dowty 08808Y-B0-7	Valve, selector (Mod. 996)	1	—	A.	
27Q/1933	Dowty 08816Y-A03	Valve, selector	1	—	A.	
27Q/1936	Dowty 08818Y-A02	Valve, selector	1	—	A.	
27Q/927	Dowty C.4603.Y.Mk.A	Valve, thermal relief	1	—	A.	
7100	Std.915/B/10	Washer	1	DTD.610	MR/C	
	Std.1547/28/18	Washer	1	DTD.610	—	

SERVICES—HYDRAULICS REAR FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28Y/12849	AGS.1212	Block, adaptor	-	-	-	-
28D/1007971	A25.4B	Bolt, 4 B.A.	-	-	-	-
28D/1010658	A25.1B	Bolt, 4 B.A.	-	-	-	-
28D/9419452	A25.3B	Bolt, 4 B.A.	-	-	-	-
28D/1011006	A25.5B	Bolt, 4 B.A.	-	-	-	-
28D/1010029	A25.6B	Bolt, 4 B.A.	-	-	-	-
28D/1009984	A27.7B	Bolt, 4 B.A.	-	-	-	-
28D/9436920	A25.1C	Bolt, 2 B.A.	-	-	-	-
28D/9133011	A25.2C	Bolt, 2 B.A.	-	-	-	-
28D/9133012	A25.3C	Bolt, 2 B.A.	-	-	-	-
28D/1200119	A25.4C	Bolt, 2 B.A.	-	-	-	-
28D/7002428	A25.6C	Bolt, 2 B.A.	-	-	-	-
28D/9140644	A25.9C	Bolt, 2 B.A.	-	-	-	-
28D/1011022	A25.18C	Bolt, 2 B.A.	-	-	-	-
28D/12536	A25.13C	Bolt, 2 B.A.	-	-	-	-
28D/9140647	A25.14C	Bolt, 2 B.A.	-	-	-	-
28D/1011021	A25.16C	Bolt, 2 B.A.	-	-	-	-
28D/12517	A25.17C	Bolt, 2 B.A.	-	-	-	-
28D/9744	AGS.1248-2B	Bolt, 4 B.A.	-	-	-	-
28F/9423226	AGS.1135A	Bolt, banjo	-	-	-	-
28F/9423227	AGS.1335B	Bolt, banjo	-	-	-	-
28E/9130685	AS.5419/6	Clip	-	-	-	-
28F/1014970	AGS.1104A	Cone, adaptor	-	-	-	-
28F/9714	AGS.1111C	Cone, union	-	-	-	-
28F/10782	AGS.1118A	Cone, tee	-	-	-	-
28F/8011811	AGS.1118B	Cone, tee	-	-	-	-
28F/9463543	AGS.1120.1	Cone, tee	-	-	-	-
28F/9721	AGS.1120.5	Cone, tee	-	-	-	-
28F/13290	AGS.1120.11	Cone, tee	-	-	-	-
28F/1011799	AGS.1120.13	Cone, tee	-	-	-	-
28F/9726	AGS.1123C	Cone, 4-way piece	-	-	-	-
28F/8011896	AGS.1142C	Nipple, adaptor	-	-	-	-
28F/14529	AGS.1170C	Nipple	-	-	-	-
28M/1006473	A27.CT	Nut, 2 B.A.	-	-	-	-
28M/10287	AGS.2001.B1	Nut, 4 B.A.	-	-	-	-
28M/10327	AGS.2002.B1	Nut, 4 B.A.	-	-	-	-
28M/10288	AGS.2001.C1	Nut, 2 B.A.	-	-	-	-
28M/10328	AGS.2002.C1	Nut, 2 B.A.	-	-	-	-
28S/9992525	A32.B12	Screw, 4 B.A.	-	-	-	-
28S/14005	A32.B14	Screw, 4 B.A.	-	-	-	-
28S/2875	A32.B24	Screw, 4 B.A.	-	-	-	-
28S/9131095	A31.C14	Screw, 2 B.A.	-	-	-	-
28F/11080	AGS.1106.B	Union	-	-	-	-
28F/10508	AGS.1106.D	Union	-	-	-	-
28F/14532	AGS.1125.B	Union, piece, 4-way	-	-	-	-
28F/9423236	AGS.1132.A	Union, banjo	-	-	-	-
28F/9423237	AGS.1132.B	Union, banjo	-	-	-	-

SERVICES—HYDRAULICS REAR FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
28Y/9429623	AGS.1200	Valve, charging	-	-	-	
28W/9419474	SP.15.B	Washer, 4 B.A....	-	-	-	
28W/9419475	SP.15.C	Washer, 2 B.A....	-	-	-	
28W/9419404	SP.16.C	Washer, 2 B.A....	-	-	-	
28W/1200071	SP.23.C	Washer, 2 B.A....	-	-	-	
28W/9416642	SP.47.B	Washer, 4 B.A....	-	-	-	
28F/9128929	AGS.1115/4	Washer, plate	-	-	-	
28F/9428452	AGS.1186A	Washer, sealing	-	-	-	
28F/9428453	AGS.1186B	Washer, sealing	-	-	-	



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

