

SERVICES—OXYGEN INSTALLATION

Ref. No.	Part No.	Description	1 2 3 4 5					No. Off	Material Specification	M.R. Class of Store	Plate No.
	D.259935	OXYGEN INSTALLATION, ASSEMBLY									
6D/1647	F.214260	Adaptor, inlet, straight					3	—		C.	
	F.193810	Angle					1	L.72		—	
2056	F.193811	Block, clamp					2	LFS.21		C.	
2705	F.202489	Block, clamp					18	LFS.21		C.	
	F.205189	Block, clamp					2	LFS.21		C.	
5154	F.228590	Block, clamp					2	LFS.21		C.	
9756	F.230624	Block, clamp					2	LFS.21		C.	
	F.237721	Block, clamp					1	LFS.21		C.	
	F.243363	Block, clamp					2	LFS.21		C.	
447	F.186436	Block, clamp					1	LFS.21		C.	
	F.212353	Bolt (Make from 28D/1012995)					8	—		C.	
	KAC/C4370/1/A	Channel, clamping					1	L.72		LM	
9175	F.253339	Clamp, pipe					1	—		C.	
	F.253340	Cleat					2	LFS.21		C.	
	F.229467	Cleat					2	LFS.21		C.	
	B.214273	Clip, special					1	—		—	
	—	Connector					1	—		—	
6D/604	—	Connection, 4-way					4	—		C.	
6D/9429896	—	Cylinder, oxygen, Mk. 5D (complete with valve, Ref. 6D/9429883)					4	—		A.	
	E.240145	Cylinder, oxygen, additional assemblies (Mod. 2434)					—	—		A.	
	C.236904	Bearer					1	—		—	
447	F.186436	Bolt (Make from 28D/1012995)					4	—		C.	
448	A.186437	Cable, for cylinder head					1	—		C.	
449	A.186438	Cable, for cylinder head					1	—		C.	
6D/9429896	—	Cylinder, oxygen, Mk. 5D (Complete with valve Ref. 6D/9429883)					2	—		A.	
	E.237371	Diaphragm, upper and lower, group					1	—		—	
	F.237278	Eyebolt, for cable attachment					1	S.94.B		—	
	F.237279	Eyebolt, for cable attachment					1	S.94.B		—	
	E.237371/1	Packing, for cylinders, 5-70" x 1-50" x 3/16" thick					2	DTD.590		—	
	E.237371/2	Packing, for cylinders, 0-40" x 1-50" x 3/16" thick					8	DTD.590		—	
455	B.186427	Strap, supporting, group					1	—		—	
456	B.186428	Strap, supporting, group					1	—		—	
	F.210999	Trunnion					1	S.95.B		—	
3790	Std.1509/24/050	Tube, distance					1	T.4		MR/C	
	Std.1509/24/075	Tube, distance					1	T.4		—	
6D/574	—	Filter					4	—		A.	
6D/2237	—	Gauge, contents, Mk. 4					1	—		A.	
	F.249931	Guard, for oxygen regulator, port					1	—		—	
	F.221674	Guard, for oxygen regulator, starboard					1	—		—	
6D/642	—	Label, " FILTER "					4	—		C.	
6D/641	—	Label, " NON-RETURN VALVE "					3	—		C.	
10802	F.198869	Lug					1	DTD.610		—	
1940	Std.1231/1	Lug, locking					6	S.3		C.	
9705	Std.1231/9B	Lug, locking					1	S.3		—	
	F.230581	Packing, at special clip					1	LFS.21		—	
	F.227544	Packing, at oxygen charging valve					2	LFS.21		—	
6D/575	—	Piece, connecting, 2-way, Mk. 3A					7	—		C.	
9177	B.212124/3	Pipe, H.P., 3-way connection to port cylinders					1	T.51		C.	
9178	B.212124/4	Pipe, H.P. cylinder to cylinder, port " in "					1	T.51		C.	
9179	B.212124/5	Pipe, H.P. cylinder to cylinder, port " out "					1	T.51		C.	
9180	B.212124/6	Pipe, H.P., port cylinders to 3-way connection					1	T.51		C.	

SERVICES—OXYGEN INSTALLATION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Score	Place No.
9182	B.212124/8	Pipe, H.P. cylinder to cylinder, starboard "out" ...	1	T.51	C.	NK.1
9183	B.212124/9	Pipe, H.P. cylinder to cylinder, starboard "in" ...	1	T.51	C.	NK.1
9184	B.212124/10	Pipe, H.P. 3-way connection to starboard cylinder ...	1	T.51	C.	NK.1
9185	B.212124/11	Pipe, H.P. 3-way connection to line valve ...	1	T.51	C.	NK.1
9186	B.212124/12	Pipe, H.P. line valve to floor connection ...	1	T.51	C.	NK.1
9187	B.212124/13	Pipe, H.P. floor connection to 3-way connection ...	1	T.51	C.	NK.1
9188	B.212124/14	Pipe, H.P. 3-way connection to pressure release valve ...	1	T.51	C.	NK.1
9189	B.212124/15	Pipe, H.P. 3-way connection to 2-way connection ...	1	T.51	C.	NK.1
10155	B.212124/18	Pipe, H.P. frame 14 to charging valve ...	1	T.51	C.	NK.1
	B.212124/34	Pipe, H.P. 2-way connection to contents gauge ...	1	T.51	C.	NK.1
9192	A.212152/1	Pipe, L.P. pressure release valve to 3-way connection ...	1	L.67	C.	NK.1
9193	A.212152/2	Pipe, L.P. 3-way connection to regulator ...	1	L.67	C.	NK.1
9194	A.212152/3	Pipe, L.P. 3-way connection to union ...	1	L.67	C.	NK.1
9196	A.212152/5	Pipe, L.P. union to regulator ...	1	L.67	C.	NK.1
	A.212152/9	Pipe, L.P. union to union ...	1	L.67	C.	NK.1
	A.212152/10	Pipe, union to union ...	1	DTD.253		
	A.212152/11	Pipe, union to union ...	1	DTD.253		
	A.212152/12	Pipe, union to union ...	1	DTD.253		
	A.212152/13	Pipe, L.P. union to union ...	1	DTD.253		
	A.212152/14	Pipe, L.P. union to regulator, port ...	1	DTD.253		
9198	A.214022/5	Pipe, L.P. regulator to joint, port ...	1	DTD.253		NK.1
9197	A.214022/9	Pipe, L.P. regulator to connector, starboard ...	1	DTD.253		NK.1
9762	A.214022/10	Pipe, L.P. joint to seat connection, port ...	1	DTD.253		NK.1
	A.214022/15	Pipe, L.P. regulator to joint ...	1	DTD.253		
	A.214022/16	Pipe, L.P. joint to seat regulator ...	1	DTD.253		
	B.240273/1	Pipe, cylinder to cylinder (out) ...	1	T.51		
	B.240273/2	Pipe, cylinder to cylinder (in) ...	1	T.51		
	B.240273/3	Pipe, cylinder to 2-way connection ...	1	T.51		
	B.240273/4	Pipe, cylinder to 2-way connection ...	1	T.51		
	B.240273/5	Pipe, 2-way connection to frame connection ...	1	T.51		
	B.240273/6	Pipe, 2-way connection to frame connection ...	1	T.51		
	B.240273/7	Pipe, frame connection to 2-way connection ...	1	T.51		
	B.240273/8	Pipe, frame connection to 2-way connection ...	1	T.51		
	B.240273/9	Pipe, 2-way connection to 2-way connection ...	1	T.51		
	B.240273/10	Pipe, 2-way connection to 2-way connection ...	1	T.51		
	B.240273/11	Pipe, floor connection to 2-way connection ...	1	T.51		
	B.240273/12	Pipe, floor connection to 2-way connection ...	1	T.51		
	B.240273/13	Pipe, floor connection to 4-way connection ...	1	T.51		
	B.240273/14	Pipe, floor connection to 4-way connection ...	1	T.51		
1941	Std.499/3	Plate, locking ...	4	L.3	C.	4
1942	F.195799	Plug ...	2	Rubber	C.	NK.1
6D/2294	—	Regulator, demand, Mk. 17E ...	2	—	A.	
1943	Std.1606/45/B16	Screw, countersunk, 4 B.A. ...	4	Brass	C.	5
	Std.2095/209/B16	Screw ...	4	—	C.	
9200	A.211009	Strap, group ...	8	—	C.	NK.1
	F.210999	Trunnion ...	1	S.95.B		
9201	A.211010	Strap, group ...	8	—	C.	NK.1
	F.186432	Trunnion ...	1	S.1		
5F/2281	AS.2508	Strapping ...	QR	—	C.	
5F/9434855	AS.2509	Stud ...	QR	—	C.	
	E.235665/1	Tube, pressure release ...	2	BSF. Type 1 rubber		
	Std.1509/12/070	Tube, distance ...	1	T.4		
4042	Std.1509/23/030	Tube, distance ...	1	T.4	MR/C	

SERVICES—OXYGEN INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	Std.1509/23/064	Tube,	distance	8	T.4	
	Std.1509/23/070	Tube,	distance	1	T.4	
	Std.1509/23/088	Tube,	distance	2	T.4	
	Std.1509/23/094	Tube,	distance	1	T.4	
	Std.1509/12/014	Tube,	distance	2	T.4	
6D/1497	—	Union,	blanking	7	—	C.
6D/2313	—	Valve,	Mk. 10A	2	—	A.
6D/427	—	Valve,	non-return	2	—	A.
6D/2344	—	Valve,	pressure reducing	1	—	A.
	Std.1546/20/12	Washer,	packing, at regulator	8	DTD.610	

SERVICES—OXYGEN INSTALLATION

Ref. No.	Part No.	Description	No. Off					Material Specification	M.R. Class of Store	Plate No.
			1	2	3	4	5			
SUMMARY OF STOCK ITEMS										
28D/1010658	A25.1.B	Bolt, 4 B.A.	—	—	
28D/1008149	A25.2.B	Bolt, 4 B.A.	—	—	
28D/1014638	A25.4.B	Bolt, 4 B.A.	—	—	
28D/1011006	A25.5.B	Bolt, 4 B.A.	—	—	
28D/1009984	A25.7.B	Bolt, 4 B.A.	—	—	
28D/1010142	A25.9.B	Bolt, 4 B.A.	—	—	
28D/9435711	A25.10.B	Bolt, 4 B.A.	—	—	
28D/9140639	A25.11.B	Bolt, 4 B.A.	—	—	
28D/9436920	A25.1.C	Bolt, 2 B.A.	—	—	
28D/9133011	A25.2C	Bolt, 2 B.A.	—	—	
28D/12533	A25.5.C	Bolt, 2 B.A.	—	—	
28D/1010030	A25.7.C	Bolt, 2 B.A.	—	—	
28D/9435710	A25.11.C	Bolt, 2 B.A.	—	—	
28D/9419397	A25.12.C	Bolt, 2 B.A.	—	—	
28D/9140647	A25.14.C	Bolt, 2 B.A.	—	—	
28D/12517	A25.17.C	Bolt, 2 B.A.	—	—	
28D/8337	AS.1248.1.B	Bolt, mushroom head, 4 B.A.	—	—	
28D/8338	AS.1248.3.B	Bolt, mushroom head, 4 B.A.	—	—	
28E/9128961	AGS.605/1	Clip, hose	—	—	
5K/115	AGS.1661/D	Clip, bonding	—	—	
28E/9130610	AS.5419/3	Clip	—	—	
28E/9130611	AS.5419/4	Clip, support	—	—	
28E/9130612	AS.5419/5	Clip	—	—	
28Y/	AGS.1200/11	Chain (Use 29H/4113, Q.R.)	—	—	
5K/3355	AS.3360/B/4/B	Connector, earthing	—	—	
5K/3413	AS.3360/B/7/B	Connector, earthing	—	—	
28F/7839	AGS.900/5	Nipple, adaptor	—	—	
28F/15126	AGS.1170/BB	Nipple, adaptor	—	—	
28M/1006473	A27.CT	Nut	—	—	
28F/9584	AGS.1148/B	Nut, 1/2" B.S.P.	—	—	
28M/802	AGS.113.C	Nut, wing, 2 B.A.	—	—	
28M/10287	AGS.2001.B.1	Nut, 4 B.A.	—	—	
28M/10327	AGS.2002.B.1	Nut, 4 B.A.	—	—	
28M/10328	AGS.2002.C.1	Nut, 2 B.A.	—	—	
28M/13557	AGS.2023.B.1	Nut, anchor	—	—	
28P/864	SP4.Y.D6	Pin	—	—	
28P/19225	SP.90.C3	Pin, split	—	—	
28P/19153	SP.90.C5	Pin, split	—	—	
	AS.5401	Ring, sealing	—	—	
28F/9428453	AGS.1186/B	Seal, bonded	—	—	
28F/9129567	AGS.1146/B	Union, body	—	—	
28W/9419474	SP.15.B	Washer, 4 B.A.	—	—	
28W/9419475	SP.15.C	Washer, 2 B.A.	—	—	
28W/9419486	SP.16.B	Washer, 4 B.A.	—	—	
28W/9419404	SP.16.C	Washer, 2 B.A.	—	—	
28W/9419491	SP.16.N	Washer, 1/2" B.S.F.	—	—	

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

