

SERVICES—PILOTS ANTI "G" INSTALLATION

Ref. No.	Part No.	Description	No. Off					Material Specification	M.R. Class of Store	Plate No.
			1	2	3	4	5			
	E.259945	PILOTS ANTI "G" INSTALLATION, ASSEMBLY (Mod. 2489)								
3901	F.194724	Block, clamp				4	LFS.21	C.		
5145	F.205189	Block, clamp				2	LFS.21	C.	NK.1	
863	F.190229	Bolt, air bottle strap connecting				4	S.95.B	C.	NK.1	
477	F.186436	Bottle, air bottle strap connecting				4	S.95.B	C.	NK.1	
27VA/3988	Dunlop ACM.16782	Bottle, air, spherical, 3/8" B.S.P.				4	—	A.	NK.1	
	F.253632	Cleat, top, for pipe guard				2	LFS.21	C.	NK.1	
	F.253633	Cleat, bottom, for pipe guard				2	LFS.21	C.	NK.1	
864	F.190220	Clip, mounting, for reducing valve				1	S.3	C.	NK.1	
	Std.2045/29/22	Clip, sleeved				4	S.510			
	Std.2046/17/26	Clip, sleeved				2	S.510			
	Std.2046/29/22	Clip, sleeved				1	S.510			
865	Std.1178/3	Clip, mounting, for reducing valve				1	S.3 & T.26	C.	4	
3774	Std.1306/N/20	Coupling, flexible, 3/8" i/d x 2" long, at anti "G" valve connection (make from 32C/450)				5	DTD.625A	MR/C	4	
	Std.1306/N/45	Coupling, flexible, 3/8" i/d x 4-5" long, at anti "G" valve connection (make from 32C/450)				1	DTD.625A	MR		
27VA/3443	Dunlop ACO.7273	Filter				1	—	A.	NK.1	
6A/2691	—	Gauge, pressure, Mk. 14, K.K.				1	—	A.		
	—	Guard, pipe, port				1	L.72			
	F.231018	Guard, pipe, starboard				1	L.72			
	—	Hose, kink proof, 3/8" i/d x 3" long, port				1	—			
	—	Hose, kinkproof, 3/8" i/d x 5-50" long, starboard				1	—			
6A/2771	—	Label				1	—			
	C.212224	Panel, control, group				1	—			
	F.213082	Block, locating handle				1	LFS.21			
	C.212079	Bracket, mounting				1	L.72			
	C.212080	Bracket, mounting				1	L.72			
8959	F.212096	Clamp, half, supporting reducing valve				2	L.65.C	C.		
8960	F.212097	Clamp, half, supporting reducing valve				1	L.65.C	C.		
8961	F.212098	Clamp, half supporting reducing valve				1	L.65.C	C.		
3774	Std.1306/N/20	Coupling, flexible, 3/8" i/d x 2" long, at anti "G" valve connection				1	DTD.625A	MR/C	4	
	A.213080	Handle, control				1	—	MR		
	F.213083	Lever				1	T.26 & S.3	MR		
	†A.212660/7	Pipe, valve selector to valve reducing				1	DTD.323	MR	NK.1	
	B.212089	Plate, top				1	L.72			
	F.213100	Stop, cable				1	S.3	MR		
27VC/75	Palmer C.58.B	Valve, reducing				1	—	A.		
27VB/3441	Hymatic S.V.9	Valve, selector				1	—	A.		
27VB/3254	Hymatic A.G.2	Valve, anti "G"				1	—	A.		
10276	†A.212659/1	Pipe, anti "G" valve to joint, port				1	L.56	MR	NK.1	
10807	†A.212659/2	Pipe, anti "G" valve to joint, starboard				1	L.56	MR	NK.1	
10707	†A.212659/8	Pipe, joint, to joint, starboard				1	L.56	MR	NK.1	
	†A.212659/20	Pipe, joint to hose, port				1	DTD.323	MR	NK.1	
9820	†A.212659/11	Pipe, joint, to hose, starboard				1	DTD.823	MR	NK.1	

† For details see Piping Chart

SERVICES—PILOTS ANTI. "G" INSTALLATION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	†A.212660/1	Pipe, 4-way piece to non-return valve	1	DTD.323	MR	NK.1
	†A.212660/2	Pipe, non-return valve to air bottle	1	DTD.323	MR	NK.1
	†A.212660/4	Pipe, bottle to filter	1	DTD.323	MR	NK.1
	†A.212660/5	Pipe, filter to union	1	DTD.323	MR	NK.1
	†A.212660/6	Pipe, union to valve selector	1	DTD.323	MR	NK.1
	†A.212660/8	Pipe, valve reducing to union	1	DTD.323	MR	NK.1
	†A.212660/13	Pipe, bottle to bottle	3	DTD.323	MR	NK.1
	†A.212660/9	Pipe, union to union	1	DTD.323	MR	NK.1
	†A.212660/10	Pipe, union to tee piece	1	DTD.323	MR	NK.1
	†A.212660/11	Pipe, tee piece to valve reducing	1	DTD.323	MR	NK.1
	†A.212660/12	Pipe, tee piece to pressure gauge	1	DTD.323	MR	NK.1
4179	Std.1606/44/B.20	Screw, securing pressure gauge	4	Brass	C.	5
8962	F.216131	Shackle	4	—	C.	NK.1
27VA/3445	Dunlop ACO.6580	Socket, quick release, 3/8" dia.	2	—	C.	
1476	F.189990	Strap, air bottle	8	DTD.166	C.	NK.1
8963	F.216130	Strap, air bottle	4	DTD.166	C.	NK.1
3787	Std.1507/23/035	Tube, distance, for reducing valve mounting, 5/8" o/d x 17 S.W.G. x .35" long (Make from 30A/966)	2	T.26	MR/C	4
	Std.1507/23/050	Tube, distance, 3/4" o/d x 17 S.W.G. x 0.50" long ...	1	T.4		
	Std.1509/23/020	Tube, distance, 3/4" o/d x 17 S.W.G. x 0.20" long ...	1	T.4		
	Std.1509/23/060	Tube, distance, 3/4" o/d x 17 S.W.G. x 0.60" long ...	4	T.4		
	Std.1509/23/100	Tube, distance	2	T.4		
869	F.140778	Union, reducing	1	L.1	C.	NK.1
27Q/1539	Dowty D.5213.Y	Valve, non-return	1	—	A.	
27VC/27	Palmer C.58	Valve, reducing	1	—	A.	
27VB/3254	Hymatic AG.2	Valve, anti "G"	1	—	A.	
870	Std.915/B/18	Washer, at air bottle securing strap	12	DTD.610	C.	4

† For details see Piping Chart

SERVICES—PILOTS ANTI " G " INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28D/1010658	A25.1.B	Bolt, 4	B.A.							
28D/1008149	A25.2.B	Bolt, 4	B.A.							
28D/1011006	A25.5.B	Bolt, 4	B.A.							
28D/1011011	A25.8.B	Bolt, 4	B.A.							
28D/12846	A25.15.B	Bolt, 4	B.A.							
28D/9436920	A25.1.C	Bolt, 2	B.A.							
28D/5133012	A25.3.C	Bolt, 2	B.A.							
28D/7002428	A25.6.C	Bolt, 2	B.A.							
28D/9140644	A25.9.C	Bolt, 2	B.A.							
28D/12517	A25.17.C	Bolt, 2	B.A.							
28D/1011024	A25.21.C	Bolt, 2	B.A.							
28D/9133208	A25.20.E	Bolt, 1/2"	B.S.F.							
28D/1007981	AS.1248 1/2 C.	Bolt, 2	B.A.							
28D/10471	AS.1248.11.C	Bolt, 2	B.A.							
28E/9130610	AS.5419/3	Clip								
28E/9129090	AGS.605/0	Clip								
28E/9128961	AGS.605/1	Clip								
5K/113	AGS.1661/B	Clip, bonding								
5K/3355	AS.3360/B.4.B	Connector, earthing								
28F/9501	AGS.1142/B	Nipple								
28F/1014650	AGS.1170/B	Nipple								
28M/1006939	A.27.G.P.	Nut								
28M/10327	AGS.2002.B.1	Nut, 4	B.A.							
28M/10328	AGS.2002.C.1	Nut, 2	B.A.							
28M/7002431	AGS.2002.E.1	Nut, 1/2"	B.S.F.							
28M/9435067	AGS.2008.C.1	Nut, 2	B.A.							
28M/9144673	AGS.2019.C.1	Nut, 2	B.A.							
28M/802	AGS.113/C	Nut, wing								
28P/825	SP.4.Y.A15	Pin								
28P/833	SP.4.Y.B7	Pin								
28P/19225	SP.90.C3	Pin, split...								
28P/19152	SP.90.C4	Pin, split...								
28S/2767	A31.B.16	Screw, 4	B.A.							
28S/2863	A32.B.16	Screw, 4	B.A.							
28S/2869	A32.B.20	Screw, 4	B.A.							
28S/2862	A32.C.16	Screw, 2	B.A.							
28F/10020	AGS.1120/1	Tee-piece								
28W/9419474	SP.15.B	Washer, 4	B.A.							
28W/9419475	SP.15.C	Washer, 2	B.A.							
28W/9419405	SP.15.E	Washer, 1/2"	dia.							
28W/9419404	SP.16.C	Washer								

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

