

SERVICES—PRESSURISATION FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off					Material Specification	M.R. Class of Store	Plate No.
			1	2	3	4	5			
	E.230567	CABIN PRESSURISING AND AIR CONDITIONING, FRONT FUSELAGE, ASSEMBLY								
5145	F.230326 F.205189 F.214073 F.218950 Thos. Boorn FD.6000/2	Angle , mounting, aft of frame 12 Block , clamp Block , distance Block , distance, for cleat, at feet spray pipe, port Bracelet	1	2	1	1	LFS.21 LFS.21 LFS.21	C.		
8982	F.222258	Bracket , mounting, for front light spray pipe, port	1				—	C.		
8983	F.222259	Bracket , mounting, for front light spray pipe, starboard	1				—	C.		
	A.214111	Bracket , securing pipes, at ducts aft of frame 12 ...	1				S.3			
8978	K.A.C. C.4370/B/1	Clamp , pipe, Mk. 2	6				—	C.	NM.1	
8979	K.A.C. C.4370/B/1½-1½	Clamp , pipe, Mk. 2	12				—	C.	NM.1	
8980	K.A.C. C.4370/B/1½-2	Clamp , pipe, Mk. 2	12				—	C.	NM.1	
9006	F.218951 F.213578 F.214107	Clamp , securing feet spray pipe, port Clip , securing flexible pipe to hood spray Clip , securing pipe bracket on duct aft of frame 12...	1 4 2				LFS.21 S.3 S.3	C.		
8981	F.214307 Std.2046/60/20 Std.2046/69/20 Std.2046/89/20 Std.841/85 Std.851/44 Std.851/74	Clip , securing pipe, frame 14 to floor connection ... Clip , sleeved Clip , sleeved Clip , sleeved Clip , support, 7/16" wide x 22 S.W.G. x 8-5" long... Clip , support, 7/16" wide x 22 S.W.G. x 4-4" long... Clip , support, 7/16" wide x 22 S.W.G. x 7-4" long...	1 1 1 4 1 1 2				S.3 S.510 S.510 S.510 DTD.610 DTD.610 DTD.610	C.	NM.1	
1366	Std.1682/10	Clip , pipe coupling	2				S.3	C.	5	
924	Std.1682/12	Clip , pipe coupling	10				S.3	C.	5	
9799	F.230868	Clip , pipe support	1				S.510			
27KD/10	Normalair 504600	Connection , ground pressurising	1				—	C.		
27UA/515	Sir George Godfrey Ltd. 23782	Coupling , drain vent	1				—	B.		
	A.214482	Coupling , for flexible pipe	2				L.65.C			
	A.213916	Duct , ground pressurising, frame 1C to frame 3 ...	1				—			
	A.213917	Duct , ground pressurising, frame 3 to frame 6 ...	1				—			
8984	F.213851	End , fork	1				S.96.B	C.	NM.1	
27UA/891	Sir George Godfrey Ltd. 103441	Extractor , water, WE30/Mk. 7	1				—	A.		
	Sir George Godfrey Ltd. 103554	Gaiter , lagging, for water extractor (AS.830/50) ...	1				—			
1375	A.182801	Guard , for ground pressurising duct	1				—	C.	NM.2	
	E.230560	HOOD, SEAL, EXTRACTOR VALVE AND SUPPLY PIPES, ASSEMBLY								
4585	F.202581	Block , clamp	5				LFS.21	C.	NM.2	
4586	F.202582	Block , clamp	2				LFS.21	C.	NM.2	
8985	F.213999	Block , clamp	2				LFS.21	C.	NM.2	
8986	F.214020	Block , clamp	1				LFS.21	C.	NM.2	
8987	F.214021	Block , clamp	2				LFS.21	C.	NM.2	
8988	F.214025	Block , clamp	1				LFS.21	C.	NM.2	

SERVICES—PRESSURISATION FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
9660	F.226450						1	LFS.21	C.	NM.2
1370	F.187763						2	DTD.364	C.	NM.2
8989	F.214065						3	—	C.	
27KD/26	Normalair 504376/M						2	—	C.	
	Std.2046/22/26						1	S.510		
	A.219237						1	—		
8990	F.212941						1	Rubber	C.	NM.2
27KD/510	Normalair 509930						1	—	A.	
1360	A.185338						1	DTD.364	C.	NM.2
	F.214069						2	—		
	A.183593						1	DTD.610		
	F.187482						1	L.59		
2144	Std.1231/3						3	S.3	C.	4
	Std.1231/6B						1	S.3		
†	F.213919						1	DTD.253		
†	B.213254/5						1	DTD.253		
†	B.213254/6						1	DTD.253		
†	B.213254/7						1	DTD.253		
†	B.213254/8						1	DTD.253		
†	B.213254/9						1	DTD.253		
†	B.213254/10						1	DTD.253		
†	B.213254/12						1	DTD.253		
†	B.213254/43						1	DTD.253		
†	B.213254/14						1	DTD.253		
†	B.213254/18						1	DTD.253		
†	B.213254/19						1	DTD.253		
†	B.213254/20						1	DTD.253		
†	B.213254/21						1	DTD.253		
†	B.213254/22						1	DTD.253		
†	B.213254/23						1	DTD.253		
†	B.213254/24						1	DTD.253		
†	B.213254/27						1	DTD.253		
†	B.213254/32						1	DTD.253		
†	B.213254/33						1	DTD.253		
†	B.213254/34						1	DTD.253		
†	B.213254/36						1	DTD.253		
†	B.213254/37						1	DTD.253		
†	B.213254/38						1	DTD.253		
†	B.213254/42						1	DTD.253		
	B.187402						1	DTD.610		
	F.214064						1	Brass Wire		
27KD/29	Normalair 504372/M						2	—	C.	

† For details see Piping Chart

SERVICES—PRESSURISATION FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
27QA/144	Dowty GD.1307A	Seal, bonded	1	—	C.	
27QA/145	Dowty GD.1307B	Seal, bonded	4	—	C.	
27QA/148	Dowty GD.1307D	Seal, bonded	1	—	C.	
27QA/139	Dowty GD.1307-3	Seal, bonded	2	—	C.	
27QA/143	Dowty GD.1307-23	Seal, bonded	1	—	C.	
1371	F.182800	Stud	1	S.95.B	C.	NM.2
10893	Std.1509/12/050	Tube, distance, 1/4" o/d. x 20 S.W.G. x 50" long	1	T.4		
	Std.1509/12/062	Tube, distance (AS.830/40)	1	T.4		
	Std.1509/23/060	Tube, distance, 5/16" o/d. x 17 S.W.G. x 60" long	1	T.4		
1369	A.187762	Union, body, flanged	1	DTD.364	C.	NM.2
27KD/960	Normalair 510710	Unit, valve 7/20 combined type	1	—	A.	
	B.232459	Unit, valve, complete with restrictor, group (Alternative to 27KD/1649)	1	—		
27KD/1649	Normalair 521210	Unit, valve, complete with restrictor, group (Alternative to B.232459)	1	—		
6332	B.205529	Valve, air extractor, group	1	—	A.	NM.2
1362	A.185216	Diaphragm	1	—	C.	NM.2
2144	Std.1231/3	Lug, locking	3	S.3	C.	4
27QA/145	Dowty GD.1307B	Seal, bonded	1	—	C.	
1363	F.172452	Spring	1	Ph. Br. Wire	C.	NM.2
1361	B.185213	Valve, air extractor, group	1	—	B.	NM.2
1362	A.185216	Diaphragm	1	—	C.	NM.2
2144	Std.1231/3	Lug, locking	3	S.3	C.	4
27QA/145	Dowty GD.1307.B	Seal, bonded	1	—	C.	
1363	F.172452	Spring	1	Ph. Br. Wire	C.	NM.2
27V/3453	Teddington Controls ES/A/390	Valve, electro-magnetic	1	—	A.	
27V/4125	B.213147	VALVE, HOOD DE-SEAL, ASSEMBLY	—	—	—	
	Teddington Controls ES/A/430	Valve, E.S., tropicalised	1	—	A.	
27VB/3455	Hymatic Eng. D.9205	Valve, non-return N.R.9 Mk. 6	1	—	A.	
27VB/3454	Hymatic Eng. PS.29/4	Valve, reducing	1	—	A.	
	Std.1546/24/18	Washer, profile...	2	DTD.610		
5K/3397	AS.3360.C3C	Lead, bonding	1	—		
5K/3394	AS.3360.B6B	Lead, bonding	4	—		
5K/3408	AS.3360.B6C	Lead, bonding	2	—		
2144	Std.1231/3	Lug, locking	1	S.3	C.	4
9867	A.232078	Pipe, frame 18 to valve	1	—		
9866	A.232079	Pipe, frame 18 to water separator	1	—		NM.1
9865	A.232076	Pipe, water separator to non-return valve	1	—		NM.1

SERVICES—PRESSURISATION FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off					Material Specification	M.R. Class of Store	Plate No.	
			1	2	3	4	5				
10704	B.251101	Pipe, non-return valve to cabin feed, group (Mod. 1045)						1	—		NM.1
	B.212654	Pipe, (unlagged), group						2	—		
27V/4813	Teddington Controls FHG/A/49	Element, sensing						1	—	C.	
	A.250536	Guard (Mod. 1045)						1	—		
	F.211739	Plate, backing						1	—		
8993	F.211740	Washer, sealing						1	—	C.	
	B.212656	Pipe, connector pipe to spray pipes, port						1	—		
	B.212658	Pipe, frame 18 to connector pipe, port						1	—		
	B.212870	Pipe, to spray pipes						1	—		
10251	B.212871	Pipe, to body spray, port						1	—		
10252	B.212872	Pipe, to body spray, starboard						1	—		
	A.212875	Pipe, feet spray, port						1	—		
	A.212876	Pipe, feet spray, starboard						1	—		
	B.213002	Pipe, to valve, starboard						1	—		
†	B.213254/28	Pipe, drain						1	—		
	A.213915	Pipe, ram air, frame 1C to frame 3						1	—		
9861	C.213456/9	Pipe, flexible, frame 14 to hood spray, port						1	—		NM.1
9862	C.213456/10	Pipe, flexible, frame 14 to hood spray, starboard						1	—		NM.1
8996	C.213456/5	Pipe, flexible, beneath pilots floor, port						1	—		NM.1
9863	C.213456/11	Pipe, flexible, frame 14 to floor connection, port						1	—		NM.1
9864	C.213456/12	Pipe, flexible, frame 14 to floor connection, starboard						1	—		NM.1
9666	C.213456/8	Pipe, flexible, beneath pilots floor, starboard						1	—	B.	NM.1
	B.215957	Pipe, floor connection to frame 8, port						1	—		
	A.215959	Pipe, floor connection to frame 8, starboard						1	—		
10152	A.232377	Pipe, junction						1	—		
	B.215958	Pipe, at frame 18, port						1	—		
	B.215960	Pipe, at frame 18, starboard						1	—		
	A.220231	Pipe, supply, to hood spray, port and starboard						2	—		
8999	B.221980	Pipe, front light spray, port						1	—	B.	NM.1
9000	B.221981	Pipe, front light spray, starboard						1	—	B.	NM.1
9860	B.232075	Pipe, quarter light spray, port						1	—		NM.1
9859	B.232074	Pipe, quarter light spray, starboard						1	—		NM.1
	C.232244	PIPES, BODY SPRAY AND CONTROLS, ASSEMBLY						—	—		
10113	F.231037	Bracket, stop						2	S.510		NM.1
10114	A.231045	Cable, control, port, group						1	—		NM.1
10115	A.231046	Cable, control, starboard, group						1	—		NM.1
557	F.171912	Nipple						4	BSS.250	C.	NM.1
	F.172899	Pin, taper						4	MS	—	
	Std.1522/2	Sleeve, outer						4	DTD.364		
	Std.1522/1	Stpp, adjusting						4	DTD.364		
	Std.2046/56/20	Clip, sleeved (AS.860/23)						1	S.510		
10120	A.231052	Control, for butterfly valve						2	—		NM.1
10116	A.228600	Duct, exit, port						1	BSS.265		NM.1
10117	A.228601	Duct, exit, starboard						1	BSS.265		NM.1
10118	A.228701	Duct, port						1	L.67		NM.1
10119	A.228702	Duct, starboard						1	L.67		NM.1
10274	A.236164	Louvre, Pankah						2	—		NM.1
4871	Std.1606/44/A8	Screw						6	Brass	C.	5

SERVICES—PRESSURISATION FRONT FUSELAGE


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
10121	A.231024						1	—	MR	NM.1
10122	A.231025						1	—	MR	NM.1
	A.231026						1	—		
	A.231027						1	—		
10123	F.213411						2	DTD.5509B		NM.1
10124	F.205077						2	Rubber	C.	NM.1
	F.213406						1	BSS.265	MR	
	F.213405						1	S.95.B	MR	
	F.213404						1	S.95.B	MR	
10125	F.213407						1	Sp. Stl.	MR	NM.1
10126	F.213408						1	Sp. Stl.	MR	NM.1
10127	F.213409						1	L.72	MR	NM.1
10128	F.213410						1	L.72	MR	NM.1
	F.232245						2	1/2" Langite	MR	
2791	F.187586						1	DTD.610	MR/C	NM.2
	A.213823						1	S.95.B		
5CZ/4901	Teddington Controls FLJ/A/2						1	—	B.	
2792	F.187585						1	Felt	MR/C	NM.2
9003	F.214120						2	Rubber	C.	
28F/17672	AS.5401						6	—		NM.1
28F/17675	AS.5402						12	—		NM.1
28F/18039	AS.5403						14	—		NM.1
27QA/139	Dowty GD.1307-3						6	—	C.	
1659	Std.1744/10						1	Rubber	C.	5
1715	Std.1744/12						5	Rubber	C.	5
1371	F.182800						6	S.95.B	C.	NM.2
680	F.185654						2	LFS.21	C.	NM.1
3808	Std.1509/23/040						2	T.4	MR/C	4
								(Make from 30B/556)		
	Std.1509/23/050						1	T.4		
	Std.1507/23/060						1	T.4		
	B.211598						1	—		
669	F.185406						1	DTD.364	C.	NM.2
7069	F.212314						1	—	C.	NM.2
671	F.185336						1	Bronze	C.	NM.2
	B.211493						1	—		
5W/307	Plessey CZ.54709/10/A						1	—	A.	
9004	A.211496						1	—	B.	NM.1
2766	A.183331						1	DTD.364	MR/C	NM.1
1354	F.183338						1	S.11	C.	NM.1
	A.211497						1	—		NM.1
9151	B.211494						1	—	B.	NM.1
1372	F.179156						6	—	C.	NM.2
1373	F.179157						2	LFS.21	C.	NM.2
	Std.1547/22/12						4	DTD.610		4
9007	Std.1547/22/18						11	DTD.610	C.	4
1374	F.174892						1	DTD.378A	C.	NM.2


SERVICES—PRESSURISATION FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28F/9501	AGS.1142.B	Adaptor,	nipple	—	—
28F/11777	AGS.1142.K	Adaptor,	nipple	—	—
28F/9463608	AGS.1131.B	Banjo	—	—
28D/1007971	A25½B	Bolt,	4 B.A.	—	—
28D/1010658	A25.1.B	Bolt,	4 B.A.	—	—
28D/1008149	A25.2.B	Bolt,	4 B.A.	—	—
28D/9419452	A25.3.B	Bolt,	4 B.A.	—	—
28D/9140638	A25.4.B	Bolt,	4 B.A.	—	—
28D/1011006	A25.5.B	Bolt,	4 B.A.	—	—
28D/1010029	A25.6.B	Bolt,	4 B.A.	—	—
28D/1011011	A25.7.B	Bolt,	4 B.A.	—	—
28D/1010142	A25.8.B	Bolt,	4 B.A.	—	—
28D/9435711	A25.10.B	Bolt,	4 B.A.	—	—
28D/9138768	A25.¼.C	Bolt,	2 B.A.	—	—
28D/9436920	A25.1.C	Bolt,	2 B.A.	—	—
28D/9133011	A25.2.C	Bolt,	2 B.A.	—	—
28D/9133012	A25.3.C	Bolt,	2 B.A.	—	—
28D/12533	A25.5.C	Bolt,	2 B.A.	—	—
28D/7002428	A25.6.C	Bolt,	2 B.A.	—	—
28D/1010030	A25.7.C	Bolt,	2 B.A.	—	—
28D/1011019	A25.8.C	Bolt,	2 B.A.	—	—
28D/9140644	A25.9.C	Bolt,	2 B.A.	—	—
28D/1011024	A25.21.C	Bolt,	2 B.A.	—	—
28D/1011027	A25.27.C	Bolt,	2 B.A.	—	—
28D/1008151	A25.4.E	Bolt,	½" B.S.F.	—	—
28D/8307	AS.1242.2.C	Bolt,	2 B.A.	—	—
28F/9423227	AGS.1135.B	Bolt,	banjo	—	—
28E/14147	AS.487/12	Clip	—	—
28E/9129090	AGS.605/2	Clip,	hose	—	—
28E/1012875	AS.3181/24/B	Clip	—	—
28E/9130611	AS.5419/4	Clip	—	—
28F/9439531	AGS.952.B	Collar	—	—
5K/	SP.40.F14	Grommet	—	—
28F/1011814	AGS.1140.A	Nipple,	plug	—	—
28F/9439950	AGS.1140.B	Nipple,	plug	—	—
28F/1014650	AGS.1170.B	Nipple	—	—
28M/9403520	A27.CP	Nut,	2 B.A.	—	—
28M/12931	A27.ET	Nut,	lock, ¼" B.S.F.	—	—
28M/12928	A27.EP	Nut,	¼" B.S.F.	—	—
28F/9453689	AGS.1148.A	Nut,	lock	—	—
28F/9584	AGS.1148.B	Nut,	lock	—	—
28F/9879	AGS.1148.D	Nut,	lock	—	—
28M/10286	AGS.2001.A1	Nut,	6 B.A.	—	—
28M/10287	AGS.2001.B1	Nut,	4 B.A.	—	—
28M/10288	AGS.2001.C1	Nut,	2 B.A.	—	—
28M/10327	AGS.2002.B1	Nut,	4 B.A.	—	—
28M/10328	AGS.2002.C1	Nut,	2 B.A.	—	—
28M/7002430	AGS.2002.E1	Nut,	¼" B.S.F.	—	—
	AGS.1770.B	Olive	—	—

SERVICES—PRESSURISATION FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
28P/816	SP.4.Y.A.6	Pin	—	—	—
28P/5495	SP.4.Z.B.3	Pin, shackle	—	—	—
28P/	SP.90.B3	Pin, split	—	—	—
28P/19225	SP.90.C3	Pin, split	—	—	—
28P/19152	SP.90.C4	Pin, split	—	—	—
28P/19153	SP.90.C5	Pin	—	—	—
28S/14005	A32.B.14	Screw, 4 B.A.	—	—	—
28F/9128936	AGS.904.A	Sleeve, outer	—	—	—
28F/8011819	AGS.904.B	Sleeve, outer	—	—	—
28F/9128943	AGS.1114.B	Sleeve	—	—	—
28F/8011811	AGS.1118/B	Tee	—	—	—
28F/1013402	AGS.1111.B	Union	—	—	—
28F/9533	AGS.1145.B	Union	—	—	—
28F/10510	AGS.1146.A	Union	—	—	—
28F/9129567	AGS.1146.B	Union	—	—	—
28F/9128928	AGS.1115/2	Washer	—	—	—
28F/9130664	AGS.1149.2	Washer-plate	—	—	—
28F/9428453	AGS.1186.B	Washer, sealing	—	—	—
28W/9625	AGS.568.D	Washer	—	—	—
28W/9419454	SP.10.C	Washer, 2 B.A....	—	—	—
28W/9419474	SP.15.B	Washer, 4 B.A....	—	—	—
28W/9419475	SP.15.C	Washer, 2 B.A....	—	—	—
28W/9419404	SP.16.C	Washer, 2 B.A....	—	—	—





This file was downloaded
from the RTFM Library.
Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

