


UNDERCARRIAGE—NOSE WHEEL DOOR OPERATING GEAR

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	B.208488	<b>NOSE-WHEEL DOOR OPERATING GEAR, ASSEMBLY</b>					-	-		
1531	F.152672	<b>Bolt, jack attachment to frame 3</b> ... ..					1	S.2	C.	RE.1
1533	156330	<b>Bolt, jack attachment to lever</b> ... ..					1	S.2	C.	RE.1
8975	F.216171	<b>Bracket, for cross shaft, port, group</b> ... ..					1	-	C	RE.1
	F.216173	<b>Bush</b> ... ..					1	BSS.369	MR	RE.1
8976	F.216172	<b>Bracket, for cross shaft, starboard, group</b> ... ..					1	-	C.	RE.1
	F.216173	<b>Bush</b> ... ..					1	BSS.369		RE.1
27Q/1890	Dowty O7584Y-AO2	<b>Jack, door</b> ... ..					1	-	A.	
8977	A.218521	<b>Rod, connecting, group</b> ... ..					2	-	B.	RE.1
28R/15720	AGS.589/3/PB	<b>Ball</b> ... ..					2	-	C.	
5859	F.208205	<b>Locknut, L.H.</b> ... ..					1	S.1	C.	RE.1
5860	F.208206	<b>Locknut, R.H.</b> ... ..					1	S.1	C.	RE.1
5862	F.204656	<b>Pin</b> ... ..					1	S.95	C.	RE.1
5863	F.204657	<b>Pin</b> ... ..					1	S.96B	C.	RE.1
28P/19152	SP.90.C4	<b>Pin, split</b> ... ..					2	-	C.	
8103	A.218085	<b>Rod, end, complete</b> ... ..					1	S.1	C.	RE.1
8102	F.218084	<b>Turnbuckle</b> ... ..					1	S.1	C.	RE.1
8104	F.218070	<b>Washer, locking</b> ... ..					1	S.1	C.	RE.1
28W/1200106	SP.42.C	<b>Washer, tab</b> ... ..					2	S.3	C.	
8124	B.215854	<b>Shaft and lever, group</b> ... ..					1	-	B.	RE.1
124	Std.532/15	<b>Ferrule</b> ... ..					8	S.95B	C.	4
125	A.178907	<b>Lever, for door connection</b> ... ..					1	Stamping	C.	RE.1
126	A.178908	<b>Lever, for door and jack</b> ... ..					1	Stamping	C.	RE.1
	A.178909	<b>Shaft</b> ... ..					1	T.50		
	F.168113	<b>Spigot</b> ... ..					2	S.1		
	Std.1208/105/56/10	<b>Shim, between bush and cross shaft bracket (Max. 0.03)</b>							QR	

UNDERCARRIAGE—NOSE WHEEL DOOR OPERATING GEAR

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
<b>SUMMARY OF STOCK ITEMS</b>										
28D/9140645	A25.10.C	<b>Bolt, 2 B.A.</b>	...	...	...	...	...	—	—	—
28D/12536	A25.13.C	<b>Bolt, 2 B.A.</b>	...	...	...	...	...	—	—	—
28D/1011021	A25.16.C	<b>Bolt, 2 B.A.</b>	...	...	...	...	...	—	—	—
28N/9156370	SP.21	<b>Nipple, lubricating</b>	...	...	...	...	...	—	—	—
28M/9403520	A27.CP	<b>Nut, 2 B.A.</b>	...	...	...	...	...	—	—	—
28M/1011467	A27.ES	<b>Nut, 1/4" B.S.F.</b>	...	...	...	...	...	—	—	—
28P/19152	SP.90.C4	<b>Pin, split</b>	...	...	...	...	...	—	—	—
28P/19154	SP.90.C7	<b>Pin, split</b>	...	...	...	...	...	—	—	—
28W/9419454	SP.10.C	<b>Washer, 2 B.A....</b>	...	...	...	...	...	—	—	—
28W/9419475	SP.15.C	<b>Washer, 2 B.A....</b>	...	...	...	...	...	—	—	—
28W/9419405	SP.15.E	<b>Washer, 1/4" dia.</b>	...	...	...	...	...	—	—	—
28W/9419404	SP.16.C	<b>Washer, 2 B.A....</b>	...	...	...	...	...	—	—	—
28W/1200106	SP.42.C	<b>Washer, tab</b>	...	...	...	...	...	—	—	—



NOSE UNDERCARRIAGE

This file was downloaded  
from the RTFM Library.

Link: [www.scottbouch.com/rtfm](http://www.scottbouch.com/rtfm)

Please see site for usage terms,  
and more aircraft documents.

