

Hunter Mk. 71 & 71A

FLYING CONTROLS - FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	B. 243385	FLYING CONTROLS, FRONT FUSELAGE, ASSEMBLY (Mod. 941)	-	-		
248	B. 177650/3*	Cable, rudder arm adjusting, group (alternative to B. 234558) (AS. 830/94)	1	-	B.	DD. 1
10145	B. 234558	Cable, rudder arm adjusting, group (AS. 830/94) Consisting of :-	1	-	B.	DD. 1
	A. 177657	Body, union	1	-		
	B. 177650/2	Cable, Bowdenex, 19/2	1	-		
	B. 177650/1	Conduit, Bowdenex, T. 2H	1	-		
28M/12931	AS. 2903	Nipple	1	-	C.	
	A27. ET	Nut	1	-		
	A. 177653	Pin	2	-		
	Std. 1522/2	Sleeve	1	Spr. Stl.		
	F. 177655	Spring	1	-		
	Std. 1522/1	Stop, adjusting	1	-		
	G. 221514	FLYING CONTROLS UNDER PILOT'S FLOOR ASSEMBLY	-	-		
6757	F. 213777	Block, at attachment of torque tube to control column (Mod. 433)	1	S. 96. B	C.	DD. 2
5803	F. 205015	Bolt, attachment of torque tube to control column, group	1	-	C.	DD. 2
	F. 166254	Bolt	1	S. 96. B		DD. 2
	A. 53057/2	Plug	1	S. 2		DD. 2
205	Std. 1553/E/120	Bolt, for control column crank	2	S. 99	C.	DD. 2
26AQ/223	Std. 1553/E/130	Bolt, for control column crank	2	S. 99	C.	DD. 2
206	Std. 1553/E/150	Bolt, for control column crank	4	S. 99	C.	DD. 2
1926	F. 196256	Bolt, special, attachment of elevator lever	1	S. 99. B	C.	DD. 1
2137	A. 53067	Bush, at attachment of torque tube to control column	2	S. 2	C.	DD. 2
	D. 206791	Control column, group	1	-		DD. 2
207	F. 180779	Adjuster	2	S. 95. B	C.	DD. 2
2A/9501177	BRE. $\frac{1}{2}$	Bearing, at universal fork	2	-	B.	
2A/9501178	BRE. $\frac{5}{8}$	Bearing, at control column head	2	-	B.	
26AQ/223	Std. 1553/E/130	Bolt	4	S. 99	C.	DD. 2
208	F. 177528	Bolt, attachment of control column tube to socket	1	S. 95. B	C.	DD. 2
209	F. 177527	Bolt, attachment of control column tube to socket	1	S. 98. B	C.	DD. 2
220	F. 166596	Bolt, chain guard attachment	2	S. 95. B	C.	DD. 2
8089	F. 204430	Block, profile	1	L. 65. C	C.	DD. 2
1494	F. 191314	Block, stop	1	DTD. 364	C.	DD. 2
	F. 259482	Cap, blanking	1	-		DD. 2
7833	A. 213425	Chain, top aileron control, complete with eye ends	1	-	C.	DD. 2
211	A. 182743	Chain, bottom aileron control, complete with eye ends	1	-	C.	DD. 2
	A. 178531	Crank, control column	2	Stamping		DD. 2
8662	F. 221601	Clip, on chain guard for brake cable	1	-	B.	DD. 2
9091	F. 221990	Feel unit, group	1	-		DD. 2
8095	F. 204424	Nut, adjusting	1	S. 1	C.	DD. 2
8091	A. 212862	Spindle	1	S. 95. B	C.	DD. 2
8092	F. 204420	Spring	1	DTD. 215	C.	DD. 2
8093	F. 208510	Washer, stop	1	S. 95. B	C.	DD. 2
8094	F. 204426	Washer, locking	1	-	C.	DD. 2
8096	Std. 1356/9	Washer, shim	1	L. A.	C.	4
8097	Std. 1208/90/40/48	Washer, shim	QR	Shim Steel	C.	4

FLYING CONTROLS - FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
212	F. 180736	Ferrule, at attachment of control column tube to socket	2	S. 95. B	C.	DD. 2
9876	A. 231571	Guard, for feel control knob (Mod. 766)	1	-	C.	DD. 2
2138	A. 61599	Guard, chip at universal guard ...	2	-	C.	DD. 2
7831	D. 206792/3	Guard, chain, front portion, group ...	1	-	B.	DD. 2
		Consisting of :-				
	D. 206792/1	Cover, front	1	DTD. 610		
	C. 206794	Cover, forward	1	L. 59		DD. 2
28M/9434251	AGS. 2008/B1	Nut, anchor	2	-	C.	
	F. 191313	Plate, stop	1	DTD. 610		
28Q/7656	AS. 164/405	Rivet	2	-	C.	
28Q/7943	AS. 164/304	Rivet	2	-	C.	
28Q/8882	AS. 163/404	Rivet	10	-	C.	
7832	D. 206792/4	Guard, chain, rear portion, group ...	1	-	B.	DD. 2
		Consisting of :-				
	F. 191312	Block, distance	1	LFS. 21		
	F. 177444	Block, distance	1	LFS. 21		
	F. 191311	Block, saddle	1	LFS. 21		
	F. 177443	Block, saddle	2	LFS. 28		
	F. 177441	Block, saddle	1	LFS. 21		
	F. 177445	Block, saddle	1	LFS. 21		
9126	F. 204692	Block, saddle	1	Fibre	C.	DD. 2
28D/1007978	AS. 1242/7C	Bolt, 2 B. A.	2	-	C.	
	A. 177395	Bracket	1	S. 3		
	D. 206792/2	Cover, rear	1	DTD. 610		
	C. 206793	Cover, rear	1	L. 59		DD. 2
28M/9435067	AGS. 2008/C1	Nut, anchor	1	-	C.	
	F. 177518	Packing	1	DTD. 610		
28Q/8394	AS. 163/304	Rivet	2	-	C.	
28Q/8882	AS. 163/404	Rivet	10	-	C.	
28Q/8148	AS. 164/407	Rivet	2	-	C.	
28Q/10098	AS. 164/409	Rivet	2	-	C.	
28Q/8147	AS. 164/406	Rivet	4	-	C.	
28Q/9038	AS. 164/414	Rivet	2	-	C.	
28Q/10012	AS. 164/415	Rivet	2	-	C.	
28Q/7943	AS. 164/304	Rivet	2	-	C.	
	C. 257990	Handle, control, group (Mod. 1152) (Complete with cable F. 26)	1	-		
5X/	Plessey ✓ 2CZ. 39946	Elbow	1	-	C.	
	F. 257991	Fairlead	1	-		
5X/1373	Plessey ✓ Z. 11394/2	Ferrule	1	-	C.	
6100	A. 209037	Guard, cable	1	-	C.	
	Dunlop					
27J/	AC. 63482	Handle, control (Mod 1295) ...	1	-	A.	
	Plessey ✓					
5X/	2CZ/139485 ✓	Insert, socket	3	-	C.	
5X/1005131	Plessey ✓ Z. 49428	Sleeve	5	-	C.	
5K	-	Sleeve, HT. 20 x 3/4"	5	-	C.	
5K/	-	Sleeve, 900, single way	2	-	C.	
5K/	-	Sleeve, HT. 150 x 1"	3	-	C.	
	Plessey ✓					
5X/	2Z. 139621	Sleeve, green	3	-	C.	
5X/	UKAN. 9108 -10-53S	Socket, 3-pin	1	-	C.	
6974	F. 180734	Lug, locking	1	DTD. 610	C.	
7834	F. 212863	Nut, special	1	S. 95. B	C.	DD. 2
	F. 168225	Pin, sprocket attachment to socket	2	S. 97. B		
	B. 260357	Plug-end	1	Stamping		
9508	B. 178579	Plug-end	1	S. 95. B	C.	

Hunter Single Seater

FLYING CONTROLS - FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
9812	F. 231559	Rod, chain connecting (AS. 760/84) ...	1	S.95.B	C.	DD. 2
217	F. 177524	Shim, attachment of universal fork to control tube	1	-	C.	DD. 2
	B. 260407	Socket, joint	1	S.95.B		DD. 1
8602	F. 178409	Sprocket, at joint socket	1	S.95.B	C.	DD. 2
1891	F. 195967	Sprocket, and fork	1	-	C.	DD. 2
	A. 208523	Tube, control (Mod. 188)	1	T. 50		
	A. 73025	Tube, distance, at universal fork ...	1	-		
	Std. 1510/13/139	Tube, distance, 5/16" o/d x 20 S.W.G. x 1.39" long	1	T. 4		
4654	Std. 1208/90/25/64	Washer, at sprocket and fork	1	Shim Steel	C.	4
221	Std. 1208/75/33/50	Washer, at attachment of control column tube to socket	1	Shim Steel	C.	DD. 2
222	Std. 1208/75/33/100	Washer, at control column joint socket	1	Shim Steel	C.	DD. 2
26AQ/4821	Std. 532/1	Ferrule	6	S. 80	C.	4
10516	A. 185082	Housing, aileron torque tube, group ...	1	-	B.	
223	George Angus G. 300225 1/2	Seal, "Gaco"	1	-	C.	DD. 2
224	A. 180432 George Angus G. 189125 3/8	Housing, control column crank, group ... Seal, "Gaco"	1 1	- -	C.	DD. 2
226	B. 165970	Lever, rudder, aft of frame 8	1	-	B.	DD. 2
235	B. 168400	Lever, rudder control	1	-	B.	DD. 2
236	B. 178822	Lever, elevator	1	-	C.	DD. 2
237	B. 178823	Lever, elevator	1	-	C.	DD. 2
238	B. 178824	Lever, elevator	1	-	C.	DD. 2
2139	A. 53255	Nut, attachment of torque tube to control column	1	S. 2	C.	
1699	F. 192050	Piece, distance, for brake relay rod attachment	1	S. 1	C.	DD. 1
239	F. 179016	Piece, distance, at attachment of elevator lever	2	T. 4	C.	DD. 1
5804	A. 53057/1	Pin, attachment of torque tube to control column	1	S.94.B	C.	DD. 2
240	F. 182714	Plate, locking for rudder lever	1	S. 3	C.	DD. 1
	D. 177247	Rudder, bar, group	1	-		
241	B. 166465	Arm, rudder, bar, group	2	-	C.	DD. 1
242	F. 179017	Bolt, eye adjusting link attachment ...	2	S.95.B	C.	DD. 1
10775	F. 214828	Bush	4	B. 8	C.	
2A/9500419	BRT. 1 1/16	Bearing, rudder control spindle ...	2	-	B.	
243	Std. 325/154	Bolt, attachment of rudder bar links to pedal	2	S.99.B	C.	DD. 1
4271	F. 199879	Bolt	1	S. 96	C.	
244	Std. 1551/2/65	Bolt, adjusting, link attachment to rudder bar arm	2	S.99.B	C.	DD. 1
10715	AS. 2209	Bolt, securing pedal at rudder bar arm	2	-	C.	
4270	F. 199878	Bracket, retaining	1	-	C.	DD. 1
245	F. 148388	Bush, rudder control spindle, top ...	1	B. 8	C.	DD. 1
246	F. 148389	Bush, rudder control spindle, bottom ...	2	B. 8	C.	DD. 1
247	F. 148387	Cap, rudder control spindle	2	DTD. 176A	C.	DD. 1
270	A. 165668	Lever	1	-	C.	DD. 1
249	A. 165664	Link, rudder, bar, port	1	-	C.	DD. 1
250	A. 165665	Link, rudder bar, starboard	1	-	C.	DD. 1
251	F. 178554	Link, rudder bar adjusting	2	S.95.B	C.	DD. 1
4554	F. 202251	Packing	1	Brass	C.	
252	C. 177765	Pedestal, top portion	1	Casting	C.	DD. 1
253	B. 177767	Pedestal, bottom portion	1	Casting	C.	DD. 1

FLYING CONTROLS - FRONT FUSELAGE


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
10637	C. 203345						2	-	MR/B	
254	F. 179068						1	LFS. 21	C.	DD.1
10717	A. 97877						1	BS.369 or B. 8	C.	
4767	B. 203346						1	-	C.	DD.1
4102	A. 198965						1	-	C.	DD.1
257	A. 169699						1	-	C.	DD.1
258	George Angus G. 175106 ³ / ₈						1	-	C.	DD.1
5797	F. 204988						1	S. 84	C.	DD.1
5798	A. 204989						1	S. 84	C.	DD.1
								(Alternative to A. 210153)		
6749	A. 210153						1	-	C.	DD.1
259	F. 165192						1	DTD. 364	C.	DD.1
1927	F. 196367						1	DTD. 364	C.	DD.1
260	A. 177118						1	Stamping	C.	DD.1
261	F. 169546						1	Sp. Stl.	C.	DD.1
4273	A. 199882						1	Stamping	C.	DD.1
10716	AS. 2210						2	-	C.	
4150	Std. 914/C22						3	S. 1	C.	4
264	F. 178750						1	S.95.B	C.	DD.2
265	F. 165973						1	T. 60	C.	DD.1
266	A. 178749						1	T. 60	C.	DD.2
267	Std. 1208/150/68/50						1	Shim Steel	C.	DD.2
								Shim, at attachment of control column crank to keel member, port		
	Std. 1208/130/68/50						3	Shim Steel		
								Shim, for elevator levers, starboard side of keel member		
8493	B. 215089						1	-	B.	DD.2
	A. 215019						1	S.95.B		DD.2
2A/9500154	BAL. 025						1	-	B.	
	A. 215088						1	S.95.B		
	Std. 165/5						4	-		
	F. 165984						1	DTD. 610		DD.2
10867	F. 218110						1	DTD. 610	C.	DD.2
269	B. 165987						1	L. 53	C.	DD.2
277	B. 165989						1	-	B.	DD.2
278	B. 165990						1	-	B.	DD.2
279	B. 165991						1	-	B.	DD.2
1497	F. 185083						1	DTD. 560	C.	DD.2
2141	Std. 915/J. 14						1	DTD. 610	C.	4
280	Std. 1548/40/12						3	DTD. 610	C.	DD.1
								Washer, packing, at attachment of rudder pedestal		
6822	B. 190129						1	-	MR/B	
4444	F. 201985						1	L. 72	C.	DD.2
4105	Std. 1285/8CC						1	-	C.	4
1495	B. 190128						1	-	C.	DD.2
4106	F. 199283						1	L. 72	C.	DD.2
	F. 259587						1	L. 72		
	F. 259586						1	L. 72		
5799	A. 205006						1	L. 72	C.	DD.2
	B. 178827						1	-		
227	B. 168401						1	-	B.	DD.2
228	B. 168402						2	-	B.	DD.2
229	F. 166114						1	T. 50	C.	DD.2
230	F. 178826						2	DTD. 364	C.	DD.2
231	F. 178430/3						1	T. 4	C.	DD.2
								Tube, distance, 1 $\frac{1}{4}$ " o/d x 14 S.W.G. x 4.30" long		
232	F. 178430/4						1	T. 4	C.	DD.2
								Tube, distance, 1 $\frac{1}{4}$ " o/d x 14 S.W.G. x .225" long		
233	F. 178430/5						1	T. 4	C.	DD.2
								Tube, distance, 1 $\frac{1}{4}$ " o/d x 14 S.W.G. x .155" long		
234	Std. 1208/141/68/40						6	Shim Steel	C.	DD.2
								Washer		


FLYING CONTROLS - FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
287	A.168404	Link, idling	3	-	B.	DD.2
274	A.171044	Eye-end	1	-	B.	
6201	A.209620	Tube, aileron, elevator and rudder control					3	-	B.	DD.2
		between frames 14 and 17A, group (Mod.368)								
6202	A.209621	Fork-end	1	S.96.B	C.	
8488	A.206734	Tube, aileron control between frames 11 and 13					1	-	B.	DD.2
		(Mod.457)								
10568	B.243234	Tube, elevator control between frames 11 and 13					1	-	B.	DD.2
		(Mod.941)								
10569	B.243233	Tube, rudder control, between frames 11 and 12					1	-	B.	DD.2
		(Mod.941)								

FUSELAGE CONTROLS - FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28D/9133011	A. 25.2.C	Bolt,	2	B. A.	-	-	
28D/9133012	A. 25.3C	Bolt,	2	B. A.	-	-	
28D/12536	A. 25.13.C	Bolt,	2	B. A.	-	-	
28D/1200119	A. 25.4.C	Bolt,	2	B. A.	-	-	
28D/1011240	A. 25.5.E	Bolt,	1/4"	B. S. F.	-	-	
28D/1008145	A. 25.6.E	Bolt,	1/4"	B. S. F.	-	-	
28D/12547	A. 25.15.E	Bolt,	1/4"	B. S. F.	-	-	
28D/13100	A. 30.5.E	Bolt,	1/4"	B. S. F.	-	-	
28D/13361	A. 30.8.E	Bolt,	1/4"	B. S. F.	-	-	
28D/13711	A. 30.9.E	Bolt,	1/4"	B. S. F.	-	-	
28D/14010	A. 30.10.E	Bolt,	1/4"	B. S. F.	-	-	
28D/13442	A. 30.11.E	Bolt,	1/4"	B. S. F.	-	-	
28D/13474	A. 30.12.E	Bolt,	1/4"	B. S. F.	-	-	
28D/13979	A. 30.14.E	Bolt,	1/4"	B. S. F.	-	-	
28D/15020	A. 30.15.E	Bolt,	1/4"	B. S. F.	-	-	
28D/15417	A. 30.17.E	Bolt,	1/4"	B. S. F.	-	-	
28D/14012	A. 30.17.G	Bolt,	5/16"	B. S. F.	-	-	
28D/14027	A. 30.24.J	Bolt,	3/8"	B. S. F.	-	-	
28D/8309	AS. 1242/4C	Bolt,	2	B. A.	-	-	
28D/8312	AS. 1242/8C	Bolt,	2	B. A.	-	-	
28D/8341	AS. 1248/1C	Bolt,	2	B. A.	-	-	
28D/8342	AS. 1248/2C	Bolt,	2	B. A.	-	-	
28D/9354	AS. 1248/6C	Bolt,	2	B. A.	-	-	
28D/15472	A. 30.27.E	Bolt,	1/4"	B. S. F.	-	-	
28N/12455	AGS. 2031/22	Circlip...	-	-	
28M/767	A. 16.Y. CS	Nut,	2	B. A.	-	-	
28M/9419526	A. 16.Y. CP	Nut,	2	B. A.	-	-	
28M/768	A. 16.Y. ES	Nut,	1/4"	B. S. F.	-	-	
28M/772	A. 16.Y. JS	Nut,	3/8"	B. S. F.	-	-	
28M/9403520	A. 27. CP	Nut,	2	B. A.	-	-	
28M/13121	A. 27. CS	Nut,	2	B. A.	-	-	
28M/12928	A. 27. EP	Nut,	1/4"	B. S. F.	-	-	
28M/1011467	A. 27. ES	Nut,	1/4"	B. S. F.	-	-	
28M/12931	A. 27. ET	Nut,	1/4"	B. S. F.	-	-	
28M/13326	A. 27. GT	Nut,	5/16"	B. S. F.	-	-	
28M/13464	A. 27. GTL	Nut,	5/16"	B. S. F.	-	-	
28M/1011476	A. 27. JS	Nut,	3/8"	B. S. F.	-	-	
28M/13935	A. 58. ES	Nut,	1/4"	B. S. F.	-	-	
28M/7683	AGS. 572/A	Nut,	1/4"	B. S. F.	-	-	
28F/9128915	AGS. 1148C	Nut,	2	B. A.	-	-	
28M/10288	AGS. 2001/C1	Nut,	2	B. A.	-	-	
28M/10328	AGS. 2002/C1	Nut,	2	B. A.	-	-	
28M/10290	AGS. 2001/E1	Nut,	1/4"	B. S. F.	-	-	
28M/10330	AGS. 2002/E1	Nut,	1/4"	B. S. F.	-	-	
28M/7727	AGS. 572. E	Nut,	1/4"	B. S. F.	-	-	
28N/9156370	SP. 21	Nipple, lubricating	-	-	
28W/9419475	SP. 15. C	Washer,	2	B. A.	-	-	
28W/9419404	SP. 16. C	Washer,	2	B. A.	-	-	
28W/9419405	SP. 15. E	Washer,	1/4"	B. S. F.	-	-	
28W/9419487	SP. 16. E	Washer,	1/4"	B. S. F.	-	-	
28W/9419477	SP. 15. J	Washer,	3/8"	dia.	-	-	
28W/9419476	SP. 15. G	Washer,	5/16"	dia.	-	-	





FLYING CONTROLS



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.