

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	G. 283661	ELECTRICAL EQUIPMENT IN FRONT FUSELAGE, ASSEMBLY	-	-		
5J/9101543	-	Accumulator, lead acid 12v.	2	-	A.	
	C. 283664	ADDITIONAL DETAILS, ASSEMBLY	-	-		
	A. 233799	Angle, mounting	1	-		
	A. 233800	Angle, mounting	1	-		
	C. 280953	Box, junction, Arm No. 9, group	-	-		
8012	F. 208578	Adaptor, 6-12 amp	2	-		
8670	F. 220761	Bush	1	-		
	C. 260989	Box, detail	1	-		
	B. 261032	Lid	1	-	A.	
	B. 261075	Platform, relay mounting	1	-	C.	
10H/0560200	Plessey CZ.49061	Plug, fixed	1	-	C.	
5CW/8979	-	Relay, type 20B, No. 1	4	-	C.	
5F/	Helsyn	Sleeve, 150HT, 15 x 1/2"	49	-	C.	
	Std. 2134/11	Sleeves	65	-	C.	
10H/0560380	Plessey CZ.49229	Socket, fixed	1	-	C.	
5X/6988	Hellermann	Tag, 4 B.A., ring tongue	2	-	C.	
	HC. 304					
5X/7296	Hellermann	Tag, 4 B.A., ring tongue	2	-	C.	
	HC. 294					
	F. 220762	Washer	1	-	C.	
	B. 260746	Bracket for pressure switch	1	-		
10008	A. 233586	Bracket, for switch	1	-	MR/C	
	F. 237852	Bracket, mounting	1	S. 510		
10373	A. 233798	Clip, strap, securing suppressor mounting	4	-	C.	
10040	A. 228894	Cover, for F. 4 relay	1	L. 72	C.	
5CW/4222	Rotax	Guard, locking	1	-	B.	
10007	A. 234614	Guard, switch	1	L. 72	B.	
5L/9951273	-	Lamp, filament, 28V. 3.5w.	2	-	B.	
	A. 237842	Lamp, mounting, assembly	-	-		
10475	A. 237840	Cover	1	-	C.	
10476	A. 237841	Mounting, lamp, group	1	-	C.	
	A. 237838	Block, terminal	1	-		
	F. 237836	Bracket, lamp, mounting	1	-		
	F. 237835	Plate, base	1	L. 72		
	A. 231998	Mounting, for gun selection switch	1	L. 72		
	A. 236194	Mounting, for suppressor	1	L. 72		
	F. 233198	Plate, switch	1	L. 72		
	B. 234964	RELAY, F4, ASSEMBLY	-	-		
5X/1002694	Plessey CZ. 50207	Block, terminal, 5-way	2	-	B.	
	Std. 2045/16/26	Clip, sleeved	2	S. 510		
5X/9149641	Plessey CZ. 26805	Cover, terminal block	2	-	B.	
5X/9450403	Plessey Z.28426	Pillar, fixing	4	-	C.	
	B. 228759	Platform relay	1	L. 72		
5CW/9729123	-	Relay, type "S," No. 3.	1	-	B.	
1178	Std. 1606/44/B12	Screw, roundhead, 4 B.A.	2	Brass	C.	5
1637	Std. 1606/44/B14	Screw, roundhead, 4 B.A.	2	Brass	C.	5
4661	Std. 1606/45/B12	Screw, countersunk 4 B.A.	2	Brass	C.	5
5X/	R.C. 2120	Tag, 4 amp	6	-	C.	
3838	Std. 1606/44/B. 8	Screw, roundhead, 4 B.A.	1	Brass	C.	5
3837	Std. 1606/44/B. 10	Screw, roundhead, 4 B.A.	1	Brass	C.	5
1177	Std. 1606/44/C. 12	Screw, roundhead, 6 B.A.	2	Brass	C.	5
	Std. 1606/44/B. 14	Screw, roundhead, 4 B.A.	2	Brass	C.	5
	Std. 1606/45/B. 12	Screw, roundhead, 4 B.A.	2	Brass	C.	5
5F/9454141	AS. 4713	Strapping	QR	-	C.	
5F/9138822	AS. 4715	Stud	QR	-	C.	
5CW/7540	-	Switch, gun selection	1	-	B.	
5CW/6332	Rotax.D. 10007	Switch, D.P.	1	-	B.	
6A/8650	-	Switch, aneroid (Mod 1153)	1	-	A.	
5CZ/5299	FLM/A/5	Amplifier, magnetic	1	-	A.	
6A/4457	FAB/18	Amplifier	2	-	A.	
5CZ/5291	Smiths EC1/3, or	Amplifier, magnetic	1	-	A.	
5CZ/5541	EC1/6 or					
5CZ/5040	Ultra A133/1					

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	A.282496	Angle, mounting, for circuit breaker	1	L.72		
	A.249060	Angle, mounting, for circuit breaker	1	L.72		
	F.197407	Block, distance, for terminal block ...	2	LFS.21		
	A.206460	BLOCK, TERMINAL, No. 2, AT FRAME 4, ASSEMBLY	-	-		
5X/2863	Plessey CZ.24285 ✓	Block, terminal, 10-way ...	1	-	B.	
	A.218494	Bracket, mounting ...	1	-		
8545	F.220484	Cover ...	1	-	C.	
	Std.2046/25/24	Clip, sleeved ...	1	S.510		
5X/1004082	Plessey Z.50210 ✓	Link, commoning ...	2	-	C.	
8543	F.218495	Mounting ...	4	Rubber	C.	
8544	F.217580	Pillar ...	2	S.95.B	C.	
8546	Std.2008.C.362	Strip, locking ...	1	S.84	C.	
8547	Std.2008.B.423	Strip, locking ...	1	S.84	C.	
	Std.1509/23/084	Tube, distance, 5/16" o/d x 17 S.W.G. x .84"	2	T.4		
5407	Std.915/T/18	Washer ...	2	DTD.610	MR/C	
	B.214699	BLOCK, TERMINAL, NO. 3, 7 AND 85, AT PORT COCKPIT SHELF, ASSEMBLY	-	-		
5X/2863	Plessey CZ.24285 ✓	Block, terminal, 10-way ...	1	-	B.	
5X/3277	Plessey CZ.50206 ✓	Block, terminal, 3-way ...	2	-	B.	
5X/3275	Plessey CZ.26808 ✓	Cover ...	1	-	B.	
5X/3273	Plessey CZ.26802 ✓	Cover ...	2	-	C.	
5X/1004082	Plessey Z.50210 ✓	Link, commoning ...	1	-	C.	
5X/9450403	Plessey Z.28426 ✓	Pillar ...	6	-	C.	
	Std.1953/1-10	Sleeve, marker ...	1 set	-		
	Std.1953/1-3	Sleeve, marker ...	1 set	-		
	B.206739	BLOCK, TERMINAL, No. 4 AND 6, AT PORT COCKPIT SHELF, ASSEMBLY	-	-		
5X/2863	Plessey CZ.24285 ✓	Block, terminal, 10-way ...	1	-	B.	
5X/3277	Plessey CZ.50206 ✓	Block, terminal, 3-way ...	1	-	B.	
5X/3275	Plessey CZ.26808 ✓	Cover ...	1	-	B.	
5X/3273	Plessey CZ.26802 ✓	Cover ...	1	-	B.	
5X/9450403	Plessey Z.28426 ✓	Pillar ...	4	-	C.	
	Std.1953/1-10	Sleeve, marker ...	1 set	-		
	Std.1953/1-3	Sleeve, marker ...	1 set	-		
	A.214829	BLOCK, TERMINAL, No. 5, ON FRAME 5, ASSEMBLY	-	-		
5X/2863	Plessey CZ.24285 ✓	Block, terminal, 10-way ...	1	-	B.	
	A.218494	Bracket, mounting ...	1	-		
8545	F.220484	Cover ...	1	-	C.	
	Std.2046/30/22	Clip, sleeved (AS.770/47) ...	1	-		
8543	F.218495	Mounting ...	4	Rubber	C.	
8544	F.217580	Pillar ...	2	S.95.B	C.	
	Std.1953/1-10	Sleeve, marker ...	1 set	-		
8546	Std.2008/C.362	Strip, locking ...	1	S.84	C.	
	Std.2008/C.423	Strip, locking ...	1	S.84		
	Std.1509/23/084	Tube, distance, 5/16" o/d x 17 S.W.G. x .84" long	2	T.4		
5407	Std.915/T/.18	Washer ...	2	DTD.610	MR/C	
	A.206556	BLOCK, TERMINAL, No. 64, AT FRAME 12, ASSEMBLY	-	-		
5X/1002694	Plessey CZ.50207 ✓	Block, terminal, 5-way ...	1	-	B.	
5X/9149641	Plessey CZ.26805 ✓	Cover ...	1	-	B.	
5X/9450403	Plessey Z.28426 ✓	Pillar ...	2	-	C.	
	Std.1953/1-5	Sleeve, marker ...	1 set	-		
	B.222375	BLOCK TERMINAL, No. 99, ASSEMBLY ...	-	-		
5X/2863	Plessey CZ.24285 ✓	Block, terminal, 10-way ...	1	-	B.	
5X/3275	Plessey CZ.26808 ✓	Cover ...	1	-	C.	
5X/9540403	Plessey CZ.28426 ✓	Pillar ...	2	-	C.	

ELECTRICAL EQUIPMENT-FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off					Material Specification	M.R. Class of Store	Plate No.
			1	2	3	4	5			
	A.224250	BLOCK TERMINAL, No. 101, ASSEMBLY								
5X/3277	Plessey CZ.50206 ✓	Block, terminal, 3-way		1					B.	
5X/3273	Plessey CZ.26802 ✓	Cover		1					C.	
5X/9450403	Plessey Z.28246 ✓	Pillar		2					C.	
8482	A.216114 ✓	Box, for standby batteries, group ...		1					B.	
	C.216112	Box, group		1						
8483	F.216126	Clip, spring		2		Sp. Stl.			C.	
	F.216127	Packing, for spring clip		1						
5CZ/996	-	Box, junction, 3-way, type A		1					A.	
10767	D.251003	Box, a/c junction, for flight instruments and radar supply, group (Mod 1054)		1					A.	
5X/6607	Plessey CZ.73898 ✓	Block, fuse, with indent tags, less cover		4					B.	
5X/1002694	Plessey CZ.50207	Block, terminal, 5-way		4					B.	
6731	F.210524	Bolt, for front, lid		6					C.	
5CY/2561	-	Breaker, circuit, type A.3.		2					A.	
1632	A.190855	Bus-bar		2		BSS.266			C.	
-	B.233803	Cable, AC3 (See Cable Chart)		1						
-	B.233804	Cable, AC4 (See Cable Chart)		1						
	D.190732	Cable, assemblies, consisting of:-		1						
6A/2715	Smiths 213MV	Auto-transformer, 115/26V, 400 C/s		1					A.	
5E/	-	Cable, trimetvinsmall		10"					C.	
5E/3040	-	Cable, unipren, 12 amp.		1					C.	
10C/Z115260	-	Capacitor, 25 mf. 250 W.K.G.		1					C.	
10C/Z115333	-	Capacitor, 0.5 mf. 250V. WKG (not required with type "C" torque switch)		3					C.	
10H/0970058	Plessey Z.60667 ✓	Gasket, outlet, code 45		1					C.	
10H/0980108	Plessey Z.62235 ✓	Gasket, union		1					C.	
5K/2785	Plessey Z.22430 ✓	Grommet, Helsyn, type 2		1					C.	
5X/1874	Plessey Z.1840 ✓	Grommet		1					C.	
5X/9400385	Erma 12105	Lug, terminal		1					C.	
10H/0970069	Plessey CZ.49181 ✓	Outlet, 90°, code 45		1					C.	
10H/0560070	Plessey CZ.48994 ✓	Plug, panel, unit code 43		1					C.	
10H/0560060	Plessey CZ.48993 ✓	Plug, panel mounting, unit code 42		1					C.	
10H/0970102	Plessey Z.49040 ✓	Ring, compression		1					C.	
10H/0970096	Plessey Z.49037 ✓	Ring, thrust		1					C.	
5F/	-	Sleeve, Helsyn, H.T. 20		72					C.	
5F/	-	Sleeve, Helsyn, H.T. 30		2					C.	
5F/	-	Sleeve, Helsyn, H.T. 75		1					C.	
10H/09700114	Plessey Z.62240 ✓	Sleeve, cable code 45		1					C.	
10H/0.560250	Plessey CZ.49221 ✓	Socket, panel, unit code 43		1					C.	
10H/0.560240	Plessey CZ.49219 ✓	Socket, panel, unit code 42		1					C.	
10H/0560820	Plessey CZ.56743 ✓	Socket, panel mounting coupler, code 45		1					C.	
5CW/9729123	-	Switch, magnetic relay, type S.3. ...		1					A.	
5K/3623	Tucker S.79	Tag, eyelet		13					C.	
5K/301	-	Tag, eyelet		2					C.	
5X/9400063	Plessey Z.19925 ✓	Tag, 7 amp. Q/R		32					C.	
5X/9400064	Plessey Z.19980 ✓	Thimble, 7 amp. Q/R		32					C.	
-	B.250199	Cable, form F.190 (See Cable Chart) ...		1						
5CY/3610	-	Cap, protecting, circuit breaker ...		2					C.	
10H/21797	-	Fuse, 2.5 amp.		5					C.	
10H/23865	-	Fuse, 2.5 amp. type H.R.C.		7					C.	
10H/21798	-	Fuse, 5 amp.		1					C.	
10H/21799	-	Fuse, 10 amp.		2					C.	
	B.201758	Lead, D.C. inverter, group (See Cable Chart)		1						
1633	B.190333	Lid, front		1		DTD.213			C.	
9634	B.225929	Lid, top		1		DTD.213			C.	
5X/1004083	Plessey Z.50211 ✓	Link, commoning, 3-way		1					C.	
5X/1004085	Plessey Z.50213 ✓	Link, commoning, 5-way		1						
5CZ/5726	Ferranti ZS.10A	Rectifier		2					B.	
	F.197020/2	Saddle (Not required with Type "C" torque switch)		1		DTD.610				
	B.190455	Screen, suppressor		1		DTD.610				

ELECTRICAL EQUIPMENT-FRONT FUSELAGE

Ref. No.	Part No.	Description	1 2 3 4 5					No. Off	Material Specification	M.R. Class of Store	Plate No.
			3837	Std.1606/44/B10	Screw, roundhead						
1178	Std.1606/44/B12	Screw, roundhead					17	Brass	C.	5	
3839	Std.1606/44/B16	Screw, roundhead					1	Brass	C.	5	
1639	Std.1606/44/A6	Screw, roundhead					4	Brass	C.	5	
	C.251297	Shell, outer (Mod.1054)					1	DTD.610	-		
5F/		Sleeve, HT 30 x 3/4"					2	-	C.		
5F/		Sleeve, HT 20 x 3/4"					1	-	C.		
5F/		Sleeve, HT 30 x 1"					1	-	C.		
10H/0560261	Plessey CZ.49223/1 McMichael	Socket, panel unit (SA.840/79)					1	-	C.		
		Suppressor, type F. No.2, sub-assembly group (5CY/2682 S.A.1) Consisting of:-					2	-			
5CY/2738	-	Block, terminal					2	-	C.		
5CY/2740	-	Choke, assembly					3	-	B.		
5CY/2839	-	Capacitor, type A.1004					3	-	B.		
5CY/2739	-	Plate, earthing					1	-	C.		
5CW/5907	Smith's EAP.2340	Switch, torque					2	-	A.		
5X/9400062	Plessey Z.19979	Thimble					1	-	C.		
5X/9400061	Plessey Z.19924	Tag					1	-	C.		
3796	Std.1509/12/072	Tube, distance, 1/4" o/d x 20 S.W.G. x 0.72" long (Make from 30B/619)					8	T.4	MR/C	4	
1641	D.189839	Unit, mounting, for A.C. junction box					1	DTD.213	B.		
	A.218401	Unit, suppression, torque switch group (AS.700/74)					1	-			
10C/0115590	-	Capacitor, 0.25 mf. 500 Vac.					2	-	C.		
	F.218439	Clip					1	L.72			
10W/2215162	-	Resistor, 220 ohms. 500 Vac.					2	-	C.		
3837	Std.1606/44/B10	Screw, 4 B.A.					1	Brass	C.		
10H/0970049	Plessey Z.54105	Washer, panel mounting					QR	-	C.		
	C.226839	WIRING A.C. JUNCTION BOX, DETAIL "A," ASSEMBLY					-	-			
5E/3040	-	Cable, Unipren 12 amp.					QR	-	C.		
5E/3042	-	Cable, Unipren 24 amp.					QR	-	C.		
	A.190048	Channel, relay mounting					1	DTD.610			
	A.190049	Channel, relay mounting					1	DTD.610			
5K/2877	SP.40/48	Grommet					1	-	C.		
5F/		Sleeve, Helsyn HT 20 x 3/4"					2	-	C.		
5F/		Sleeve, Helsyn HT 30 x 1"					1	-	C.		
10H/0560261	Plessey CZ.49223/1	Socket, panel unit code 45					1	-	B.		
5CW/9729122	-	Switch, magnetic relay, type S1					2	-	A.		
5CW/9729123	-	Switch, magnetic relay, type S3					3	-	A.		
5X/9400061	Plessey Z.19924	Tag, 4 amp. Q/R					10	-	C.		
5X/9400063	Plessey Z.19925	Tag, 7 amp. Q/R					2	-	C.		
5X/9400065	Plessey Z.19926	Tag, 19 amp. Q/R					2	-	C.		
5X/9400062	Plessey Z.19979	Thimble, 4 amp.					10	-	C.		
5X/9400064	Plessey Z.19980	Thimble, 7 amp. Q/R					2	-	C.		
5X/9400066	Plessey Z.19981	Thimble, 19 amp. Q/R					2	-	C.		
5E/	-	Wire, 14/0076 Type red					13"	D.E.F.12	C.		
5E/	-	Wire, 14/0076 Type blue					16"	D.E.F.12	C.		
5E/9100178	-	Wire, 14/0076 Type 2 yellow					QR	D.E.F.12	C.		

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	B.207457	WIRING A.C. JUNCTION BOX, DETAIL "D," ASSEMBLY	-	-		
5E/	-	Cable, 2.5 amp.	QR	-	C.	
5E/3042	-	Cable, Unipren, 24 amp.	QR	-	C.	
5K/2893	SP.40/A6	Grommet	1	-	C.	
10H/0560080	Plessey CZ.48995 ✓	Plug, panel, unit code 45	1	-	C.	
10H/0560130	Plessey CZ.51327 ✓	Plug, panel, unit code 44	1	-	C.	
10H/0560050	Plessey CZ.48992 ✓	Plug, panel, unit code 41	1	-	C.	
5F/	-	Sleeve, Helsyn H.T. 20	17	-	C.	
5F/	-	Sleeve, Helsyn H.T. 30	8	-	C.	
10H/0560230	Plessey CZ.4217 ✓	Socket, panel unit code 41	1	-	C.	
5X/9400063	Plessey Z.19925 ✓	Tag, 7 amp. Q/R	5	-	C.	
5X/9400065	Plessey Z.19926 ✓	Tag, 19 amp. Q/R	4	-	C.	
5X/9400064	Plessey Z.19980 ✓	Thimble, 7 amp. Q/R	5	-	C.	
5X/9400066	Plessey Z.19981 ✓	Thimble, 19 amp. Q/R	4	-	C.	
	C.280955	Box, junction No. 2, armament, group	1	-		
8012	F.208578	Adaptor	6	-	C.	
	F.202933	Angle, support, for relay	1	L.72		
	F.202934	Angle, support, for relay	1	L.72		
5X/6630	Plessey CZ.72441 ✓	Block, terminal, 5 way... ..	6	-	B.	
	C.280954	Box, group	1	L.72		
	F.202906	Angle, support for T.B.	2	L.72		
	F.202912	Angle, attachment	2	L.72		
	Std.1569/B	Nut, side, anchor	4	-		
5E/3038	-	Cable, unipren 6	QR	-	C.	
5E/3040	-	Cable, unipren 12	QR	-	C.	
10H/0970055		Cap, protective	1	-	C.	
	B.280721/1	Diagram, wiring	1	Photo Copy		
10H/19881	Belling Lee L.562/2.5	Fuse, 2.5 amp.	2	-	C.	
10H/0590170	Belling Lee L.575	Holder, fuse	2	-	C.	
	B.260847	Lid	1	L.59	C.	
	F.253424	Stowage (Made from CZ.57543)	1	and rubber strip		
	F.256387	Link, commoning	1	BSS.265	C.	
6015	F.195858	Link, commoning	5	BSS.265	C.	
10H/0560080	Plessey CZ.48995 ✓	Plug, panel unit	1	-	C.	
10H/0560150	Plessey CZ.49112 ✓	Plug, panel unit	1	-	C.	
10H/0560151	Plessey CZ.49112/1 ✓	Plug, panel unit	1	-	C.	
10H/0560152	Plessey CZ.49112/2 ✓	Plug, panel unit	1	-	C.	
5CW/6717	-	Relay, type "S," No. 7	2	-	A.	
	Std.2134/11	Sleeve, marker	36	-	C.	
5F/	-	Sleeve, Helsyn 150 HT 20 x 3/4"	64	-	C.	
10H/0560260	Plessey CZ.49223 ✓	Socket, panel unit	1	-	C.	
5K/3469	Ross Courtney 01	Tag	53	-	C.	
	STD.1509/12/108	Tube, distance	2	T.4		
	B.260397	Box, junction height warning system group (Mod 1153)	1	-		
5X/6630	Plessey CZ.72441 ✓	Block, terminal, 5-way	1	-	C.	
	A.260395	Box, detail	1	-		
	F.260396	Cover box	1	L.72		
	B.260390/1	Diagram, wiring	1	Photo		
6015	F.195858	Link, commoning	2	BSS.265	C.	
5F/		Sleeve, Helsyn 150 HT 15 x 1/2"	12	-	C.	
	Std.2134/11	Sleeve, marker	6	-	C.	
10H/0560240	Plessey CZ.49219 ✓	Socket, panel	1	-	C.	
10H/0560260	Plessey CZ.49223 ✓	Socket, panel	2	-	C.	
5K/3469	R.C.01	Tag, 5 amp.	6	-	C.	
5E/9100179	-	Wire, equipment, type 2, black	Q/R	-	C.	

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
5868	C.206527	Box, junction, No. 2, port, group	1	-	A.	
5X/3181	Plessey	Block, terminal, 20-way	1	-	B.	
	CZ.23212/1					
	Plessey	Box, assembly	1	-		
	CZ.73118					
	A.200034/1	Diagram, wiring	1	-		
	Plessey	Lid, assembly	1	-		
	CZ.73106					
5X/1004082	Plessey Z.50210	Link, commoning	3	-	C.	
5X/	Plessey	Plug, form F.24	1	-	C.	
	CZ.72949					
	Std.1953/1-20	Sleeve, marker	1 set	-		
	Plessey Z.73211	Transfer, outlet	1	-		
5X/	Plessey Z.73213	Washer, packing	1	-	C.	
	B.261146	BOX, JUNCTION ARM, 7 AND 8, ASSEMBLY	-	-		
5D/506	-	Box, junction 5-way type "A"	2	-	B.	
5K/2374	-	Disc, blanking	5	-	C.	
5K/87	-	Nut, gland	5	-	C.	
6A/4317	Smiths	Box, connector, port	1	-	B.	
	Waymouth BW.13					
6A/4318	Smiths	Box, connector, starboard	1	-	B.	
	Waymouth BW.14					
10433	B.216710	Box, relay control, for air brake, group	1	-	A.	
	C.204561	Box	1	L.72		
4178	Rotax N.65291	Bung	1	-	C.	
5E/3038	-	Cable, unipren 6	QR	-	C.	
5CW/5253	Hellermann	Cap, sea grey	1	-	C.	
	H.V.3710					
8460	A.220906	Lid	1	-	B.	
	B.219892	Plug, form group	1	-		
	-	Consisting of:-				
5E/3038	-	Cable, unipren 6	QR	-	C.	
10H/0560150	Plessey	Plug, panel unit, Mk.4	1	-	C.	
	CZ.49112					
10894	Std.1948/11	Sleeve, marker	3	-	C.	
	Std.1948/21	Sleeve, marker	5	-		
	Std.1950/11	Sleeve, marker	1	-		
5K/3455	Helsyn	Sleeve, 150 H.T. 20 x 1/4"	8	-	C.	
5K/3469	Ross Courtney	Tag	3	-	C.	
	RC.O1					
5CW/6452	-	Relay, type 9B No. 1	2	-	A.	
	A.216688	RELAY, R1 AND TERMINAL BLOCK, ASSEMBLY	-	-		
5X/6630	Plessey	Block, terminal, 5-way	1	-	B.	
	CZ.72441					
	A.216690	Platform, mounting	1	L.72		
	A.216689	RELAY, R1 AND WIRING, ASSEMBLY	-	-		
5CW/972912	-	Relay, type S.1.	1	-	B.	
5K/3469	Ross Courtney	Tag	4	-	C.	
	R.C.O1					
1638	Std.1606/44/B6	Screw, 4B.A.	4	Brass	C.	5
5CW/7552	Rotax	Switch, double pole (Rotax only)	1	-	B.	
5CW/4333	-	Transfer, "test"	1	-	C.	
	B.233258	Box, junction, power controls, group	1	-		
5X/2863	Plessey	Block, terminal	1	-	C.	
	CZ.24285					
	B.215541	Box	1	L.72		
10H/21797	-	Fuse, 2.5 amp.	2	-	C.	
10H/23998	-	Fuseholder, type A	2	-	B.	
5X/2790	Plessey Z.22634	Grommet	1	-	C.	
	Std.1953/1-10	Sleeve, marker	1 set	-		
4042	Std.1509/23/030	Tube, distance, 5/16" o/d x 17 S.W.G. x 0.30"	2	T.4	MR/C	4
		(Make from 30B/556)				

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	A.282251	BOX, DISTRIBUTION AND SUPPRESSOR, SUB-ASSEMBLY	-	-		
5X/6630	C.282250 Plessey CZ.72441	Box, distribution, group	1	-		
	C.282249	Block, terminal 5-way	3	-	B.	
	F.206026	Box, detail	1	-		
5E/3038	-	Bridge, clamping	1	-		
10C/Z.115567	-	Cable, unipren 6	12ft.	-	C.	
	B.282248/1	Capacitor	3	-	C.	
10H/21790	Belling Lee	Diagram wiring	1	Photo		
10H/0590100	Belling Lee	Fuse, dummy	2	-	C.	
	L.1348	Fuse, unit	5	-	C.	
0H/0590110	Belling Lee	Fuse, 2 amp.	2	-	C.	
	L.693/2					
10H/0590109	Belling Lee	Fuse, 1 amp	1	-	C.	
	L.693/1					
9533	A.215621	Lid, group	1	-		
6015	A.215621/2	Strip, sealing, 1/2" x 1/16	18 1/2	Rubber		
5F/-	F.195858	Link, commoning	4	BSS.264		
	Std.2134/11	Sleeve, helsen, 150 HT.30 x 3/4	14	-	C.	
10H/0560260	Plessey CZ.49223	Sleeve, marker	QR	-	C.	
10H/0560250	Plessey CZ.49221	Socket, panel unit, code 45	1	-	C.	
10H/0560251	Plessey CZ.49221/1	Socket, panel unit, code 43	1	-	C.	
10H/0560240	Plessey CZ.49219	Socket, panel unit, code 43	1	-	C.	
5K/3469	Ross Courtney 01	Socket, panel unit, code 42	1	-	C.	
751	Std.915/A20	Tag, 2.5 amp.	24	-	C.	
	B.215685	Washer, packing	QR	-	C.	
	B.215690	Cable, F.110. Group (See Cable Chart)	1	-		
	Std.842/9	Cable, F.114. Group (See Cable Chart)	1	-		
3750	Std.842/10	Clip	1	DTD.610		4
5CY/2866	-	Clip	1	DTD.610	MR/C	6
		Suppressor, type B4	1	-	A.	
9615	B.229465	Box, G90 camera, group	1	-	B.	
5L/9951273	-	Filament, 28V, 3.5 watt	1	-	B.	
5CX/4191	-	Lamp, warning	1	-	B.	
10H/0560080	Plessey CZ.48995	Plug, code 45	1	-	C.	
10F/Z.530453	-	Relay, SM5A No. 25	1	-	A.	
3837	Std.1606/44/B10	Screw	4	Brass	C.	5
10H/0560260	Plessey CZ.49223	Socket, code 45	1	-	C.	
9616	F.224534	Support, wire	1	LFS.21	C.	
5CW/7551	-	Switch, D.P.	1	-	B.	
5CW/4485	-	Transfer, "Normal"	1	-	C.	
5CW/4333	-	Transfer, "Test"	1	-	C.	
9637	B.220068	Box, top temperature A.C. control, group	1	-	A.	
7139	F.208121	Bar, bridge	1	L.72	MR/C	
5X/6630	Plessey CZ.72441	Block, terminal, 5-way	1	-	B.	
	B.220069	Box	1	-		
	F.220072	Bracket, mounting, for T.B.	1	L.72		
5E/3038	-	Cable, unipren, 6 amp.	QR	-	C.	
10C/Z.115567	-	Capacitor, 0.5 MFD. 250 V.	3	-	C.	
4818	Std.840/35	Clip, securing capacitors, 7/16" wide x 22 S.W.G. x 3.5" long (Make from 30B/1433)	1	DTD.610	MR/C	4
9337	A.220070	Lid	1	L.59	C.	
	A.220071	Platform, mounting, for torque switch and relay	1	-		

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
10H/0560060	Plessey CZ.48993 ✓	Plug, panel mounting	1	-	C.	
10H/0560565	Plessey CZ.48993/5 ✓	Plug, panel mounting	1	-	C.	
5CZ/5726	Ferranti ZS.10A	Rectifier, silicon	1	-	B.	
10F/Z.530453	-	Relay, type SM5A-N.25	1	-	A.	
5F/-	-	Sleeve, Helsyn 150 HT 20 x 3/4"	12	-	C.	
5F/-	-	Sleeve, Helsyn 150 HT 30 x 1"	1	-	C.	
10H/0560240	Plessey CZ.49219 ✓	Socket, panel mounting	1	-	C.	
5CW/5907	Smiths EAP.2340	Switch, torque	1	-	A.	
5K/3469	Ross Courtney 01	Tag	10	-	C.	
5K/3623	Tucker S.79	Tag, eyelet	9	-	C.	
5F/	-	Tube, 1 1/2 m/m i/d	QR	P.V.C.	C.	
	A.227828	Bracket, mounting for levelling controller	2	L.72		
7891	A.214419	Bracket, mounting for time delay switch ...	-	L.72	C.	
5X/9010	AS.2722	Bracket, insulating bus-bar	2	-	C.	
5828	A.203115	Bracket, plug mounting	1	-	C.	
	A.221292	Bracket, emergency fuse, at frame, 12 ...	1	L.72		
CY/2564	-	Breaker, circuit, type A6, 45 amp	2	-	A.	
5CY/2561	-	Breaker, circuit, type A3, 15 amp	3	-	A.	
5CY/2560	-	Breaker, circuit, type A2, 10 amp	1	-	A.	
4178	N.65291	Bung	2	-	C.	
5X/9017	AS.2724	Bus-bar, 3-way	1	-	C.	
	F.203862	Cable, earthing	2	-		
	C.245800	Cable, loom, F.57 group	1	-		
		Consisting of:-				
	F.216571	Bracket	1	L.72		
10534	F.228361	Bracket (mod. 538)	1	L.72	C.	
5E/3038	-	Cable, unipren 6	QR	-	C.	
5CX/2454	-	Lamp, type "B" No.1 U/N	2	-	A.	
5CX/4058	-	Lamp, type "C" No.2	10	-	B.	
5CX/5119	F.203673	Screen, lamp	1	-	C.	
5CX/3430	-	Screen, lamp	8	-	C.	
5X/1005131	-	Sleeve	1	-	C.	
5K/	Hellermann	Sleeve, 150 HT 20 x 4"	1	-	C.	
5K/	Hellermann	Sleeve, 150 HT 30 x 1"	1	-	C.	
5K/	Hellermann	Sleeve, 150 HT 75 x 1"	1	-	C.	
10894	Std.1948/11	Sleeve, marker	QR	-	C.	
	Std.1948/21	Sleeve, marker	QR	-		
	Std.1949/11	Sleeve, marker	QR	-		
	Std.1950/11	Sleeve, marker	QR	-		
5CW/6551	-	Switch, S.P.	1	-	B.	
5X/3263	Tucker S.79	Tag, eyelet	20	-	C.	
5X/6283	-	Tag	1	-	C.	
5X/9400064	-	Thimble	1	-	C.	
5CW/4327	Rotax N.100397/1	Transfer, switch "ON"	1	-	C.	
	-	Cables, electric, (See cable chart) ...	-	-		
14A/4929	-	CAMERA, G.90	1	-	A.	
or 14A/4981						
10H/0970055	Plessey CZ. / 51538 ✓	Cap, protective, at A.C. distributor box ...	2	-	C.	
4760	Std. 841/32	Clip, securing cables at generator control panel	1	DTD.610	MR/C	4
	Std.2046/19/24	Clip, sleeved (AS.830/32)	1	S.510		
6B/2754	-	Compass, type E.2B (AS.900/74)	1	-	A.	
	E.283662-3	CLIPPING OF ELECTRICAL CABLES, ASSEMBLY	-	-		
5K/3482	Hellermann HV.3185	Bung, forward, face, frame 14... ..	1	-	C.	
	Std.2045/16/26	Clip, securing cable	4	-		
	Std.2045/17/26	Clip, securing cable	2	-		
	Std.2045/28/22	Clip, securing cable	1	-		
	Std.2045/38/22	Clip, securing cable	1	-		

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	Std.2045/42/22	Clip, securing cable	1	-		
	Std.2045/16/26	Clip, securing cables	1	-		
11538	Std.2046/18/22	Clip, securing cable	1	-		
11795	Std.2046/22/24	Clip, securing cable	1	-		
	Std.2046/26/22	Clip, securing cable	1	-		
	Std.2046/28/22	Clip, securing cable	1	-		
9735	Std.2046/33/22	Clip, securing cable	1	-		
	Plessey 2Z.1399/34/D	Ferrule, outer	3	-	C.	
	Plessey 2Z.1399/35/D	Ferrule, inner	3	-	C.	
10H/0970059	Plessey Z.60668	Gasket, outlet, cable EX.4	1	-	C.	
10H/0970108	Plessey Z.62235	Gasket, union, cable EX.4	1	-	C.	
5X/6700	Plessey Z.71632	Gland	3	-	C.	
6733	A.207436	Nut, at bung, forward face of frame 14	1	L.65.C	C.	
10H/19104	Plessey CZ.49184	Outlet, straight, code 46, cable EX.4 ...	1	-	C.	
10H/0970088	Plessey Z.62229	Ring, sealing, cable EX.4	1	-	C.	
10H/0970096	Plessey Z.49037	Ring, thrust, cable EX.4	1	-	C.	
5X/1005131	Hellesmann	Sleeve, adaptor	70	-	C.	
5K/	Hellesmann	Sleeve, Helsyn 150 HT 30 x 3/4"	2	-	C.	
5K/	Hellesmann	Sleeve, Helsyn 150 HT 75 x 1"	1	-	C.	
10H/0560170	Plessey CZ.50142	Socket (code 47) cable EX.4	1	-	C.	
5X/7192	Plessey 2CZ.111238	Socket, assembly, D24/2/0	3	-	B.	
5F/9454141	AS.4713	Strapping, 1/2" wide	QR	-	C.	
5F/2950	NY.18067	Strapping, 5/16" wide	QR	-	C.	
5F/9138822	AS.4715	Stud	QR	-	C.	
5F/9138823	NY.3225	Stud	QR	-	C.	
5F/	E. & I.659	Tubing, 5/16" i/d	30"	P.V.C.	C.	
	Std.1509/23/090	Tube, distance	2	T.4		
6734	Std.1335/A18	Washer, for earth lead	2	L.4	C.	4
6735	Hellesmann 4452/2	Washer, at bung, forward face of frame 14 (Alt. to F.207437)	1	-	C.	
7060	F.207437	Washer, at bung, forward face of frame 14 (Alt. to Hellesmann 4452/2)	1	DTD.171	C.	
6A/5084	-	Controller, levelling (AS.900/74)	1	-	A.	
5K/86	-	Collet, split	2	-	C.	
5CY/4520	-	Cover, for circuit breakers	4	-	C.	
14A/4937	-	Cover for G90 Camera	1	-	A.	
	D.245793	COCKPIT LIGHTING EQUIPMENT, ASSEMBLY (Mod. 928)	-	-		
	A.244835	Bracket, for lamp on frame 9, starboard (Mod. 928)	1	-		
	A.216545	Bracket, mounting, lamp and switch (AS.900/74)	1	L.72		
	A.232779	Bracket, mounting for switch unit (AS.900/74)	1	L.72		
	Std.2045/19/26	Clip, sleeved	2	S.510 or S.511		
11227	Std.2045/21/24	Clip, sleeved	2	S.510 or S.511		
11795	Std.2046/22/24	Clip, sleeved	2	S.510 or S.511		
	Std.2046/28/22	Clip, sleeved	1	S.510 or S.511		
	Std.2046/31/24	Clip, sleeved (AS.900/74)	1	S.510 or S.511		
11384	Std.2046/34/22	Clip, sleeved	1	S.510 or S.511		
11794	Std.2045/15/26	Clip, sleeved	4	S.510 or S.511		
	Std.2046/18/26	Clip, sleeved	1	S.510 or S.511		

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	Std.2045/20/24	Clip, sleeved	2	S.510 or S.511		
10577	Std.2045/25/22	Clip, sleeved (Mod. 538)..	2	S.510 or S.511	C.	
11208	Std.2046/15/26	Clip, sleeved	3	S.510 or S.511		
	Std.2046/16/26	Clip, sleeved (AS.900/74)	1	S.510 or S.511		
	Std.2046/26/24	Clip, sleeved (AS.900/74)	1	S.510 or S.511		
5243	F.146835	Holder, for standby accumulator group (Pre Mod. 488)					1	-	C.	
	F.146836	Spring (pre Mod. 488)					1	Steel		
5L/9951297	-	Lamp, filament 24V, 2.8W	11	-	B.	
5L/9952261	-	Lamp, filament 12V, 7.5W	2	-	B.	
	F.203501	Plate, mounting, port (AS.900/74)	1	L.72		
	F.214760	Plate, mounting, port (Pre AS.900/74)	1	L.72		
	A.232780	Plate, mounting, for dimmer switches (A.S.900/74)	1	L.72		
5893	A.201372	Plate, mounting, for dimmer switches (Pre AS.900/74)	1	L.72	MR/C	
	F.203502	Plate, mounting, starboard	1	L.72		
	F.244834	Plate, nut, for lamp bracket, on frame 9, starboard (Mod. 928)	1	S.510		
4871	Std.1606/44/A8	Screw, roundhead (AS.900/74)	4	Brass	C.	5
5245	Std.1606/44/A10	Screw, roundhead	12	Brass	C.	5
5246	Std.1606/44/A12	Screw, roundhead	2	Brass	C.	5
5247	Std.1606/44/A16	Screw, roundhead	9	Brass	C.	5
3838	Std.1606/44/B.8	Screw, roundhead	2	Brass	C.	5
5248	Std.1606/45/A.8	Screw, countersunk	8	Brass	C.	5
10535	F.223546	Stowage, bulb (Mod. 538)	1	L.72 & Rubber	C.	
5F/9454141	AS.4713	Strapping, 1/2" wide	QR	-	C.	
5F/9138822	AS.4715	Stud	QR	-	C.	
5CW/2451	-	Switch, dimmer, type "R" 22 ohms.	1	-	B.	
5CW/2530	-	Switch, dimmer, type "R" 75 ohms.	2	-	B.	
5CW/7542	-	Switch, S.P. change over centre aft (AS.790/50)	1	-	B.	
5K/2374	-	Disc, blanking	1	-	C.	
	A.197111	EARTHING CONNECTION, No.1, ASSEMBLY					-	-		
4978	Std.1298/7	Stud	1	S.1	C.	
4979	Std.1335/C/20	Washer	3	L.1	C.	4
	A.197112-3	EARTHING CONNECTIONS, ASSEMBLY					-	-		
	Std.1298/1	Stud	2	S.1		
4613	Std.1335/C/18	Washer	6	L.4	C.	
5CZ/5673	Teddington FHJ/A/7	Element, cabin	1	-	A.	

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
11079	C.257555	Equipment, on port forward shelf, group (Mod. 1125)	1	-	A.	
10966	B.238563	Box, switch, group (Mod.907)	1	-	B.	
	B.238564	Box, group	1	-		
	A.238566	Cover	1	-		
	F.238573	Lever, operating	1	S.518TH		
	F.238574	Lever, operating	1	S.518TH		
10495	F.240559	Plate, back	1	L.73		
	F.238579	Spindle, tappet	1	-	C.	
1642	F.190212	Spring	1	Sp.Steel	C.	
10496	F.238576	Spring	1	-	C.	
10562	F.240558	Spring	1	Sp.Steel	C.	
	Std.1509-12-046	Tube, distance, 1/4" o/d x 20 S.W.G. x 0.46" long	1	T.4		
5CY/5312	B.T.H. Ltd.	Breaker, circuit, type LGA.24B1	1	-	A.	
1638	Std.1606/44/B6	Screw, securing switch	2	Brass	C.	
3838	Std.1606/44/B8	Screw, securing circuit breaker	2	Brass	C.	5
5CW/7539	-	Switch, S.P., change-over, centre "off," spring return both ways (Mod.1072)	1	-	B.	
5CW/4340	-	Transfer, "UP"	1	-	C.	
5CW/4341	-	Transfer, "DOWN"	1	-	C.	
	Std.1509/12-078	Tube, distance, 1/4" o/d x 20 S.W.G. x 0.78" long	2	T.4		
-	C.212529	Cable, form F.19, port (See Cable Chart)	1	-	-	
10745	B.238692	Cable, F.169 (See Cable Chart) (Mod.907)	1	-	B.	
-	B.205363	Cable, F.28 (See Cable Chart)	1	-	-	
5CW/5252	Hellermann HV.3711	Cap, Helvin, sea grey	3	-	C.	
3734	Std.840/14	Clip	1	DTD.610	MR/C	4
3741	Std.840/20	Clip	1	DTD.610	C.	4
11792	Std.2045/31/22	Clip, securing	1	DTD.610		4
	F.257143	Cover, dolly (Mod.1125)	1	-		
5CW/9197	Honeywell 5PA.8	Guard, switch (Mod.1125)	1	-	C.	
9422	F.219454	Guard, locking jet pipe temperature switch	1	L.72	C.	
5CZ/5073	Dowty C.5165Y Mk.1	Indicator, magnetic	1	-	A.	
6A/3569	Smiths 501/FL	Indicator, position, trim	1	-	A.	
5264	AW.88052	Lock, trim, switch, group	1	-	B.	
5700	AW.49162	Plunger	1	S.1	MR/C	
5071	AW.49163	Spring	1	Steel	MR/C	
	F.254505	Plate, switch adaptor (Mod.1125)	1	-		
1638	Std.1606/44/B6	Screw, securing D.P. "on-off" switch	6	Brass	C.	
3837	Std.1606/44/B10	Screw, securing clips	2	Brass	C.	5
1178	Std.1606/44/B12	Screw, securing clips (Mod.907)	13	-	C.	
3839	Std.1606/44/B16	Screw, securing position indicator	2	Brass	C.	5
3838	Std.1606/44/B8	Screw, securing switches S.P.	8	Brass	C.	5
3856	Std.1606/44/C20	Screw, securing trim switch	4	Brass	C.	5
	B.205523	Shelf, group	1	-		
	F.238658	Guard, plug mounting (Mod.907)	1	L.72		
	F.216695	Guard, for tail plane starboard actuator	1	L.72		
5CW/4682	Western Manuf'g LS.1611	Switch, trim, Mk. 8/2	1	-	A.	
5CW/7540	-	Switch, S.P., C.N.O.P. (Mod 907)	3	-	B.	
5CW/9115	Honeywell 2TL1-3D	Switch, "ON/OFF" (Mod.1125)	1	-	B.	
5CW/4327	-	Transfer, "on"	3	-	C.	
5CW/4328	-	Transfer, "off"	3	-	C.	
	Std.1509/12/104	Tube, distance, 1/4" o/d x 20 SWG x 0.14" long	1	T.4		

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	D.262551	Equipment, on port, rear shelf, group ...	1	-	A.	
5X/6480	Plessey Z.60218 ✓	Bar, commoning	2	-	C.	
5X/6898	Plessey Z.63022 ✓	Bar, commoning, L.H. (Make from 5X/6480)	1	-	-	
5X/6899	Plessey Z.63023 ✓	Bar, commoning, R.H. (Make from 5X/6480)	1	-	-	
6076	F.207954	Bar, ganging	1	Fibre	C.	
5X/6607	Plessey CZ.73898 ✓	Block, fuse, Q/R with identification tags less cover	6	-	B.	
5X/3181	Plessey CZ.23212/1 ✓	Block, terminal, 20-way	2	-	B.	
5X/2863	Plessey CZ.24285 ✓	Block, terminal, 10-way	2	-	B.	
5X/3277	Plessey CZ.50206 ✓	Block, terminal, 3-way	-	-	B.	
5CY/5380	B.T.H. LCA.6.B1/1	Breaker, circuit, type 6 amp. 28V (Mod.848)	1	-	A.	
5CY/2561	- C.242647	Breaker, circuit, type A, 15 amp. ...	1	-	A.	
-	-	Cable, form A, for rear cockpit shelf, group (Mod.375) (See Cable Chart)	1	-	-	
7814	F.206917	Plate, tapped	3	L.72	MR/C	
7815	F.206918	Plate, tapped	1	L.72	MR/C	
-	C.241843	Cable, form B, for rear cockpit shelf, port, group (See Cable Chart)	1	-	-	
7815	F.206918	Plate, tapped	2	L.72	MR/C	
5E/3038	-	Cable, unipren, 6 amp.	27' 6"	-	C.	
5E/3042	-	Cable, unipren, 24 amp.	9.6"	-	C.	
5CW/5252	Hellermann HV.3711	Cap, protective Helvin sea green ...	1	-	C.	
-	B.189231	Channels, mounting	1	-	-	
5CY/4520	-	Cover, safety	2	-	C.	
5CY/5361	A.E.I. Ltd. CX.119950	Cover, safety (Mod. 848)	1	-	C.	
-	Std.2045/23	Clip	2	-	-	
-	C.262551/1	Diagram, wiring	1	Photo copy	-	
-	F.222697	Label, inverter selector	1	-	-	
-	F.237753	Label, tailchute test	1	-	-	
5CW/4222	-	Guard, switch S.P.	1	-	C.	
5X/1004082	Plessey Z.50210 ✓	Link, commoning, 2-way	4	-	C.	
5X/1004083	Plessey Z.50211 ✓	Link, commoning, 3-way	1	-	C.	
5X/6314	Plessey Z.50214 ✓	Link, commoning, 6-way	1	-	C.	
5X/6317	Plessey Z.50218 ✓	Link, commoning, 10-way	2	-	C.	
-	C.242646	Plate, end shelf	1	DTD.610	-	
-	A.207504	Relay, "H," group	1	-	-	
E/3038	-	Cable, unipren, 6 amp.	9'	-	C.	
5F/	-	Sleeve, Helsyn 150HT 20 x 1/4"	7	-	C.	
5CW/9729123	-	Switch, magnetic relay, type "S" No.3	1	-	A.	
-	Std. 1950/11	Sleeve, marker	1	-	-	
10894	Std. 1948/11	Sleeve, marker	1	-	C.	
5X/9400061	Plessey Z.19924 ✓	Tag, 4 amp.	6	-	C.	
5X/9400062	Plessey Z.19979 ✓	Thimble, 4 amp.	6	-	C.	
-	A.205946	Relay, "K" group	1	-	-	
5E/3038	-	Cable, unipren, 6 amp.	11'	-	C.	
F/	-	Sleeve, Helsyn 150 H.T. x 20 x 1/4" ...	8	-	C.	
10894	Std. 1948/11	Sleeve, marker	1	-	C.	
5CW/9729122	-	Switch, magnetic relay, type "S" No. 3	1	-	A.	
5X/9400061	Plessey Z.19924 ✓	Tag, 4 amp.	5	-	C.	
5X/9400062	Plessey Z.19979 ✓	Thimble, 4 amp.	5	-	C.	

ELECTRICAL EQUIPMENT-FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.	
		1	2	3	4	5					
1639	Std. 1606/44/A6	Screw	securing	safety	cover	...	4	-	C.	5	
1638	Std. 1606/44/B6	Screw	securing	switches	14	-	D.	5	
3837	Std. 1606/44/B10	Screw	securing	switch	4	Brass	C.		
1178	Std. 1606/44/B12	Screw	securing	temperature	selector	...	4	Brass	C.	5	
1637	Std. 1606/44/B14	Screw	1	Brass	C.	5	
3839	Std. 1606/44/B16	Screw	securing	Dowty	lever	switch	...	2	Brass	C.	5
4179	Std. 1606/44/B20	Screw	securing	altitude	switch	...	3	Brass	C.	5	
5CZ/5297	Teddington FHK/A/26 C.242644	Selector	temperature	(Mod.422)	1	-	A.		
1644	F.189202	Shelf	group	(Mod.848)	1	-			
1645	F.189203	Fastener	hinged	3	DTD.610	C.		
28FP/143	Dzus A.3/20	Fastener	1	DTD.610	C.		
28FP/146	Dzus A.4/25	Fastener	2	-	C.		
28FP/323	Dzus S.3/150	Fastener	4	-	C.		
		Spring	2	-	C.		
	Std. 1953/61-63	Sleeve	marker	3				
	Std. 1953/41-60	Sleeve	marker	1 set	-			
	Std. 1953/1-40	Sleeve	marker	1 set	-			
	Std. 1953/1+-24+	Sleeve	marker	1 set	-			
5CW/5042	Kelvin & Hughes KB.562/01	Switch	altitude	1	-	A.		
5CW/7551	-	Switch	D.P., "on-off"	spring	return	to	1	-	B.		
			centre	position							
5CW/7540	-	Switch	S.P., change-over,	no "off"	position		5	-	B.		
5CW/4679	Dowty C.1223Y Mk.12	Switch	lever,	cabin	temperature	control	1	-	A.		
5CW/7249	N.S.F. Ltd. 7675.B.102	Switch	1	-	A.		
5CW/6453	-	Switch	magnetic	relay,	type	9B. No.2 A	1	-	A.		
	RC.2120	Tag	Q/R	6 amp.	19				
	RC.2122	Tag	Q/R	19 amp	7				
5X/6439	Z.56547	Tag	19 amp.	closed	4	-	C.		
5X/9400066	Plessey Z.1998	Thimble	19 amp.	4	-	C.		
5CW/4485	-	Transfer	"normal"	1	-	C.		
5CW/4333	-	Transfer	"test"	1	-	C.		
5CW/4334	-	Transfer	manual	1	-	C.		
5CW/4335	-	Transfer	auto	1	-	C.		
5CW/4327	-	Transfer	"on"	3	-	C.		
5CW/4328	-	Transfer	"off"	3	-	C.		

ELECTRICAL EQUIPMENT-FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	D.286360						1	-	-	
5X/6480	Plessey Z.60218						3	-	C.	
5X/6607	Plessey CZ.73898						4	-	B.	
5X/2863	Plessey CZ.24285						3	-	B.	
	F.188304						1	DTD.610		
5CY/2560	-						1	-	A.	
	D.286361						1	-	-	
							1	-	-	
7813	F.206916						2	L.72	MR/C	
7814	F.206917						1	L.72	MR/C	
7815	F.206918						1	L.72	MR/C	
	F.206919						1	L.72		
							1	-	-	
	A.203015						1	-	-	
	B.205373						1	-	-	
	B.208112						1	-	-	
5E/3038	-						18'	-	C.	
5E/3040	-						4 1/4'	-	C.	
5E/3042	-						10 1/2'	-	C.	
5CY/4520	-						1	-	C.	
							1	-	C.	
5K/2724	-						1	-	C.	
	C.286327/1						1	Photo Copy		
							2	-	C.	
5CX/4264	Std. 1512/1						2	-	B.	
5L/9951273	-						2	-	C.	
10H/23865	-						1	-	C.	
10H/21797	-						3	-	C.	
10H/21799	-						1	-	C.	
10H/23801	-						1	-	C.	
10H/21798	-						1	-	C.	
5K/	Hellermann 3033						2	-	B.	
5CX/1553	-						1	-	C.	
5X/6316	Plessey Z.50217						1	-	C.	
5X/1004083	Plessey Z.50211						1	-	C.	
5X/1004082	Plessey Z.50210						1	L.65.C	C.	
4490	F.199451						1	-	C.	
							1	DTD.610		
10448	D.204948						1	M.S.	C.	
	A.188306						1	DTD.610		
	A.196162						1	DTD.610		
4615	B.188298						1	DTD.610	C.	
28FP/146	Dzus. A.4/25						3	-	C.	

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
1649	A.188310 F.188308	Lever, rudder bar release, group ... Lever	1 1	- T.26or T. 45	C.	
5706	A.191440	Panel, front (top portion)	1	L.72	MR/C	
7820	B.204949	Panel, front (bottom portion)	1	L.72	MR/C	
5705	A.203256	Panel, access	1	L.72	MR/C	
10502	A.192533	Plate, identification	1	DTD.610	C.	
4211	Std.1687/2	Saddle	4	DTD.610	C.	
3190	F.151094	Spring, for ganging bar	1	-	MR/C	
-	F.199450	Plate, locking, at transfer "on" and "off" switch (Make from 30B/1726, 1 3/4" x 3/4")	1	L.72	-	
6A/3294	Smiths 2 A.C.R.	Ratiometer, indicator, for oil pressure	1	-	A.	
6020	B.205125	Relays, "S" and "U" group	2	-		
6021	F.202763	Bracket, relay mounting	1	L.72	MR/C	
5E/3038	F.202764	Bracket, relay mounting	1	L.72	MR/C	
5E/3040	-	Cable, unipren, 6 amp.	22 ft.	-	C.	
5CW/9729123	-	Cable, unipren, 12 amp.	27"	-	C.	
5K/	-	Relay, type "S," No. 3, 10amp.	2	-	A.	
10894	Std.1948/11	Sleeve, Helsyn 150 H. T. x 150 x 1/2"	21	-	C.	
	Std.1950/11	Sleeve, identification	QR	-	C.	
5X/9400061	Plessey Z.19924	Sleeve, identification	QR	-	C.	
5X/9400063	Plessey Z.19925	Tag, quick release	14	-	C.	
5X/9400062	Plessey Z.19979	Tag, quick release	2	-	C.	
5X/9400066	Plessey Z.19980	Thimble, crimping	14	-	C.	
		Thimble, crimping	2	-	C.	
1639	Std.1606/44/A6	Screw, securing protective cover	2	Brass	C.	5
5247	Std.1606/44/A16	Screw, securing DP. switch	4	Brass	C.	5
1638	Std.1606/44/B6	Screw, securing fuse block	8	Brass	C.	5
3838	Std.1606/44/B8	Screw, securing "on-off" switches	11	Brass	C.	5
3837	Std.1606/44/B10	Screw, securing, bracket for plug socket	4	Brass	C.	5
4179	Std.1606/44/B20	Screw, securing magnetic relay switch	2	Brass	C.	5
1720	Std.1606/44/B24	Screw, securing ratiometer oil indicator	4	Brass	C.	5
3480	Std.1606/44/B28	Screw, securing terminal block, 10-way	6	Brass	C.	5
1178	Std.1606/45/B12	Screw, securing relay mounting bracket	4	Brass	C.	5
	Std.2134/11	Sleeve, marker	QR	-	C.	
	Std.1953/1-16	Sleeve, marker	2 sets	-		
	Std.1953/17-30	Sleeve, marker	1 set	-		
	Std.1953/17-16+	Sleeve, marker	1 set	-		
4491	F.199449	Stud, at transfer "on" and "off" switch	1	S.95.B	C.	
5CW/7541	-	Switch, S.P., "on-off", "upright off"	4	-	B.	
5CW/7547	-	Switch, D.P., "on-off", "upright off"	1	-	B.	
5CW/6453	-	Switch, magnetic, type 9B No. 2A	1	-	A.	
5CW/540	Rotax D.0701	Switch, D.P., type B	1	-	A.	
5CW/6439	Plessey Z.56547	Tag, closed end	2	-	C.	
	R.C. 2120	Tag, quick release	9	-	C.	
	R.C. 2121	Tag, quick release	3	-	C.	
	R.C. 2122	Tag, quick release	8	-	C.	
5X/6215	Plessey Z.56545	Tag, closed end	1	-	C.	
5X/9500064	Plessey Z.19980	Thimble	1	-	C.	
5X/9400066	Plessey Z.19981	Thimble	2	-	C.	
5CW/4328	-	Transfer, "off"	5	-	C.	
5CW/4327	-	Transfer, "on"	5	-	C.	
5K/2736	-	Transfer, "engine starting"	1	-	C.	

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	E.282295	Equipment, on starboard cockpit shelf, group	1	-		
X/6480	Plessey Z.60218	Bar, commoning	3	-	C.	
5X/6898	Plessey Z.63022	Bar, commoning (Make from 5X/6480)	1	-	-	
5X/6607	Plessey CZ.73898	Block, fuse Q/R with identification tags, less cover	4	-	B.	
5X/2863	Plessey CZ.24285	Block, terminal, 10-way	3	-	B.	
5X/3181	Plessey CZ/23212/1	Block, terminal, 20-way	2	-	B.	
	B.210684	Bracket, shelf end	1	DTD.610		
	A.224159	Bracket, switch Nav. lights (AS.900/74)	1	DTD.610		
5CY/9992777	-	Breaker, circuit, type A, No. 4 ...	2	-	A.	
CY/2564	-	Breaker, circuit, type A, No. 6 ...	1	-	A.	
-	C.206146	Cable, assembly F.33 (See cable chart)	1	-	-	
-	B.215816	Cable, assembly, F.109 (See cable chart)	1	-	-	
-	D.224643	Cable, Form "A," Group (See cable chart) (AS.900/74)	1	-	-	
7815	F.206918	Plate	2	L.72	MR/C	
-	F.233330	Plate, reinforcing (AS.770/82) ...	2	L.72		
-	B.205662	Cable, form "B" (See cable chart) ...	1	-	-	
-	B.207230	Cable, form "C," group (See cable chart)	1	-	-	
7813	F.206916	Plate	1	L.72	MR/C	
5E/3038	-	Cable, unipren, 6 amp.	QR	-	C.	
5E/3042	-	Cable, unipren, 24 amp.	QR	-	C.	
	B.190259	Channel, mounting, fuse and T.B. ...	1	-		
	Std.2045/24/24	Clip	1	-		
	Std.2045/28/22	Clip	2	-		
	Std.2045/32/22	Clip	1	-		
	F.167745	Cover, safety	1	-		
5X/9149643	Plessey CZ.25111	Cover, transparent	1	-	C.	
	C.282535/1	Diagram, wiring	1	Photo		
6A/4310	Smiths Waymouth AO.26	Gauge, fuel contents	2	-	A.	
5CW/5045	Rotax N.65290	Grommet... ..	3	-	C.	
5CZ/5210	Dowty C.5165 Mk. 7	Indicator, magnetic	2	-	A.	
5CZ/5123	Plessey CZ.74109/2	Indicator, magnetic, eyeball type ...	2	-	A.	
5CZ/5074	-	Indicator, magnetic, fuel tank ...	2	-	B.	
5L/9951273	-	Lamp, filament, 28V., 3.6W. TypeA ...	2	-	B.	
5CX/5154	Rotax H.2805	Lamp, warning	2	-	B.	
	or Smiths 43CFP/24					
5X/1004085	Plessey Z.50213	Link, commoning, 5-way	1	DTD.213	C.	
X/6317	Plessey Z.50218	Link, commoning, 10-way	2	-	C.	
5X/1004083	Plessey Z.50211	Link, commoning, 3-way	2	-	C.	
5CZ/3137	-	Lug cable	6	-	C.	
	F.264749	Mounting, between circuit breakers and mountings	6	Rubber	-	
4490	F.199451	Nut, special	2	L.65	C.	
10585	C.215977	Panel, top, for starboard cockpit shelf (for flow diagram)	1	L.72	C.	
5X/9450403	Plessey Z.2826	Pillar	4	-	C.	
7966	F.214772	Plate, guard	2	L.72	C.	
5CY/596	-	Plug, type "F"	1	-	B.	
639	Std.1606/44/A6	Screw, securing protection cap ...	6	Brass	C.	5
1638	Std.1606/44/B6	Screw, securing switches	8	Brass	C.	5
3838	Std.1606/44/B8	Screw, securing switches	4	Brass	C.	5
	Std.1606/44/B16	Screw, for Nav switch bracket ...	1	Brass	C.	5
4179	Std.1606/44/B20	Screw, securing socket	2	Brass	C.	5

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
28FP/144	C.282282	Shelf, group	1	DTD.610			
	A.222192	Bracket	2	-			
1644	B.190391	Door, access, hinged, group	1	DTD.610			
	Dzus A.3/25	Fastener	2	-	C.		
1645	F.189202	Fastener, hinged	6	DTD.610	C.		
28FP/9144218	F.189203	Fastener, hinged	1	DTD.610	C.		
28FP/9488815	Dzus A.4/25	Fastener	9	-	C.		
	Dzus A.4/30	Fastener	1	-	C.		
28FP/9492814	Std.1606/A32/B16	Screw, roundhead, 4 BA (black)	5	Brass	C.		
	Std.1606/A33/B16	Screw, countersunk, 4 BA (black)	1	Brass	C.		
28FP/1200486	Dzus SX/560	Spring type P.3 1/2	4	-	C.		
29G/2180	Dzus S.3/150	Spring	2	-	C.		
10894	Carr 882	Stud ("Lift-the-dot")	1	-	C.		
5F/	Std.1948/11	Sleeve, marker	QR	-	C.		
	5CY/597	Std.1949/11	Sleeve, marker	QR	-			
7965	Std.1953/1-16	Sleeve, marker	2 sets	-			
5CW/7552	Std.1953/17-70	Sleeve, marker	2 sets	-			
	Std.1953/1+-16+	Sleeve, marker	1 set	-			
5CW/7550	F.214771	Sleeve, Helsyn, 150 H.T. 20	QR	-	C.		
5CW/7541	-	Socket, type "F"	1	-	B.		
5CW/7542	-	Stud, for guard plate	2	S.95.B	C.		
5CZ/5752	-	Switch, D.P., change-over, centre and one side on spring return to centre	1	-	B.		
5X/6439	-	Switch, D.P., change-over, centre "off" spring return both positions	1	-	B.		
5K/301	-	Switch, S.P., "on-off" upright "off"	2	-	B.		
5X/9400066	-	Switch, S.P., change-over, centre "off"	2	-	B.		
5CW/4327	Plessey Z.97676	Spacer	4	-	C.		
5CW/4328	R.C.2120	Tag, 6 amp. Q/R	26	-	C.		
5CW/4481	Plessey Z.56547	Tag, closed end, 19 amp.	4	-	C.		
5CW/4485	R.C.2122	Tag, 24 amp., Q/R	12	-	C.		
5CW/4482	Ross Courtney 00	Terminal...	2	-	C.		
5CW/4335	Plessey Z.19981	Thimble, 19 amp.	4	-	C.		
5CW/5887	-	Transfer, "on"	3	-	C.		
5CW/4333	-	Transfer, "off"	4	-	C.		
5E/3399	-	Transfer, "port"	1	-	C.		
10H/21799	-	Transfer, "normal"	1	-	C.		
10H/11718	-	Transfer, "starboard"	1	-	C.		
10H/0590100	-	Transfer, "auto"	2	-	C.		
5CW/4222	-	Transfer, "wing"	2	-	C.		
5CZ/5085	-	Transfer, "test"	4	-	C.		
5UB/4938	-	Wire, equipment type 2 yellow 6/45/10078	QR	DEF.12	C.		
6022	-	Fuse, 10 amp. supply and T.B. panel	2	-	C.		
8543	Belling Lee L.1055/5	Fuse, 5 amp. emergency at frame 12	2	-	C.		
5L/9953271	Belling Lee L.356	Fuse, holder, emergency at frame 12	2	-	B.		
5L/9959121	Rotax ZA.2401	Guard, locking	1	-	B.		
5L/9951273	Plessey	Indicator, magnetic	1	-	B.		
5CX/4192	7CZ.97636/2	Inverter, type 100A	2	-	A.		
6B/2755	-	Lamp, cockpit, Mk. 1A (Service light)	2	-	B.		
6022	-	Lamp, filament, 28 V., 7 W	2	-	B.		
8543	-	Lamp, filament, 28 V., 0.40 amp. (AS.900/74)	1	-	B.		
-	-	Lamp, filament, 28V., 3.5W (AS.900/74)	2	-	B.		
-	-	Lamp, warning, type "B" (AS.900/74)	2	-	A.		
-	-	Lead and socket (AS.900/74)	1	-	B.		
-	A.201761	Lead, inverter connection	2	-	B.		
-	F.218495	Mounting, for G.90 camera box	8	Rubber	C.		
-	F.264749	Mounting, between circuit breakers and mounting angles	10	Rubber	C.		

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	C.233555	MOUNTING, MAGNETIC AMPLIFIER, ASSEMBLY (AS.900/74)	-	-		
7058	B.209359	Channel, mounting	2	-	C.	
7509	F.209362	Screw, special U.N.F. thread	4	S.95.B	C.	
6712	F.203133	Washer	2	Rubber	C.	
5K/87	-	Nut, securing	1	-	C.	
5CZ/	Teddington CON.5738/3 D.237124	Nut, for adaptor plate	4	-	C.	
		Panel, generator control, group (Mod 968)	1	-	A.	
5X/6607	Plessey CZ.73898	Block, fuse, with indention tags, less cover	2	-	B.	
5X/2863	Plessey CZ.24285 F.196207	Block, terminal, 10-way	1	-	B.	
5CY/2561	-	Bolt, special, for securing links	2	BSS.250.B		
5CY/2853	-	Breaker, circuit, type A3, 15 amp.	2	-	A.	
	A.198117	Breaker, circuit, type D	2	-	A.	
10965	A.222498	Bracket, mounting	1	DTD.610		
4178	Rotax N.65291 D.243101	Bracket, "test-normal" flight inverter switch	1	L.72	C.	
		Bung, sealing	4	-	C.	
		Cable, form and assembly F.49 (See Cable Chart)	1	-	-	
	B.205481	Cable, assembly, F.52 (See Cable Chart)	1	-	-	
5CY/4520	-	Cap, protective	2	-	C.	
3735	Std.840/16	Clip, securing cable, 7/16" wide x 22 S.W.G. x 1.6" long	1	DTD.610MR/C	4	
	Std.840/19	Clip, sleeved	3	S.510 or S.511		
4764	Std.840/21	Clip, securing cable, 7/16" wide x 22 S.W.G. x 2.1" long	1	DTD.610MR/C	4	
3740	Std.840/33	Clip, securing cable, 7/16" wide x 22 S.W.G. x 3.3" long	1	DTD.610MR/C	4	
4768	Std.841/14	Clip, securing cable, 7/16" wide x 22 S.W.G. x 1.4" long	1	DTD.610MR/C	4	
4769	Std.843/10	Clip, securing cable, 7/16" wide x 9" long (Make up from 30A/549)	1	S.3	MR/C	4
	B.269478	Cover, for ammeter shunt	2	Rezolin EPO-33	-	
5CY/4211	-	Cut-out, differential, type A, Mk.2	2	-	A.	
	C.237126/1	Diagram, wiring	1	Photo		
	Hellerman 3111	Grommet	8	-		
5X/9131181	-	Grommet	2	-	C.	
5CZ/5073	Dowty C.5165Y Mk.1	Indicator, magnetic	2	-	B.	
5X/6317	Plessey Z.50218	Link, commoning, 10-way	1	-	C.	
	A.190681	Link, connecting	1	BSS.1433		
4181	A.190682	Link, connecting	1	BSS.1433	C.	
4182	A.190683	Link, connecting	1	BSS.1433	C.	
4183	A.190684	Link, connecting	1	BSS.1433	C.	
4184	F.190685	Link, connecting	1	BSS.1433	C.	
4185	B.190680	Link, connecting	1	BSS.1433	C.	
	D.243100	Panel, detail, group	1	DTD.610		
28FP/228	Dzus AJW.5/35 A.187946	Fastener	4	-	C.	
		Label, amps and volts	1	L.16 or L.59		
	A.187947	Label, "Generator No. 1"	1	L.16 or L.59		
	A.187948	Label, "Generator No. 2"	1	L.16 or L.59		
	A.187949	Label, "Reset"	2	L.16 or L.59		
1651	F.186573	Lug, hinge	2	DTD.364	C.	
	F.209814	Packing	2	-		
4211	Std.1687/2	Saddle	1	-	C.	5

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	F. 216829	Plate, relay mounting	1	L. 72		
5UC/5937	-	Regulator, voltage, type 94	2	-	A.	
5CW/9729123	-	Relay, type S. No. 3	4	-	A.	
5UC/5209	-	Resistance, trimmer remote, type 3, 5 ohms	2	-	A.	
5Q/4341	-	Shunt, ammeter, 200 amps. 50 M/V ...	2	-	B.	
	Std. 1953/1-8	Sleeves, marker... ..	2 sets	-		
	Std. 1953/1+-8+	Sleeves, marker... ..	2 sets	-		
	Std. 1953/9-10	Sleeves, marker... ..	1 set	-		
5F/	-	Sleeves, Helsyn HT. 20 x $\frac{3}{4}$	24	-	C.	
5CY/3002	-	Socket, 3 pole, 2 amps.	4	-	B.	
5CW/7748	-	Switch, D. P., change-over, no "off" position	2	-	B.	
5CW/6452	-	Switch, magnetic relay, type 9B, No. 1A ...	4	-	A.	
5CW/6185	-	Switch, magnetic relay, type R. 3... ..	1	-	A.	
5CW/7545	-	Switch, S. P. change-over, no "off" position	1	-	B.	
5CW/4485	-	Transfer, "normal"	2	-	C.	
	Std. 1509/23/026	Tube, distance	4	T. 4		
	Std. 1509/12/174	Tube, distance at relay bolt	1	-		
5781	Std. 915/E/20	Washer, at differential cut-out	4	DTD. 610	C.	4
	Std. 1546/36/16	Washer, profile	1	-		
	C. 283379	PANEL, GUN FIRING, ASSEMBLY	-	-		
	F. 283378	Angle, plug mounting, group	1	-		
	F. 283378/1	Angle	1	L. 72		
	F. 206365	Stowage	1	LA. bar		
	F. 215659	Block, distance	4	DTD. 364		
5X/3271	Plessey CZ.52815	Block, fuse	1	-	B.	
5X/2863	Plessey CZ.24285	Block, terminal, 10-way	1	-	B.	
5X/3277	Plessey CZ.50206	Block, terminal, 3-way	1	-	B.	
5CY/2559	-	Breaker, circuit, type A. 1	1	-	A.	
-	B. 228762	Cable, assembly, F. 150 (See cable chart)	1	-	-	
-	A. 283388	Cable, form, SM. 3 (See cable chart) ...	1	-	-	
5E/3038	-	Cable, unipren, 6 amp.	QR	-	C.	
5E/3040	-	Cable, unipren, 12 amp.	QR	-	C.	
5CY/4520	-	Cap, protective	1	-	C.	
10H/0970056	Plessey	Cap, protective	1	-	C.	
	508/1/41036					
5X/3273	Plessey CZ.26802	Cover, 3-way	1	-	B.	
5X/3275	Plessey CZ.26808	Cover, 10-way	1	-	B.	
10H/21791	-	Fuse, dummy	1	-	C.	
10H/0590110	Belling Lee	Fuse, 2 amp. (Mod. 897)	4	-	C.	
	L. 653/2					
10H/21798	-	Fuse, "S," 5 amp.	1	-	C.	
10H/0590100	Belling Lee	Holder, fuse	4	-	C.	
	L. 1348					
5UB/7401	-	Invertor, type 300 (Mod. Elec. B. 454)(Mod.897)	1	-	A.	
	F. 283385/1	Label, for fuse block -	1	Photo		
	F. 283386/1	Label, for terminal block, 3-way	1	Photo		
	F. 283387/1	Label, for terminal block, 10-way	1	Photo		
5X/6905	Plessey Z. 75021	Link, fuse, 2-way L.H.	1	-	C.	
5X/1004083	Plessey Z. 50211	Link, commoning, 3-way	1	-	C.	
5X/9400384	Erma 12104	Lug, cable	1	-	C.	
5X/9400385	Erma 12105	Lug, cable	1	-	C.	
	F. 287078	Packing at mtg. angle	1	L. 72		
	C. 289179	Panel, detail	1	DTD. 610		
	A. 286090	Relay, C. 1 terminal block and bracket, group	1	-		
5X/1002694	Plessey CZ.50207	Block, terminal, 5-way	1	-	B.	
	A. 287059	Bracket, mounting	1	DTD. 610		
5X/9149641	Plessey CZ. 26805	Cover, 5-way	1	-	B.	
5X/9450403	Plessey Z. 28426	Pillar, fixing	2	-	C.	
	A. 206896	Relay, C. 1, group	1	-		
5E/3038	-	Cable, unipren, 6 amp.	42"	-	C.	
5F/	-	Sleeve, Helsyn HT. 20 x $\frac{3}{4}$ "	7	-	C.	
	Std. 1948/11	Sleeve, marker	QR	-		
5CW/9729123	-	Switch, magnetic relay, type S. 3... ..	1	-	A.	
5X/9400061	Plessey Z.19924	Tag, 4 amp.	7	-	C.	
5X/9400062	Plessey Z.19979	Thimble, 4 amp.	7	-	C.	
	Std. 1953/14-18	Sleeve, marker	1 set	-		

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5E/3038	A. 206910						1	-		
5F/	-						QR	-	C.	
5CW/972912	-						11	-	C.	
5X/9400061	Plessey Z. 19924						1	-	A.	
5X/9400062	Plessey Z. 19979						9	-	C.	
5F/	-						9	-	C.	
6023	F. 206895						8	-	C.	
							4	BSS. 249	MR/C	
5CW/6452	Smiths RD. 1						1	-	A.	
-	Ross Courtney 2120						6	-	-	
	Std. 1509/12/080						4	T. 4		
5X/6903	D. 283190						-	-		
	Plessey Z. 54032						2	-	C.	
	F. 197407						16	LFS. 21		
5X/6607	Plessey CZ. 73898						8	-	B.	
5X/3181	Plessey CZ. 23212/1						7	-	B.	
5X/2863	Plessey CZ. 24285						1	-	B.	
5X/1002694	Plessey CZ. 50207						1	-	B.	
5E/3038	-						QR	-	C.	
5E/3040	-						QR	-	C.	
5E/3042	-						10"	-	C.	
-	D. 283189						1	-	-	
7814	F. 206917						1	L. 72	MR/C	
7815	F. 206918						4	L. 72	MR/C	
	C. 237189						1	-		
5E/9100013	-						QR	DEF. 10	C.	
4282	Std. 850/23						1	-	MR/C	
10AD/3079	Standard Telephone L. P. 736720						4	-	C.	
10AS/100252	Standard Telephone LP. 733615						4	-	C.	
28M/10326	A. 235515						1	L. 72		
28M/10327	AGS. 2002/A1						4	-	C.	
10AS/100212	AGS. 2002/B1						4	-	C.	
	Standard Telephone LP. 733614						4	-	C.	
10894	Std. 1948/11						11	-		
	Std. 1948/21						4	-		
	Std. 1950/11						1	-		
5F/	-						21	-	C.	
5F/	-						6	-	C.	
28S/1200058	A. 33-A-12						4	-	C.	
	Ross Courtney 2120						7	-	-	
5E/	-						QR	DEF. 10-1953	C.	
3714	Std. 840/20						1	DTD. 610	C.	4
	D. 282536/1						1	Photo		
10207	F. 235313						2	-	C.	

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5E/454141	AS. 4713	Strapping, 1/2" wide	2	-	C.		
5E/9138822	AS. 4715	Stud	2	-	C.		
5X/9011	AS. 2719	Studs, terminal	3	-	C.		
5CY/1002	-	Suppressor, type P, No. 1	1	-	A.		
5CY/5420	-	Suppressor	2	-	A.		
5CW/7545	-	Switch, S. P. "on" - "on," spring return to centre	1	-	B.		
5CW/7540	-	Switch, S. P. change-over, no "off" position	2	-	B.		
27N/93	-	Switch, inertia, Mk. 1, type S3	1	-	A.		
5CW/9438275	-	Switch, micro, type 1A	1	-	B.		
5CW/6375	-	Switch, micro, type 4A	1	-	B.		
5CW/4639	-	Switch, micro, type 4A	1	-	B.		
or										
5CW/6376	F. 190440	Switch, hood control, group	1	-	MR/B		
5891	A. 183030	Bracket, mounting	1	DTD. 610			
	A. 184397	Label	1	DTD. 213			
5CW/7550	-	Switch, change-over, centre "off" spring return, both positions	1	-	B.		
5CW/4331	-	Transfer, "open"	1	-	C.		
5CW/4337	-	Transfer, "closed"	1	-	C.		
5D/1760	-	Switch (AS. 900/74)	1	-	B.		
5CW/6257	FHM/A/68	Switch, time delay	1	-	A.		
5CW/6000	FHM/A/57	Switch, time	1	-	A.		
5CW/6977 ✓	Dowty C. 1831. Y Mk. 102C	Switch, limit	1	-	A.		
5CW/4331	-	Transfer, "open"	1	-	C.		
5CW/4332	-	Transfer, "shut"	1	-	C.		
5CZ/5241	Electronic Co. 22508/685/C.	Trimmer, single datum	1	-	B.		
4052	Std. 1509/23/030	Tube, distance, at JB2 mounting	2	T.4	MR/C	4	
	Std. 1509/23/082	Tube, distance	4	T.4			
3082	Std. 1509/23/085	Tube, distance, at cable element	2	T.4	C.		
	C. 241185	Unit, control, firewire, group (Mod. 960)	1	-			
10754	A. 241189	Bracket, mounting, firewire, D.C. control unit	1	-	C.		
5CZ/7659	Graviner	Unit, control, D. C. type D. 165(2)	1	-	B.		
5CZ/7491	Graviner	Unit, control, type 3600 (Alt. to 5CZ/6245)	1	-	B.		
870	Std. 915/B/18	Washer	2	L.4	C.		
4	Std. 915/B/22	Washer	1	DTD. 610	C.		
	F. 217161	Washer, for switch	4	-			
54	Std. 915/T18	Washer	4	-	MR/C		
5C	Teddington Controls	Washer, spring, at amplifier fixings	4	-	C.		
	Con 5740/3									
5CZ/	Teddington Controls	Washer, spring, at amplifier fixings	4	-	C.		
	Con6068/14									

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28D/1008147	A. 25. 1A	Bolt,	6	B. A.	-	-
28D/1010658	A. 25. 1B	Bolt,	4	B. A.	-	-
28D/1011006	A. 25. 5B	Bolt,	4	B. A.	-	-
28D/1009984	A. 25. 7B	Bolt,	4	B. A.	-	-
28D/1011011	A. 25. 8B	Bolt,	4	B. A.	-	-
28D/1010142	A. 25. 9B	Bolt,	4	B. A.	-	-
28D/9435711	A. 25. 10B	Bolt,	4	B. A.	-	-
28D/1200120	A. 25. 14B	Bolt,	4	B. A.	-	-
28D/12628	A. 25. 18B	Bolt,	4	B. A.	-	-
28D/9436920	A. 25. 1C	Bolt,	2	B. A.	-	-
28D/9133011	A. 25. 2C	Bolt,	2	B. A.	-	-
28D/9133012	A. 25. 3C	Bolt,	2	B. A.	-	-
28D/1200119	A. 25. 4C	Bolt,	2	B. A.	-	-
28D/12533	A. 25. 5C	Bolt,	2	B. A.	-	-
28D/7002428	A. 25. 6C	Bolt,	2	B. A.	-	-
28D/12534	A. 25. 9C	Bolt,	2	B. A.	-	-
28D/12515	A. 25. 10C	Bolt,	2	B. A.	-	-
28D/9419397	A. 25. 12C	Bolt,	2	B. A.	-	-
28D/12538	A. 25. 15C	Bolt,	2	B. A.	-	-
28D/12517	A. 25. 17C	Bolt,	2	B. A.	-	-
28D/1011022	A. 25. 18C	Bolt,	2	B. A.	-	-
28D/1011024	A. 25. 21C	Bolt,	2	B. A.	-	-
28D/12568	A. 25. 22C	Bolt,	2	B. A.	-	-
28D/1008151	A. 25. 4E	Bolt,	$\frac{1}{4}$ "	B. S. F.	-	-
28D/1011246	A. 25. 11E	Bolt,	$\frac{1}{4}$ "	B. S. F.	-	-
28D/8300	AS. 1242. 1B	Bolt,	4	B. A.	-	-
28D/11126	AS. 1242. 9B	Bolt,	4	B. A.	-	-
28D/11890	AS. 1246. 5C	Bolt,	2	B. A.	-	-
28D/12143	AS. 1246. 2E	Bolt,	$\frac{1}{4}$ "	B. S. F.	-	-
28D/11555	AS. 1246. 3E	Bolt,	$\frac{1}{4}$ "	B. S. F.	-	-
28D/9128739	AS. 1248. $\frac{1}{2}$ B	Bolt,	4	B. A.	-	-
28D/8337	AS. 1248-1B	Bolt,	4	B. A.	-	-
28D/9744	AS. 1248-2B	Bolt,	4	B. A.	-	-
28D/11247	AS. 1248-11B	Bolt,	4	B. A.	-	-
28D/1007981	AS. 1248- $\frac{1}{2}$ C	Bolt,	2	B. A.	-	-
28D/1007982	AS. 1248-1C	Bolt,	2	B. A.	-	-
28D/8342	AS. 1248-2C	Bolt,	2	B. A.	-	-
28D/9142406	AS. 1248-3C	Bolt,	2	B. A.	-	-
28D/8343	AS. 1248-4C	Bolt,	2	B. A.	-	-
28D/10471	AS. 1248-11C	Bolt,	2	B. A.	-	-
5K/15	AGS. 1696/1	Grommet	-	-
5K/2868	SP. 40-B8	Grommet	-	-
28N/12732	AS. 1854/80	Hinge	-	-
28N/11866	AS. 1855/110	Hinge	-	-
28M/10286	AGS. 2001. A1	Nut,	6	B. A.	-	-
28M/10287	AGS. 2001. B1	Nut,	4	B. A.	-	-
28M/10280	AGS. 2001. B3	Nut,	4	B. A.	-	-
28M/10274	AGS. 2001. B4	Nut,	4	B. A.	-	-
28M/10288	AGS. 2001. C1	Nut,	2	B. A.	-	-
28M/10276	AGS. 2001. E4	Nut,	$\frac{1}{4}$ "	B. S. F.	-	-
28D/13868	A. 25. $\frac{1}{2}$ B	Bolt,	4	B. A.	-	-
5K/3417	AS. 3360/B7C	Lead, bonding	-	-

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
28M/10326	AGS. 2002. A1	Nut, 6	B. A.	-	-	-
28M/10327	AGS. 2002. B1	Nut, 4	B. A.	-	-	-
28M/10309	AGS. 2002. B4	Nut, 4	B. A.	-	-	-
28M/10328	AGS. 2002. C1	Nut, 2	B. A.	-	-	-
28M/10330	AGS. 2002. E1	Nut, $\frac{1}{4}$ "	B. S. F.	-	-	-
28M/12153	AGS. 2007. B1	Nut, 4	B. A.	-	-	-
28M/11957	AGS. 2007. C1	Nut, 2	B. A.	-	-	-
28M/10215	AGS. 2008. B1	Nut, 4	B. A.	-	-	-
28M/9435067	AGS. 2008. C1	Nut, 2	B. A.	-	-	-
28M/1005619	AGS. 2009. B1	Nut, 4	B. A.	-	-	-
28M/10211	AGS. 2008. B3	Nut, 4	B. A.	-	-	-
28M/9435648	AGS. 2018. A1	Nut, 6	B. A.	-	-	-
28M/13774	AGS. 2019. B1	Nut, 4	B. A.	-	-	-
28M/1200096	A. 27. A. T.	Nut, 6	B. A.	-	-	-
28M/9403519	A. 27. B. P.	Nut, 4	B. A.	-	-	-
28M/1006504	A. 27. B. T.	Nut, 4	B. A.	-	-	-
28M/9403520	A. 27. C. P.	Nut, 2	B. A.	-	-	-
28M/13124	A. 27. C. T.	Nut, 2	B. A.	-	-	-
28M/13734	A. 54/B	Nut, 4	B. A.	-	-	-
28M/14534	A. 54/C	Nut, 2	B. A.	-	-	-
28P/815	SP. 4. Y. A. 5	Pin	-	-	-
28P/826	SP. 4. Y. A. 16	Pin	-	-	-
28P/840	SP. 4. Y. B. 14	Pin	-	-	-
28P/868	SP. 4. Y. D. 10	Pin	-	-	-
28P/9143877	SP. 9. C. 4	Split pin	-	-	-
28P/1006943	SP. 9. C. 6	Split pin	-	-	-
28P/13455	SP. 9. C. 14	Split pin	-	-	-
28S/1200045	A. 31. A. 10	Screw, 6	B. A.	-	-	-
28S/1200044	A. 31. A. 14	Screw, 6	B. A.	-	-	-
28S/1008152	A. 31. B. 6	Screw, 4	B. A.	-	-	-
28S/9435712	A. 31. B. 8	Screw, 4	B. A.	-	-	-
28S/9419453	A. 31. B. 14	Screw, 4	B. A.	-	-	-
28S/1200034	A. 31. B. 16	Screw, 4	B. A.	-	-	-
28S/1200036	A. 31. B. 18	Screw, 4	B. A.	-	-	-
28S/1200040	A. 31. B. 20	Screw, 4	B. A.	-	-	-
28S/2761	A. 31. B. 22	Screw, 4	B. A.	-	-	-
28S/1200033	A. 31. B. 24	Screw, 4	B. A.	-	-	-
28S/1005622	A. 31. B. 28	Screw, 4	B. A.	-	-	-
28S/1200035	A. 31. B. 40	Screw, 4	B. A.	-	-	-
28S/9435912	A. 31. B. 44	Screw, 4	B. A.	-	-	-
28S/9437020	A. 31. C. 12	Screw, 2	B. A.	-	-	-
28S/9131095	A. 31. C. 14	Screw, 2	B. A.	-	-	-
28S/1009109	A. 32. A. 6	Screw, 6	B. A.	-	-	-
28S/1006979	A. 32. A. 10	Screw, 6	B. A.	-	-	-
28S/1006948	A. 32. A. 12	Screw, 6	B. A.	-	-	-
28S/14019	A. 32. A. 14	Screw, 6	B. A.	-	-	-
28S/6287	A. 32. B. 6	Screw, 4	B. A.	-	-	-
28S/1200080	A. 32. B. 8	Screw, 4	B. A.	-	-	-
28S/13887	A. 32. B. 10	Screw, 4	B. A.	-	-	-
28S/9992525	A. 32. B. 12	Screw, 4	B. A.	-	-	-
28S/14005	A. 32. B. 14	Screw, 4	B. A.	-	-	-
28S/9992522	A. 32. B. 16	Screw, 4	B. A.	-	-	-
28S/9995376	A. 32. B. 20	Screw, 4	B. A.	-	-	-

Hunter Single Seater

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
28S/2875	A. 32. B. 24	Screw, 4	B. A.	-	-	
28S/1011488	A. 32. B. 28	Screw, 4	B. A.	-	-	
28S/2887	A. 32. B. 32	Screw, 4	B. A.	-	-	
28S/5694	A. 32. B. 40	Screw, 4	B. A.	-	-	
28S/2856	A. 32. C. 12	Screw, 2	B. A.	-	-	
28S/1011490	A. 32. C. 16	Screw, 2	B. A.	-	-	
28S/9992533	A. 32. C. 20	Screw, 2	B. A.	-	-	
28S/1011491	A. 32. C. 24	Screw, 2	B. A.	-	-	
28S/1200058	A. 33. A. 12	Screw, 6	B. A.	-	-	
28S/6545	A. 33. B. 6	Screw, 4	B. A.	-	-	
28S/9995325	A. 33. B. 8	Screw, 4	B. A.	-	-	
28S/9419438	A. 33. B. 10	Screw, 4	B. A.	-	-	
28S/9435716	A. 33. B. 12	Screw, 4	B. A.	-	-	
28S/9435715	A. 33. B. 16	Screw, 4	B. A.	-	-	
28S/1007469	A. 33. B. 14	Screw, 4	B. A.	-	-	
28S/1200066	A. 33. B. 20	Screw, 4	B. A.	-	-	
28S/9992521	A. 33. B. 26	Screw, 4	B. A.	-	-	
28S/1200065	A. 33. B. 28	Screw, 4	B. A.	-	-	
28S/1006947	A. 33. B. 40	Screw, 4	B. A.	-	-	
28S/14548	A. 33. C. 10	Screw, 2	B. A.	-	-	
28S/9140926	A. 33. C. 12	Screw, 2	B. A.	-	-	
28S/1200053	A. 33. C. 16	Screw, 2	B. A.	-	-	
28S/9148119	A. 43. A. 10	Screw, 6	B. A.	-	-	
28S/9993003	A. 43. B. 8	Screw, 4	B. A.	-	-	
28S/9148118	A. 43. B. 10	Screw, 4	B. A.	-	-	
28S/9134016	A. 43. B. 14	Screw, 4	B. A.	-	-	
28S/1012357	A. 43. B. 16	Screw, 4	B. A.	-	-	
28S/9144116	A. 43. B. 20	Screw, 4	B. A.	-	-	
28S/9130752	A. 43. B. 24	Screw, 4	B. A.	-	-	
28S/2091	A. 43. B. 28	Screw, 4	B. A.	-	-	
28S/2066	A. 43. C. 12	Screw, 2	B. A.	-	-	
28S/8057	A. 44. B. 6	Screw, 4	B. A.	-	-	
28S/9134013	A. 45. B. 14	Screw, 4	B. A.	-	-	
28F/9429636	AGS. 1186-3	Seal, bonded	-	-	
28W/9419465	SP. 13. B	Washer	-	-	
28W/9419402	SP. 13. C	Washer	-	-	
28W/9419475	SP. 15. C	Washer	-	-	
28W/9419474	SP. 15. B	Washer	-	-	
29W/9419405	SP. 15. E	Washer	-	-	
28W/9419473	SP. 15. A	Washer	-	-	
28W/9419486	SP. 16. B	Washer	-	-	
28W/9419404	SP. 16. C	Washer	-	-	
28W/9419487	SP. 16. E	Washer	-	-	
28W/11048	AGS. 2034A	Washer	-	-	
28W/11049	AGS. 2034B	Washer	-	-	
28W/11066	AGS. 2035/A	Washer	-	-	
28W/9419448	AGS. 2035/B	Washer	-	-	
28W/11074	AGS. 2035L	Washer	-	-	
28N/254	AGS. 191/B	Washer	-	-	
28N/255	AGS. 191/C	Washer	-	-	
28W/12746	SP. 19. B	Washer	-	-	
28W/9416642	SP. 47. B	Washer, spring	-	-	

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

