

ELECTRICAL EQUIPMENT - REAR FUSELAGE

| Ref. No. | Part No. | Description | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|--------------|------------------|---|---------|------------------------|---------------------|-----------|
| | | | | | | |
| | E. 283798 | ELECTRICAL EQUIPMENT IN REAR FUSELAGE, ASSEMBLY | - | - | | |
| | B. 231138 | ADDITIONAL DETAILS, ASSEMBLY (Mod. 785) | - | - | | |
| | A. 234149 | Bracket | 1 | - | B. | |
| 5CZ/430 | | Block, terminal | 1 | - | C. | |
| 9663 | Std. 2045/19/24 | Clip, securing cables | 1 | - | | |
| | Std. 2046/14/24 | Clip, securing cables | 1 | - | | |
| | Std. 2046/16/24 | Clip, securing cables | 2 | - | | |
| | Std. 2046/19/24 | Clip, securing cables | 1 | - | | |
| 11304 | Std. 2046/21/24 | Clip, securing cables | 2 | - | | |
| | Std. 2046/23/24 | Clip, securing cables | 1 | - | | |
| | B. 239483 | Fuse, test, tail chute, group (Mod. 848) ... | 1 | - | | |
| 10H/ | L. 562-0-500 | Fuse, 0.5 amp. | 1 | - | C. | |
| 10H/0590170 | Belling Lee | Holder, fuse | 1 | - | B. | |
| | F. 221261 | Label, for terminal block | 1 | - | | |
| 28FP/1048015 | Av. Dev. A405 | Pin, pip | 2 | - | C. | |
| | Mk. 5 | | | | | |
| 5W/7283 | Western Mfg. | Actuator EJ. 25 Mk. I. F. (Mod. 1304) ... | 1 | - | A. | |
| 5W/2317 | Western Mfg. | Actuator, EJ. 25 Mk. 1D (Pre Mod. 1304) ... | 1 | - | A. | |
| | EA. 25461 | | | | | |
| 5W/5449 | Rotax A. 1612 | Actuator, tailplane (Mod. 1145) | 1 | - | A. | |
| 5X/2863 | Plessey CZ.24285 | Block, terminal, between frames 43 and 44, port and starboard | 2 | - | B. | |
| | A. 212367 | BLOCK, TERMINAL No. 41, AT FRAME 40B, PORT, ASSEMBLY | - | - | | |
| 5CZ/430 | | Block, terminal, 2 way, No. 1 | 1 | - | B. | |
| | A. 243093 | BLOCK, TERMINAL No. 42, AT FRAME 52, ASSEMBLY (Mod. 848) | - | - | | |
| 5X/3276 | Plessey CZ.50205 | Block, terminal, 2 way | 1 | - | B. | |
| 5X/3272 | Plessey CZ.26799 | Cover | 1 | - | B. | |
| 4177 | F. 197297 | Pillar | 2 | BSS. 249 | C. | |
| | A. 206250 | BLOCK, TERMINAL No. 45, FOR TAIL PLANE DESYNN ASSEMBLY | - | - | | |
| 5X/1002694 | Plessey CZ.50207 | Block, terminal, 5 way | 1 | - | B. | |
| 5X/9149641 | Plessey CZ.26805 | Cover | 1 | - | B. | |
| 5X/9450403 | Plessey Z. 28426 | Pillar | 2 | - | C. | |
| | A. 216488 | BLOCK, TERMINAL, No. 87, ASSEMBLY | - | - | | |
| 5X/1002694 | Plessey CZ.50207 | Block, terminal, 5 way | 1 | - | B. | |
| 5X/9149641 | Plessey CZ.26805 | Cover | 1 | - | B. | |
| 5X/9450403 | Plessey Z. 24826 | Pillar, mounting | 2 | - | C. | |
| | A. 222784 | BLOCK, TERMINAL, No. 44, FOR TAIL PLANE ACTUATOR, ASSEMBLY | - | - | | |
| 5X/2863 | Plessey CZ.24285 | Block, terminal 10way | 1 | - | B. | |
| 5X/3275 | Plessey CZ.26808 | Cover | 1 | - | B. | |
| 5X/1004082 | Plessey Z. 50210 | Link, commoning | 3 | - | C. | |
| 4177 | F. 197297 | Pillar | 2 | BSS. 249 | C. | |
| | B. 206440 | BLOCK, TERMINAL, No. 43, BETWEEN FRAMES 54 AND 55, ASSEMBLY | - | - | | |
| 5X/2863 | Plessey CZ.24285 | Block, terminal, 10 way | 2 | - | B. | |
| 5X/3275 | Plessey CZ.26808 | Cover | 1 | - | B. | |
| 5X/9450403 | Plessey Z. 28426 | Pillar | 2 | - | C. | |

| Ref. No. | Part No. | Description | No. Off | | | | | Material Specification | M.R. Class of Store | Plate No. |
|------------|--------------------|---|---------|---|---|---|----------|------------------------|---------------------|-----------|
| | | | 1 | 2 | 3 | 4 | 5 | | | |
| | B. 206675 | BLOCK, TERMINAL, Nos. 47 and 48 AT FRAME 45, ASSEMBLY | | | | | | | | |
| 5X/3181 | Plessey CZ.23212/1 | Block, terminal, 20 way | | 1 | | | | | B. | |
| 5X/2863 | Plessey CZ.24285 | Block, terminal, 10 way | | 1 | | | | | B. | |
| 5X/9149643 | Plessey CZ.25111 | Cover | | 1 | | | | | B. | |
| 5X/3275 | Plessey CZ.26808 | Cover | | 1 | | | | | C. | |
| 5X/6317 | Plessey Z.50218 | Link, commoning, 10 way | | 1 | | | | | C. | |
| 5X/9450403 | Plessey Z.28426 | Pillar | | 2 | | | BSS. 249 | | C. | |
| 4177 | F.197297 | Pillar | | 2 | | | | | C. | |
| 3767 | Std. 915/B/20 | Washer | | 1 | | | | | | |
| | A.206673 | BLOCK, TERMINAL, No. 57, AT FRAME 40B, STARBOARD, ASSEMBLY | | | | | | | | |
| 5CZ/430 | - | Block, terminal, 2 way, No. 1 | | 1 | | | | | B. | |
| | A.222373 | BLOCK, TERMINAL, No. 79, ASSEMBLY | | | | | | | | |
| 5X/1002694 | Plessey CZ.50207 | Block, terminal, 5 way | | 1 | | | | | B. | |
| 5X/9149641 | Plessey CZ.26805 | Cover | | 1 | | | | | B. | |
| 5X/9450403 | Plessey Z.28426 | Pillar | | 2 | | | | | C. | |
| | B.222374 | BLOCK, TERMINAL, No. 97, ASSEMBLY | | | | | | | | |
| 5X/2863 | Plessey CZ.24285 | Block, terminal, 10 way | | 1 | | | | | B. | |
| 5X/3275 | Plessey CZ.26808 | Cover | | 1 | | | | | B. | |
| | A.221160 | Mounting | | 1 | | | L. 72 | | | |
| 4177 | F.197297 | Pillar | | 2 | | | BSS. 249 | | C. | |
| | A.210747 | BLOCK, TERMINAL, No. 58, BETWEEN FRAMES 56 AND 57, ASSEMBLY | | | | | | | | |
| 7056 | A.210157 | Block, terminal | | 1 | | | | | B. | |
| | A.210713 | Bracket, mounting | | 1 | | | L. 72 | | | |
| 2146 | A.189842 | Bolt, special, bottom, for actuator | | 1 | | | S.99.B | | C. | |
| | C.205503 | Cable, R.1 group (See Cable Chart) | | 1 | | | | | | |
| | C.257958 | Cable, R.2, group (See Cable Chart) | | 1 | | | | | | |
| | C.249755 | Cable, R.3, group (See Cable Chart) | | 1 | | | | | | |
| | C.257960 | Cable, R.12, group (See Cable Chart) | | 1 | | | | | | |
| | B.257961 | Cable, R.13, group (See Cable Chart) | | 1 | | | | | | |
| | C.257962 | Cable, R.14, group (See Cable Chart) | | 1 | | | | | | |
| | C.257480 | Cable, R.16, group (See Cable Chart) | | 1 | | | | | | |
| | C.257963 | Cable, R.18, group (See Cable Chart) | | 1 | | | | | | |
| | B.205545 | Cable, R.20, group (See Cable Chart) | | 1 | | | | | | |
| | B.205699 | Cable, R.21, group (See Cable Chart) | | 1 | | | | | | |
| | B.208717 | Cable, R.24, group (See Cable Chart) | | 1 | | | | | | |
| | C.212485 | Cable, R.26, group (See Cable Chart) | | 1 | | | | | | |
| | B.214428 | Cable, R.33, group (See Cable Chart) | | 1 | | | | | | |
| | A.217336 | Cable, R.35, group (See Cable Chart) | | 1 | | | | | | |
| | B.254676 | Cable, R.36, group (See Cable Chart) | | 1 | | | | | | |
| | B.237845 | Cable, R.37, group (See Cable Chart) (Mod. 848) | | 1 | | | | | | |
| 10431 | F.221270 | Barrel, nut | | 1 | | | B.11 | | C. | |
| 5D/1933 | - | Contact, No. 1, Mk. 2 | | 1 | | | | | B. | |
| | F.238561 | Cover (Mod. 848) | | 1 | | | LFS. 21 | | | |
| | C.237810 | Cable, R.38, group (See Cable Chart) | | 1 | | | | | | |
| | B.216032 | Cable, P.C.15, group (See Cable Chart) | | 1 | | | | | | |
| | A.226147 | Cable, P.C.16, group (See Cable Chart) | | 1 | | | | | | |
| | A.226148 | Cable, P.C.18, group (See Cable Chart) | | 1 | | | | | | |
| | Std. 2045/19/24 | Clip, securing cable, on spine | | 4 | | | | | | |
| | Std. 2045/20/24 | Clip, securing cables, on diaphragm at T/Pl. | | 2 | | | | | | |
| 9664 | Std. 2045/22/24 | Clip, securing cable | | 3 | | | | | | |
| | Std. 2045/23/24 | Clip, securing cable on diaphragm at T/Pl. | | 1 | | | | | | |
| 10577 | Std. 2045/25/22 | Clip, securing cable at frame 56 | | 1 | | | | | | |
| 11209 | Std. 2045/34/22 | Clip, securing cable at frame 53 | | 1 | | | | | | |
| 11303 | Std. 2046/17/26 | Clip, securing cables at frame 53 | | 1 | | | | | | |
| | Std. 2046/32/22 | Clip, securing cable to tail plane actuator mounting | | 1 | | | | | | |
| 9493 | F.222036 | Clip, securing cable R.36 between frames 45 and 46 | | 1 | | | L. 72 | | C. | |
| 5CZ/7942 | Rotax D.19501 | Contact, reversing (Main) (Mod.1218) | | 2 | | | | | A. | |
| 6A/4383 | Smiths C. J. C.65 | Connector, type P. T. E. E. | | 2 | | | | | B. | |

ELECTRICAL EQUIPMENT - REAR FUSELAGE

| Ref. No. | Part No. | Description | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|-------------|----------------------|--|---------|------------------------|---------------------|-----------|
| | | | | | | |
| | D. 283799 | ELECTRICAL EQUIPMENT, ADDITIONAL DETAILS, ASSEMBLY | - | - | | |
| | F. 219572 | Bracket, for cable, at coupler, at frame 40B, port | 1 | L. 72 | | |
| | F. 216456 | Bracket, for cable coupler, at frame 40B, starboard | 1 | L. 72 | | |
| | B. 258481 | Cable, E11/A, assembly (See cable chart) | 1 | - | - | |
| 5X/1965 | Plessey Z. 22166 | Cap, "B" size plug screening | 1 | - | C. | |
| 9664 | Std. 2045/22/24 | Clip, sleeved | 2 | S. 510 | C. | |
| 10250 | Std. 2045/27/22 | Clip, sleeved | 5 | S. 510 | C. | |
| 11792 | Std. 2045/31/22 | Clip, sleeved | 1 | S. 510 | | |
| | Std. 2045/38/22 | Clip, sleeved | 2 | S. 510 | | |
| | Std. 2045/42/22 | Clip, sleeved | 1 | S. 510 | | |
| | A. 198113 | EARTHING POINT No. 11, FRAME 45, PORT SIDE ONLY, ASSEMBLY | - | - | | |
| 4613 | Std. 1335/C/18 | Washer, under terminal | 1 | L. 4 | C. | 4 |
| 4659 | Std. 1335/C/22 | Washer, under nut | 1 | L. 4 | C. | 4 |
| 5X/1965 | - | Plug, sealing | 1 | - | C. | |
| 5F/9454141 | AS. 4713 | Strapping | QR | - | C. | |
| 5F/9138822 | AS. 4715 | Stud | QR | - | C. | |
| | D. 249098 | FIRE WIRE, INSTALLATION, ASSEMBLY (Mod 960) | - | - | | |
| | F. 193853 | Angle, at clip supporting firewire at frame 55 | 2 | DTD. 610 | | |
| 10757 | F. 238617 | Angle, at clip supporting firewire at frame 45 | 11 | - | C. | |
| | B. 238482 | Bracket, mounting termination fitting at frame 45 | 1 | - | | |
| 5CZ/6362 | Graviner D. 2765 | Bush, mounting | 49 | - | C. | |
| 10758 | F. 249121 | Cleat, at frame 45 | 4 | - | C. | |
| 5CZ/6354 | Graviner D. 3004 | Clip, camloc, supporting firewire | 47 | - | C. | |
| 10756 | F. 238693 | Clip, supporting coupling unit at frame 48 | 3 | S. 510 | C. | |
| 5CZ/5837 | Graviner D. 2370/120 | Element, firewire, 10 feet | 4 | - | C. | |
| 5CZ/6658 | Graviner D. 3170 | Fitting, terminal | 2 | - | C. | |
| 5X/9400384 | Erma 12104 | Lug, cable | 2 | - | C. | |
| 5X/9400385 | Erma 12105 | Lug, cable | 2 | - | C. | |
| | Std. 1509/12/060 | Tube, distance, 1/4" o/d x 20 S.W.G. x 0.60" long | 1 | T. 4 | | |
| 5CZ/5927 | Graviner D. 2475 | Unit coupling, at frame 48 | 3 | - | C. | |
| 10146 | A. 234601 | Gasket for panel (A. 231081) | 2 | DTD. 1177 | C. | |
| 27N/170 | Graviner E. 318 | Holder, fuse (complete with fuse E. 143 or E. 301) at frame 44, port and starboard | 2 | - | B. | |
| | A. 231081 | Panel access (Mod 1271) | 2 | L. 72 | | |
| 7937 | Std. 1221/Z/B45 | Pin | 1 | S. 80 | C. | 4 |
| 7938 | Std. 1221/Z/B70 | Pin | 1 | S. 80 | C. | 4 |
| | F. 231082 | Plate, blanking (Mod. 1271) | 2 | L. 72 | | |
| 10232 | F. 221180 | Plate, locking, securing contactor to release housing | 1 | S. 3 | C. | |
| 5887 | - | Sleeving, "Symel" silicone elastomer QS. 167, 3/8 i/d x 1 mm. thick x 58" approx | 8 | - | C. | |
| 5CW/9438275 | - | Switch, micro, type 1A | 2 | - | B. | |

ELECTRICAL EQUIPMENT - REAR FUSELAGE

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|------------|--------------------------------|---|-----|-----|-----|-----|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| 5F/9454141 | AS.4713 | Strapping, 1/2" wide | ... | ... | ... | ... | 2 | - | C. | |
| 5F/9138822 | AS.4715 | Stud | ... | ... | ... | ... | 2 | - | C. | |
| 6A/5460 | - | Thermo-couple, type B9 | ... | ... | ... | ... | 8 | - | B. | |
| | C.213491 | TRANSMITTER, DESYNN, ASSEMBLY | | | | ... | - | - | | |
| 9535 | A.220339 | Box, junction, group | ... | ... | ... | ... | 1 | - | B. | |
| | A.207745 | Box, junction | ... | ... | ... | ... | 1 | - | | |
| 5X/6630 | Plessey CZ.72441 | Block, terminal, 5-way | ... | ... | ... | ... | 4 | - | B. | |
| 7844 | F.207746 | Lid | ... | ... | ... | ... | 1 | - | C. | |
| 5K/3469 | Ross Courtney No.01 | Tag | ... | ... | ... | ... | 4 | - | C. | |
| | B.205509 | Cable, R.15, group (See cable chart) | ... | ... | ... | ... | 1 | - | - | |
| 1679 | A.189774 | Clip, attachment to actuator ram | ... | ... | ... | ... | 1 | S.3 | C. | |
| 10222 | F.236228 | Fork-end | ... | ... | ... | ... | 2 | S.1B | C. | |
| | B.191439 | Mounting, group | ... | ... | ... | ... | 1 | - | | |
| | | Consisting of: - | | | | | | | | |
| | A.189772 | Angle | ... | ... | ... | ... | 1 | - | | |
| | A.189773 | Angle | ... | ... | ... | ... | 1 | - | | |
| | B.189771 | Bracket | ... | ... | ... | ... | 1 | DTD.610 | | |
| 28Q/1650 | AS.156/404 | Rivet | ... | ... | ... | ... | 4 | - | C. | |
| 6851 | F.189775 | Rod, connecting | ... | ... | ... | ... | 1 | S.1 | MR/C | |
| 6A/2085 | Smiths 227/FL | Transmitter, position indicator | ... | ... | ... | ... | 1 | - | A. | |
| 5CZ/5425 | Electronic Components No.22515 | Unit, resistor, 1/2 ohm | ... | ... | ... | ... | 1 | - | B. | |
| 10893 | Std.1509/12/050 | Tube, distance, at cable clip, between frames 48-49 and 50-51 | ... | ... | ... | ... | 2 | T.4 | C. | |
| 2147 | Std.915-C20 | Washer, 2 B.A. | ... | ... | ... | ... | 1 | DTD.610 | C. | |

ELECTRICAL EQUIPMENT - REAR FUSELAGE

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|------------------------|-----------------|-------------------------------|-----|-------|-----|-----|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| SUMMARY OF STOCK ITEMS | | | | | | | | | | |
| 28D/1010658 | A. 25. 1. B | Bolt, | 4 | B. A. | ... | ... | - | - | - | - |
| 28D/1008149 | A. 25. 2. B | Bolt, | 4 | B. A. | ... | ... | - | - | - | - |
| 28D/1011011 | A. 25. 8. B | Bolt, | 4 | B. A. | ... | ... | - | - | - | - |
| 28D/1010142 | A. 26. 9. B | Bolt, | 4 | B. A. | ... | ... | - | - | - | - |
| 28D/9436920 | A. 25. 1. C | Bolt, | 2 | B. A. | ... | ... | - | - | - | - |
| 28D/9133011 | A. 25. 2. C | Bolt, | 2 | B. A. | ... | ... | - | - | - | - |
| 28D/9133012 | A. 25. 3. C | Bolt, | 2 | B. A. | ... | ... | - | - | - | - |
| 28D/1011019 | A. 25. 8. C | Bolt, | 2 | B. A. | ... | ... | - | - | - | - |
| 28D/9435710 | A. 25. 11. C | Bolt, | 2 | B. A. | ... | ... | - | - | - | - |
| 28D/8300 | AS. 1242. 1. B | Bolt, | 4 | B. A. | ... | ... | - | - | - | - |
| 28D/8310 | AS. 1242. 6. C | Bolt, | 2 | B. A. | ... | ... | - | - | - | - |
| 5K/2628 | AGS. 1757/1 | Connection | ... | ... | ... | ... | - | - | - | - |
| 5K/2374 | AGS. 1725/1 | Disc, blanking | ... | ... | ... | ... | - | - | - | - |
| 5K/551 | SP. 3413 | Fork-end | ... | ... | ... | ... | - | - | - | - |
| 5K/3468 | SP. 48. D. 18 | Grommet | ... | ... | ... | ... | - | - | - | - |
| 28M/9156370 | SP. 21 | Nipple, lubricating | ... | ... | ... | ... | - | - | - | - |
| 28M/10286 | AGS. 2001. A. 1 | Nut, 6 B. A. | ... | ... | ... | ... | - | - | - | - |
| 28M/10287 | AGS. 2001. B1 | Nut, 4 B. A. | ... | ... | ... | ... | - | - | - | - |
| 28M/10288 | AGS. 2001. C1 | Nut, 2 B. A. | ... | ... | ... | ... | - | - | - | - |
| 28M/10326 | AGS. 2002. A1 | Nut, 6 B. A. | ... | ... | ... | ... | - | - | - | - |
| 28M/10327 | AGS. 2002. B1 | Nut, 4 B. A. | ... | ... | ... | ... | - | - | - | - |
| 28M/10328 | AGS. 2002. C1 | Nut, 2 B. A. | ... | ... | ... | ... | - | - | - | - |
| 28D/9435067 | AGS. 2008. C1 | Bolt, 2 B. A. | ... | ... | ... | ... | - | - | - | - |
| 28M/7727 | AGS. 572. E | Nut, $\frac{3}{8}$ " B. S. F. | ... | ... | ... | ... | - | - | - | - |
| 28M/13124 | A. 27. C. T. | Nut, 2 B. A. | ... | ... | ... | ... | - | - | - | - |
| 28M/14833 | A. 58. J. S | Nut, $\frac{3}{8}$ " B. S. F. | ... | ... | ... | ... | - | - | - | - |
| 5K/87 | AGS. 1658/0 | Nut, gland | ... | ... | ... | ... | - | - | - | - |
| 28P/830 | SP. 4. B4 | Pin, | ... | ... | ... | ... | - | - | - | - |
| 28P/9429528 | SP. 9. C. 8 | Pin, split | ... | ... | ... | ... | - | - | - | - |
| 28S/9436892 | A. 31. A. 8 | Screw, 6 B. A. | ... | ... | ... | ... | - | - | - | - |
| 28S/1200040 | A. 31. B. 20 | Screw, 4 B. A. | ... | ... | ... | ... | - | - | - | - |
| 28S/9436921 | A. 31. C. 28 | Screw, 2 B. A. | ... | ... | ... | ... | - | - | - | - |
| 28S/9992525 | A. 32. B. 12 | Screw, 4 B. A. | ... | ... | ... | ... | - | - | - | - |
| 28S/2881 | A. 32. B. 28 | Screw, 4 B. A. | ... | ... | ... | ... | - | - | - | - |
| 28S/1200058 | A. 33. A. 12 | Screw, 6 B. A. | ... | ... | ... | ... | - | - | - | - |
| 28S/1200062 | A. 33. A. 20 | Screw, 6 B. A. | ... | ... | ... | ... | - | - | - | - |
| 28S/2828 | A. 33. A. 24 | Screw, 6 B. A. | ... | ... | ... | ... | - | - | - | - |
| 28S/1200065 | A. 33. B. 28 | Screw, 4 B. A. | ... | ... | ... | ... | - | - | - | - |
| 28S/2832 | A. 33. C. 28 | Screw, 2 B. A. | ... | ... | ... | ... | - | - | - | - |
| 28S/13814 | A. 43. B. 14 | Screw, 4 B. A. | ... | ... | ... | ... | - | - | - | - |
| 28S/2127 | A. 45. B. 16 | Screw, 4 B. A. | ... | ... | ... | ... | - | - | - | - |
| 5K/2625 | AGS. 1753. 3E | Screw, and washer combined | ... | ... | ... | ... | - | - | - | - |
| 28W/9419474 | SP. 15. B | Washer | ... | ... | ... | ... | - | - | - | - |
| 28W/9419475 | SP. 15. C | Washer | ... | ... | ... | ... | - | - | - | - |
| 28W/9419477 | SP. 15. J | Washer | ... | ... | ... | ... | - | - | - | - |
| 28W/9419404 | SP. 16. C | Washer, 2 B. A. | ... | ... | ... | ... | - | - | - | - |
| 28N/254 | AGS. 191B | Washer | ... | ... | ... | ... | - | - | - | - |
| 28N/255 | AGS. 191C | Washer | ... | ... | ... | ... | - | - | - | - |

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

