

ELECTRICAL EQUIPMENT
 AUTO STABILISER INSTALLATION (Mod. 1026)

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	E. 232010	AUTO STABILISER INSTALLATION, ASSEMBLY (AS. 770/35) S.O.O.	-	-		
	C. 236696	AUTO STABILISER Mk. 2 RENDERED INOPERATIVE (Mod. 873)	-	-		
10H/ O. 970055	Plessey CZ. 51538	Cap, protective	2	-	C.	
10242	F. 235534	Clip	1	S. 510	C.	
10243	F. 235533	Collar, half	2	L. 65. C	C.	
10H/21790	-	Fuse, dummy	2	-	C.	
10H/21791	-	Fuse, dummy	1	-	C.	
10H/21797	-	Fuse, type "S" 2.5 amp.	1	-	C.	
5X/6630	Plessey CZ. 72441	Block, terminal miniature, 5-way	1	-	B.	
	-	Cables, see cable chart	-	-	-	
10H/ O. 970056 9489	Plessey CZ. 51539	Cap, protective	1	-	C.	
	F. 199302	Clip, securing cable	1	DTD. 610	C.	
	Std. 2045/21/24	Clip, sleeved... ..	2	-		
	Std. 2045/25/24	Clip, sleeved... ..	2	-		
	Std. 2045/29/22	Clip, sleeved... ..	3	-		
	Std. 2046/21/24	Clip, sleeved... ..	1	-		
10H/19451	Plessey CZ. 62270	Connector, bulkhead	1	-	B.	
10H/20734	Plessey CZ. 61883	Connector, bulkhead	1	-	C.	
	C. 203729	INSTALLATION IN FIN, ASSEMBLY (Mod. 91) S.O.O.	-	-		
6S/50 9412	- A. 203605	Bracket, supporting servo-motor	1	-	B.	
	Std. 1522	Cable, indicator operating, group	1	-	B.	
	Bowden P7/51	Adjuster	1	-		
29H/1866	Bowden B52	Cable (12.65" long-made up)	1	-	C.	
10H/1878	Bowden PN. 980	Casing (8.75" long)... ..	1	-	C.	
29H/1893	Bowden PN. 935	Ferrule	1	-	C.	
29H/1176	F. 203487	Nipple... ..	2	-	C.	
9407	Std. 499/4	Plate, locking	1	L. 72	C.	
9480	-	Plate, locking	1	-	C.	4
6S/48	-	Motor-servo, and trim actuator	1	-	A.	
9413	F. 206135	Shackle	1	S. 3	C.	
9414	F. 206169	Spring, compression	1	DTD. 215	C.	
4150	Std. 915/C. 22	Washer	1	DTD. 610	C.	4
	A. 220707	Plate, mounting	1	L. 72		
5CY/5151	-	Suppressor, type G. 5	1	-	A.	
5F/9454141	AS. 4713	Strapping	QR	-	C.	
5F/9138822	AS. 4715	Stud	QR	-	C.	
4042	Std. 1509/23/030	Tube, distance, 5/16" o/d x 17 S.W.G. x .30 long	1	T. 4	MR/C	4
4117	Std. 1283G	Washer, laminated, 3/16" i/d. x 0.50" o/d. ...	1	Brass	C.	4
	F. 232176	Clip, at tank, pressure connection (AS. 770/75)	2	-		

ELECTRICAL EQUIPMENT
 AUTO STABILISER, INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28D/1010658	A25.1B	Bolt	-	-	-
28D/9436920	A25.1C	Bolt	-	-	-
28D/12534	A25.9C	Bolt	-	-	-
28D/8337	AS.1248.1B	Bolt	-	-	-
28M/10287	AGS.2001.B1	Nut	-	-	-
28M/10337	AGS.2002.A1	Nut	-	-	-
28M/10327	AGS.2002.B1	Nut	-	-	-
28M/13028	AGS.2002.C1	Nut	-	-	-
28P/833	SP.4Y.B7	Pin	-	-	-
28P/813	SP.4Y.A3	Pin	-	-	-
28S/1200034	A31.B16	Screw	-	-	-
28S/9437020	A31.C12	Screw	-	-	-
28S/14019	A32.A14	Screw	-	-	-
28S/9992525	A32.B12	Screw	-	-	-
28S/9992522	A32.B16	Screw	-	-	-
28S/9995376	A32.B20	Screw	-	-	-
28S/1011491	A32.C24	Screw	-	-	-
28S/1200058	A33.A12	Screw	-	-	-
28S/9435715	A33.B16	Screw	-	-	-
28W/9419473	SP.15.A	Washer	-	-	-
28W/9419474	SP.15.B	Washer	-	-	-
28W/9419475	SP.15.C	Washer	-	-	-
28W/9419404	SP.16.C	Washer	-	-	-
28W/9416642	SP.47.B	Washer	-	-	-

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

