

EQUIPMENT S.O.O. - PYLONS - INBOARD

| Ref. No. | Part No. | Description | No. Off | Material Specification | M.R. Class of Store | Plate No. | |
|-----------|--------------|------------------------------------------------------------------------|---------------------------------------------------------------------------------|------------------------|---------------------|-----------|------|
| | | | | | | | 1 |
| 11834 | E.280489 | PYLON, INBOARD, PORT, GROUP (Mod.2521) | 1 | - | A. | HB.1 | |
| | E.280490 | PYLON, INBOARD, STARBOARD, GROUP ... (Mod.2521) | 1 | - | A. | HB.1 | |
| | 10584 | F.244905 | Bolt, special (Mod.965) | 22 | S.99.B | C. | HB.1 |
| | 11A/5044 | - | Lug, suspension, for cover plate | 2 | - | C. | |
| | 9536 | B.223230 | Pipe, fuel and air, port, group | 1 | - | B. | HB.1 |
| | 9537 | B.223231 | Pipe, fuel and air, starboard, group | 1 | - | B. | HB.1 |
| | 10241 | B.235438 | Plate, cover, for release unit (Fitted only when stores are not carried) | 2 | - | C. | |
| | | E.280487 | Pylon, inboard, port, group | 1 | - | | |
| | | E.280488 | Pylon, inboard, starboard, group | 1 | - | | |
| | 10827 | F.248851 | Angle, for switch dolly | 2 | S.510 | C. | |
| | F.224996 | Bar, security for transporting (Make from 30A/404, 2 1/4" long) | 2 | S.1.B | - | | |
| 5X/3181 | Plessey | Block, terminal, 20 way | 2 | - | B. | | |
| | CZ.23212/1 | | | | | | |
| 5X/2863 | Plessey | Block, terminal, 10 way | 2 | - | B. | | |
| | CZ.24285 | | | | | | |
| 26AQ/3765 | Std.1639/1CX | Bolt, attachment | 8 | S.95.B | C. | | |
| | A.225520 | Bracket, for forward fusing unit | 2 | L.72 | C. | | |
| | A.209895 | Bracket, for aft fusing unit, port | 1 | L.72 | | | |
| | A.209896 | Bracket, for aft fusing unit, starboard | 1 | L.72 | | | |
| | F.248850 | Bracket, for switch | 2 | L.72 | | | |
| | F.223713 | Bracket, top | 2 | L.72 | | HB.1 | |
| | F.223714 | Bracket, bottom | 2 | L.72 | | HB.1 | |
| | B.238031 | Bush, spigot, locating | 2 | S.80 | C. | HB.1 | |
| 10710 | A.225464 | Bush, spigot locating | 2 | - | C. | HB.1 | |
| 10908 | B.248420 | Cable, P.Y.1. group (See Cable Chart) | 2 | - | B. | HB.1 | |
| 10823 | F.208578 | Adaptor | 3 | Brass | C. | | |
| 8012 | A.209704 | Ferrule | 1 | - | C. | | |
| 7990 | B.222678 | Cable, PY.2, group (See Cable Chart) ... | 2 | - | B. | HB.1 | |
| 9445 | F.208578 | Adaptor | 2 | Brass | C. | | |
| 8012 | B.208412 | Cable, PY.5 (See Cable Chart) | 2 | - | B. | | |
| | B.208413 | Cable, PY.6 group (See Cable Chart) ... | 2 | - | B. | | |
| | B.208414 | Cable, PY.7 (See Cable Chart) | 2 | - | B. | HB.1 | |
| | B.248419 | Cable, PY.8 (See Cable Chart) | 2 | - | B. | HB.1 | |
| 10936 | B.269181 | Cable, PY.17 (See Cable Chart) | 2 | - | B. | HB.1 | |
| | B.262086 | Cable, PY.19, group (See Cable Chart) ... | 2 | - | B. | HB.1 | |
| | F.231386 | Bracket | 1 | - | | | |
| | A.232981 | Bracket, identification | 1 | L.72 | | | |
| | A.236205 | Carrier, plug, 2 pin | 1 | L.72 | | | |
| | F.220016 | Packing | 2 | L.72 | | | |
| | F.231396 | Packing | 1 | L.72 | | | |
| | F.222153 | Stowage | 1 | Alkathene | | | |

EQUIPMENT S.O.O. - PYLONS - INBOARD


| Ref. No. | Part No. | Description | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|------------|----------------------------------|-------------------------------------------------|---------|--------------------------|---------------------|-----------|
| | | | | | | |
| | F.209901 | Clip, support for | 4 | S.3 | | |
| | Std.2046/20/24 | Clip, sleeved, securing cables (AS.900/39) | 4 | S.510 or S.511 | | |
| 736 | Std.840/17 | Clip, duct support | 4 | DTD.610 | | |
| 10063 | ML. Aviation Ltd. DL.617/330C | Connector | 2 | - | B. | HB.1 |
| | F.208710 | Cover | 2 | L.72 | | HB.1 |
| 10828 | F.248920 | Cover, dolly | 2 | Alkathene | C. | |
| | B.265789/1 | Diagram, wiring | 1 | Photo | | |
| | B.265790/1 | Diagram, wiring | 1 | Photo | | |
| | F.203746 | Duct for PY.5 cable | 2 | | | |
| | A.221508 | Fairlead | 2 | S.3 | | |
| 10821 | B.249013 | Fairing, for switch | 1 | L.16 | C. | |
| 10822 | B.249014 | Fairing, for switch | 1 | L.16 | C. | |
| 10829 | F.249111 | Flap, safety | 2 | - | C. | HB.1 |
| 5K/ | Hellermann R.2032 or | Grommet | 2 | - | C. | |
| 5K/2950 | SP.40-B32 | | | | | |
| | F.234755 | Label | 2 | L.72 | | |
| 5X/1004085 | Plessey Z.50213 | Link, commoning, 5-way | 2 | - | C. | |
| | F.137371 | Lock, spring for PY.5 cable | 2 | | | |
| | D.205992 | Member, top, port, group | 1 | - | - | |
| | D.205993 | Member, top, starboard, group | 1 | - | - | |
| | B.269182 | Mounting, for relay, port | 2 | L.72 & Neoprene Rubazote | | |
| | B.269183 | Mounting, for relay, starboard | 2 | L.72 & Neoprene Rubazote | | |
| | F.220017 | Packing | 2 | L.72 | | |
| 8018 | C.221725 | Panel, access, front, port, group | 1 | - | B. | HB.1 |
| 8019 | C.221726 | Panel, access, front, starboard, group | 1 | - | B. | HB.1 |
| | A.203044 | Catch | 2 | S.3 & S.21B | | |
| 8020 | C.202999 | Panel, access to cable, port, group | 1 | L.72 | B. | HB.1 |
| 8021 | C.203000 | Panel, access to cable, starboard, group | 1 | L.72 | B. | HB.1 |
| 10959 | F.233285 | Plate, hinge | 4 | S.520 | C. | HB.1 |
| 10058 | F.233012 | Plate, locking | 4 | S.521 | C. | HB.1 |
| | Std.1986 | Plate, serial | 2 | - | | |
| 10057 | A.233780 | Plate, nut | 4 | S.510 S.96B | C. | HB.1 |
| | F.163773 | Pillar, for terminal block | 4 | Plastic | | |
| 10062 | F.233288 | Pin, hinge at safety flap | 2 | S.1B | C. | |
| 9528 | Chekaleke | Plug No.10 | 2 | | | |
| 4211 | Std.1687/2 | Saddle | 2 | DTD.610 | C. | 5 |
| 10517 | F.222276 | Spigot, at release housing | 2 | S.96B | C. | HB.1 |
| 10518 | F.222277 | Spigot, at release housing | 2 | S.96B | C. | |
| | F.203747 | Spigot, stores anti-swing | 2 | S.80 | | |
| 10060 | F.233286 | Spring, at safety flap | 2 | Sp.Stl. | C. | |
| | F.206037 | Bolt, special | 56 | S.99B | | |
| 11A/5711 | ML. Aviation DL.617-350A | Unit, ejector, release, No.1 Mk.2 | 2 | - | A. | |
| 5D/2050 | - | Unit, fusing, No.3, Mk.1 or | 4 | - | B. | |
| or | | | | | | |
| 5D/2051 | - | Unit, fusing, No.3, Mk.2 | 4 | - | B. | |
| 26AQ/2908 | Std.1335/F.18 | Washer, for release housing spigot | 2 | L.4 | C. | |
| | Std.915/B16 | Washer, at hinge plate | 12 | | | |

EQUIPMENT S.O.O. - PYLONS - INBOARD


| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. | |
|----------|----------------------------|----------------------------------------------------------|-----|-----|-----|-----|---------|------------------------|---------------------|-----------|--|
| | | 1 | 2 | 3 | 4 | 5 | | | | | |
| 27QA/383 | Dowty GD. 1309/27 | Ring, "O" | ... | ... | ... | ... | 4 | - | C. | HB.1 | |
| 9107 | B.215283 | Valve, fuel and air, group | ... | ... | ... | ... | 2 | - | B. | HB.1 | |
| | F.211845 | Guide | ... | ... | ... | ... | 1 | S.1.B | | | |
| | A.215381 | Nut, barrel | ... | ... | ... | ... | 2 | S.95 | | | |
| | B.215283/1 | Pin, dowel, $\frac{3}{32}$ " dia. x $\frac{3}{8}$ " long | ... | ... | ... | ... | 1 | Silver Stl. | | | |
| | A.215290 | Plate, sealing | ... | ... | ... | ... | 1 | - | | | |
| 8005 | A.206526 | Plug, blanking | ... | ... | ... | ... | 2 | Brass | C. | HB.1 | |
| 27QA/363 | Dowty GD. 1308/5 | Ring, "O" | ... | ... | ... | ... | 2 | - | C. | HB.1 | |
| | A.215286 | Sleeve | ... | ... | ... | ... | 2 | L.65C | | | |
| | F.219598 | Spring | ... | ... | ... | ... | 1 | Sp. Steel | | | |
| | F.215294 | Spring | ... | ... | ... | ... | 1 | Sp. Steel | | | |
| | A.218673 | VALVE, FLAP, AND SEALING PLATE, ASSEMBLY | | | | | - | - | | | |
| | F.215296 | Pin, hinge | ... | ... | ... | ... | 1 | L.65 | | | |
| | F.225421 | Sleeve | ... | ... | ... | ... | 1 | L.65 | | | |
| | F.225420 | Spring | ... | ... | ... | ... | 1 | DTD.215 | | | |
| | A.215287 | Valve, flap | ... | ... | ... | ... | 1 | - | | | |
| | A.219054 | Valve, group | ... | ... | ... | ... | 1 | L.65.C | | | |
| | F.219592 | Spring | ... | ... | ... | ... | 1 | Sp. Steel | | | |
| | F.221179 or F.220472 | Valve | ... | ... | ... | ... | 1 | L.65.C | | | |

EQUIPMENT S.O.O. - PYLONS - INBOARD

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|------------------------|--------------|-------------|------|--------|-----|-----|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| SUMMARY OF STOCK ITEMS | | | | | | | | | | |
| 28D/1010658 | A25.1B | Bolt, | 4 | B.A. | ... | ... | ... | ... | - | - |
| 28D/9436920 | A25.1C | Bolt, | 2 | B.A. | ... | ... | ... | ... | - | - |
| 28D/9133012 | A25.3C | Bolt, | 2 | B.A. | ... | ... | ... | ... | - | - |
| 28D/1011019 | A25.8C | Bolt, | 2 | B.A. | ... | ... | ... | ... | - | - |
| 28D/9435710 | A25.11C | Bolt, | 2 | B.A. | ... | ... | ... | ... | - | - |
| 28D/12536 | A25.13C | Bolt, | 2 | B.A. | ... | ... | ... | ... | - | - |
| 28D/8300 | AS.1242.1B | Bolt, | 4 | B.A. | ... | ... | ... | ... | - | - |
| 28D/9131782 | AS.1242.2B | Bolt, | 4 | B.A. | ... | ... | ... | ... | - | - |
| 28D/9294 | AS.1242.5B | Bolt, | 4 | B.A. | ... | ... | ... | ... | - | - |
| 28D/12282 | AS.1242.10B | Bolt, | 4 | B.A. | ... | ... | ... | ... | - | - |
| 28D/1007975 | AS.1242.1C | Bolt, | 2 | B.A. | ... | ... | ... | ... | - | - |
| 28D/8307 | AS.1242.2C | Bolt, | 2 | B.A. | ... | ... | ... | ... | - | - |
| 28D/8308 | AS.1242.3C | Bolt, | 2 | B.A. | ... | ... | ... | ... | - | - |
| 28D/1007976 | AS.1242.4C | Bolt, | 2 | B.A. | ... | ... | ... | ... | - | - |
| 28D/1007978 | AS.1242.7C | Bolt, | 2 | B.A. | ... | ... | ... | ... | - | - |
| 28D/8313 | AS.1242.9C | Bolt, | 2 | B.A. | ... | ... | ... | ... | - | - |
| 28D/9128739 | AS.1248.1/2B | Bolt, | 4 | B.A. | ... | ... | ... | ... | - | - |
| 28D/1007981 | AS.1248.1/2C | Bolt, | 2 | B.A. | ... | ... | ... | ... | - | - |
| 28N/9156370 | SP.21 | Nipple | ... | ... | ... | ... | ... | ... | - | - |
| 28M/9403520 | A.27.CP | Nut, | 2 | B.A. | ... | ... | ... | ... | - | - |
| 28M/1006473 | A.27.CT | Nut, | 2 | B.A. | ... | ... | ... | ... | - | - |
| 28M/14833 | A.58.JS | Nut, | 3/8" | B.S.F. | ... | ... | ... | ... | - | - |
| 28M/10286 | AGS.2001.A1 | Nut, | 6 | B.A. | ... | ... | ... | ... | - | - |
| 28M/10287 | AGS.2001.B1 | Nut, | 4 | B.A. | ... | ... | ... | ... | - | - |
| 28M/10288 | AGS.2001.C1 | Nut, | 2 | B.A. | ... | ... | ... | ... | - | - |
| 28M/10326 | AGS.2002.A1 | Nut, | 6 | B.A. | ... | ... | ... | ... | - | - |
| 28M/10327 | AGS.2002.B1 | Nut, | 4 | B.A. | ... | ... | ... | ... | - | - |
| 28M/10328 | AGS.2002.C1 | Nut, | 2 | B.A. | ... | ... | ... | ... | - | - |
| 28M/9144673 | AGS.2019.C1 | Nut, | 2 | B.A. | ... | ... | ... | ... | - | - |
| 28P/1013002 | SP.4.Y.B9 | Pin, joint | ... | ... | ... | ... | ... | ... | - | - |
| 28P/840 | SP.4.Y.B14 | Pin, joint | ... | ... | ... | ... | ... | ... | - | - |
| 28P/874 | SP.4.Y.D16 | Pin | ... | ... | ... | ... | ... | ... | - | - |
| 28P/19225 | SP.90.C3 | Pin, split | ... | ... | ... | ... | ... | ... | - | - |
| 28P/19152 | SP.90.C4 | Pin, split | ... | ... | ... | ... | ... | ... | - | - |
| 28P/19154 | SP.90.C7 | Pin, split | ... | ... | ... | ... | ... | ... | - | - |
| 28P/19196 | SP.90.G14 | Pin, split | ... | ... | ... | ... | ... | ... | - | - |
| 28S/9156769 | A31.A36 | Screw, | 6 | B.A. | ... | ... | ... | ... | - | - |
| 28S/1011487 | A32.A32 | Screw, | 6 | B.A. | ... | ... | ... | ... | - | - |
| 28S/1008152 | A32.B6 | Screw, | 4 | B.A. | ... | ... | ... | ... | - | - |
| 28S/1200058 | A33.A12 | Screw, | 6 | B.A. | ... | ... | ... | ... | - | - |
| 28S/1200062 | A33.A20 | Screw, | 6 | B.A. | ... | ... | ... | ... | - | - |
| 28S/9992531 | A33.A24 | Screw, | 6 | B.A. | ... | ... | ... | ... | - | - |
| 28S/1200053 | A33.C16 | Screw, | 2 | B.A. | ... | ... | ... | ... | - | - |
| 28W/9419473 | SP.15A | Washer, | 6 | B.A. | ... | ... | ... | ... | - | - |
| 28W/9419474 | SP.15B | Washer, | 4 | B.A. | ... | ... | ... | ... | - | - |
| 28W/9419475 | SP.15C | Washer, | 4 | B.A. | ... | ... | ... | ... | - | - |
| 28W/9419479 | SP.15N | Washer, | 1/2" | B.S.F. | ... | ... | ... | ... | - | - |
| 28W/9419486 | SP.16B | Washer, | 4 | B.A. | ... | ... | ... | ... | - | - |



PYLONS - INBOARD



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.