

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	E. 200100 D. 179303	CENTRE FUSELAGE STRUCTURE, ASSEMBLY ATTACHMENT OF STRINGERS FROM NOSE SPAR TO FRAME 20, ASSEMBLY	-	-		
960	F. 184105	Bolt, special, at stringers "C" and "H" ...	2	S. 95. B	C.	JB. 3
	Std. 1551/3/125	Bolt, special, at stringers "C" and "H" ...	8	S. 99. B		
3825	Std. 1551/3/105	Bolt, special, at stringers "C" and "H" ...	4	S. 99. B	MR/C	
	A. 178936	Fitting, attachment, at stringers "C" and "H"	4	S. 99. B		
963	F. 170740	Nut, special, at stringers "H" ...	2	S. 99. B	C.	JB. 3
7262	Std. 1718/3	Nut, special ...	12	S. 95. B	MR/C	
10607	F. 240458	Nut, special, for spigot at stringer "C"	2	S. 99	C.	
		(Mod. 1032)				
10606	A. 240442	Spigot, at stringer "C" (Mod. 1032) ...	2	S. 99	C.	
962	A. 178929	Spigot, at stringer "H" ...	2	S. 96. B	C.	JB. 3
961	F. 184104	Tab, locking, at stringers "C" and "H" ...	4	S. 3	C.	JB. 3
	F. 178931	Tube, distance, at stringers "C" and "H"	2	DTD. 364		
7263	Std. 1208/62/24/20	Washer, shim ...	QR	-	MR/C	
	D. 179304	ATTACHMENT OF STRINGERS AT FRAME 21 TO MAIN SPAR, ASSEMBLY	-	-		
2418	F. 178919	Angle, fitting, at stringer "K" ...	4	Stamping	MR/C	JB. 4
2419	F. 178920	Angle, fitting, at stringer "K" ...	4	Stamping	MR/C	JB. 4
3832	Std. 1553/E/65	Bolt, special, at stringer "K" ...	8	S. 99. B	MR/C	JB. 4
3833	Std. 1553/E/55	Bolt, special, at stringer "K" ...	4	S. 99. B	MR/C	JB. 4
2420	B. 182214	Fitting, for aircraft slinging bolt ...	2	Stamping	MR/C	JB. 2
	D. 200910	ATTACHMENT OF STRINGERS AT MAIN SPAR TO FRAME 26, ASSEMBLY	-	-		
2421	A. 179650	Angle, fitting, at stringer, "K", main spar	4	Stamping	MR/C	JB. 4
2422	A. 178809	Angle, fitting, at stringer "K", main spar	4	Stamping	MR/C	JB. 4
4447	Std. 1553/J/390	Bolt, at stringer "K", main spar ...	4	S. 99. B	MR/C	JB. 4
2423	F. 179742	Tube, distance, at stringer "K", main spar	4	DTD. 364	MR/C	JB. 4
4691	Std. 1547/26/12	Washer, profile, at stringer "J", main spar	4	DTD. 610	MR/C	4
	D. 200912	ATTACHMENT OF STRINGERS AT REAR SPAR TO FRAME 31, ASSEMBLY	-	-		
3834	Std. 1553/L/320	Bolt, at stringer "K," rear spar ...	4	S. 99. B	MR/C	JB. 4
3824	Std. 1551/2/85	Bolt, at stringer "K," rear spar ...	8	S. 99. B	MR/C	JB. 4
3825	Std. 1551/3/105	Bolt, at stringer "K," rear spar ...	8	S. 99. B	MR/C	JB. 4
3835	Std. 1553/J/300	Bolt, at stringer "J," rear spar ...	4	S. 99. B	C.	JB. 4
2424	A. 178816	Fitting, attachment, at stringer "K," rear spar	4	Stamping	MR/C	JB. 4
2425	A. 168436	Fitting, attachment, at stringer "J," rear spar	4	Stamping	MR/C	JB. 4
7261	Std. 1718/2	Nut, special, at stringer "K," rear spar	8	S. 95. B	MR/C	JB. 4
7262	Std. 1718/3	Nut, special, at stringer "K," rear spar	8	S. 95. B	MR/C	JB. 4
2427	F. 178881	Tube, distance, at stringer "K," rear spar	4	DTD. 364	MR/C	JB. 4
2426	F. 178865	Tube, distance, at stringer "J," rear spar	4	DTD. 364	MR/C	JB. 4
7264	Std. 1208/51/24/20	Washer, shim, at stringer "K," rear spar	QR	-	MR/C	JB. 4
7265	Std. 1208/62/28/20	Washer, shim, at stringer "K," rear spar	QR	-	MR/C	JB. 4
	D. 200727	ATTACHMENT OF STRINGERS AT FRAMES 22, 24, 33, 35 AND 36, ASSEMBLY	-	-		
7266	F. 200577	Bracket, support, at stringer "K" port, frame 35	1	DTD. 610	MR/C	
7267	F. 200578	Bracket, support, at stringer "K" starboard, frame 35	1	DTD. 610	MR/C	
4619	Std. 1335/E/18	Washer ...	4	L. 4	C.	4

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	D. 200628	BRACKET, FOR FLYING CONTROLS, FRAMES 27 TO 29, ASSEMBLY	-	-		
	B. 200630	Bracket, port, group	1	L. 72		
	B. 200631	Bracket, starboard, group	1	L. 72		
	F. 200632	Packing, port	1	L. 72		
	F. 200633	Packing, starboard	1	L. 72		
	F. 200636	Packing, port	1	L. 72		
	F. 200637	Packing, starboard	1	L. 72		
7268	F. 200634	Plate, nut, port	1	S. 3	MR/C	
7269	F. 200635	Plate, nut, starboard	1	S. 3	MR/C	
	A. 227757	Plate, reinforcing (AS. 710/42)	2	-		
	D. 184002	BRACKET, FOR FLYING CONTROLS, FRAMES 23 TO 24, ASSEMBLY	-	-		
	B. 184003	Bracket, port	1	DTD. 610		
	B. 184004	Bracket, starboard	1	DTD. 610		
2430	F. 184005	Plate, nut	2	DTD. 610	MR/C	
	C. 203456-7	BRACKET, FOR FORWARD ENGINE MOUNTING, ASSEMBLY	-	-		
	B. 203458	Diaphragm, outboard, port	1	L. 72		
	B. 203459	Diaphragm, outboard, starboard	1	L. 72		
	B. 203460	Diaphragm, inboard, port	1	L. 72		
	B. 203461	Diaphragm, inboard, starboard	1	L. 72		
	B. 201604	BRACKET, MOUNTING FOR AIR SUPPLY VALVE, ASSEMBLY	1	-		
7270	B. 201603	Bracket	1	L. 72	MR/C	JB. 3
	A. 203695	BRACKET, MOUNTING FOR ROTOL FLOW PROPORTIONER, ASSEMBLY	1	-		
7271	A. 203394	Bracket	1	L. 72	MR/C	JB. 6
7272	A. 203395	Bracket	1	L. 72	MR/C	JB. 6
	C. 210539	BRACKET, MOUNTING FOR THROTTLE CONTROL LINKAGE, ASSEMBLY	1	-		
7273	F. 210881	Angle, at upper mounting bracket	1	L. 72	MR/C	
7274	F. 210800	Bracket, mounting, lower, group	1	-	MR/C	JB. 6
7275	F. 209977	Spigot... ..	1	S. 95. B	MR/C	JB. 6
7276	B. 210540	Bracket, mounting, upper, for lever, group	1	L. 72	MR/B	JB. 6
	A. 209978	Spigot... ..	1	DTD. 364 & S. 95. B		
	Std. 1509/2/086	Tube, distance, $\frac{1}{4}$ " o/d x 22 S.W.G. x 0.86" long	2	T. 4		
	B. 210541	Plate, stiffening, for upper mounting bracket	1	L. 72		
	D. 233396	DOORS AND ACCESS PANELS, ASSEMBLY	-	-		
4633	F. 197909	Bolt, for access panels	54	S. 95	C.	
7835	Std. 1700/4E	Bolt, attaching fuel system access panel	12	-	C.	5

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
8341	D. 217495					Door, access to gear box, group (Mod. 425)	1	-	B.	JB. 1
965	D. 217495/3					Hinge	1	DTD. 166	C.	JB. 5
	KAC. C. 3099					Toggle, housing	2	-		
	D. 280749					Door, access to engine starter ...	1	-	A.	JB. 5
4844	F. 203030					Angle, for spring clip	1	LA	MR/C	JB. 5
5720	F. 201721					Channel	1	L. 72		
	Std. 842/11					Clip, cable	4	S. 3	MR/C	4
981	A. 188500					Hinge	1	DTD. 166	C.	JB. 5
9361	B. 222421					Lid, aerial box	1	-	B.	JB. 5
4599	A. 201719					Stay, support	1	L. 72	C.	JB. 5
965	King C. 3099					Toggle, housing	2	-	C.	JB. 5
	28FP/594					Washer	2	-	C.	
6670	D. 201293					Door, access to gearbox turret, group	1	DTD. 610	A.	JB. 1
7582	B. 201297					Duct, cooling	3	DTD. 213	MR/C	JB. 5
966	A. 188142					Hinge	1	DTD. 166	C.	JB. 5
	F. 201299					Plate, support	3	DTD. 610		
965	King C. 3099					Toggle, housing	2	-	C.	JB. 5
6671	B. 200546					Panel, access to cold air unit ...	2	-	B.	JB. 1
6672	B. 201114					Panel, access to gearbox drive ...	1	L. 72	B.	JB. 1
6673	B. 201332					Panel, access to air supply	2	L. 72	B.	JB. 1
	C. 281052					Panel, access to fuel pump (Mod. 538)	1	DTD. 610	A.	JB. 1
9084	C. 221459					Panel, access to fuel system, group (Mod. 974)	1	L. 72	A.	JB. 1
4448	F. 199061					Cover, for pitôt drain valve ...	2	-	MR/C	JB. 1
6674	A. 205589					Panel, access to R. P. M. adjustment and fuel pump governor bleed	1	L. 72	B.	JB. 5
6675	A. 201229					Panel, access to slow running adjustment	1	DTD. 610	B.	JB. 1
8185	A. 216185					Panel, access to fuel filter cover ...	1	L. 72	B.	JB. 5
6677	B. 200823					Panel, access to front engine mounting	2	L. 72	B.	JB. 1
969	B. 179779					Panel, access to fuel vent connections	2	DTD. 610	C.	JB. 1
970	B. 179777					Panel, access to fuel lever switches ...	2	DTD. 610	C.	JB. 1
6678	B. 200462					Panel, access to gearbox filler ...	1	L. 72	B.	JB. 1
6679	B. 201069					Panel, access to hydraulic reservoir, group	1	-	B.	JB. 5
	28FP/617					Fastener	3	-	C.	
6680	A. 200259					Panel, access to igniter plug	2	DTD. 610	B.	JB. 1
6681	A. 201707					Panel, access to liquid starter filler, group	1	L. 72	B.	JB. 1
	28FP/617					Fastener	1	-	C.	
6682	A. 203667					Panel, access to oil level sighting, group	1	L. 72	B.	JB. 5
28FP/617	Dzus EF5/45B					Fastener	1	-	C.	

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Score	Plate No.
6683	A.201362	Panel, access to starter equipment ...	2	L.72	B.	JB.4
	E.268404	Panel, access to engine, group ...	1	-	A.	JB.5
10712	F.219432	Clamp, cable, group ...	1	-		
	F.219447	Block, clamp ...	2	LFS.21		
	F.219433	Stud, anchor ...	1			
28E/10031 5720	Terry 80X/2 Std. 842/11	Clip, for hand stowage ...	2	-	C.	
		Clip, cable (Make from 30A/549) ...	3	S.3	MR/C	4
984	B.188540	Hook, securing panel to fuselage ...	2	Stamping	C.	JB.5
5854	C.202812	Insulator, aerial ...	1	DTD.5518	C.	JB.5
9362	B.222506	Lid, for aerial box ...	1	DTD.610	C.	JB.5
4737	F.197737	Plate, retaining "Terry" Clips ...	2	DTD.610	C.	JB.5
5853	F.202811	Strap, aerial ...	1	DTD.5518	C.	JB.5
980	A.188515	Strip, aerial ...	1	L.16	C.	JB.5
965	King C.3099	Toggle, housing ...	2	-	C.	JB.5
4026	Std.1507/23/080	Tube, distance, 5/16" o/d x 17 S.W.G. x 0.8" long (Make from 30A/975)	4	T.26	MR/C	4
4027	Std.1507/23/060	Tube, distance, 5/16" o/d x 17 S.W.G. x 0.6" long (Make from 30A/975)	2	T.26	MR/C	4
28R/17665	AS.4573/1	Ring, retaining screws ...	48	-	C.	
	D.184913	SPINE, SUB-ASSEMBLY ...	-	-		
2434	C.184973	Landing, forward, port ...	1	DTD.610	MR/C	JB.2
2435	C.184974	Landing, forward, starboard ...	1	DTD.610	MR/C	JB.2
	C.225951	Landing, centre, port ...	1	DTD.610		JB.2
7278	C.201507	Landing, centre, starboard ...	1	DTD.610	MR/C	JB.2
2438	B.184977	Landing, rear, port, group ...	1	DTD.610	MR/C	JB.2
2439	B.184978	Landing, rear, starboard, group ...	1	DTD.610	MR/C	JB.2
28FP/341	Dzus EFS5/325	Spring ...	3	-	C.	
1754	B.193293	Panel, access for flying controls ...	1	DTD.610	C.	JB.1
28R/17665	AS.4573/1	Ring, retaining screw ...	2	-	C.	
10277	D.226452	Spine, forward portion ...	1	DTD.610	B.	JB.1
6196	C.211693	Spine, 1st intermediate ...	1	DTD.610	B.	JB.1
6197	C.211694	Spine, 2nd intermediate ...	1	DTD.610	B.	JB.1
7845f	C.213452	Spine, 3rd intermediate portion, group (0-10" trimming allowance)	1	DTD.610	B.	JB.1
28FP/617	Dzus EF5/45B	Fastener ...	12	-	C.	
7279	C.200827	Diaphragm, sealing, port, between frames 29 and 30, at lower portion of fuselage	1	DTD.610	MR/C	JB.2
7280	C.200828	Diaphragm, sealing, starboard between frame 29 and 30, at lower portion of fuselage	1	DTD.610	MR/C	JB.2
	C.188170	DUCTS, FOR ENGINE CONTROLS, ASSEMBLY	-	-		
3741	Std.840/20	Clip, securing, 3/16" wide x 22 S.W.G. x 2" long	21	DTD.610	C.	JB.1
2440	C.188170/1	Duct, forward, 1/2" o/d x 22 S.W.G. x 31.8" long	3	T.4	MR/C	JB.1
2441	C.188170/2	Duct, centre, 1/2" o/d x 22 S.W.G. x 6" long	3	T.4	MR/C	JB.1
2442	C.188170/3	Duct, aft, 1/2" o/d x 22 S.W.G. x 12" long	3	T.4	MR/C	JB.1

Hunter Single Seater

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Place No.
	D. 202624	DUCTS, SERVICE, BETWEEN FRAMES 38-40A, ASSEMBLY	-	-		
7281	A. 204845	Duct, for electrical cables, port ...	1	T. 26	MR/C	JB. 3
7282	A. 204846	Duct, for electrical cables, starboard ...	1	T. 26	MR/C	JB. 3
7283	A. 202625	Duct, for electrical cables ...	4	T. 26	MR/C	JB. 4
7284	B. 203191	Duct, for fuel pipes ...	2	T. 26	MR/C	JB. 4
7285	B. 202626	Socket, attachment, port, for fuel pipe duct	1	S.3 & T.26	MR/C	JB. 4
7286	B. 202627	Socket, attachment, starboard, for fuel pipe duct	1	S.3 & T.26	MR/C	JB. 4
	B. 195155-6	DUCT, FOR FUEL LEVEL SWITCH CABLE, ASSEMBLY	-	-		
	F. 195157	Duct ...	2	T. 9		
	B. 203819	DUCTS, SEALING, FOR FUEL PIPES, BETWEEN FRAME 29 AND FRAME 30, ASSEMBLY	-	-		
7287	A. 203081	Duct ...	1	T. 4	MR/C	JB. 6
7288	A. 203082	Duct ...	3	T. 4	MR/C	JB. 6
2443	D. 248996	Frame, 18B, top portion (Mod. 1014) ...	1	DTD. 364	MR/B	JB. 3
2444	D. 176275	Frame, 18B, lower portion, port ...	1	DTD. 364	MR/B	JB. 3
	D. 176276	Frame, 18B, lower portion, starboard ...	1	DTD. 364	MR/B	JB. 3
	E. 179358	Frame, 19, nose spar, group ...	1	-		
2446	A. 181165	Angle, support, at bottom diaphragm, port	1	DTD. 610	MR/C	JB. 7
2445	A. 181166	Angle, support, at bottom diaphragm, starboard	1	DTD. 610	MR/C	JB. 7
7289	A. 202682	Angle, support, for junction box mounting	1	L. 72	MR/C	JB. 7
	A. 181153	Angle, bottom, for skin attachment, port ...	1	DTD. 610		
	A. 181154	Angle, bottom, for skin attachment, starboard	1	DTD. 610		
4694	A. 195545	Angle, support, at bottom diaphragm ...	1	DTD. 610	MR/C	JB. 7
	B. 181157	Angle, front, at bottom boom attachment, port	1	DTD. 610		
	B. 181158	Angle, front, at bottom boom attachment, starboard	1	DTD. 610		
2447	C. 181163	Angle, lower, for tank skin attachment, port	1	DTD. 610	MR/C	JB. 7
2448	C. 181164	Angle, lower, for tank skin attachment, starboard	1	DTD. 610	MR/C	JB. 7
2449	F. 182169	Angle, for stringer attachment, port ...	3	DTD. 610	MR/C	JB. 7
2450	F. 182170	Angle, for stringer attachment, starboard	3	DTD. 610	MR/C	JB. 7
4695	F. 197436	Angle, bracket, securing gun heating pipe	1	DTD. 610	MR/C	JB. 7
2451	F. 182166	Bolt, at bottom boom joint ...	10	S. 2	MR/C	JB. 3
2452	F. 187392	Bracket, at bottom diaphragm ...	1	DTD. 610	MR/C	JB. 3
2453	F. 187393	Bracket, at bottom diaphragm ...	1	DTD. 610	MR/C	JB. 3
2454	F. 187395	Bracket, at bottom stiffener ...	1	DTD. 610	MR/C	JB. 3
2455	F. 187397	Bracket, at bottom diaphragm ...	1	DTD. 610	MR/C	JB. 3
	F. 226076	Bracket for switch (Mod. 974) ...	1	L. 72	MR	
2456	F. 187396	Channel, at bottom stiffener ...	1	DTD. 610	MR/C	JB. 7
2457	A. 181119	Channel, at bottom diaphragm ...	1	DTD. 610	MR/C	JB. 7
2459	A. 181145	Channel, reinforcing, bottom, port ...	1	DTD. 610	MR/C	JB. 7
2460	A. 181146	Channel, reinforcing, bottom, starboard ...	1	DTD. 610	MR/C	JB. 7
2461	B. 181112	Channel, cross, at bottom diaphragm ...	1	DTD. 610	MR/C	JB. 7
2462	A. 181120	Channel, at bottom diaphragm ...	1	DTD. 610	MR/C	JB. 7
2463	B. 181115	Channel, lower, inner, port ...	1	DTD. 610	MR/C	JB. 7
2464	B. 181116	Channel, lower, inner, starboard ...	1	DTD. 610	MR/C	JB. 7
2458	A. 181121	Channel, lower, outer ...	2	DTD. 610	MR/C	JB. 7
8230	D. 216907	Diaphragm, bottom, front ...	1	DTD. 610	MR/C	JB. 7
2467	D. 181102	Diaphragm, bottom, rear ...	1	DTD. 610	MR/C	JB. 7

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	A. 224939	Extractor, air	1	-		
	B. 181141	Finisher, bottom, at tank door landing, port	1	DTD. 364		
	B. 181142	Finisher, bottom, at tank door landing, starboard	1	DTD. 364		
2468	B. 181167	Landing, for fuel pump access door ...	1	DTD. 610	MR/C	JB. 7
	B. 181133	Landing, bottom, for tank door ...	2	DTD. 364		
	C. 181123	Plate, reinforcing, front, at lower boom joint, port	1	DTD. 166		
	C. 181124	Plate, reinforcing, front, at lower boom joint, starboard	1	DTD. 166		
	C. 181125	Plate, reinforcing, rear, at lower boom joint, port	1	DTD. 166		
	C. 181126	Plate, reinforcing, rear, at lower boom joint, starboard	1	DTD. 166		
2469	B. 181106	Stiffener, bottom	1	DTD. 610	MR/C	JB. 7
	C. 181198	Spigot, fitting, port	1	Stamping		
	C. 181199	Spigot, fitting, starboard	1	Stamping		
2473	B. 181160	Strap, at bottom diaphragm	2	DTD. 610	MR/C	JB. 7
2471	A. 182167	Strip, fairing, at bottom boom attachment, port	1	DTD. 364	MR/C	JB. 7
2472	A. 182168	Strip, fairing, at bottom boom attachment, starboard	1	DTD. 364	MR/C	JB. 7
2470	F. 178982	Stud, for fairlead	4	S.1 & S.3	MR/C	JB. 7
-	Std.1509/24/098	Tube, distance, $\frac{3}{8}$ " x 17 S.W.G. x .98" long (Make up from 30B/557)	2	T. 4	-	
-	Std.1509/24/104	Tube, distance, $\frac{3}{8}$ " x 17 S.W.G. x 1.04" long (Make up from 30B/557)	1	T. 4	-	
	Std.1549/28/10	Washer, packing	2	DTD. 610		
	D. 178147	Frame 20, group	1	-		
	A. 177464	Angle, port	2	DTD. 364		
	A. 177465	Angle, starboard	2	DTD. 364		
2474	F. 177466	Block, distance	2	L. F. S.	MR/C	JB. 7
2475	D. 178147/4	Bottom portion	1	DTD. 610	MR/C	JB. 7
2476	D. 178147/5	Bottom portion	1	DTD. 610	MR/C	JB. 7
2477	D. 178147/6	Channel	2	DTD. 610	MR/C	JB. 7
2478	D. 178147/7	Plate, doubling	2	DTD. 610	MR/C	JB. 7
7290	C. 204274	Frame 21, group	1	-	MR/B	JB. 7
2479	D. 177457/4	Angle, port	1	DTD. 610	MR/C	JB. 7
2480	D. 177457/5	Angle, starboard	1	DTD. 610	MR/C	JB. 7
2481	D. 177457/7	Angle, bottom (Supplied as D. 177457/6 for Spares)	1	DTD. 610	MR/C	JB. 7
2482	D. 177457/8	Angle	2	DTD. 610	MR/C	JB. 7
	F. 179022	Angle, forward, starboard	1	DTD. 610		
	F. 179023	Angle, forward, port	1	DTD. 610		
	F. 179024	Angle, aft	2	DTD. 610		
	F. 194337	Angle, support	1	DTD. 610		
	F. 181825	Angle, support, at bottom centre of frame	1	DTD. 610		
7291	F. 203391	Bracket, mounting, for flow proportioner ...	1	L. 72	MR/C	
2484	D. 177457/2	Diaphragm, bottom, port	1	DTD. 610	MR/C	JB. 7
2485	D. 177457/3	Diaphragm, bottom, starboard	1	DTD. 610	MR/C	JB. 7
4696	C. 186837	Plate, reinforcing	1	DTD. 166	MR/C	JB. 7
2486	B. 178914	Stiffener, front	1	DTD. 610	MR/C	JB. 7
2487	B. 178915	Stiffener, rear	1	DTD. 610	MR/C	JB. 7

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	E. 199350	Frame 22, group	1	-		
4699	F. 195550	Angle, for attaching hydraulic pipes ...	1	DTD. 610	MR/C	JB. 7
7292	F. 203390	Bracket, mounting, for fuel flow proportioner	1	L. 72	MR/C	JB. 7
4901	B. 177902	Channel	2	DTD. 610	MR/C	JB. 7
7293	E. 199350/1	Diaphragm, bottom portion	1	DTD. 610	MR/C	JB. 7
	B. 213359	Fitting, for bridge piece	1	S. 96		
	B. 212948	Piece, bridge, front	1	DTD. 166		
	B. 212949	Piece, bridge, rear	1	DTD. 166		
2489	A. 178505	Piece, distance	2	LFS	MR/C	JB. 7
	F. 199348	Piece, reinforcing, outboard	1	DTD. 166		
	F. 199349	Piece, reinforcing, inboard	1	DTD. 166		
7294	C. 199351	Plate, reinforcing	1	DTD. 610	MR/C	JB. 7
	C. 204275	Frame 23, group	1	-		
4700	F. 195241	Angle, for attaching hydraulic pipes ...	1	DTD. 610	MR/C	JB. 7
7295	F. 203388	Bracket, at lower portion of frame ...	1	L. 65.C	MR/C	JB. 7
7296	F. 214242	Bracket, at lower portion of frame ...	1	L. 72	MR/C	JB. 7
2491	B. 177903	Channel	2	DTD. 610	MR/C	JB. 7
	C. 204275/1	Diaphragm, bottom portion (Identical with 26FX/2492, E. 177459/4)	1	DTD. 610		JB. 7
2493	A. 178546	Piece, distance	2	LFS	MR/C	JB. 7
7297	B. 211291	Plate, reinforcing	1	L. 72	MR/C	JB. 7
	E. 177460	Frame 24, group	1	-		
2495	E. 177460/4	Diaphragm, bottom portion, port ...	1	DTD. 610	MR/C	JB. 7
2496	E. 177460/5	Diaphragm, bottom portion, starboard ...	1	DTD. 610	MR/C	JB. 7
	D. 201499	Frame 25, main spar, group	1	-		
2497	D. 177970	Angle, for tank support skin, port ...	1	DTD. 610	MR/C	JB. 8
2498	D. 177971	Angle, for tank support skin, starboard ...	1	DTD. 610	MR/C	JB. 8
	D. 177968	Angle, for tank support skin, port ...	1	DTD. 610		
	D. 177969	Angle, for tank support skin, starboard ...	1	DTD. 610		
2499	D. 177961	Angle, bottom, for tank support skin ...	1	DTD. 610	MR/C	JB. 8
2500	D. 177959	Angle, centre, for tank support skin, port	1	DTD. 610	MR/C	JB. 8
7298	B. 203168	Angle, at bottom portion of frame ...	1	DTD. 610	MR/C	JB. 8
2501	D. 177960	Angle, centre, for tank support skin, starboard	1	DTD. 610	MR/C	JB. 8
4703	F. 195554	Angle, at bottom portion of frame ...	1	DTD. 610	MR/C	JB. 8
7299	F. 202234	Angle, mounting, for starter tank ...	1	DTD. 364	MR/C	JB. 8
2502	D. 177182	Boom, bottom, front	1	DTD. 364	MR/C	JB. 8
2503	D. 177188	Boom, bottom, rear	1	DTD. 364	MR/C	JB. 8
7300	Std.1551/8/310	Bolt, fork fitting	8	S.99.B	MR/C	5
3826	Std.1551/8/315	Bolt, fork fitting	4	S.99.B	MR/C	5
3842	Std.1639/7/N	Bolt, for fork fitting	8	S.2 or S.11	MR/C	5
6684	A. 206824	Bracket, mounting, for solenoid switch, starboard only	1	L. 72	C.	JB. 8
7301	F. 203167	Bracket, attachment, on lower portion of frame	1	L. 72	MR/C	JB. 8
5723	F. 177893	Bracket, for attaching stringers ...	4	DTD. 610	MR/C	JB. 8
5724	F. 177894	Bracket, for attaching stringers ...	4	DTD. 610	MR/C	JB. 8
2504	A. 177433	Channel, centre, at lower portion of frame	2	DTD. 610	MR/C	JB. 8
4704	F. 193326	Channel, mounting, for JB. 1	1	DTD. 610	MR/C	JB. 8
2505	A. 177432	Channel, outer, at lower portion of frame	2	DTD. 610	MR/C	JB. 8
4705	F. 193327	Channel, mounting, for JB. 1	1	DTD. 610	MR/C	JB. 8
2506	A. 177434	Channel, inner, at lower portion of frame	1	DTD. 610	MR/C	JB. 8
2507	B. 177191	Channel, at bottom centre of frame ...	2	DTD. 610	MR/C	JB. 8

RESTRICTED

Hunter Single Seater

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
28E/10027	Terry 80/000						1	-	C.	
28E/10031	Terry 80X/2						3	-	C.	
28E/10036	Terry 80/4						2	-	C.	
28E/10037	Terry 80/5						1	-	C.	
	C. 202974						1	L. 72 and 1/8" Felt		
	D. 177178						2	Stamping		
	D. 177179						2	Stamping		
	E. 177177						2	Stamping		
7302	Std. 1718/8						12	S. 1	MR/C	5
4706	F. 193436						1	DTD. 610	MR/C	
	A. 177710						2	DTD. 610		
4437	B. 198018						2	DTD. 610	MR/C	JB. 8
033	B. 177184						1	DTD. 546	MR/C	JB. 8
2509	B. 177185						1	DTD. 546	MR/C	JB. 8
	F. 197529						1	L. 72		
	F. 197530						3	L. 72		
	F. 200190						6	L. 72		
4211	Std. 1687/2						1	-	C.	
2510	D. 177180						1	DTD. 610	MR/C	JB. 8
7303	D. 203045						1	DTD. 610	MR/C	JB. 8
	D. 200376						1	-		
7304	F. 209994						1	L. 72	MR/C	
2512	B. 178772						1	DTD. 610	MR/C	JB. 8
	C. 200383						1	DTD. 610		
	C. 200384						1	DTD. 610		
7305	F. 207221						1	L. 72	MR/C	JB. 8
7306	D. 200376/2						1	DTD. 610	MR/C	JB. 8
7307	F. 210693						1	L. 72	MR/C	
	F. 214323						6	S. 1		
7308	B. 200377						1	DTD. 610	MR/C	JB. 8
7309	B. 200378						1	DTD. 610	MR/C	JB. 8
	E. 200196						1	-		
	E. 200196/10						1	DTD. 610		
	E. 200196/11						1	DTD. 610		
7310	E. 200196/12						1	DTD. 166	MR/C	JB. 8
	F. 193853						1	DTD. 610		
	F. 201346						1	L. 72		
7499	F. 201606						2	L. 65.C	MR/C	
	F. 209301						1	L. 72	MR/C	
	E. 200196/4						1	L. 72	MR/C	JB. 8
7500	E. 200196/5						1	L. 72	MR/C	JB. 8
7313	F. 202660						2	L. 72	MR/C	
7498	F. 209344						1	S. 3	MR/C	
7501	E. 200196/6						1	L. 72	MR/C	JB. 8
7502	E. 200196/7						1	L. 72	MR/C	JB. 8
7503	A. 202588						1	L. 72	MR/C	
6685	A. 202586						1	Linatex	C.	JB. 8

RESTRICTED

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	D. 200085	Frame 29, front portion, group	1	-		
	D. 200086	Frame 29, rear portion, group	1	-		
7314	D. 200086/7	Angle, port, at bottom portion of frame	1	DTD. 610	MR/C	
7315	D. 200086/8	Angle, starboard, at bottom of frame	1	DTD. 610	MR/C	JB. 8
7316	D. 200086/11	Angle, at bottom of frame	1	DTD. 610	MR/C	JB. 8
7317	D. 200085/2	Diaphragm, bottom portion, port	1	DTD. 610	MR/C	
7318	D. 200085/3	Diaphragm, bottom portion, starboard	1	DTD. 610	MR/C	
7319	D. 200086/6	Diaphragm, bottom portion	1	DTD. 610	MR/C	JB. 8
	E. 200087	Frame 30, group	1	-		
7320	A. 200714	Angle, support, at bottom portion of frame	1	DTD. 610	MR/C	
7321	A. 200715	Angle, support, at bottom portion of frame	1	DTD. 610	MR/C	JB. 8
7322	A. 200558	Bracket, channel, at bottom portion of frame	1	DTD. 166	MR/C	
7323	A. 200559	Bracket, channel, at bottom portion of frame	1	DTD. 610	MR/C	JB. 8
7324	A. 200560	Bracket, channel, at bottom portion of frame	1	DTD. 610	MR/C	
7325	A. 202034	Bracket, top, for low pressure cock at bottom portion of frame	1	DTD. 610	MR/C	
7326	A. 202035	Bracket, bottom, for low pressure cock at bottom portion of frame	1	DTD. 610	MR/C	
7327	A. 202454	Bracket, mounting, for hydraulic filter	1	DTD. 610	MR/C	
	E. 200087/7	Diaphragm, bottom	1	DTD. 610	MR/C	JB. 8
6049	F. 197018	Mounting, for terminal block	1	DTD. 610	MR/C	
7329	F. 200553	Packing, at bottom portion of frame	3	DTD. 364	MR/C	
7330	F. 200554	Packing, at bottom portion of frame	1	DTD. 364	MR/C	
7331	F. 200556	Packing, at bottom portion of frame	1	DTD. 364	MR/C	
7332	F. 200557	Packing, at bottom portion of frame	1	DTD. 364	MR/C	
7333	A. 203086	Ring, reinforcing, at bottom portion of frame	1	L. 72	MR/C	
4211	Std. 1687/2	Saddle, at bottom portion of frame	1	DTD. 610	C.	5
7334	B. 200551	Stiffener, port side, at bottom portion of frame	1	DTD. 610	MR/C	
7335	B. 200552	Stiffener, starboard side, at bottom portion of frame	1	DTD. 610	MR/C	
3802	Std. 1509/23/085	Tube, distance, at stiffener for hydraulic filter mounting bracket	1	T. 4	MR/C	4
	D. 200847	Frame 31, group	1	-		
4710	F. 177681	Angle	2	DTD. 610	C.	JB. 8
7336	D. 200847/2	Diaphragm, bottom, port	1	L. 72	MR/C	JB. 8
7337	D. 200847/3	Diaphragm, bottom, starboard	1	L. 72	MR/C	JB. 8
7338	D. 200847/4	Stiffener, bottom, port	1	DTD. 610	MR/C	
7339	D. 200847/5	Stiffener, bottom, starboard	1	DTD. 610	MR/C	
	E. 200089	Frame, 32 rear spar, group	1	-		
9817	F. 226691	Angle, outboard	1	S. 3	C.	
9829	F. 226692	Angle, inboard	1	S. 3	C.	
	F. 193853	Angle, at lower portion of frame	1	DTD. 610		
3827	Std. 1551/7/265	Bolt, at top fork fitting	2	S. 99.B	MR/C	5
3830	Std. 1551/7/260	Bolt, at top and bottom fork fittings	4	S. 99.B	MR/C	5
3831	Std. 1551/7/205	Bolt, at top and bottom fork fittings	8	S. 99.B	MR/C	5
2547	F. 180826	Bolt, special, at bottom fork fittings	2	S. 99.B	MR/C	JB. 8
2548	B. 178955	Boom, forward, bottom outer	1	DTD. 364	MR/C	JB. 8
2549	B. 178956	Boom, rear bottom, outer	1	DTD. 364	MR/C	JB. 8
2550	D. 178943	Boom, rear outer, port	1	DTD. 364	MR/C	JB. 8
2551	D. 178944	Boom, rear outer, starboard	1	DTD. 364	MR/C	JB. 8
2552	D. 178945	Boom, forward, outer, port	1	DTD. 364	MR/C	JB. 8
2553	D. 178946	Boom, forward, outer, starboard	1	DTD. 364	MR/C	JB. 8
	C. 200139	Boom, forward, inner, port	1	DTD. 364		
	C. 200140	Boom, rear inner, port	1	DTD. 364		
	C. 200141	Boom, forward, inner, starboard	1	DTD. 364		
	C. 200142	Boom, rear inner, starboard	1	DTD. 364		

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	B. 201363	BRACKET, FOR HYDRAULIC HAND PUMP, ASSEMBLY	-	-		
7340	C. 201354	Bracket	1	L. 72	MR/C	
	A. 212233	Bracket (Mod. 384)	1	L. 72		
7342	C. 201356	Plate, stiffener, bottom	1	L. 72	MR/C	JB. 8
7343	C. 201355	Plate, stiffener, top	1	L. 72	MR/C	JB. 8
-	Std.1509/23/182	Tube, distance, 5/16" o/d x 17 S.W.G. x 1.82" long (Make from 30B/556)	4	T. 4	-	
26AQ/1441	Std.1547/40/12	Washer, profile	2	DTD. 610	MR/C	
7345	Std.1547/40/8	Washer, profile	1	DTD. 610	MR/C	
	Std.1547/34/16	Washer, profile	1	DTD. 610		
7346	A. 200350	Channel, at lower portion of frame	1	L. 72	MR/C	JB. 8
7347	A. 204955	Channel, at lower portion of frame, port	1	L. 72	MR/C	JB. 8
7348	A. 200344	Channel, at lower portion of frame, starboard	1	L. 72	MR/C	JB. 8
7349	A. 200345	Channel, at lower portion of frame	1	L. 72	MR/C	JB. 8
7350	A. 200352	Channel, at lower portion of frame	1	L. 72	MR/C	JB. 8
7351	A. 179990	Channel, at lower portion of frame	1	DTD. 610	MR/C	JB. 8
2561	A. 200348	Channel, at lower portion of frame	1	L. 72	MR/C	JB. 8
7352	A. 179991	Channel, at lower portion of frame	1	DTD. 610	MR/C	JB. 8
7353	B. 208152	Channel, bottom, inner	1	DTD. 364	MR/C	JB. 8
7354	A. 200347	Channel, below bottom fork fitting	2	L. 72	MR/C	JB. 8
7355	A. 200351	Channel, for gear box mounting	1	L. 72	MR/C	JB. 8
7356	A. 200353	Channel, for gear box mounting	1	S. 3	MR/C	JB. 8
	C. 180497	Channel, for gear box mounting	1	L. 72	MR/C	JB. 8
	C. 180498	Fork fitting, lower, port	1	Stamping		
	C. 180495	Fork fitting, lower, starboard	1	Stamping		
	C. 180496	Fork fitting, top, port	1	Stamping		
	C. 180496	Fork fitting, top, starboard	1	Stamping		
7357	Std. 1718/7	Nut, at fork fitting	16	S.95.B	MR/C	
2566	F. 180092	Packing, at bottom joint plates, port only	2	DTD. 610	MR/C	JB. 8
9897	Std. 1549/28/12	Packing, radius at outboard angle	1	-		
9898	F. 226701	Packing, at outboard angle	1	L.65.B		
	F. 196907	Piece, distance, between front and rear face, at lower portion of frame (Mod.614)	2	S.3 & T.26		
	F. 221660	Piece, distance between front and rear face, lower portion of frame	2	-		
2567	A. 178971	Plate, joint, at lower portion of frame, port	2	DTD. 166	MR/C	JB. 8
2568	A. 178972	Plate, joint, at lower portion of frame, starboard	2	DTD. 166	MR/C	JB. 8
2569	A. 178973	Plate, joint, at lower portion of frame	4	DTD. 166	MR/C	
7358	C. 203331	Plate, reinforcing, bottom, forward	1	DTD. 166	MR/C	JB. 8
7359	C. 203332	Plate, reinforcing, bottom, aft	1	DTD. 166	MR/C	JB. 8
7360	A. 200096	Plate, reinforcing, at lower portion, of frame	2	L. 72	MR/C	JB. 8
	C. 227266	PLATE, REINFORCING FOR GEARBOX DRIVE, LOWER ATTACHMENT, ASSEMBLY	-	-		
	F. 226909	Piece, distance	4	-		
	B. 226906	Plate, reinforcing, forward	1	S. 520		
	B. 226907	Plate, reinforcing, aft	1	S. 520		
7361	B. 200386	Plate, reinforcing, lower	1	L. 73	MR/C	JB. 8
9899	F. 226694	Shim, at outboard angle bracket	2	Brass or Alum.	C.	
9900	F. 226695	Shim, at inboard angle bracket	2	Brass or Alum.	C.	
	A. 200874	Spool, for aileron control	2	Stamping		
	Std.1208/100/44/20	Washer, shim, at fork fitting	QR	Shim Steel		
	Std.1208/112/44/20	Washer, shim, at fork fitting	QR	Shim Steel		
7362	Std.1208/60/16/5	Washer, shim, for gear box steady bracket	QR	Steel	MR/C	
7363	D. 201002	Web, forward, port	1	L. 73	MR/C	JB. 8
7364	D. 201003	Web, forward, starboard	1	L. 73	MR/C	JB. 8
7365	D. 201007	Web, rear, port	1	L. 73	MR/C	JB. 8
7366	D. 201008	Web, rear, starboard	1	L. 73	MR/C	JB. 8

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
4874	D. 200055	Frame, 33 group	1	-		
7369	F. 195549	Angle, supporting hydraulic pipe clipping ...	2	DTD. 610	MR/C	JB. 9
7370	D. 200055/2	Diaphragm, port	1	L. 72	MR/C	JB. 9
7371	D. 200055/3	Diaphragm, starboard	1	L. 72	MR/C	JB. 9
7367	B. 201060	Plate, reinforcing	1	L. 72	MR/C	
	F. 205740	Plate, reinforcing	2	L. 72	MR/C	JB. 9
7372	D. 200098	Frame, 34 group	1	-		
4874	F. 203956	Angle, mounting, at bottom portion of frame	1	L. 72	MR/C	JB. 9
	F. 195549	Angle, supporting hydraulic pipe clipping ...	2	DTD. 610	MR/C	JB. 9
7374	A. 209855	Bracket, mounting, for pressure switch ...	1	L. 72	MR/C	JB. 9
7375	F. 204071	Bracket, support, for fire extinguisher spray tube	9	L. 72	MR/C	JB. 9
7376	F. 200765	Bracket, attachment, port side only ...	1	DTD. 610	MR/C	
2581	A. 177105	Butt-strap	2	DTD. 546	MR/C	
	A. 203462-3	CHANNEL, BEARING AND ANGLES, FOR FORWARD ENGINE MOUNTING, SUB-ASSEMBLY				
7504	A. 203468	Angle, bearing, inboard, port	1	DTD. 166	MR/C	JB. 6
7505	A. 203469	Angle, bearing, inboard, starboard ...	1	DTD. 166	MR/C	JB. 6
7506	A. 203466	Angle, bearing, outboard, port	1	DTD. 166	MR/C	JB. 6
7507	A. 203467	Angle, bearing, outboard, starboard ...	1	DTD. 166	MR/C	JB. 6
7508	B. 203464	Channel, bearing, port	1	DTD. 166	MR/C	JB. 6
7509	B. 203465	Channel, bearing, starboard	1	DTD. 166	MR/C	JB. 6
7378	D. 200098/7	Channel, bottom	1	DTD. 364	MR/C	JB. 9
7379	D. 200098/1	Diaphragm, forward, port	1	L. 72	MR/C	JB. 9
7380	D. 200098/2	Diaphragm, forward, starboard	1	L. 72	MR/C	JB. 9
7381	D. 200098/3	Diaphragm, aft, port	1	L. 72	MR/C	JB. 9
7382	D. 200098/4	Diaphragm, aft, starboard	1	L. 72	MR/C	JB. 9
7383	A. 201738	Guide, for adjusting bolt	1	S. 3	MR/C	
7384	F. 202092	Indicator, levelling, for engine jury rail ...	1	DTD. 364	MR/C	JB. 9
2596	A. 177100	Plate, joint, at bottom frame joint	2	DTD. 610	MR/C	JB. 9
4211	Std. 1687/2	Saddle, securing electrical cables	12	DTD. 610	C.	5
7385	A. 200221	Support, for engine rail	1	S. 1	MR/C	JB. 9
-	Std. 1509/23/084	Tube, distance, 5/16" o/d. x 17 S.W.G. x 0.84" long (Make from 30B/556)	4	T. 4	-	4
4035	Std. 1509/23/112	Tube, distance, 5/16" o/d. x 17 S.W.G. x 1.12" long (Make from 30B/556)	1	T. 4	MR/C	4
7386	Std. 915/A/16	Washer, at support plate	3	DTD. 610	MR/C	4
7510	D. 221336	Frame 35, group	1	-		
7511	A. 203258	Angle, reinforcing port	1	L. 72	MR/C	
7512	A. 203259	Angle, reinforcing, starboard	1	L. 72	MR/C	
	F. 207778	Angle, attachment, port only	1	L. 72	MR/C	
	F. 207779	Angle, attachment, port only	1	L. 72	MR/C	
7513	A. 205304	Bracket, support, for pipe at top of frame	1	S. 3	MR/C	JB. 9
-	D. 221336/2	Diaphragm, side, port (Use 26FX/7514) ...	1	DTD. 610	-	JB. 9
-	D. 221336/3	Diaphragm, side, starboard	1	DTD. 610	-	JB. 9
-	D. 221336/4	Diaphragm, bottom, forward (Use 26FX/7387)	1	DTD. 610	-	JB. 9
-	D. 221336/5	Diaphragm, bottom, aft (Use 26FX/7388)	1	DTD. 610	-	JB. 9
	C. 221337	Plate, reinforcing	1	L. 72		

RESTRICTED

Hunter Single Seater

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	D. 202599	Frame 36, group	1	-		
7389	D. 202599/4	Bottom portion of frame, port	1	DTD. 610	MR/C	JB. 9
7390	D. 202599/5	Bottom portion of frame, starboard	1	DTD. 610	MR/C	JB. 9
7391	F. 204793	Bracket, support, for pipe	1	S. 3	MR/C	JB. 9
	F. 196984	Bracket, for clip attachment	1	-		
4211	Std. 1687/2	Saddle, securing electrical cables	3	DTD. 610	C.	5
	D. 200102	Frame 37, group	1	-		
	F. 171766	Angle, support, bottom, starboard	1	DTD. 610		
	F. 171767	Angle, support, bottom, port	1	DTD. 610		
	F. 196985	Angle, support, for pipe clip	2	-		
7392	A. 204794	Bracket, support, for fuel pipe	1	S. 3	MR/C	JB. 9
7393	D. 200102/3	Diaphragm, bottom	1	DTD. 610	MR/C	JB. 9
7394	C. 200337	Plate, reinforcing, at bottom of frame	1	DTD. 166	MR/C	JB. 9
4211	Std. 1687/2	Saddle, securing cables	1	DTD. 610	C.	5
	F. 197056	Saddle, special, for cable clip	1	DTD. 610		
	D. 203011	Frame 38, group	1	-		
7395	D. 203011/5	Angle, lower portion of frame	1	L. 72	MR/C	
7516	D. 203011/6	Angle, port	1	DTD. 364	MR/C	JB. 9
7517	D. 203011/7	Angle, starboard	1	DTD. 364	MR/C	JB. 9
7396	F. 204070	Bracket, support, for fire extinguisher spray tube	8	L. 72	MR/C	
7397	D. 203011/3	Diaphragm, bottom	1	DTD. 166	MR/C	JB. 9
7398	B. 203109	Plate, joint, port	1	DTD. 166	MR/C	
7399	B. 203110	Plate, joint, starboard	1	DTD. 166	MR/C	
8333	A. 210243	Union, flanged, for bulkhead (Mod. 342)	2	S.62.B	C.	JB. 9
	E. 200364	Frame 39, top portion	1	DTD. 610		
	E. 200365	Frame 39, bottom portion, group	1	-		
7400	E. 200365/2	Angle, lower, port	1	DTD. 610	MR/C	JB. 9
7401	E. 200365/3	Angle, lower, starboard	1	DTD. 610	MR/C	JB. 9
7402	B. 200313	Bracket, bottom, port, for thrust member	1	DTD. 610	MR/C	JB. 9
7403	B. 200314	Bracket, bottom, starboard, for thrust member	1	DTD. 610	MR/C	JB. 9
7404	A. 200226	Bracket, support, at bottom of frame	2	L. 72	MR/C	JB. 9
7405	E. 200365/1	Diaphragm, lower	1	DTD. 610	MR/C	JB. 9
2810	B. 176254	Plate, reinforcing	1	DTD. 610	MR/C	JB. 9
7519	B. 202236	Plate, reinforcing, port	1	L. 72	MR/C	
7520	B. 202237	Plate, reinforcing, starboard	1	L. 72	MR/C	
4211	Std. 1687/2	Saddle, securing cables	5	DTD. 610	C.	5
	E. 200679	Frame 40A, group	1	-		
	A. 200908	Angle, attachment, at engine mounting brackets, bottom port, top starboard	2	DTD. 610		
	A. 200909	Angle, attachment, at engine mounting brackets, top port, bottom starboard	2	DTD. 610		
1264†	F. 163972	Angle, at transport joint fittings	8	DTD. 364	C.	JB. 9
1765	F. 191864	Angle, at transport joint fittings	22	DTD. 364	C.	JB. 3
7521	A. 200266	Bracket, lower hinge, for engine mounting, port	1	Stamping	MR/C	
7522	A. 200267	Bracket, lower hinge, for engine mounting, starboard	1	Stamping	MR/C	
7523	A. 200268	Bracket, top hinge, for engine mounting, port	1	Stamping	MR/C	
7524	A. 200269	Bracket, top hinge, for engine mounting, starboard	1	Stamping	MR/C	
7406	A. 200800	Channel, reinforcing at bottom portion of frame	2	DTD. 610	MR/C	
7407	E. 200679/3	Diaphragm, forward, starboard	1	DTD. 610	MR/C	JB. 9
7408	E. 200679/4	Diaphragm, rear, starboard	1	DTD. 610	MR/C	
7409	E. 200679/5	Diaphragm, forward, port	1	DTD. 610	MR/C	JB. 9
7410	E. 200679/6	Diaphragm, rear, port	1	DTD. 610	MR/C	

RESTRICTED

FUSELAGE-CENTRE PORTION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
1003	B. 177308	Fitting, for rear transport joint ...	4	Stamping	C.	JB.9
1004 †	B. 177306	Fitting, for rear transport joint ...	7	Stamping	C.	JB.3
1005 †	B. 177307	Fitting, for rear transport joint ...	4	Stamping	C.	JB.9
7413	F. 201768	Shim, for engine mounting hinge brackets	8	Brass Sheet	MR/C	
7411	E. 200679/9	Strap, inside, at lower joint ...	1	DTD.610	MR/C	JB.9
7412	F. 200804	Strap, butt, at lower joint ...	2	DTD.610	MR/C	
7414	E. 200679/8	Strap, inside, bottom ...	1	DTD.610	MR/C	JB.9
	Std. 1509/24/150	Tube, distance, $\frac{3}{8}$ " o/d. x 17 S.W.G. x 1.5" long (Make from 30B/557)	56	T.4	-	
	C. 201447-8	MOUNTING, FOR CABIN COOLER, ASSEMBLY	-	-		
7417	B. 201449	Bracket, mounting, port ...	1	S.3	MR/C	JB.3
7418	B. 201450	Bracket, mounting, starboard ...	1	S.3	MR/C	JB.3
7419	Std. 1509/23/104	Tube, distance ...	2	T.4	MR/C	
	D. 200522	MOUNTING, FOR GEARBOX, ASSEMBLY	-	-		
7572	F. 194514	Bracket, attachment, at frame 30, port only	1	DTD.364	MR/C	JB.6
7573	A. 200764	Bracket, attachment, at frame 30, port only	1	Stamping	MR/C	JB.6
7574	A. 200527	Bracket, for lug ...	2	DTD.364	MR/C	JB.6
7575	A. 200528	Bracket, for lug ...	2	DTD.364	MR/C	JB.6
7576	C. 200523	Diaphragm, between frames 29 and 30, port	1	DTD.610	MR/C	JB.6
7577	C. 200524	Diaphragm, between frames 29 and 30, port	1	DTD.610	MR/C	JB.6
7578	C. 200525	Diaphragm, between frames 29 and 30, starboard	1	DTD.610	MR/C	JB.6
7579	C. 200526	Diaphragm, between frames 29 and 30, starboard	1	DTD.610	MR/C	JB.6
7580	F. 194512	Lug, attachment, at frame 29 ...	2	DTD.364	MR/C	JB.6
	F. 194513	Tube, distance, at lug attachment ...	2	L.65.C		
1392	Std. 1547/28/12	Washer, special ...	4	-	C.	
310	Std. 1547/30/12	Washer, special ...	4	-	C.	
7581	Std. 1549/28/16	Washer, special ...	1	-	MR/C	
9894	D. 233397	Panel, access for main fuel tank, port group	1	-	A.	JB.1
9895	C. 233399	Panel, access for main fuel tank, starboard group	1	-	A.	JB.1
	F. 200150	Bracket, support, for strap ...	4	L.72		
	F. 207759	Guard, cable, port only ...	1	-		
	A. 200153	Strap ...	2	DTD.5506		
	C. 202380	PLATE, SEALING, FOR STRINGERS AT FRAMES 29 AND 30, ASSEMBLY	-	-		
7420	F. 202381	Sealing, at stringer "A," frame 29 ...	1	Plastic	MR/C	JB.8
7421	F. 202382	Sealing, at stringer "B," frame 29 ...	2	Plastic	MR/C	JB.8
7422	F. 202383	Sealing, at stringer "C," frame 29 ...	2	Plastic	MR/C	JB.8
7423	F. 202384	Sealing, at stringer "C," frame 29 ...	2	Plastic	MR/C	JB.8
7424	F. 202385	Sealing, at stringer "D," frame 29 ...	2	Plastic	MR/C	JB.8
7425	F. 202386	Sealing, at stringers "E" & "H," frame 29	8	Plastic	MR/C	JB.8
7426	F. 202388	Sealing, at stringers "E" & "H," frame 29	4	Plastic	MR/C	JB.8
4456	F. 189604	Sealing, at stringer "J," frame 29 ...	2	Plastic	MR/C	JB.9
7427	F. 202389	Sealing, at stringer "K," frame 30 ...	1	Plastic	MR/C	JB.8
7428	F. 202390	Sealing, at stringer "K," frame 30 ...	1	Plastic	MR/C	JB.8
7429	F. 202391	Sealing, at stringer "K," frame 30 ...	1	Plastic	MR/C	JB.8

FUSELAGE-CENTRE PORTION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R.	Plate No.		
					Class of Store			
		1	2	3	4	5		
	C. 200502	PLATE, SEALING, FOR STRINGERS AT FRAME 38, ASSEMBLY	-	-				
7430	F. 200505	Sealing, at stringers "A," "B," "C," & "J"	7	Plastic	MR/C	JB.9		
4456	F. 189604	Sealing, at stringers "D" & "H"	4	Plastic	MR/C	JB.9		
4465	F. 189602	Sealing, at stringers "E" & "G"	4	Plastic	MR/C	JB.9		
4463	F. 189600	Sealing, at stringer "F"	2	Plastic	MR/C	JB.9		
4464	F. 189601	Sealing, at stringer "F"	2	Plastic	MR/C	JB.9		
7431	F. 200503	Sealing, at stringer "K"	2	Plastic	MR/C	JB.9		
7432	F. 200504	Sealing, at stringer "L"	2	Plastic	MR/C	JB.9		
	B. 202112	RAIL FOR ENGINE, ASSEMBLY	-	-				
7525	F. 175940	Angle, support	2	DTD. 610	MR/C	JB.6		
7526	F. 202121	Angle, port	1	L. 72	MR/C	JB.6		
7527	F. 202122	Angle, starboard	1	L. 72	MR/C	JB.6		
7568	A. 202119	Angle, port	1	DTD. 364	MR/C	JB.6		
7569	A. 202120	Angle, starboard	1	DTD. 364	MR/C	JB.6		
7570	A. 200228	Bracket, mounting, port	1	L. 72	MR/C	JB.6		
7571	A. 200229	Bracket, mounting, starboard	1	L. 72	MR/C	JB.6		
7433	B. 202113	Diaphragm, forward, port, frame 37 to frame 38	1	L. 72	MR/C	JB.6		
7434	B. 202114	Diaphragm, forward, starboard, frame 37 to frame 38	1	L. 72	MR/C	JB.6		
7435	B. 202115	Diaphragm, centre, port, frame 38 to frame 39	1	L. 72	MR/C	JB.6		
7436	B. 202116	Diaphragm, centre, starboard, frame 38 to frame 39	1	L. 72	MR/C	JB.6		
7437	B. 202117	Diaphragm, aft, port, frame 39 to frame 40A	1	L. 72	MR/C	JB.6		
7438	B. 202118	Diaphragm, aft, starboard, frame 39 to frame 40A	1	L. 72	MR/C	JB.6		
2815	B. 177323	Lug, for rail	1	Stamping	MR/C	JB.6		
7439	B. 200283	Mounting, for rail	1	Stamping	MR/C	JB.6		
7440	B. 200225	Rail	1	-	MR/C	JB.6		
	Std. 1507/2/134	Tube, distance, 1/4" o/d. x 22 S.W.G. x 1.34" long	8	T. 26				
	B. 201050	SKIN, COVERING, FRAME 25 TO FRAME 32, ASSEMBLY	-	-				
	A. 206000	Angle, reinforcing, frame 27 to frame 29, port	1	DTD. 364				
	A. 206001	Angle, reinforcing, frame 27 to frame 29, starboard	1	DTD. 364				
7441	Std. 1551/5/270	Bolt, special, for attachment of diaphragm "M" to lower drag members	4	S. 99. B	MR/C			
	C. 205772	BRACKET, CRADLE FOR FUEL FILTER DE-ICING ALCOHOL TANK, ASSEMBLY	-	-				
	A. 205145	Bracket, cradle	1	L. 72				
	A. 215836	Bracket, cradle	1	L. 72				
	A. 215837	Bracket, cradle	1	L. 72				
	A. 215838	Bracket, cradle	1	L. 72				
	F. 205772/1	Felt, 3/4" wide x 5" long	2	DTD. 590				
6047	A. 201094	Bracket, mounting, at frame 31	2	L. 72	MR/C	JB.2		
7528	A. 206929	Bracket, for hydraulic pipe cleat, port	1	L. 72	MR/C	JB.2		
7529	A. 206930	Bracket, for hydraulic pipe cleat, starboard	1	L. 72	MR/C	JB.2		
	F. 217660	Bracket, mounting (Mod. 510)	8	L. 72				
	B. 202153	BRACKET, FOR STARTER FUEL TANK, PORT ONLY, ASSEMBLY	-	-				
7442	A. 202152	Bracket	1	L. 72	MR/C	JB.3		

FUSELAGE-CENTRE PORTION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	B.201705	LANDING, FOR ACCESS DOOR TO STARTER, TANK PORT ONLY, ASSEMBLY	-	-		
7553	B.201706	Landing, group	1	L.73	MR/C	JB.2
28FP/341	Dzus. S.5.325	Spring, fastener	1	-	C.	
	B.200515	LEVELLING, POINTS, SUB-ASSEMBLY	-	-		
	F.184598	Bearing, forward and aft levelling points, ports only	2	Stamping		
	A.200516	Bracket, bearing, C of G datum point, port	1	S.3		
	A.200517	Bracket, bearing, C of G datum point, starboard	1	S.3		
6148	Std.1718/5	Nut, special	2	S.95.B		
7534	F.206361	Plate, attachment, for weather covers	2	S.3	C.	
	F.203845	Plate, reinforcing, at fuel starter drain outlet, port only	1	L.72	MR/C	
7530	D.201050/1	Skin, top, main spar to rear spar, port	1	DTD.546	MR/B	JB.2
7531	D.201050/2	Skin, top, main spar to rear spar, starboard	1	DTD.546	MR/B	JB.2
7532	D.201050/3	Skin, side, main spar to rear spar, port	1	DTD.546	MR/B	JB.2
7533	D.201050/4	Skin, side, main spar to rear spar, starboard	1	DTD.546	MR/B	JB.2
	C.205998-9	STOP, FOR UNDERCARRIAGE FAIRING DOOR, AND SEQUENCE VALVE MOUNTING, SUB-ASSEMBLY	-	-		
5177	B.201691	Bracket, forward, port (8 morse No.21 holes omitted)	1	L.72	C.	JB.2
5178	B.201692	Bracket, forward, starboard (8 morse No.21 holes omitted)	1	L.72	C.	JB.2
5179	B.201693	Bracket, aft, port (8 morse No.21 holes omitted)	1	L.72	C.	JB.2
5180	B.201694	Bracket, aft, starboard (8 morse No.21 holes omitted)	1	L.72	C.	JB.2
5815	A.189625	Bracket, mounting, for sequence valve, port	1	DTD.610	C.	JB.2
5816	A.189626	Bracket, mounting, for sequence valve, starboard	1	DTD.610	C.	JB.2
5732	A.201677	Bracket, reinforcing, port	1	S.3	MR/C	JB.2
5733	A.201678	Bracket, reinforcing, starboard	1	S.3	MR/C	JB.2
7443	C.205994	Bracket, lower, forward, port	1	L.72	MR/C	JB.2
7444	C.205995	Bracket, lower, forward, starboard	1	L.72	MR/C	JB.2
7445	C.205996	Bracket, lower, aft, port	1	L.72	MR/C	JB.2
7446	C.205997	Bracket, lower, aft, starboard	1	L.72	MR/C	JB.2
5738	A.202891	Bracket, guide, port	1	DTD.364 & St. St.	MR/C	JB.2
5739	A.202892	Bracket, guide, starboard	1	DTD.364 & St. St.	MR/C	JB.2
8402	F.209988	Bush, for operating lever	2	BSS.369	C.	
7855	A.209986	Lever, operating, sequence valve, port	1	Casting	B.	JB.2
7856	A.209987	Lever, operating, sequence valve, starboard	1	Casting	B.	JB.2
1014	F.189628	Rod, operating	2	S.96.B	C.	JB.2
1013	F.189627	Screw, special	2	S.95.B	C.	JB.2
4650	F.198997	Screw, special, for stop adjustment	2	S.96.B.	C.	JB.2
1015	F.189629	Stop, at top of operating rod	2	S.95.B.	C.	JB.2
4651	F.196854	Stud, special	2	S.3 & S.21	C.	JB.2
1016	F.187086	Triunion	2	S.94.B	C.	JB.2
-	C.205785/1	Tube, distance, (May be made from Std.1567/23/060)	2	T.26	-	

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

